



Control Number: 28980



Item Number: 134

Addendum StartPage: 0

PUC DOCKET NO. 28980

PETITION OF CENTERPOINT ENERGY §
HOUSTON ELECTRIC, LLC FOR §
FINDING THAT THE 40% THRESHOLD §
UNDER PURA §39.202(e) HAS BEEN §
MET FOR SMALL COMMERCIAL §
CUSTOMERS

PUBLIC UTILITY COMMISSION

OF TEXAS
PUBLIC UTILITY COMMISSION
FILING CLERK

NOV 12: 05

Contact: Jim Purdue

(713) 207-7245

Fax: (713) 207-9840

December 23, 2002

TABLE OF CONTENTS

Description

Page

CenterPoint Energy's Response to City of Houston's Third Set of RFI's2-100

Electronic Filenames:

COH3-1 thru COH3-3

Certificate of Service101

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC

DOCKET NO. 28980

CITY OF HOUSTON

Q. Did the average commercial customer usage calculation only include customers from the MGS rate class? If not, identify the number of customers and usage that was included in the calculation for each additional rate class.

A. Yes.

Attachments: None

Sponsor: James N. Purdue

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC

DOCKET NO. 28980

CITY OF HOUSTON

- Q.** For those accounts that switched to REPs for which the average usage of 14,114 kWh was applied, also provide those customers' actual usage.
- A.** See CenterPoint Energy's 12-1-03 Confidential material described as "Highly Sensitive Exhibit ESI ID Kilowatt Hour Data", Envelopes 1 to 3, Bates pages 1 to 840. Also see CenterPoint Energy's 12-22-03 Confidential material described as "Highly Sensitive SUP1 ESI ID Kilowatt Hour Data", envelopes 1 and 2, Bates pages 1 to 351.

For each account the actual kwh for which the average usage of 14,114 kWh was applied can be found at column labeled "MTM PTB LESS 22 KWH.

Attachments: None

Sponsor: James N. Purdue

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC

DOCKET NO. 28980

CITY OF HOUSTON

- Q.** Please provide a hard copy and electronic copy of any bill frequency analysis prepared for any price to beat commercial customer rate class that would include any data from January 2000 to date.
- A.** CenterPoint Energy has not prepared any bill frequency analysis from January 2000 to date. CenterPoint Energy prepared a bill frequency analysis for its Unbundled Cost of Service filing. This bill frequency analysis was for the months October 1998 through September 1999. This analysis is attached. An electronic copy of this analysis is not available.

Attachments: Bill frequency analysis.

Sponsor: James N. Purdue

0-22 KVA

	CUST	KWH
OCT	139,605	195,935,653
NOV	137,126	163,404,400
DEC	138,686	157,302,059
JAN	138,909	173,673,286
FEB	141,291	152,051,692
MAR	142,822	146,292,267
APR	143,147	157,912,041
MAY	143,518	170,920,362
JUN	142,503	186,024,964
JUL	141,649	195,446,647
AUG	141,068	205,651,405
SEP	140,741	211,486,949
TOTAL	140,922	2,116,101,725
AVERAGE		15,016

0 -10 KVA

	CUST	KWH
	114,327	93,988,466
	112,459	80,821,431
	113,332	79,215,001
	113,540	89,810,093
	115,501	78,171,768
	116,881	74,407,866
	117,272	79,946,005
	117,982	84,683,774
	117,647	91,320,849
	116,902	95,421,817
	116,333	100,095,301
	116,063	103,528,744
	115,687	1,051,411,115
		9,088

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT
EIS SYSTEM
FOR THE MONTH OF OCTOBER, 1998
KVA, STYLE I, PART I

14MAR00

HGS

ACTUAL KVA RANGE	COUNT	PCT	ACCU COUNT OF	PCT	AMOUNT(\$)	TOTAL REVENUE EXCLUDING SALES TAX		
						PCT	ACCU AMOUNT OF	PCT
0	97,545	53.4	97,545	53.43	5,882,426.68	6.22	5,882,426.68	6.22
1	267	0.15	97,812	53.57	15,063.97	0.02	5,897,490.65	6.23
2	448	0.25	98,260	53.82	24,247.01	0.03	5,921,737.66	6.26
3	1,214	0.66	99,474	54.48	68,721.64	0.09	6,010,459.30	6.35
4	1,216	0.67	100,690	55.15	109,720.42	0.12	6,120,179.72	6.47
5	1,490	0.82	102,180	55.97	170,320.62	0.18	6,290,500.34	6.65
6	1,660	0.91	103,840	56.86	216,876.94	0.23	6,507,377.28	6.88
7	1,710	0.95	105,570	57.82	254,054.05	0.27	6,761,431.33	7.15
8	2,694	1.48	108,264	59.30	408,991.58	0.43	7,170,422.91	7.58
9	2,081	1.14	110,345	60.44	342,650.36	0.36	7,513,073.27	7.94
10	3,982	2.18	114,327	62.62	670,140.47	0.71	8,183,213.74	8.65
11	2,191	1.20	116,518	63.82	422,139.93	0.45	8,605,353.67	9.10
12	3,093	1.69	119,611	65.51	643,328.60	0.68	9,248,682.27	9.78
13	2,001	1.10	121,612	66.61	442,681.18	0.47	9,691,363.45	10.24
14	2,252	1.23	123,864	67.84	533,456.40	0.56	10,224,819.65	10.81
15	2,453	1.34	126,317	69.19	623,870.09	0.66	10,848,689.94	11.47
16	2,495	1.37	128,812	70.55	670,374.81	0.71	11,519,064.75	12.18
17	1,572	0.86	130,384	71.41	459,577.74	0.49	11,978,642.49	12.66
18	1,840	1.01	132,224	72.42	564,910.97	0.60	12,543,553.46	13.26
19	1,455	0.80	133,679	73.22	467,778.26	0.49	13,011,331.72	13.75
20	3,366	1.84	137,045	75.06	1,165,063.89	1.23	14,176,395.61	14.98
21	1,087	0.60	138,132	75.66	401,326.51	0.42	14,577,722.12	15.41
22	1,473	0.81	139,605	76.46	570,024.07	0.60	15,147,746.19	16.01
23	927	0.51	140,532	76.97	376,596.34	0.40	15,524,342.53	16.41
24	2,123	1.16	142,655	78.14	910,039.14	0.96	16,434,381.67	17.37
25	1,131	0.62	143,786	78.75	507,479.03	0.54	16,941,860.70	17.91
26 - 30	5,297	2.90	149,083	81.66	2,659,878.60	2.81	19,601,739.30	20.72
31 - 35	3,583	1.96	152,666	83.62	2,135,789.36	2.26	21,737,528.66	22.98
36 - 40	4,510	2.47	157,176	86.09	3,214,181.45	3.40	24,951,710.11	26.37
41 - 45	1,996	1.09	159,172	87.18	1,610,236.45	1.70	26,561,946.56	28.08
46 - 50	2,353	1.29	161,525	88.47	2,105,393.82	2.23	28,667,340.38	30.30
51 - 55	1,377	0.75	162,902	89.23	1,379,294.66	1.46	30,046,635.04	31.76
56 - 60	2,387	1.31	165,289	90.53	2,671,994.38	2.82	32,718,629.42	34.58
61 - 65	1,040	0.57	166,329	91.10	1,222,953.94	1.29	33,941,583.36	35.88
66 - 70	1,034	0.57	167,363	91.67	1,326,328.56	1.40	35,267,911.92	37.28
71 - 75	819	0.45	168,182	92.12	1,140,744.16	1.21	36,408,656.08	38.48
76 - 80	1,377	0.75	169,559	92.87	2,087,588.98	2.21	38,496,245.06	40.69
81 - 85	509	0.28	170,068	93.15	825,027.59	0.87	39,321,272.65	41.56
86 - 90	731	0.40	170,799	93.55	1,263,874.18	1.34	40,585,146.83	42.90
91 - 95	340	0.19	171,139	93.74	620,758.39	0.66	41,205,905.22	43.55
96 - 100	997	0.55	172,136	94.28	1,844,966.92	1.95	43,050,872.14	45.50
101 - 110	846	0.46	172,982	94.75	1,707,351.88	1.80	44,758,224.02	47.31
111 - 120	986	0.54	173,968	95.29	2,214,082.54	2.34	46,972,306.56	49.65
121 - 130	658	0.36	174,626	95.65	1,579,561.10	1.67	48,551,867.66	51.32
131 - 140	546	0.30	175,172	95.95	1,432,013.57	1.51	49,983,881.23	52.83
141 - 150	651	0.36	175,823	96.30	1,033,322.76	1.04	51,017,203.99	54.77
151 - 160	512	0.28	176,335	96.58	1,526,088.80	1.61	53,543,292.79	56.38
161 - 170	293	0.16	176,628	96.74	936,011.56	0.99	54,479,304.35	57.37

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT

CIS SYSTEM
FOR THE MONTH OF OCTOBER, 1998
KVA, STYLE 1, PART 1

14MAR00

MGS

ACTUAL KVA RANGE	COUNT	PCT	ACCUM COUNT OF	PCT	AMOUNT(\$)	TOTAL REVENUE EXCLUDING SALES TAX	ACCUM AMOUNT OF	PCT
171 - 180	416	0.23	177,044	96.97	1,407,500.00	55,686,804.35	58.86	58.86
181 - 190	246	0.13	177,290	97.11	864,282.76	56,551,087.11	59.77	59.77
191 - 200	443	0.24	177,733	97.35	1,607,601.03	58,158,688.14	61.47	61.47
201 - 210	286	0.16	178,019	97.51	1,134,832.32	59,293,520.46	62.67	62.67
211 - 220	269	0.14	178,279	97.65	1,121,732.60	60,415,253.06	63.86	63.86
221 - 230	339	0.19	178,618	97.83	1,499,852.98	61,915,106.04	65.44	65.44
231 - 240	232	0.13	178,850	97.96	1,084,595.27	62,999,701.31	66.59	66.59
241 - 250	156	0.09	179,006	98.05	765,070.67	63,764,771.98	67.40	67.40
251 - 260	200	0.11	179,206	98.16	1,008,321.19	64,773,093.17	68.46	68.46
261 - 270	170	0.09	179,376	98.25	880,462.29	65,653,555.46	69.39	69.39
271 - 280	113	0.06	179,489	98.31	615,024.73	66,268,580.19	70.04	70.04
281 - 290	284	0.16	179,773	98.47	1,671,070.10	67,939,650.29	71.81	71.81
291 - 300	104	0.06	179,877	98.52	624,148.49	68,563,798.78	72.47	72.47
301 - 310	132	0.07	180,009	98.60	816,028.92	69,379,827.70	73.33	73.33
311 - 320	153	0.08	180,162	98.68	1,003,987.31	70,383,815.01	74.39	74.39
321 - 330	92	0.05	180,254	98.73	628,111.52	71,011,926.53	75.06	75.06
331 - 340	93	0.05	180,347	98.78	597,670.98	71,609,597.51	75.69	75.69
341 - 350	131	0.07	180,478	98.85	956,446.78	72,566,044.29	76.70	76.70
351 - 360	109	0.06	180,587	98.91	828,910.11	73,394,954.40	77.58	77.58
361 - 370	73	0.04	180,660	98.95	513,684.63	73,908,639.03	78.12	78.12
371 - 380	87	0.05	180,747	99.00	673,656.57	74,582,295.60	78.83	78.83
381 - 390	151	0.08	180,898	99.08	1,188,686.75	75,770,982.35	80.09	80.09
391 - 400	50	0.03	180,948	99.11	440,146.47	76,211,128.82	80.55	80.55
401 - 420	192	0.11	181,140	99.21	1,650,461.66	77,861,590.48	82.30	82.30
421 - 440	191	0.10	181,331	99.32	1,709,038.10	79,570,628.58	84.10	84.10
441 - 460	100	0.05	181,431	99.37	911,791.38	80,482,419.96	85.07	85.07
461 - 480	205	0.11	181,636	99.49	1,979,158.45	82,461,578.41	87.16	87.16
481 - 500	105	0.06	181,741	99.54	1,057,125.33	83,518,703.74	88.28	88.28
501 - 520	115	0.06	181,856	99.61	1,191,631.84	84,710,335.58	89.54	89.54
521 - 540	81	0.04	181,937	99.65	895,332.21	85,605,667.79	90.48	90.48
541 - 560	57	0.03	181,994	99.68	648,123.43	86,253,791.22	91.17	91.17
561 - 580	105	0.06	182,099	99.74	1,254,995.33	87,508,786.55	92.49	92.49
581 - 600	52	0.03	182,151	99.77	642,629.86	88,151,416.41	93.17	93.17
601 - 620	45	0.02	182,196	99.79	538,441.74	88,689,858.15	93.74	93.74
621 - 640	46	0.03	182,242	99.82	567,283.91	89,256,942.06	94.34	94.34
641 - 660	28	0.02	182,270	99.83	363,534.94	89,620,477.00	94.73	94.73
661 - 680	31	0.02	182,301	99.85	369,383.72	89,989,860.72	95.12	95.12
681 - 700	37	0.02	182,338	99.87	533,182.57	90,523,043.29	95.68	95.68
701 - 720	39	0.02	182,377	99.89	547,593.98	91,070,637.27	96.26	96.26
721 - 740	9	0.00	182,386	99.90	138,392.92	91,209,030.19	96.40	96.40
741 - 760	20	0.01	182,406	99.91	257,605.39	91,466,635.58	96.68	96.68
761 - 780	36	0.02	182,442	99.93	538,881.38	92,005,516.96	97.25	97.25
781 - 800	12	0.01	182,454	99.93	202,870.46	92,208,387.42	97.46	97.46
801 - 820	13	0.01	182,467	99.94	202,057.36	92,410,444.78	97.67	97.67
821 - 840	3	0.00	182,476	99.95	131,056.51	92,541,501.29	97.81	97.81
841 - 860	3	0.00	182,479	99.95	55,617.29	92,597,118.58	97.87	97.87
861 - 880	10	0.01	182,489	99.95	189,973.58	92,787,092.16	98.07	98.07
881 - 900	10	0.01	182,499	99.96	165,643.87	92,952,736.03	98.25	98.25

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT
CIS SYSTEM
FOR THE MONTH OF OCTOBER, 1998
KVA, STYLE I, PART I

14MAR00

835

ACTUAL KVA RANGE	COUNT	PCT	ACCUM COUNT OF	PCT	AMOUNT(\$)	TOTAL REVENUE EXCLUDING SALES TAX	ACCUM AMOUNT OF	PCT
901 - 920	5	0.00	182,504	99.96	94,062.22	0.10	93,046,798.25	98.35
921 - 940	5	0.00	182,509	99.96	83,299.25	0.09	93,130,097.50	98.44
941 - 960	5	0.00	182,514	99.97	95,815.19	0.10	93,225,912.69	98.54
961 - 980	1	0.00	182,515	99.97	18,175.84	0.02	93,244,088.53	98.56
981 - 1000	4	0.00	182,519	99.97	80,900.73	0.09	93,324,989.26	98.64
1001 - 1100	17	0.01	182,536	99.98	298,872.12	0.32	93,623,861.38	98.96
1101 - 1200	12	0.01	182,548	99.99	236,952.76	0.25	93,860,814.14	99.21
1201 - 1300	3	0.00	182,551	99.99	73,403.14	0.08	93,934,217.28	99.29
1301 - 1400	5	0.00	182,556	99.99	88,234.68	0.09	94,022,451.96	99.38
1401 - 1500	3	0.00	182,559	99.99	88,959.10	0.09	94,111,411.06	99.47
1501 - 1600	2	0.00	182,561	99.99	34,632.54	0.04	94,146,043.60	99.51
1601 - 1700	2	0.00	182,563	99.99	36,812.99	0.04	94,182,856.59	99.55
1701 - 1800	4	0.00	182,567	100.00	131,597.12	0.14	94,314,453.71	99.69
1801 - 1900	0	0.00	182,567	100.00	0.00	0.00	94,314,453.71	99.69
1901 - 2000	0	0.00	182,567	100.00	0.00	0.00	94,314,453.71	99.69
2001 - 2100	2	0.00	182,569	100.00	61,807.09	0.07	94,376,060.80	99.75
2101 - 2200	1	0.00	182,570	100.00	60,242.16	0.06	94,436,302.96	99.82
2201 - 2300	0	0.00	182,570	100.00	0.00	0.00	94,436,302.96	99.82
2301 - 2400	1	0.00	182,571	100.00	65,572.08	0.07	94,501,875.04	99.89
2401 - 2500	0	0.00	182,571	100.00	0.00	0.00	94,501,875.04	99.89
2501 - 2600	0	0.00	182,571	100.00	0.00	0.00	94,501,875.04	99.89
2601 - 2700	0	0.00	182,571	100.00	0.00	0.00	94,501,875.04	99.89
2701 - 2800	0	0.00	182,571	100.00	0.00	0.00	94,501,875.04	99.89
2801 - 2900	1	0.00	182,572	100.00	18,377.45	0.02	94,520,252.49	99.90
2901 - 3000	0	0.00	182,572	100.00	0.00	0.00	94,520,252.49	99.90
3001 - 3100	0	0.00	182,572	100.00	0.00	0.00	94,520,252.49	99.90
3101 - 3200	0	0.00	182,572	100.00	0.00	0.00	94,520,252.49	99.90
3201 - 3300	0	0.00	182,572	100.00	0.00	0.00	94,520,252.49	99.90
3301 - 3400	0	0.00	182,572	100.00	0.00	0.00	94,520,252.49	99.90
3401 - 3500	0	0.00	182,572	100.00	0.00	0.00	94,520,252.49	99.90
3501 - 3600	0	0.00	182,572	100.00	0.00	0.00	94,520,252.49	99.90
3601 - 3700	0	0.00	182,572	100.00	0.00	0.00	94,520,252.49	99.90
3701 - 3800	0	0.00	182,572	100.00	0.00	0.00	94,520,252.49	99.90
3801 - 3900	0	0.00	182,572	100.00	0.00	0.00	94,520,252.49	99.90
3901 - 4000	0	0.00	182,572	100.00	0.00	0.00	94,520,252.49	99.90
4001 - 4100	0	0.00	182,572	100.00	0.00	0.00	94,520,252.49	99.90
4101 - 4200	0	0.00	182,572	100.00	0.00	0.00	94,520,252.49	99.90
4201 - 4300	0	0.00	182,572	100.00	0.00	0.00	94,520,252.49	99.90
4301 - 4400	0	0.00	182,572	100.00	0.00	0.00	94,520,252.49	99.90
4401 - 4500	0	0.00	182,572	100.00	0.00	0.00	94,520,252.49	99.90
4501 - 4600	0	0.00	182,572	100.00	0.00	0.00	94,520,252.49	99.90
4601 - 4700	0	0.00	182,572	100.00	0.00	0.00	94,520,252.49	99.90
4701 - 4800	0	0.00	182,572	100.00	0.00	0.00	94,520,252.49	99.90
4801 - 4900	0	0.00	182,572	100.00	0.00	0.00	94,520,252.49	99.90
4901 - 5000	0	0.00	182,572	100.00	0.00	0.00	94,520,252.49	99.90
5001 - 5500	0	0.00	182,572	100.00	0.00	0.00	94,520,252.49	99.90
5501 - 6000	1	0.00	182,573	100.00	18,898.64	0.02	94,539,151.13	99.92
6001 - 6500	1	0.00	182,574	100.00	71,457.62	0.08	94,610,608.75	100.00

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80

KVA FREQUENCY REPORT
CIS SYSTEM

FOR THE MONTH OF OCTOBER, 1998
KVA, STYLE I, PART I

14HAR00

HQS

ACTUAL KVA RANGE	COUNT	PCT	ACCU. COUNT OF	PCT	AMOUNT(\$)	PCT	ACCU. AMOUNT OF	PCT
6501 - 7000	0	0.00	182,574	100.00	0.00	0.00	94,610,608.75	100.00
7001 - 7500	0	0.00	182,574	100.00	0.00	0.00	94,610,608.75	100.00
7501 - 8000	0	0.00	182,574	100.00	0.00	0.00	94,610,608.75	100.00
8001 - 8500	0	0.00	182,574	100.00	0.00	0.00	94,610,608.75	100.00
8501 - 9000	0	0.00	182,574	100.00	0.00	0.00	94,610,608.75	100.00
9001 - 9500	0	0.00	182,574	100.00	0.00	0.00	94,610,608.75	100.00
9501 - 10000	0	0.00	182,574	100.00	0.00	0.00	94,610,608.75	100.00
10001 - 10500	0	0.00	182,574	100.00	0.00	0.00	94,610,608.75	100.00
10501 - 11000	0	0.00	182,574	100.00	0.00	0.00	94,610,608.75	100.00
11001 - 11500	0	0.00	182,574	100.00	0.00	0.00	94,610,608.75	100.00
11501 - 12000	0	0.00	182,574	100.00	0.00	0.00	94,610,608.75	100.00
12001 - 12500	0	0.00	182,574	100.00	0.00	0.00	94,610,608.75	100.00
12501 - 13000	0	0.00	182,574	100.00	0.00	0.00	94,610,608.75	100.00
13001 - 13500	0	0.00	182,574	100.00	0.00	0.00	94,610,608.75	100.00
13501 - 14000	0	0.00	182,574	100.00	0.00	0.00	94,610,608.75	100.00
14001 - 14500	0	0.00	182,574	100.00	0.00	0.00	94,610,608.75	100.00
14501 - 15000	0	0.00	182,574	100.00	0.00	0.00	94,610,608.75	100.00
15001 - 15500	0	0.00	182,574	100.00	0.00	0.00	94,610,608.75	100.00
15501 - 16000	0	0.00	182,574	100.00	0.00	0.00	94,610,608.75	100.00
16001 - 16500	0	0.00	182,574	100.00	0.00	0.00	94,610,608.75	100.00
16501 - 17000	0	0.00	182,574	100.00	0.00	0.00	94,610,608.75	100.00
17001 - 17500	0	0.00	182,574	100.00	0.00	0.00	94,610,608.75	100.00
17501 - 18000	0	0.00	182,574	100.00	0.00	0.00	94,610,608.75	100.00
18001 - 18500	0	0.00	182,574	100.00	0.00	0.00	94,610,608.75	100.00
18501 - 19000	0	0.00	182,574	100.00	0.00	0.00	94,610,608.75	100.00
19001 - 19500	0	0.00	182,574	100.00	0.00	0.00	94,610,608.75	100.00
19501 - 20000	0	0.00	182,574	100.00	0.00	0.00	94,610,608.75	100.00
20001 + NORMAL	182,574	0.00	182,574	100.00	94,610,608.75	0.00	94,610,608.75	100.00
IRREGULAR	17,183		17,183		2,512,651.64		2,512,651.64	
TOTAL	199,757		199,757		97,123,260.39		97,123,260.39	

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT

16MAR00

CIS SYSTEM
FOR THE MONTH OF OCTOBER, 1998
KVA, STYLE 1, PART 11

MGS

ACTUAL KVA RANGE	QUANTITY	BLOCK 1	BLOCK 2	USEDKWH BLOCK 3	PCT	ACCUM QUANTITY OF	PCI
0	61,249,999	51,058,096	9,265,893	926,010	4.36	61,249,999	4.36
1	157,739	114,088	42,325	1,326	0.01	61,407,738	4.37
2	239,405	204,880	31,722	2,803	0.02	61,647,143	4.39
3	1,022,016	787,197	180,819	54,000	0.07	62,669,159	4.46
4	1,307,396	1,022,845	280,713	3,838	0.09	63,976,555	4.55
5	2,200,660	1,496,270	665,942	35,668	0.16	66,177,415	4.71
6	2,923,534	1,777,958	1,032,538	113,038	0.21	69,100,949	4.92
7	3,573,129	1,979,609	1,374,449	219,071	0.25	72,674,078	5.17
8	5,931,844	3,071,734	2,303,728	556,382	0.42	78,605,922	5.59
9	5,132,413	2,473,790	2,075,951	582,672	0.37	83,738,335	5.96
10	10,250,131	4,692,124	4,139,217	1,410,790	0.73	93,988,466	6.69
11	6,421,277	2,914,095	2,686,556	820,626	0.46	100,409,743	7.14
12	9,716,833	4,469,884	3,965,318	1,261,631	0.69	110,126,576	7.83
13	6,523,991	3,136,053	2,684,198	703,740	0.46	116,650,567	8.30
14	7,779,160	3,788,739	3,203,491	786,930	0.55	124,429,727	8.85
15	9,069,085	4,439,582	3,725,641	903,862	0.65	133,498,812	9.50
16	9,711,569	4,750,118	3,926,969	1,034,502	0.69	143,210,401	10.19
17	6,700,340	3,229,573	2,731,020	739,747	0.48	149,910,741	10.66
18	8,183,334	3,986,221	3,293,819	903,294	0.58	158,094,075	11.25
19	6,716,146	3,108,092	2,724,887	683,167	0.48	164,810,221	11.72
20	17,004,142	8,118,245	6,808,720	2,077,177	1.21	181,814,363	12.93
21	5,657,145	2,764,046	2,437,834	655,263	0.42	187,671,508	13.35
22	8,264,145	3,923,361	3,444,002	896,782	0.59	195,935,653	13.94
23	5,521,286	2,562,033	2,241,909	717,344	0.39	201,456,939	14.33
24	13,391,497	6,109,224	5,503,378	1,778,895	0.95	214,646,436	15.28
25	7,408,565	3,442,282	3,088,246	878,037	0.53	222,257,001	15.81
26 - 30	38,813,447	17,930,689	16,035,656	4,847,102	2.76	261,070,448	18.57
31 - 35	31,513,841	14,098,290	13,036,885	4,380,666	2.24	292,584,289	20.81
36 - 40	48,181,281	20,733,229	19,656,864	7,791,188	3.43	340,765,570	24.24
41 - 45	24,124,519	10,319,701	9,902,340	3,902,478	1.72	364,890,089	25.96
46 - 50	31,590,532	13,438,258	12,833,562	5,318,712	2.25	396,460,621	28.20
51 - 55	20,705,949	8,709,990	8,597,397	3,398,562	1.47	417,186,570	29.68
56 - 60	40,547,262	16,691,529	16,634,793	7,220,940	2.88	457,733,832	32.56
61 - 65	18,170,409	7,776,611	7,483,733	2,910,265	1.29	475,904,241	33.85
66 - 70	19,950,402	8,307,773	8,206,289	3,436,340	1.42	495,854,643	35.27
71 - 75	17,338,415	7,055,033	7,110,244	3,173,138	1.23	513,193,058	36.50
76 - 80	31,936,152	12,843,474	12,942,938	6,149,740	2.27	545,129,210	38.78
81 - 85	12,619,459	5,037,466	5,197,099	2,384,894	0.90	557,748,669	39.67
86 - 90	19,427,655	7,748,677	7,893,069	3,785,909	1.38	577,176,324	41.06
91 - 95	9,518,757	3,769,290	3,980,396	1,769,071	0.68	586,695,081	41.73
96 - 100	28,051,738	11,406,566	11,288,286	5,356,886	2.00	614,746,819	43.73
101 - 110	25,811,796	10,595,785	10,501,759	4,714,252	1.84	640,558,615	45.56
111 - 120	33,893,587	13,633,833	13,473,869	6,765,685	2.41	674,452,202	47.98
121 - 130	23,907,446	9,712,871	9,740,614	4,453,961	1.70	698,359,648	49.68
131 - 140	21,925,519	8,702,203	8,954,517	4,268,799	1.56	720,285,167	51.24
141 - 150	28,088,002	11,242,540	11,212,382	5,633,080	2.00	748,373,169	53.23
151 - 160	23,151,641	9,491,718	9,164,257	4,495,666	1.65	771,524,810	54.88
161 - 170	14,245,648	5,698,057	5,837,611	2,709,980	1.01	785,770,458	55.89

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT
CIS SYSTEM

FOR THE MONTH OF OCTOBER, 1998
KVA, STYLE 1, PART 11

14MAR00

MGS

ACTUAL KVA RANGE	QUANTITY	USEDKWH				ACCUM QUANTITY OF			
		BLOCK 1	BLOCK 2	BLOCK 3	PCI	BLOCK 1	BLOCK 2	BLOCK 3	PCI
171 - 180	21,788,372	8,567,257	8,443,626	4,777,489	1.55	807,558,830			57.44
181 - 190	12,921,344	5,421,279	5,270,621	2,229,444	0.92	820,480,174			58.36
191 - 200	24,165,576	10,045,371	9,613,449	4,506,756	1.72	844,645,750			60.08
201 - 210	17,341,844	6,950,724	7,016,098	3,375,022	1.23	861,987,594			61.32
211 - 220	17,609,420	6,664,755	6,983,146	3,961,519	1.25	879,597,014			62.57
221 - 230	22,828,296	9,203,369	9,329,959	4,290,968	1.62	902,421,310			64.19
231 - 240	16,843,648	6,554,269	6,581,159	3,708,220	1.20	919,264,958			65.39
241 - 250	11,739,152	4,671,013	4,820,856	2,247,283	0.84	931,004,110			66.22
251 - 260	15,468,644	6,100,949	6,260,473	3,107,222	1.10	946,492,754			67.33
261 - 270	13,423,746	5,419,669	5,372,147	2,631,930	0.95	959,916,500			68.28
271 - 280	9,531,612	3,694,841	3,833,391	2,003,380	0.68	969,448,112			68.96
281 - 290	26,587,428	9,810,054	10,483,171	6,294,203	1.69	998,035,540			70.85
291 - 300	9,827,234	3,679,202	3,926,697	2,221,335	0.70	1,005,662,774			71.55
301 - 310	12,619,538	4,899,171	5,199,835	2,520,532	0.90	1,018,482,312			72.45
311 - 320	15,726,732	6,014,246	6,352,875	3,359,611	1.12	1,035,209,044			73.57
321 - 330	10,031,004	3,655,775	4,044,378	2,330,551	0.71	1,044,240,048			74.28
331 - 340	9,348,608	3,614,836	3,435,960	2,277,812	0.66	1,053,588,656			74.94
341 - 350	15,261,532	5,578,815	6,113,179	3,569,538	1.09	1,068,850,188			76.03
351 - 360	13,372,460	4,762,149	5,349,675	3,260,636	0.95	1,082,222,648			76.98
361 - 370	7,739,200	3,220,833	3,083,947	1,434,420	0.55	1,089,961,848			77.53
371 - 380	10,610,384	3,962,867	4,333,851	2,313,666	0.75	1,109,572,232			78.29
381 - 390	18,632,204	7,054,171	7,506,491	4,071,542	1.33	1,119,204,436			79.61
391 - 400	7,346,560	2,438,435	2,692,618	2,015,507	0.52	1,126,550,996			80.13
401 - 420	26,449,746	9,632,295	10,402,086	6,435,365	1.88	1,153,000,742			82.02
421 - 440	26,692,116	10,135,870	11,100,247	5,435,999	1.90	1,179,692,858			83.91
441 - 460	14,006,476	5,429,446	5,998,598	2,578,432	1.00	1,193,699,334			84.91
461 - 480	10,811,508	11,761,996	12,735,612	6,310,900	2.19	1,224,510,842			87.10
481 - 500	16,077,402	6,426,430	6,877,032	2,773,940	1.14	1,240,588,244			88.25
501 - 520	18,406,484	7,150,153	7,558,880	3,697,451	1.31	1,258,994,728			89.56
521 - 540	14,008,736	5,363,650	5,662,681	3,002,405	1.00	1,273,003,464			90.55
541 - 560	9,936,120	3,651,250	4,317,582	1,767,268	0.71	1,282,939,584			91.26
561 - 580	19,324,016	7,487,976	8,348,141	3,487,899	1.37	1,302,263,600			92.63
581 - 600	10,085,552	3,798,070	4,143,885	2,143,597	0.72	1,312,349,152			93.35
601 - 620	7,777,476	3,421,306	3,495,488	860,682	0.55	1,320,126,628			93.90
621 - 640	8,494,592	3,575,220	3,435,670	1,483,702	0.60	1,328,621,220			94.51
641 - 660	5,475,816	2,239,929	2,306,171	929,716	0.39	1,334,097,036			94.90
661 - 680	5,129,968	2,444,896	2,210,879	474,213	0.36	1,339,227,024			95.26
681 - 700	8,267,964	3,191,230	3,520,431	1,556,303	0.59	1,347,494,988			95.85
701 - 720	6,070,136	3,453,248	3,445,784	1,171,104	0.57	1,355,565,124			96.42
721 - 740	2,156,736	822,125	897,660	436,951	0.15	1,357,721,860			96.58
741 - 760	3,552,612	1,733,307	1,457,009	362,296	0.25	1,361,274,472			96.83
761 - 780	7,767,020	3,448,725	3,465,143	833,152	0.55	1,369,041,492			97.38
781 - 800	3,280,640	1,168,915	1,302,628	409,097	0.23	1,372,322,132			97.62
801 - 820	3,031,392	1,639,347	1,105,295	286,750	0.22	1,375,353,524			97.83
821 - 840	1,778,776	921,375	711,792	145,609	0.13	1,377,132,300			97.96
841 - 860	876,672	317,750	384,704	174,218	0.06	1,378,008,972			98.02
861 - 880	3,112,752	1,080,000	1,209,888	822,864	0.22	1,381,121,724			98.24
881 - 900	2,406,349	1,005,281	1,102,676	298,392	0.17	1,383,528,073			98.41

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS (LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT
CIS SYSTEM
FOR THE MONTH OF OCTOBER, 1998
KVA, STYLE I, PART II

14HAR00

NGS

ACTUAL KVA RANGE	QUANTITY	USED KNH			PCT	ACCUM QUANTITY OF	PCT
		BLOCK 1	BLOCK 2	BLOCK 3			
901 - 920	1,390,368	567,500	661,710	161,158	0.10	1,384,918,441	98.51
921 - 940	1,155,728	579,375	454,394	121,959	0.08	1,386,074,169	98.59
941 - 960	1,388,304	596,875	654,764	136,665	0.10	1,387,462,473	98.69
961 - 980	242,304	122,375	119,929	0	0.02	1,387,704,777	98.71
981 - 1000	1,163,976	495,625	587,941	80,410	0.08	1,388,868,753	98.79
1001 - 1100	3,985,892	1,984,215	1,666,537	335,140	0.28	1,392,854,645	99.03
1101 - 1200	3,014,460	1,648,283	1,342,237	23,940	0.21	1,395,869,105	99.29
1201 - 1300	979,464	471,875	507,589	0	0.07	1,396,848,569	99.36
1301 - 1400	985,624	740,700	244,924	0	0.07	1,397,834,193	99.43
1401 - 1500	1,323,900	540,000	565,740	218,160	0.09	1,399,158,093	99.53
1501 - 1600	342,900	342,675	225	0	0.02	1,399,500,993	99.55
1601 - 1700	413,280	226,980	186,300	0	0.03	1,399,914,273	99.58
1701 - 1800	1,884,000	870,000	708,720	305,280	0.13	1,401,798,273	99.71
1801 - 1900	0	0	0	0	0.00	1,401,798,273	99.71
1901 - 2000	0	0	0	0	0.00	1,401,798,273	99.71
2001 - 2100	750,000	513,750	236,250	0	0.05	1,402,548,273	99.77
2101 - 2200	1,170,720	270,000	367,200	533,520	0.03	1,403,718,993	99.85
2201 - 2300	0	0	0	0	0.00	1,403,718,993	99.85
2301 - 2400	1,261,440	297,000	403,920	560,520	0.09	1,404,980,433	99.94
2401 - 2500	0	0	0	0	0.00	1,404,980,433	99.94
2501 - 2600	0	0	0	0	0.00	1,404,980,433	99.94
2601 - 2700	0	0	0	0	0.00	1,404,980,433	99.94
2701 - 2800	0	0	0	0	0.00	1,404,980,433	99.94
2801 - 2900	128,600	128,000	0	0	0.01	1,405,108,433	99.95
2901 - 3000	0	0	0	0	0.00	1,405,108,433	99.95
3001 - 3100	0	0	0	0	0.00	1,405,108,433	99.95
3101 - 3200	0	0	0	0	0.00	1,405,108,433	99.95
3201 - 3300	0	0	0	0	0.00	1,405,108,433	99.95
3301 - 3400	0	0	0	0	0.00	1,405,108,433	99.95
3401 - 3500	0	0	0	0	0.00	1,405,108,433	99.95
3501 - 3600	0	0	0	0	0.00	1,405,108,433	99.95
3601 - 3700	0	0	0	0	0.00	1,405,108,433	99.95
3701 - 3800	0	0	0	0	0.00	1,405,108,433	99.95
3801 - 3900	0	0	0	0	0.00	1,405,108,433	99.95
3901 - 4000	0	0	0	0	0.00	1,405,108,433	99.95
4001 - 4100	0	0	0	0	0.00	1,405,108,433	99.95
4101 - 4200	0	0	0	0	0.00	1,405,108,433	99.95
4201 - 4300	0	0	0	0	0.00	1,405,108,433	99.95
4301 - 4400	0	0	0	0	0.00	1,405,108,433	99.95
4401 - 4500	0	0	0	0	0.00	1,405,108,433	99.95
4501 - 4600	0	0	0	0	0.00	1,405,108,433	99.95
4601 - 4700	0	0	0	0	0.00	1,405,108,433	99.95
4701 - 4800	0	0	0	0	0.00	1,405,108,433	99.95
4801 - 4900	0	0	0	0	0.00	1,405,108,433	99.95
4901 - 5000	0	0	0	0	0.00	1,405,108,433	99.95
5001 - 5500	0	0	0	0	0.00	1,405,108,433	99.95
5501 - 6000	4,200	4,200	0	0	0.00	1,405,112,633	99.95
6001 - 6500	716,400	716,400	0	0	0.05	1,405,829,033	100.00

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT
CIS SYSTEM

14MAR00

FOR THE MONTH OF OCTOBER, 1998
KVA, STYLE 1, PART 11

MGS

ACTUAL KVA RANGE	QUANTITY	USEDKWH			ACCUQ. QUANTITY OF	PCT
		BLOCK 1	BLOCK 2	BLOCK 3		
6501 - 7000	0	0	0	0	1,405,829,033	100.00
7001 - 7500	0	0	0	0	1,405,829,033	100.00
7501 - 8000	0	0	0	0	1,405,829,033	100.00
8001 - 8500	0	0	0	0	1,405,829,033	100.00
8501 - 9000	0	0	0	0	1,405,829,033	100.00
9001 - 9500	0	0	0	0	1,405,829,033	100.00
9501 - 10000	0	0	0	0	1,405,829,033	100.00
10001 - 10500	0	0	0	0	1,405,829,033	100.00
10501 - 11000	0	0	0	0	1,405,829,033	100.00
11001 - 11500	0	0	0	0	1,405,829,033	100.00
11501 - 12000	0	0	0	0	1,405,829,033	100.00
12001 - 12500	0	0	0	0	1,405,829,033	100.00
12501 - 13000	0	0	0	0	1,405,829,033	100.00
13001 - 13500	0	0	0	0	1,405,829,033	100.00
13501 - 14000	0	0	0	0	1,405,829,033	100.00
14001 - 14500	0	0	0	0	1,405,829,033	100.00
14501 - 15000	0	0	0	0	1,405,829,033	100.00
15001 - 15500	0	0	0	0	1,405,829,033	100.00
15501 - 16000	0	0	0	0	1,405,829,033	100.00
16001 - 16500	0	0	0	0	1,405,829,033	100.00
16501 - 17000	0	0	0	0	1,405,829,033	100.00
17001 - 17500	0	0	0	0	1,405,829,033	100.00
17501 - 18000	0	0	0	0	1,405,829,033	100.00
18001 - 18500	0	0	0	0	1,405,829,033	100.00
18501 - 19000	0	0	0	0	1,405,829,033	100.00
19001 - 19500	0	0	0	0	1,405,829,033	100.00
19501 - 20000	0	0	0	0	1,405,829,033	100.00
20001 +	0	0	0	0	1,405,829,033	100.00
NORMAL	1,405,829,033	609,143,192	555,756,789	240,929,052		
IRREGULAR	35,173,952				35,173,952	
TOTAL	1,441,002,985				1,441,002,985	

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS (CLDA SYSTEM) - RP 80
KVA FREQUENCY REPORT

CIS SYSTEM
FOR THE MONTH OF NOVEMBER, 1998
KVA, STYLE 1, PART 1

14MAR00

HGS

ACTUAL KVA RANGE	COUNT	PCT	ACCUM COUNT OF	PCT	AMOUNT(\$)	TOTAL REVENUE EXCLUDING SALES TAX	ACCUM AMOUNT OF	PCT
0	95,143	53.6	95,143	53.63	5,236,568.34	6.51	5,236,568.34	6.51
1	296	0.17	95,439	53.80	13,703.73	0.02	5,250,272.07	6.53
2	452	0.25	95,891	54.06	23,716.11	0.03	5,273,988.18	6.56
3	1,345	0.76	97,236	54.81	89,925.45	0.11	5,363,913.63	6.67
4	1,348	0.76	98,584	55.57	115,993.35	0.14	5,479,906.98	6.81
5	1,520	0.86	100,104	56.43	157,475.01	0.20	5,637,381.99	7.01
6	1,761	0.99	101,865	57.42	203,118.24	0.25	5,840,500.23	7.26
7	1,731	0.98	103,596	58.40	222,349.09	0.28	6,062,849.23	7.54
8	2,799	1.58	106,395	59.98	367,401.07	0.46	6,430,250.30	7.99
9	2,075	1.17	108,470	61.15	296,598.27	0.37	6,726,848.57	8.36
10	3,989	2.25	112,459	63.39	579,265.65	0.72	7,306,114.22	9.08
11	2,171	1.22	114,630	64.62	362,012.82	0.45	7,668,127.04	9.53
12	3,005	1.69	117,635	66.31	534,078.01	0.66	8,202,185.05	10.20
13	1,965	1.11	119,600	67.42	382,312.38	0.48	8,584,497.43	10.67
14	2,234	1.26	121,834	68.68	464,292.16	0.58	9,048,789.59	11.25
15	2,415	1.36	124,249	70.04	528,887.37	0.66	9,577,676.96	11.91
16	2,517	1.42	126,766	71.46	594,648.35	0.74	10,172,325.31	12.64
17	1,488	0.84	128,254	72.30	383,985.96	0.48	10,556,311.27	13.12
18	1,756	0.99	130,010	73.29	466,887.43	0.58	11,023,198.70	13.70
19	1,340	0.76	131,350	74.04	379,273.59	0.47	11,402,472.29	14.17
20	3,363	1.91	134,713	75.95	1,051,748.50	1.28	12,454,220.79	15.46
21	1,031	0.58	135,745	76.53	340,031.05	0.42	12,794,251.84	15.88
22	1,362	0.77	137,107	77.30	467,538.82	0.58	13,261,790.66	16.46
23	698	0.51	137,805	77.81	322,767.95	0.40	13,584,558.61	16.86
24	2,001	1.13	140,025	78.93	761,417.09	0.95	14,345,975.70	17.81
25	1,129	0.64	141,154	79.57	446,534.15	0.56	14,792,509.85	18.36
26 - 30	5,091	2.87	146,245	82.44	2,297,592.20	2.86	17,070,102.05	21.22
31 - 35	3,334	1.88	149,579	84.32	1,797,408.52	2.23	18,867,510.57	23.45
36 - 40	4,270	2.41	153,849	86.73	2,745,967.07	3.41	21,613,477.64	26.87
41 - 45	1,845	1.04	155,694	87.77	1,354,567.31	1.68	22,968,044.95	28.55
46 - 50	2,244	1.26	157,938	89.03	1,821,301.13	2.26	24,789,346.08	30.81
51 - 55	1,228	0.69	159,166	89.72	1,133,697.12	1.41	25,923,043.20	32.22
56 - 60	2,266	1.28	161,432	91.00	2,296,941.04	2.86	28,219,984.24	35.08
61 - 65	934	0.53	162,366	91.53	1,019,232.76	1.27	29,239,217.00	36.34
66 - 70	981	0.55	163,347	92.08	1,162,900.45	1.45	30,402,117.45	37.79
71 - 75	787	0.44	164,134	92.52	1,009,120.51	1.25	31,411,237.96	39.04
76 - 80	1,294	0.73	165,428	93.25	1,800,440.70	2.24	33,211,678.66	41.28
81 - 85	444	0.25	165,872	93.50	669,643.64	0.83	33,881,322.30	42.11
86 - 90	690	0.39	166,562	93.89	1,096,280.72	1.36	34,977,603.02	43.48
91 - 95	309	0.17	166,871	94.07	500,044.41	0.62	35,477,647.43	44.10
96 - 100	916	0.52	167,787	94.58	1,591,343.67	1.98	37,068,991.10	46.08
101 - 110	780	0.44	168,567	95.02	1,457,018.73	1.81	38,526,009.83	47.89
111 - 120	962	0.54	169,529	95.57	2,006,031.48	2.49	40,532,041.31	50.38
121 - 130	585	0.33	170,114	95.90	1,308,381.21	1.63	41,840,422.52	52.01
131 - 140	467	0.26	170,581	96.16	1,118,421.12	1.39	42,958,843.64	53.40
141 - 150	598	0.34	171,179	96.50	1,529,541.96	1.90	44,488,385.60	55.30
151 - 160	497	0.28	171,676	96.78	1,335,315.43	1.66	45,823,701.03	56.96
161 - 170	265	0.15	171,941	96.93	773,469.74	0.96	46,597,170.77	57.92

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT

14MAR00

CIS SYSTEM
FOR THE MONTH OF NOVEMBER, 1998
KVA, STYLE 1, PART 1

HGS

ACTUAL KVA RANGE	COUNT	TOTAL REVENUE EXCLUDING SALES TAX			TOTAL REVENUE EXCLUDING SALES TAX		
		AMOUNT(\$)	PCT	ACCU	AMOUNT(\$)	PCT	ACCU
171 - 180	435	172,376	0.25	172,376	1,345,060.39	1.67	47,942,231.16
181 - 190	210	172,586	0.12	172,586	693,659.90	0.86	48,635,891.06
191 - 200	396	172,982	0.22	172,982	1,399,857.25	1.74	50,035,748.31
201 - 210	266	173,268	0.15	173,268	1,001,738.83	1.25	51,037,487.14
211 - 220	238	173,486	0.13	173,486	911,245.91	1.13	51,948,233.05
221 - 230	343	173,829	0.19	173,829	1,398,493.51	1.74	53,347,226.56
231 - 240	207	174,036	0.12	174,036	900,114.33	1.12	54,247,340.89
241 - 250	138	174,174	0.08	174,174	642,746.46	0.80	54,890,087.35
251 - 260	167	174,341	0.09	174,341	774,455.25	0.96	55,664,542.60
261 - 270	165	174,506	0.09	174,506	834,146.03	1.04	56,498,688.63
271 - 280	115	174,621	0.06	174,621	617,153.32	0.77	57,115,841.95
281 - 290	285	174,906	0.16	174,906	1,557,379.25	1.94	58,673,221.20
291 - 300	89	174,995	0.05	174,995	486,039.63	0.62	59,169,260.83
301 - 310	142	175,137	0.08	175,137	798,679.81	0.99	59,967,940.64
311 - 320	131	175,268	0.07	175,268	818,394.44	1.02	60,785,335.08
321 - 330	71	175,319	0.04	175,319	434,520.46	0.54	61,220,855.54
331 - 340	76	175,415	0.04	175,415	470,952.23	0.59	61,691,807.77
341 - 350	130	175,545	0.07	175,545	870,656.23	1.08	62,562,464.00
351 - 360	111	175,656	0.06	175,656	771,339.39	0.96	63,333,603.39
361 - 370	54	175,710	0.03	175,710	360,281.63	0.45	63,694,005.02
371 - 380	90	175,800	0.05	175,800	637,328.67	0.79	64,331,413.69
381 - 390	159	175,959	0.09	175,959	1,195,278.14	1.49	65,526,691.83
391 - 400	49	176,008	0.03	176,008	390,377.29	0.49	65,917,069.12
401 - 420	182	176,193	0.10	176,193	1,441,524.37	1.79	67,358,593.49
421 - 440	140	176,330	0.08	176,330	1,172,581.26	1.46	68,531,174.75
441 - 460	90	176,420	0.05	176,420	782,002.44	0.97	69,313,177.19
461 - 480	210	176,630	0.12	176,630	1,917,961.57	2.38	71,231,130.76
481 - 500	96	176,726	0.05	176,726	891,103.97	1.11	72,122,242.73
501 - 520	90	176,816	0.05	176,816	872,909.64	1.09	72,995,152.37
521 - 540	60	176,876	0.03	176,876	624,700.44	0.78	73,619,852.81
541 - 560	45	176,921	0.03	176,921	461,151.03	0.57	74,081,003.84
561 - 580	98	177,019	0.06	177,019	1,099,214.18	1.37	75,180,210.02
581 - 600	19	177,036	0.01	177,036	225,205.59	0.28	75,405,423.61
601 - 620	43	177,081	0.02	177,081	465,875.19	0.58	75,871,298.00
621 - 640	30	177,111	0.02	177,111	337,105.42	0.42	76,208,404.22
641 - 660	29	177,140	0.02	177,140	326,288.56	0.41	76,534,692.76
661 - 680	35	177,175	0.02	177,175	421,093.41	0.52	76,955,786.17
681 - 700	31	177,206	0.02	177,206	378,151.99	0.47	77,333,937.26
701 - 720	33	177,239	0.02	177,239	465,778.18	0.58	77,799,715.44
721 - 740	10	177,249	0.01	177,249	132,294.36	0.16	77,932,009.60
741 - 760	17	177,266	0.01	177,266	227,595.44	0.28	78,159,605.24
761 - 780	28	177,294	0.02	177,294	396,451.18	0.49	78,556,056.42
781 - 800	5	177,299	0.00	177,299	79,337.69	0.10	78,635,394.11
801 - 820	14	177,313	0.01	177,313	214,976.84	0.27	78,850,370.95
821 - 840	5	177,318	0.00	177,318	76,283.43	0.09	78,926,654.30
841 - 860	8	177,323	0.00	177,323	94,370.35	0.12	79,021,024.73
861 - 880	5	177,331	0.00	177,331	125,605.13	0.16	79,146,629.06
881 - 900	7	177,336	0.00	177,336	107,471.51	0.13	79,254,101.37

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LOA SYSTEM) - RP 80
KVA FREQUENCY REPORT
CIS SYSTEM
FOR THE MONTH OF NOVEMBER, 1998
KVA, STYLE 1, PART 1

14MAR00

HGS

ACTUAL KVA RANGE	COUNT	PCI	ACCU	COUNT	PCI	AMOUNT(\$)	PCI	REVENUE	EXCLUDING SALES TAX	PCI
901 - 920	1	0.00	177,339	99.97	12,619.39	0.02	79,266,720.76	98.53		
921 - 940	2	0.00	177,341	99.97	41,095.37	0.05	79,307,816.69	98.58		
941 - 960	11	0.01	177,352	99.98	170,557.37	0.21	79,478,374.06	98.79		
961 - 980	0	0.00	177,352	99.98	0.00	0.00	79,478,374.06	98.79		
981 - 1000	2	0.00	177,354	99.98	21,893.72	0.03	79,500,267.78	98.82		
1001 - 1100	6	0.00	177,360	99.98	86,902.07	0.11	79,587,169.85	98.93		
1101 - 1200	13	0.01	177,373	99.99	250,115.92	0.31	79,837,285.77	99.24		
1201 - 1300	7	0.00	177,380	99.99	165,119.94	0.21	80,002,405.71	99.44		
1301 - 1400	2	0.00	177,382	99.99	36,706.08	0.05	80,039,111.79	99.49		
1401 - 1500	2	0.00	177,384	99.99	36,693.78	0.05	80,076,005.57	99.53		
1501 - 1600	2	0.00	177,386	99.99	44,518.36	0.06	80,120,523.93	99.59		
1601 - 1700	0	0.00	177,386	99.99	0.00	0.00	80,120,523.93	99.59		
1701 - 1800	1	0.00	177,387	100.00	23,132.30	0.03	80,143,656.23	99.62		
1801 - 1900	2	0.00	177,389	100.00	43,604.21	0.05	80,187,260.44	99.67		
1901 - 2000	0	0.00	177,389	100.00	0.00	0.00	80,187,260.44	99.67		
2001 - 2100	0	0.00	177,389	100.00	0.00	0.00	80,187,260.44	99.67		
2101 - 2200	1	0.00	177,390	100.00	55,112.12	0.07	80,242,372.56	99.74		
2201 - 2300	1	0.00	177,391	100.00	15,341.02	0.02	80,257,713.58	99.76		
2301 - 2400	1	0.00	177,392	100.00	60,700.53	0.08	80,318,414.11	99.84		
2401 - 2500	0	0.00	177,392	100.00	0.00	0.00	80,318,414.11	99.84		
2501 - 2600	0	0.00	177,392	100.00	0.00	0.00	80,318,414.11	99.84		
2601 - 2700	0	0.00	177,392	100.00	0.00	0.00	80,318,414.11	99.84		
2701 - 2800	0	0.00	177,392	100.00	0.00	0.00	80,318,414.11	99.84		
2801 - 2900	1	0.00	177,393	100.00	15,850.18	0.02	80,334,264.29	99.86		
2901 - 3000	0	0.00	177,393	100.00	0.00	0.00	80,334,264.29	99.86		
3001 - 3100	0	0.00	177,393	100.00	0.00	0.00	80,334,264.29	99.86		
3101 - 3200	0	0.00	177,393	100.00	0.00	0.00	80,334,264.29	99.86		
3201 - 3300	0	0.00	177,393	100.00	0.00	0.00	80,334,264.29	99.86		
3301 - 3400	0	0.00	177,393	100.00	0.00	0.00	80,334,264.29	99.86		
3401 - 3500	0	0.00	177,393	100.00	0.00	0.00	80,334,264.29	99.86		
3501 - 3600	1	0.00	177,394	100.00	42,869.06	0.05	80,377,133.35	99.91		
3601 - 3700	0	0.00	177,394	100.00	0.00	0.00	80,377,133.35	99.91		
3701 - 3800	0	0.00	177,394	100.00	0.00	0.00	80,377,133.35	99.91		
3801 - 3900	0	0.00	177,394	100.00	0.00	0.00	80,377,133.35	99.91		
3901 - 4000	0	0.00	177,394	100.00	0.00	0.00	80,377,133.35	99.91		
4001 - 4100	0	0.00	177,394	100.00	0.00	0.00	80,377,133.35	99.91		
4101 - 4200	0	0.00	177,394	100.00	0.00	0.00	80,377,133.35	99.91		
4201 - 4300	0	0.00	177,394	100.00	0.00	0.00	80,377,133.35	99.91		
4301 - 4400	0	0.00	177,394	100.00	0.00	0.00	80,377,133.35	99.91		
4401 - 4500	0	0.00	177,394	100.00	0.00	0.00	80,377,133.35	99.91		
4501 - 4600	0	0.00	177,394	100.00	0.00	0.00	80,377,133.35	99.91		
4601 - 4700	0	0.00	177,394	100.00	0.00	0.00	80,377,133.35	99.91		
4701 - 4800	0	0.00	177,394	100.00	0.00	0.00	80,377,133.35	99.91		
4801 - 4900	0	0.00	177,394	100.00	0.00	0.00	80,377,133.35	99.91		
4901 - 5000	0	0.00	177,394	100.00	0.00	0.00	80,377,133.35	99.91		
5001 - 5500	0	0.00	177,394	100.00	0.00	0.00	80,377,133.35	99.91		
5501 - 6000	0	0.00	177,394	100.00	0.00	0.00	80,377,133.35	99.91		
6001 - 6500	1	0.00	177,395	100.00	73,629.38	0.09	80,450,762.73	100.00		

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 00
KVA FREQUENCY REPORT

CIS SYSTEM
FOR THE MONTH OF NOVEMBER, 1998
KVA, STYLE I, PART I

14MAR00

HGS

ACTUAL KVA RANGE	COUNT	TOTAL REVENUE EXCLUDING SALES TAX			TOTAL REVENUE EXCLUDING SALES TAX		
		AMOUNT(\$)	PCT	ACCUM	AMOUNT(\$)	PCT	ACCUM
6501 - 7000	0	0.00	0.00	177,395	0.00	0.00	80,450,762.73
7001 - 7500	0	0.00	0.00	177,395	0.00	0.00	80,450,762.73
7501 - 8000	0	0.00	0.00	177,395	0.00	0.00	80,450,762.73
8001 - 8500	0	0.00	0.00	177,395	0.00	0.00	80,450,762.73
8501 - 9000	0	0.00	0.00	177,395	0.00	0.00	80,450,762.73
9001 - 9500	0	0.00	0.00	177,395	0.00	0.00	80,450,762.73
9501 - 10000	0	0.00	0.00	177,395	0.00	0.00	80,450,762.73
10001 - 10500	0	0.00	0.00	177,395	0.00	0.00	80,450,762.73
10501 - 11000	0	0.00	0.00	177,395	0.00	0.00	80,450,762.73
11001 - 11500	0	0.00	0.00	177,395	0.00	0.00	80,450,762.73
11501 - 12000	0	0.00	0.00	177,395	0.00	0.00	80,450,762.73
12001 - 12500	0	0.00	0.00	177,395	0.00	0.00	80,450,762.73
12501 - 13000	0	0.00	0.00	177,395	0.00	0.00	80,450,762.73
13001 - 13500	0	0.00	0.00	177,395	0.00	0.00	80,450,762.73
13501 - 14000	0	0.00	0.00	177,395	0.00	0.00	80,450,762.73
14001 - 14500	0	0.00	0.00	177,395	0.00	0.00	80,450,762.73
14501 - 15000	0	0.00	0.00	177,395	0.00	0.00	80,450,762.73
15001 - 15500	0	0.00	0.00	177,395	0.00	0.00	80,450,762.73
15501 - 16000	0	0.00	0.00	177,395	0.00	0.00	80,450,762.73
16001 - 16500	0	0.00	0.00	177,395	0.00	0.00	80,450,762.73
16501 - 17000	0	0.00	0.00	177,395	0.00	0.00	80,450,762.73
17001 - 17500	0	0.00	0.00	177,395	0.00	0.00	80,450,762.73
17501 - 18000	0	0.00	0.00	177,395	0.00	0.00	80,450,762.73
18001 - 18500	0	0.00	0.00	177,395	0.00	0.00	80,450,762.73
18501 - 19000	0	0.00	0.00	177,395	0.00	0.00	80,450,762.73
19001 - 19500	0	0.00	0.00	177,395	0.00	0.00	80,450,762.73
19501 - 20000	0	0.00	0.00	177,395	0.00	0.00	80,450,762.73
20001 + NORMAL	177,395	0	0.00	177,395	80,450,762.73	0.00	80,450,762.73
IRREGULAR	22,190	22,190	0.00	199,585	4,475,119.67	0.00	4,475,119.67
TOTAL	199,585	199,585	0.00	199,585	84,925,882.40	0.00	84,925,882.40

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT

14HAR00

CIS SYSTEM
FOR THE MONTH OF NOVEMBER, 1998
KVA, STYLE I, PART II

NGS

ACTUAL KVA RANGE	QUANTITY	USED KWH			PCT			ACCUM QUANTITY OF			PCT
		BLOCK 1	BLOCK 2	BLOCK 3	PCT	PCT	PCT	ACCUM QUANTITY OF	PCT	PCT	
0	52,614,012	46,632,874	5,313,701	667,437	4.59	4.59		52,614,012	4.59		4.59
1	125,309	105,715	19,594	0	0.01	0.01		52,739,321	4.60		4.60
2	233,653	206,236	25,846	1,571	0.02	0.02		52,972,974	4.62		4.62
3	977,366	830,827	146,289	250	0.09	0.09		53,950,340	4.71		4.71
4	1,413,285	1,067,374	276,353	69,558	0.12	0.12		55,363,625	4.83		4.83
5	2,002,776	1,441,969	540,330	20,457	0.17	0.17		57,366,401	5.00		5.00
6	2,656,430	1,779,601	809,615	67,214	0.23	0.23		60,022,831	5.24		5.24
7	3,059,296	1,868,332	997,677	193,287	0.27	0.27		63,082,127	5.50		5.50
8	5,083,828	3,051,786	1,717,949	314,093	0.44	0.44		68,165,955	5.95		5.95
9	4,247,102	2,398,690	1,508,906	339,506	0.37	0.37		72,413,057	6.32		6.32
10	8,408,374	4,552,006	3,046,426	809,942	0.73	0.73		80,821,431	7.05		7.05
11	5,244,066	2,812,705	1,941,636	489,725	0.46	0.46		84,065,497	7.51		7.51
12	7,604,585	4,189,866	2,759,699	655,020	0.66	0.66		93,670,082	8.17		8.17
13	5,365,537	3,014,944	1,987,163	363,430	0.47	0.47		99,035,619	8.64		8.64
14	6,476,988	3,646,781	2,376,944	453,263	0.57	0.57		105,512,607	9.21		9.21
15	7,272,611	4,228,201	2,574,787	469,623	0.63	0.63		112,785,218	9.84		9.84
16	8,203,574	4,675,367	2,955,974	572,233	0.72	0.72		120,988,792	10.56		10.56
17	5,348,095	2,991,599	1,954,230	402,266	0.47	0.47		126,336,887	11.02		11.02
18	6,365,915	3,670,767	2,284,417	410,731	0.56	0.56		132,702,802	11.58		11.58
19	5,189,264	2,951,207	1,876,656	361,401	0.45	0.45		137,892,066	12.03		12.03
20	14,287,302	7,931,883	5,221,075	1,134,344	1.25	1.25		152,179,368	13.28		13.28
21	4,745,142	2,564,901	1,816,080	364,161	0.41	0.41		156,924,510	13.69		13.69
22	6,479,890	3,532,566	2,448,260	499,064	0.57	0.57		163,404,400	14.26		14.26
23	4,464,684	2,431,807	1,696,877	336,000	0.39	0.39		167,869,084	14.65		14.65
24	10,640,697	5,614,873	4,121,508	904,316	0.93	0.93		178,509,781	15.57		15.57
25	6,169,614	3,374,821	2,171,432	423,361	0.54	0.54		184,679,395	16.11		16.11
26 - 30	32,040,101	16,883,697	12,508,084	2,648,320	2.80	2.80		216,719,396	18.91		18.91
31 - 35	25,353,608	12,880,060	10,079,364	2,394,184	2.21	2.21		242,073,104	21.12		21.12
36 - 40	39,170,606	19,237,426	15,699,949	4,233,231	3.42	3.42		281,283,710	24.54		24.54
41 - 45	19,389,965	9,382,668	7,832,930	2,174,367	1.69	1.69		300,633,675	26.23		26.23
46 - 50	26,100,684	12,599,300	10,356,129	3,145,255	2.28	2.28		326,734,359	28.51		28.51
51 - 55	16,389,698	7,636,228	6,798,015	1,955,455	1.43	1.43		343,124,057	29.93		29.93
56 - 60	33,224,938	15,486,393	13,540,292	4,198,253	2.90	2.90		376,348,995	32.83		32.83
61 - 65	14,623,382	6,872,774	6,019,929	1,730,679	1.28	1.28		390,972,377	34.11		34.11
66 - 70	16,835,373	7,843,628	6,812,512	2,179,233	1.47	1.47		407,807,750	35.58		35.58
71 - 75	14,782,752	6,676,732	6,013,987	2,092,033	1.29	1.29		422,590,502	36.87		36.87
76 - 80	26,185,157	11,945,821	10,801,657	3,437,679	2.28	2.28		448,775,659	39.15		39.15
81 - 85	9,793,753	4,407,721	4,088,048	1,297,984	0.65	0.65		458,569,412	40.01		40.01
86 - 90	16,054,889	7,173,294	6,744,785	2,136,810	1.40	1.40		474,626,301	41.41		41.41
91 - 95	7,243,225	3,314,875	2,986,590	941,760	0.63	0.63		481,867,526	42.04		42.04
96 - 100	23,407,123	10,404,423	9,585,704	3,416,996	2.04	2.04		505,274,649	44.08		44.08
101 - 110	21,269,305	9,561,746	8,763,823	2,943,736	1.86	1.86		526,543,954	45.94		45.94
111 - 120	29,489,387	13,053,167	12,100,641	4,335,579	2.57	2.57		556,033,361	48.51		48.51
121 - 130	18,985,102	8,607,825	7,846,225	2,532,052	1.66	1.66		575,019,443	50.17		50.17
131 - 140	16,092,006	7,404,008	6,756,280	1,931,718	1.40	1.40		591,111,449	51.57		51.57
141 - 150	22,275,565	10,125,486	8,973,624	3,176,475	1.94	1.94		613,387,034	53.51		53.51
151 - 160	19,116,012	9,048,094	7,580,416	2,487,502	1.67	1.67		632,503,046	55.18		55.18
161 - 170	11,077,444	5,184,357	4,574,861	1,318,226	0.97	0.97		643,580,490	56.15		56.15

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT

CIS SYSTEM
FOR THE MONTH OF NOVEMBER, 1998
KVA, STYLE I, PART II

14HAR00

HGS

ACTUAL KVA RANGE	QUANTITY	USED KWH			PCT	ACCU. QUANTITY OF	PCT
		BLOCK 1	BLOCK 2	BLOCK 3			
171 - 180	19,529,110	8,805,632	8,058,250	2,655,228	1.70	663,109,600	57.65
181 - 190	10,101,364	4,552,629	4,174,608	1,374,127	0.88	673,210,964	58.73
191 - 200	20,707,936	9,034,359	8,544,803	3,128,784	1.81	693,918,900	60.54
201 - 210	14,990,028	6,350,388	6,217,429	2,422,211	1.31	708,908,928	61.85
211 - 220	13,387,360	6,017,957	5,265,316	2,104,087	1.17	722,296,288	63.01
221 - 230	20,511,032	9,227,330	8,255,279	3,028,423	1.79	742,807,320	64.80
231 - 240	13,213,928	5,882,634	5,388,116	1,943,178	1.15	756,021,248	65.96
241 - 250	9,578,428	4,002,142	4,107,068	1,389,218	0.84	765,599,676	66.79
251 - 260	11,403,348	5,047,595	4,553,458	1,762,295	0.99	777,003,024	67.79
261 - 270	12,567,874	5,283,861	5,151,303	2,132,710	1.10	789,570,598	68.88
271 - 280	9,480,752	3,863,556	3,835,330	1,781,866	0.83	799,051,650	69.71
281 - 290	23,528,317	9,871,824	9,671,862	3,904,651	2.05	822,579,967	71.76
291 - 300	7,462,324	3,133,709	3,092,294	1,239,913	0.65	830,042,291	72.41
301 - 310	11,797,780	5,191,689	4,876,178	1,729,913	1.03	841,640,071	73.44
311 - 320	12,903,376	5,102,470	4,885,455	2,915,451	1.13	854,743,447	74.57
321 - 330	6,441,696	2,827,344	2,651,060	963,292	0.56	861,185,143	75.13
331 - 340	7,082,920	3,023,649	2,776,238	1,283,033	0.62	868,268,063	75.75
341 - 350	13,330,720	5,495,317	5,289,653	2,545,750	1.16	881,598,783	76.91
351 - 360	11,910,924	4,759,565	4,864,191	2,207,168	1.04	893,509,707	77.95
361 - 370	5,346,544	2,355,195	2,139,646	851,703	0.47	898,856,251	78.42
371 - 380	9,650,048	4,057,515	3,832,589	1,759,944	0.84	908,506,299	79.76
381 - 390	18,426,008	7,253,240	7,722,047	3,450,721	1.61	926,932,307	80.87
391 - 400	6,147,424	2,328,574	2,515,759	1,303,091	0.54	933,079,731	81.40
401 - 420	21,908,610	9,008,770	9,113,556	3,788,284	1.91	934,988,341	83.32
421 - 440	17,851,548	7,397,538	7,286,536	3,165,472	1.56	972,839,889	84.87
441 - 460	11,596,952	4,957,026	5,126,429	1,513,497	1.01	984,436,841	85.00
461 - 480	29,067,568	12,226,096	11,845,253	4,993,219	2.54	1,013,504,409	88.42
481 - 500	12,963,656	5,839,198	5,634,318	1,499,140	1.13	1,026,468,065	89.55
501 - 520	12,845,696	5,656,202	5,475,475	1,714,219	1.12	1,039,313,961	90.67
521 - 540	9,302,776	4,000,625	3,986,518	1,315,633	0.81	1,055,370,021	92.07
541 - 560	6,753,284	2,971,407	2,888,751	893,126	0.59	1,072,021,457	93.53
561 - 580	16,651,436	6,974,439	6,824,328	2,852,669	1.45	1,075,385,097	93.82
581 - 600	3,363,640	1,410,750	1,514,248	438,642	0.29	1,081,085,001	94.39
601 - 620	6,499,904	2,256,872	2,648,120	592,912	0.57	1,086,627,021	94.80
621 - 640	4,742,020	2,314,077	1,958,367	469,576	0.41	1,091,078,037	95.19
641 - 660	4,451,016	2,296,135	1,888,884	265,997	0.39	1,096,978,177	95.70
661 - 680	5,909,140	2,894,666	2,470,643	534,831	0.51	1,102,361,161	96.17
681 - 700	5,382,984	2,840,510	2,098,740	443,734	0.47	1,109,342,853	96.78
701 - 720	6,981,692	2,875,390	3,132,032	974,270	0.61	1,111,195,077	96.94
721 - 740	1,852,224	916,250	774,112	161,862	0.16	1,114,419,833	97.22
741 - 760	3,224,756	1,590,750	1,255,198	378,808	0.28	1,120,173,809	97.73
761 - 780	5,753,976	2,703,750	2,267,878	782,348	0.50	1,121,400,241	97.83
781 - 800	1,226,432	495,750	469,735	240,947	0.11	1,124,565,709	98.11
801 - 820	3,165,468	1,416,500	1,389,450	359,518	0.28	1,125,628,653	98.20
821 - 840	1,062,944	523,375	467,329	72,240	0.09	1,127,181,165	98.34
841 - 860	1,552,512	528,625	649,367	374,520	0.14	1,128,987,309	98.50
861 - 880	1,806,144	824,240	771,760	210,144	0.16	1,130,466,057	98.62
881 - 900	1,478,748	758,000	605,548	115,200	0.13		

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT
CIS SYSTEM
FOR THE MONTH OF NOVEMBER, 1998
KVA, STYLE 1, PART 11

16NARD

HGS

ACTUAL KVA RANGE	QUANTITY	BLOCK 1			BLOCK 2			BLOCK 3			USEDKWH			PCT
		BLOCK 1			BLOCK 2			BLOCK 3			BLOCK 3			
931 - 920	148,224	112,750	35,474	0	0	0	0	0	0	0	0	0	98.64	
921 - 940	638,592	232,000	315,520	91,072	0	0	0	0	0	0	0	0	98.69	
941 - 960	2,273,568	1,258,050	865,118	150,400	0	0	0	0	0	0	0	0	98.89	
961 - 980	0	0	0	0	0	0	0	0	0	0	0	0	98.91	
981 - 1000	245,600	159,150	86,450	0	0	0	0	0	0	0	0	0	99.00	
1001 - 1100	1,029,376	672,336	357,040	0	0	0	0	0	0	0	0	0	99.20	
1101 - 1200	3,202,656	1,841,009	1,324,117	37,530	0	0	0	0	0	0	0	0	99.50	
1201 - 1300	2,509,836	1,043,783	898,333	567,720	0	0	0	0	0	0	0	0	99.54	
1301 - 1400	501,120	186,145	237,490	77,485	0	0	0	0	0	0	0	0	99.58	
1401 - 1500	436,800	240,825	195,975	0	0	0	0	0	0	0	0	0	99.63	
1501 - 1600	521,260	384,750	138,510	0	0	0	0	0	0	0	0	0	99.63	
1601 - 1700	0	0	0	0	0	0	0	0	0	0	0	0	99.65	
1701 - 1800	262,800	213,000	49,800	0	0	0	0	0	0	0	0	0	99.69	
1801 - 1900	480,000	399,450	80,550	0	0	0	0	0	0	0	0	0	99.69	
1901 - 2000	0	0	0	0	0	0	0	0	0	0	0	0	99.69	
2001 - 2100	0	0	0	0	0	0	0	0	0	0	0	0	99.78	
2101 - 2200	993,600	270,000	367,200	356,400	0	0	0	0	0	0	0	0	99.79	
2201 - 2300	120,600	120,600	0	0	0	0	0	0	0	0	0	0	99.89	
2301 - 2400	1,095,840	297,000	403,920	394,920	0	0	0	0	0	0	0	0	99.89	
2401 - 2500	0	0	0	0	0	0	0	0	0	0	0	0	99.89	
2501 - 2600	0	0	0	0	0	0	0	0	0	0	0	0	99.89	
2601 - 2700	0	0	0	0	0	0	0	0	0	0	0	0	99.89	
2701 - 2800	0	0	0	0	0	0	0	0	0	0	0	0	99.89	
2801 - 2900	96,000	96,000	0	0	0	0	0	0	0	0	0	0	99.89	
2901 - 3000	0	0	0	0	0	0	0	0	0	0	0	0	99.89	
3001 - 3100	0	0	0	0	0	0	0	0	0	0	0	0	99.89	
3101 - 3200	0	0	0	0	0	0	0	0	0	0	0	0	99.89	
3201 - 3300	0	0	0	0	0	0	0	0	0	0	0	0	99.89	
3301 - 3400	0	0	0	0	0	0	0	0	0	0	0	0	99.89	
3401 - 3500	0	0	0	0	0	0	0	0	0	0	0	0	99.89	
3501 - 3600	446,400	444,000	2,400	0	0	0	0	0	0	0	0	0	99.89	
3601 - 3700	0	0	0	0	0	0	0	0	0	0	0	0	99.93	
3701 - 3800	0	0	0	0	0	0	0	0	0	0	0	0	99.93	
3801 - 3900	0	0	0	0	0	0	0	0	0	0	0	0	99.93	
3901 - 4000	0	0	0	0	0	0	0	0	0	0	0	0	99.93	
4001 - 4100	0	0	0	0	0	0	0	0	0	0	0	0	99.93	
4101 - 4200	0	0	0	0	0	0	0	0	0	0	0	0	99.93	
4201 - 4300	0	0	0	0	0	0	0	0	0	0	0	0	99.93	
4301 - 4400	0	0	0	0	0	0	0	0	0	0	0	0	99.93	
4401 - 4500	0	0	0	0	0	0	0	0	0	0	0	0	99.93	
4501 - 4600	0	0	0	0	0	0	0	0	0	0	0	0	99.93	
4601 - 4700	0	0	0	0	0	0	0	0	0	0	0	0	99.93	
4701 - 4800	0	0	0	0	0	0	0	0	0	0	0	0	99.93	
4801 - 4900	0	0	0	0	0	0	0	0	0	0	0	0	99.93	
4901 - 5000	0	0	0	0	0	0	0	0	0	0	0	0	99.93	
5001 - 5500	0	0	0	0	0	0	0	0	0	0	0	0	99.93	
5501 - 6000	0	0	0	0	0	0	0	0	0	0	0	0	99.93	
6001 - 6500	763,200	763,200	0	0	0	0	0	0	0	0	0	0	100.01	

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT

14HAR00

CIS SYSTEM
FOR THE MONTH OF NOVEMBER, 1998
KVA, STYLE (, PART 1)

HGS

ACTUAL KVA RANGE	QUANTITY	USED KWH			ACCUQ QUANTITY OF	PCI
		BLOCK 1	BLOCK 2	BLOCK 3		
6501 - 7000	0	0	0	0	1,146,233,529	100.00
7001 - 7500	0	0	0	0	1,146,233,529	100.00
7501 - 8000	0	0	0	0	1,146,233,529	100.00
8001 - 8500	0	0	0	0	1,146,233,529	100.00
8501 - 9000	0	0	0	0	1,146,233,529	100.00
9001 - 9500	0	0	0	0	1,146,233,529	100.00
9501 - 10000	0	0	0	0	1,146,233,529	100.00
10001 - 10500	0	0	0	0	1,146,233,529	100.00
10501 - 11000	0	0	0	0	1,146,233,529	100.00
11001 - 11500	0	0	0	0	1,146,233,529	100.00
11501 - 12000	0	0	0	0	1,146,233,529	100.00
12001 - 12500	0	0	0	0	1,146,233,529	100.00
12501 - 13000	0	0	0	0	1,146,233,529	100.00
13001 - 13500	0	0	0	0	1,146,233,529	100.00
13501 - 14000	0	0	0	0	1,146,233,529	100.00
14001 - 14500	0	0	0	0	1,146,233,529	100.00
14501 - 15000	0	0	0	0	1,146,233,529	100.00
15001 - 15500	0	0	0	0	1,146,233,529	100.00
15501 - 16000	0	0	0	0	1,146,233,529	100.00
16001 - 16500	0	0	0	0	1,146,233,529	100.00
16501 - 17000	0	0	0	0	1,146,233,529	100.00
17001 - 17500	0	0	0	0	1,146,233,529	100.00
17501 - 18000	0	0	0	0	1,146,233,529	100.00
18001 - 18500	0	0	0	0	1,146,233,529	100.00
18501 - 19000	0	0	0	0	1,146,233,529	100.00
19001 - 19500	0	0	0	0	1,146,233,529	100.00
19501 - 20000	0	0	0	0	1,146,233,529	100.00
20001 + NORMAL	1,146,233,529	556,298,594	445,046,655	144,888,280	1,146,233,529	100.00
IRREGULAR	64,932,176				64,932,176	
TOTAL	1,211,165,705				1,211,165,705	

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT

14MAR00

CIS SYSTEM
FOR THE MONTH OF DECEMBER, 1998
KVA, STYLE 1, PART 1

HGS

ACTUAL KVA RANGE	COUNT	PCT			TOTAL REVENUE EXCLUDING SALES TAX			PCT
		ACCUM COUNT OF	AMOUNT(\$)	PCT	ACCUM AMOUNT OF	PCT		
0	95,904	53.9	5,232,351.62	7.03	5,232,351.62	7.03		
1	316	0.18	16,394.64	0.02	5,248,746.26	7.06		
2	461	0.26	26,990.13	0.04	5,275,736.39	7.09		
3	1,436	0.81	94,862.40	0.13	5,370,598.79	7.22		
4	1,416	0.80	115,657.44	0.16	5,486,256.23	7.37		
5	1,591	0.89	162,314.18	0.22	5,648,570.41	7.59		
6	1,731	0.97	188,752.27	0.25	5,837,322.68	7.85		
7	1,725	0.97	208,844.67	0.28	6,045,967.35	8.13		
8	2,673	1.50	334,716.33	0.45	6,380,683.68	8.58		
9	2,072	1.16	279,254.06	0.38	6,659,937.74	8.95		
10	4,007	2.25	549,665.64	0.74	7,209,603.38	9.69		
11	2,165	1.22	334,826.68	0.45	7,544,430.06	10.14		
12	3,051	1.71	506,871.79	0.68	8,051,301.85	10.82		
13	1,990	1.12	354,960.06	0.48	8,406,261.91	11.30		
14	2,254	1.27	434,410.68	0.58	8,840,672.59	11.88		
15	2,535	1.42	514,817.65	0.69	9,355,490.24	12.58		
16	2,579	1.45	575,339.29	0.77	9,930,829.53	13.35		
17	1,417	0.80	340,227.49	0.46	10,271,057.02	13.81		
18	1,871	1.05	469,282.08	0.63	10,740,339.10	14.44		
19	1,347	0.76	351,849.84	0.47	11,092,188.94	14.91		
20	3,650	2.05	1,055,972.21	1.42	12,148,161.15	16.33		
21	1,038	0.58	326,005.75	0.44	12,474,166.90	16.77		
22	1,457	0.82	462,932.97	0.62	12,937,099.87	17.39		
23	655	0.48	290,696.25	0.39	13,227,796.12	17.78		
24	2,160	1.21	771,520.57	1.04	13,999,316.69	18.82		
25	1,123	0.63	414,600.71	0.56	14,413,917.40	19.37		
26 - 30	5,192	2.92	2,247,816.82	3.02	16,661,734.22	22.40		
31 - 35	3,447	1.94	1,777,249.29	2.39	18,438,983.51	24.78		
36 - 40	4,160	2.34	2,597,097.02	3.49	21,036,080.53	28.28		
41 - 45	1,877	1.05	1,337,665.61	1.80	22,373,746.14	30.07		
46 - 50	2,206	1.24	1,759,645.88	2.37	24,133,392.02	32.46		
51 - 55	1,136	0.64	1,029,793.49	1.38	25,163,185.51	33.82		
56 - 60	2,160	1.21	2,170,791.87	2.92	27,333,977.38	36.74		
61 - 65	919	0.52	983,527.94	1.32	28,317,505.32	38.06		
66 - 70	919	0.52	1,099,839.06	1.48	29,417,344.38	39.54		
71 - 75	779	0.44	998,561.34	1.34	30,415,905.72	40.88		
76 - 80	1,189	0.67	1,628,788.65	2.19	32,044,694.37	43.07		
81 - 85	426	0.24	636,414.17	0.86	32,681,108.54	43.93		
86 - 90	684	0.38	1,081,407.73	1.45	33,762,516.27	45.38		
91 - 95	257	0.14	422,736.01	0.57	34,185,252.28	45.95		
96 - 100	901	0.51	1,540,585.77	2.07	35,725,838.05	48.02		
101 - 110	791	0.44	1,485,447.68	2.00	37,211,285.73	50.02		
111 - 120	943	0.53	1,932,446.14	2.60	39,143,731.87	52.61		
121 - 130	523	0.29	1,151,551.64	1.55	40,295,283.51	54.16		
131 - 140	404	0.23	955,842.48	1.28	41,251,125.99	55.45		
141 - 150	562	0.32	1,411,719.92	1.90	42,662,845.91	57.36		
151 - 160	424	0.24	1,156,548.82	1.55	43,819,394.73	58.90		
161 - 170	256	0.14	753,316.62	1.01	44,572,711.35	59.91		

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT
CIS SYSTEM

14MAR00

FOR THE MONTH OF DECEMBER, 1998
KVA, STYLE I, PART I

HGS

ACTUAL KVA RANGE	COUNT	TOTAL REVENUE EXCLUDING SALES TAX			TOTAL REVENUE EXCLUDING SALES TAX		
		PCT	AMOUNT(\$)	PCT	AMOUNT OF	PCT	AMOUNT OF
171 - 180	401	0.23	1,274,968.50	1.71	45,847,679.85	61.63	61.63
181 - 190	212	0.12	686,459.23	0.92	46,534,139.08	62.55	62.55
191 - 200	410	0.23	1,418,820.92	1.91	47,952,940.00	64.46	64.46
201 - 210	240	0.13	903,906.64	1.21	48,856,866.64	65.67	65.67
211 - 220	235	0.13	896,487.90	1.20	49,753,354.54	66.88	66.88
221 - 230	285	0.16	1,190,081.85	1.61	50,951,436.39	68.49	68.49
231 - 240	198	0.11	887,183.00	1.19	51,838,619.39	69.68	69.68
241 - 250	164	0.09	778,991.68	1.05	52,617,611.07	70.72	70.72
251 - 260	151	0.08	692,896.31	0.93	53,310,507.38	71.66	71.66
261 - 270	133	0.07	647,118.45	0.87	53,957,625.83	72.53	72.53
271 - 280	100	0.06	514,297.67	0.69	54,471,923.50	73.22	73.22
281 - 290	264	0.15	1,448,181.59	1.95	55,920,105.09	75.16	75.16
291 - 300	82	0.05	454,403.89	0.61	56,374,505.98	75.77	75.77
301 - 310	104	0.06	610,509.87	0.82	56,985,015.85	76.60	76.60
311 - 320	136	0.08	846,576.79	1.14	57,831,592.64	77.73	77.73
321 - 330	64	0.04	398,881.13	0.54	58,230,473.77	78.27	78.27
331 - 340	75	0.04	472,328.11	0.63	58,702,801.88	78.90	78.90
341 - 350	152	0.09	1,045,366.97	1.41	59,748,168.85	80.31	80.31
351 - 360	85	0.05	596,581.74	0.80	60,344,750.59	81.11	81.11
361 - 370	66	0.04	457,397.12	0.61	60,802,147.71	81.73	81.73
371 - 380	83	0.05	607,290.37	0.82	61,409,446.08	82.54	82.54
381 - 390	150	0.08	1,099,846.20	1.48	62,509,290.28	84.02	84.02
391 - 400	39	0.02	289,702.16	0.39	62,798,992.44	84.41	84.41
401 - 420	157	0.09	1,249,952.95	1.68	64,048,945.39	86.09	86.09
421 - 440	147	0.08	1,208,391.62	1.62	65,257,337.01	87.71	87.71
441 - 460	75	0.04	649,614.14	0.87	65,906,951.15	88.59	88.59
461 - 480	172	0.10	1,551,424.65	2.09	67,458,375.80	90.67	90.67
481 - 500	71	0.04	655,766.55	0.88	68,114,142.35	91.55	91.55
501 - 520	70	0.04	700,829.95	0.94	68,816,972.30	92.50	92.50
521 - 540	47	0.03	467,726.46	0.63	69,282,698.76	93.13	93.13
541 - 560	28	0.02	279,510.65	0.38	69,562,209.41	93.50	93.50
561 - 580	77	0.04	816,380.60	1.10	70,378,590.21	94.60	94.60
581 - 600	15	0.01	165,636.67	0.22	70,546,226.68	94.82	94.82
601 - 620	29	0.02	315,075.12	0.42	70,859,302.00	95.24	95.24
621 - 640	32	0.02	385,952.21	0.52	71,245,254.21	95.76	95.76
641 - 660	33	0.02	381,339.22	0.51	71,626,593.43	96.28	96.28
661 - 680	24	0.01	280,265.31	0.38	71,906,858.74	96.65	96.65
681 - 700	16	0.01	220,613.72	0.30	72,127,472.46	96.95	96.95
701 - 720	30	0.02	417,039.82	0.56	72,544,512.28	97.51	97.51
721 - 740	5	0.00	69,815.15	0.09	72,614,327.43	97.60	97.60
741 - 760	17	0.01	246,150.85	0.33	72,860,478.28	97.93	97.93
761 - 780	14	0.01	172,626.86	0.23	73,032,741.14	98.17	98.17
781 - 800	2	0.00	29,906.50	0.04	73,062,647.64	98.21	98.21
801 - 820	6	0.00	79,442.24	0.11	73,142,089.88	98.31	98.31
821 - 840	3	0.00	53,119.71	0.07	73,195,209.59	98.38	98.38
841 - 860	3	0.00	52,226.79	0.07	73,247,436.38	98.45	98.45
861 - 880	4	0.00	58,880.83	0.08	73,306,237.21	98.53	98.53
881 - 900	5	0.00	92,704.20	0.13	73,400,941.41	98.66	98.66

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT

14MAR00

CIS SYSTEM
FOR THE MONTH OF DECEMBER, 1998
KVA, STYLE 1, PART 1

HGS

ACTUAL KVA RANGE	COUNT	PCI	ACCUM COUNT OF	PCI	AMOUNT(\$)	PCI	ACCUM AMOUNT OF	PCI
901 - 920	1	0.00	177,591	99.97	12,652.96	0.02	73,413,594.37	98.68
921 - 940	2	0.00	177,593	99.98	42,485.06	0.06	73,456,079.43	98.73
941 - 960	2	0.00	177,595	99.98	26,872.07	0.04	73,482,951.50	98.77
961 - 980	1	0.00	177,596	99.98	5,286.62	0.01	73,488,238.12	98.78
981 - 1000	0	0.00	177,596	99.98	0.00	0.00	73,488,238.12	98.78
1001 - 1100	13	0.01	177,599	99.98	231,835.81	0.31	73,720,073.93	99.09
1101 - 1200	12	0.01	177,921	99.99	240,300.89	0.32	73,960,374.82	99.41
1201 - 1300	2	0.00	177,923	99.99	46,078.21	0.06	74,007,253.03	99.48
1301 - 1400	1	0.00	177,924	99.99	20,644.53	0.03	74,027,897.56	99.50
1401 - 1500	1	0.00	177,925	99.99	6,116.36	0.01	74,034,013.92	99.51
1501 - 1600	1	0.00	177,926	99.99	9,789.21	0.01	74,043,803.13	99.52
1601 - 1700	2	0.00	177,928	100.00	32,184.60	0.04	74,075,987.73	99.57
1701 - 1800	0	0.00	177,928	100.00	0.00	0.00	74,075,987.73	99.57
1801 - 1900	1	0.00	177,929	100.00	49,890.52	0.07	74,125,878.25	99.63
1901 - 2000	2	0.00	177,931	100.00	46,724.29	0.06	74,172,602.54	99.70
2001 - 2100	0	0.00	177,931	100.00	0.00	0.00	74,172,602.54	99.70
2101 - 2200	0	0.00	177,931	100.00	0.00	0.00	74,172,602.54	99.70
2201 - 2300	1	0.00	177,932	100.00	63,828.40	0.09	74,236,430.94	99.78
2301 - 2400	1	0.00	177,933	100.00	47,749.32	0.06	74,284,180.26	99.85
2401 - 2500	0	0.00	177,933	100.00	0.00	0.00	74,284,180.26	99.85
2501 - 2600	0	0.00	177,933	100.00	0.00	0.00	74,284,180.26	99.85
2601 - 2700	0	0.00	177,933	100.00	0.00	0.00	74,284,180.26	99.85
2701 - 2800	1	0.00	177,934	100.00	32,710.50	0.04	74,316,890.76	99.89
2801 - 2900	1	0.00	177,935	100.00	19,086.04	0.03	74,335,976.80	99.92
2901 - 3000	0	0.00	177,935	100.00	0.00	0.00	74,335,976.80	99.92
3001 - 3100	0	0.00	177,935	100.00	0.00	0.00	74,335,976.80	99.92
3101 - 3200	0	0.00	177,935	100.00	0.00	0.00	74,335,976.80	99.92
3201 - 3300	0	0.00	177,935	100.00	0.00	0.00	74,335,976.80	99.92
3301 - 3400	0	0.00	177,935	100.00	0.00	0.00	74,335,976.80	99.92
3401 - 3500	0	0.00	177,935	100.00	0.00	0.00	74,335,976.80	99.92
3501 - 3600	1	0.00	177,936	100.00	61,591.62	0.08	74,397,478.42	100.00
3601 - 3700	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42	100.00
3701 - 3800	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42	100.00
3801 - 3900	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42	100.00
3901 - 4000	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42	100.00
4001 - 4100	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42	100.00
4101 - 4200	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42	100.00
4201 - 4300	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42	100.00
4301 - 4400	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42	100.00
4401 - 4500	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42	100.00
4501 - 4600	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42	100.00
4601 - 4700	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42	100.00
4701 - 4800	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42	100.00
4801 - 4900	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42	100.00
4901 - 5000	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42	100.00
5001 - 5500	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42	100.00
5501 - 6000	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42	100.00
6001 - 6500	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42	100.00

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT

14HAR00

CIS SYSTEM
FOR THE MONTH OF DECEMBER, 1998
KVA, STYLE I, PART I

HGS

ACTUAL KVA RANGE	COUNT	PCT	ACCU COUNT OF	PCT	AMOUNT(\$)	TOTAL REVENUE EXCLUDING SALES TAX	
						PCT	ACCU AMOUNT OF
6501 - 7000	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42
7001 - 7500	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42
7501 - 8000	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42
8001 - 8500	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42
8501 - 9000	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42
9001 - 9500	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42
9501 - 10000	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42
10001 - 10500	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42
10501 - 11000	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42
11001 - 11500	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42
11501 - 12000	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42
12001 - 12500	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42
12501 - 13000	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42
13001 - 13500	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42
13501 - 14000	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42
14001 - 14500	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42
14501 - 15000	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42
15001 - 15500	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42
15501 - 16000	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42
16001 - 16500	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42
16501 - 17000	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42
17001 - 17500	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42
17501 - 18000	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42
18001 - 18500	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42
18501 - 19000	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42
19001 - 19500	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42
19501 - 20000	0	0.00	177,936	100.00	0.00	0.00	74,397,478.42
20001 + NORMAL	177,936	0.00			74,397,478.42	0.00	74,397,478.42
IRREGULAR	22,026				4,577,771.84		4,577,771.84
TOTAL	199,962				78,975,250.26		78,975,250.26

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT

CIS SYSTEM
FOR THE MONTH OF DECEMBER, 1998
KVA, STYLE 1, PART II

14HAR00

MDS

ACTUAL KVA RANGE	QUANTITY	USED KWH				ACCUM QUANTITY OF			
		BLOCK 1	BLOCK 2	BLOCK 3	PCT	BLOCK 1	BLOCK 2	BLOCK 3	PCT
0	52,420,906	46,788,051	4,894,144	738,711	4.92	52,420,906			4.92
1	164,336	138,676	25,660	0	0.02	52,585,242			4.94
2	344,157	209,070	28,169	106,898	0.03	52,929,399			4.97
3	1,036,437	873,433	160,028	2,976	0.10	53,965,836			5.07
4	1,353,569	1,082,315	267,447	3,807	0.13	55,319,405			5.20
5	2,070,742	1,439,454	549,131	102,157	0.20	57,410,147			5.39
6	2,449,281	1,667,342	692,741	89,198	0.23	59,859,428			5.62
7	2,836,683	1,778,880	876,586	181,217	0.27	62,696,111			5.89
8	4,621,579	2,814,473	1,418,810	368,296	0.43	67,317,690			6.32
9	3,982,222	2,272,672	1,310,225	399,325	0.37	71,299,912			6.70
10	7,915,069	4,472,691	2,564,811	877,587	0.74	79,215,001			7.44
11	4,748,054	2,719,152	1,586,553	442,349	0.45	83,963,055			7.89
12	7,060,834	4,106,629	2,364,930	589,275	0.66	91,023,889			8.55
13	4,869,804	2,922,535	1,579,202	368,067	0.46	95,693,693			9.01
14	5,930,834	3,535,382	1,932,596	462,856	0.56	101,826,527			9.57
15	6,929,851	4,274,254	2,181,206	474,391	0.65	108,754,378			10.22
16	7,808,333	4,623,766	2,606,618	579,949	0.73	116,562,711			10.95
17	4,648,218	2,746,557	1,510,804	390,857	0.44	121,210,929			11.39
18	6,326,051	3,792,639	2,073,316	460,096	0.59	127,536,980			11.98
19	4,674,338	2,852,149	1,496,166	326,023	0.44	132,211,318			12.42
20	14,317,686	8,342,140	4,903,899	1,091,647	1.35	146,549,004			13.77
21	4,496,430	2,534,369	1,592,819	369,242	0.42	151,045,434			14.19
22	6,256,625	3,628,368	2,131,639	496,618	0.59	157,302,059			14.78
23	3,959,890	2,264,903	1,372,332	322,655	0.37	161,261,949			15.15
24	10,521,744	5,892,639	3,770,528	858,577	0.99	171,783,693			16.14
25	5,581,822	3,253,499	1,955,060	373,243	0.52	177,365,515			16.66
26 - 30	30,960,451	16,841,450	11,449,778	2,669,223	2.91	208,325,966			19.57
31 - 35	24,750,513	12,974,771	9,395,234	2,360,508	2.33	233,076,479			21.90
36 - 40	36,791,763	18,439,266	14,219,858	4,132,639	3.46	269,868,242			25.35
41 - 45	19,076,183	9,429,874	7,319,208	2,327,101	1.79	288,946,425			27.15
46 - 50	25,207,263	12,236,261	9,678,752	3,290,250	2.37	314,151,688			29.51
51 - 55	14,929,973	6,940,664	6,037,922	1,951,387	1.40	329,081,661			30.92
56 - 60	31,490,568	14,667,385	12,515,820	4,307,363	2.96	360,572,229			33.08
61 - 65	14,127,554	6,675,634	5,604,210	1,847,710	1.33	374,699,783			35.20
66 - 70	16,158,587	7,267,849	6,514,577	2,376,161	1.52	390,858,370			36.72
71 - 75	14,675,637	6,640,299	5,845,261	2,190,077	1.38	405,534,007			38.10
76 - 80	23,763,665	10,841,016	9,495,168	3,427,681	2.23	429,297,672			40.33
81 - 85	9,310,453	4,220,741	3,804,062	1,205,650	0.87	438,608,125			41.21
86 - 90	16,100,018	6,957,100	6,565,159	2,577,759	1.51	454,708,143			42.72
91 - 95	6,257,569	2,753,488	2,503,547	1,009,534	0.59	460,965,712			43.31
96 - 100	22,881,844	10,008,479	9,039,806	3,833,559	2.15	483,847,556			45.46
101 - 110	21,858,873	9,683,518	8,915,898	3,259,457	2.05	505,706,429			47.51
111 - 120	28,408,802	12,679,542	11,270,814	4,450,446	2.67	534,115,231			50.18
121 - 130	16,840,648	7,458,087	6,862,116	2,539,845	1.58	550,975,879			51.76
131 - 140	14,014,937	6,288,166	5,525,608	2,201,163	1.32	564,990,816			53.08
141 - 150	20,478,038	9,407,237	8,088,286	2,982,515	1.92	585,468,654			55.01
151 - 160	16,930,148	7,630,955	6,664,204	2,634,989	1.59	602,399,002			56.60
161 - 170	11,062,228	4,959,676	4,387,309	1,715,243	1.04	613,461,230			57.64

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT

CIS SYSTEM
FOR THE MONTH OF DECEMBER, 1995
KVA, STYLE 1, PART 11

14MAR00

HGS

ACTUAL KVA RANGE	QUANTITY	USED(KWH)			PCT	ACCUQ QUANTITY OF	PCT
		BLOCK 1	BLOCK 2	BLOCK 3			
171 - 180	19,061,498	8,149,545	7,657,559	3,254,394	1.79	632,522,728	59.43
181 - 190	10,057,616	4,555,124	3,909,555	1,592,937	0.94	642,580,344	60.37
191 - 200	20,814,356	9,401,994	8,215,526	3,195,836	1.96	663,394,700	62.33
201 - 210	13,524,970	5,820,736	5,431,554	2,272,680	1.27	676,919,670	63.60
211 - 220	13,140,236	5,871,629	5,278,594	1,990,013	1.23	690,059,906	64.83
221 - 230	18,055,980	7,664,228	7,161,237	3,230,515	1.70	708,115,886	66.53
231 - 240	13,719,724	5,530,365	5,293,506	2,895,653	1.29	721,835,610	67.82
241 - 250	12,052,472	4,848,527	4,752,750	2,451,195	1.11	733,088,002	68.95
251 - 260	10,390,508	4,514,724	3,925,439	1,950,345	0.98	744,278,590	69.93
261 - 270	9,772,292	4,098,521	3,842,980	1,830,791	0.92	754,050,082	70.84
271 - 280	7,877,856	3,108,763	2,975,276	1,593,817	0.74	761,928,738	71.58
281 - 290	22,478,676	9,100,834	8,473,799	4,904,043	2.11	784,407,414	73.70
291 - 300	7,146,776	2,815,030	2,595,164	1,736,582	0.67	791,554,190	74.37
301 - 310	9,350,806	3,838,069	3,703,604	1,809,223	0.88	800,905,086	75.25
311 - 320	13,547,284	5,167,003	5,025,464	3,354,817	1.27	814,452,370	76.52
321 - 330	6,113,928	2,496,578	2,487,772	1,129,578	0.57	820,566,298	77.09
331 - 340	7,268,144	2,952,230	2,800,357	1,515,557	0.68	827,834,442	77.78
341 - 350	16,431,840	6,424,969	6,451,447	3,555,424	1.54	844,266,282	79.32
351 - 360	9,528,108	3,642,785	3,532,834	2,352,489	0.90	853,794,390	80.21
361 - 370	6,998,320	2,900,216	2,696,235	1,401,869	0.66	860,792,710	80.87
371 - 380	9,401,548	3,761,148	3,739,619	1,900,781	0.88	870,194,258	81.76
381 - 390	16,927,880	6,835,995	6,692,833	3,399,052	1.59	877,122,138	83.35
391 - 400	4,421,816	1,857,168	1,669,534	895,114	0.42	891,543,954	83.76
401 - 420	18,974,312	7,874,008	7,860,077	3,240,227	1.78	910,518,266	85.54
421 - 440	18,507,816	7,568,753	7,315,549	3,603,514	1.74	929,026,082	87.28
441 - 460	9,841,228	4,126,570	4,037,848	1,676,810	0.92	938,867,310	88.21
461 - 480	23,676,036	9,896,102	9,387,055	4,392,879	2.22	962,543,346	90.43
481 - 500	9,781,530	4,218,640	4,005,462	1,557,428	0.92	972,324,876	91.35
501 - 520	11,039,308	4,291,877	4,264,933	2,432,498	1.03	983,334,184	92.38
521 - 540	6,920,336	3,048,687	2,824,511	1,047,138	0.65	990,254,520	93.04
541 - 560	4,055,212	1,892,335	1,583,167	579,710	0.38	994,309,732	93.42
561 - 580	11,952,252	5,408,335	4,820,213	1,723,704	1.12	1,006,261,984	94.54
581 - 600	2,467,376	1,087,160	963,977	416,239	0.23	1,008,729,360	94.77
601 - 620	6,530,384	2,144,118	1,765,776	620,490	0.43	1,013,259,744	95.20
621 - 640	5,666,756	2,500,400	2,448,496	717,860	0.53	1,018,926,500	95.73
641 - 660	5,316,472	2,639,400	2,222,880	454,192	0.50	1,024,242,972	96.23
661 - 680	3,966,560	1,933,601	1,525,418	527,541	0.37	1,028,229,532	96.60
681 - 700	3,437,728	1,381,000	1,331,334	725,394	0.32	1,031,667,260	96.93
701 - 720	6,278,244	2,653,023	2,693,550	931,671	0.59	1,037,945,504	97.52
721 - 740	1,124,928	676,578	323,476	124,874	0.11	1,039,070,432	97.62
741 - 760	3,846,404	1,556,125	1,407,578	882,701	0.36	1,042,916,836	97.98
761 - 780	2,296,876	1,248,105	888,945	159,826	0.22	1,045,213,712	98.20
781 - 800	425,664	197,625	192,996	35,043	0.04	1,045,639,376	98.24
801 - 820	1,026,720	602,540	407,140	17,040	0.10	1,046,666,096	98.33
821 - 840	886,464	310,875	343,856	73,733	0.08	1,047,552,560	98.42
841 - 860	773,028	318,125	381,519	231,364	0.07	1,048,325,588	98.49
861 - 880	911,840	349,616	329,024	233,200	0.09	1,049,237,428	98.58
881 - 900	1,537,384	557,625	581,120	398,639	0.14	1,050,774,812	98.77

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT

14MAR80

CIS SYSTEM
FOR THE MONTH OF DECEMBER, 1998
KVA, STYLE 1, PART 11

NGS

ACTUAL KVA RANGE	QUANTITY	BLOCK 1	BLOCK 2	BLOCK 3	PCT	ACCUM QUANTITY OF	PCT
901 - 920	147,840	114,000	33,840	0	0.01	1,050,922,652	98.73
921 - 940	694,944	231,125	314,330	149,489	0.07	1,051,617,596	98.80
941 - 960	315,680	240,000	75,680	0	0.03	1,051,933,276	98.83
961 - 980	32,640	0	0	0	0.00	1,051,965,916	98.83
981 - 1000	0	0	0	0	0.00	1,051,965,916	98.83
1001 - 1100	3,186,480	1,645,563	1,148,423	392,494	0.30	1,055,152,396	99.13
1101 - 1200	3,289,224	1,611,626	1,393,630	283,968	0.31	1,058,441,620	99.44
1201 - 1300	622,080	319,500	300,420	2,160	0.06	1,059,063,700	99.50
1301 - 1400	253,440	163,750	89,690	0	0.02	1,059,317,140	99.52
1401 - 1500	23,040	23,040	0	0	0.00	1,059,340,180	99.53
1501 - 1600	70,800	70,800	0	0	0.01	1,059,410,980	99.53
1601 - 1700	304,800	304,800	0	0	0.03	1,059,715,780	99.56
1701 - 1800	0	0	0	0	0.00	1,059,715,780	99.56
1801 - 1900	941,760	234,000	318,240	389,520	0.09	1,060,657,540	99.65
1901 - 2000	522,000	384,000	138,000	0	0.05	1,061,179,540	99.70
2001 - 2100	0	0	0	0	0.00	1,061,179,540	99.70
2101 - 2200	0	0	0	0	0.00	1,061,179,540	99.70
2201 - 2300	1,287,360	279,000	379,440	628,920	0.12	1,062,466,900	99.82
2301 - 2400	650,880	300,000	350,880	0	0.06	1,063,117,780	99.88
2401 - 2500	0	0	0	0	0.00	1,063,117,780	99.88
2501 - 2600	0	0	0	0	0.00	1,063,117,780	99.88
2601 - 2700	0	0	0	0	0.00	1,063,117,780	99.88
2701 - 2800	338,400	338,400	0	0	0.03	1,063,456,180	99.91
2801 - 2900	140,800	140,800	0	0	0.01	1,063,596,980	99.93
2901 - 3000	0	0	0	0	0.00	1,063,596,980	99.93
3001 - 3100	0	0	0	0	0.00	1,063,596,980	99.93
3101 - 3200	0	0	0	0	0.00	1,063,596,980	99.93
3201 - 3300	0	0	0	0	0.00	1,063,596,980	99.93
3301 - 3400	0	0	0	0	0.00	1,063,596,980	99.93
3401 - 3500	0	0	0	0	0.00	1,063,596,980	99.93
3501 - 3600	792,000	450,000	342,000	0	0.07	1,064,388,980	100.00
3601 - 3700	0	0	0	0	0.00	1,064,388,980	100.00
3701 - 3800	0	0	0	0	0.00	1,064,388,980	100.00
3801 - 3900	0	0	0	0	0.00	1,064,388,980	100.00
3901 - 4000	0	0	0	0	0.00	1,064,388,980	100.00
4001 - 4100	0	0	0	0	0.00	1,064,388,980	100.00
4101 - 4200	0	0	0	0	0.00	1,064,388,980	100.00
4201 - 4300	0	0	0	0	0.00	1,064,388,980	100.00
4301 - 4400	0	0	0	0	0.00	1,064,388,980	100.00
4401 - 4500	0	0	0	0	0.00	1,064,388,980	100.00
4501 - 4600	0	0	0	0	0.00	1,064,388,980	100.00
4601 - 4700	0	0	0	0	0.00	1,064,388,980	100.00
4701 - 4800	0	0	0	0	0.00	1,064,388,980	100.00
4801 - 4900	0	0	0	0	0.00	1,064,388,980	100.00
4901 - 5000	0	0	0	0	0.00	1,064,388,980	100.00
5001 - 5500	0	0	0	0	0.00	1,064,388,980	100.00
5501 - 6000	0	0	0	0	0.00	1,064,388,980	100.00
6001 - 6500	0	0	0	0	0.00	1,064,388,980	100.00

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 60
KVA FREQUENCY REPORT

CIS SYSTEM
FOR THE MONTH OF DECEMBER, 1998
KVA, STYLE 1, PART 11

14MAR03

MGS

ACTUAL KVA RANGE	QUANTITY			BLOCK 1			BLOCK 2			BLOCK 3			USEDKWH			ACCUM QUANTITY OF			PCT		
6501 - 7000	0			0			0			0			0			0			0		
7001 - 7500	0			0			0			0			0			0			0		
7501 - 8000	0			0			0			0			0			0			0		
8001 - 8500	0			0			0			0			0			0			0		
8501 - 9000	0			0			0			0			0			0			0		
9001 - 9500	0			0			0			0			0			0			0		
9501 - 10000	0			0			0			0			0			0			0		
10001 - 10500	0			0			0			0			0			0			0		
10501 - 11000	0			0			0			0			0			0			0		
11001 - 11500	0			0			0			0			0			0			0		
11501 - 12000	0			0			0			0			0			0			0		
12001 - 12500	0			0			0			0			0			0			0		
12501 - 13000	0			0			0			0			0			0			0		
13001 - 13500	0			0			0			0			0			0			0		
13501 - 14000	0			0			0			0			0			0			0		
14001 - 14500	0			0			0			0			0			0			0		
14501 - 15000	0			0			0			0			0			0			0		
15001 - 15500	0			0			0			0			0			0			0		
15501 - 16000	0			0			0			0			0			0			0		
16001 - 16500	0			0			0			0			0			0			0		
16501 - 17000	0			0			0			0			0			0			0		
17001 - 17500	0			0			0			0			0			0			0		
17501 - 18000	0			0			0			0			0			0			0		
18001 - 18500	0			0			0			0			0			0			0		
18501 - 19000	0			0			0			0			0			0			0		
19001 - 19500	0			0			0			0			0			0			0		
19501 - 20000	0			0			0			0			0			0			0		
20001 +	0			0			0			0			0			0			0		
TOTAL	1,064,388,980			516,970,544			394,657,168			152,761,268											
IRREGULAR	60,583,864																				
TOTAL	1,124,972,844																				

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(CUDA SYSTEM) - RP 89
KVA FREQUENCY REPORT

CIS SYSTEM
FOR THE MONTH OF JANUARY, 1999
KVA, STYLE I, PART I

14MAR00

HGS

ACTUAL KVA RANGE	COUNT	COUNT			TOTAL REVENUE EXCLUDING SALES TAX			TOTAL REVENUE EXCLUDING SALES TAX		
		PCT	AMOUNT(\$)	PCT	AMOUNT(\$)	PCT	AMOUNT(\$)	PCT	AMOUNT(\$)	PCT
0	98,255	53.7	98,255	53.71	5,923,790.44	7.31	5,923,790.44	7.31	5,923,790.44	7.31
1	375	0.20	98,630	53.91	26,080.74	0.03	5,949,871.18	7.35	5,949,871.18	7.35
2	512	0.28	99,142	54.19	30,468.10	0.04	5,980,339.28	7.38	5,980,339.28	7.38
3	1,509	0.82	100,651	55.02	106,813.84	0.13	6,087,153.12	7.51	6,087,153.12	7.51
4	1,348	0.74	101,999	55.75	123,451.26	0.15	6,210,604.38	7.67	6,210,604.38	7.67
5	1,392	0.76	103,391	56.51	151,528.43	0.19	6,362,132.81	7.85	6,362,132.81	7.85
6	1,434	0.78	104,825	57.30	173,693.34	0.21	6,535,826.15	8.07	6,535,826.15	8.07
7	1,393	0.76	106,218	58.06	184,631.84	0.23	6,720,457.99	8.30	6,720,457.99	8.30
8	2,278	1.25	108,496	59.30	317,375.30	0.39	7,037,833.29	8.69	7,037,833.29	8.69
9	1,702	0.93	110,198	60.23	251,105.66	0.31	7,288,938.95	9.00	7,288,938.95	9.00
10	3,342	1.83	113,540	62.06	499,405.07	0.62	7,788,344.02	9.62	7,788,344.02	9.62
11	1,857	1.02	115,397	63.08	300,863.14	0.37	8,089,207.16	9.99	8,089,207.16	9.99
12	2,814	1.54	118,211	64.61	489,926.90	0.60	8,579,134.06	10.59	8,579,134.06	10.59
13	2,009	1.10	120,220	65.71	381,326.49	0.47	8,960,460.55	11.06	8,960,460.55	11.06
14	2,213	1.21	122,433	66.92	445,213.69	0.55	9,405,674.24	11.61	9,405,674.24	11.61
15	2,493	1.36	124,926	68.28	536,021.41	0.66	9,941,695.65	12.27	9,941,695.65	12.27
16	2,528	1.38	127,454	69.67	584,470.95	0.72	10,526,166.60	13.00	10,526,166.60	13.00
17	1,555	0.85	129,009	70.52	379,238.05	0.47	10,905,404.65	13.46	10,905,404.65	13.46
18	1,936	1.06	130,945	71.57	499,127.07	0.62	11,404,531.72	14.08	11,404,531.72	14.08
19	1,517	0.83	132,462	72.40	410,167.16	0.51	11,814,698.88	14.59	11,814,698.88	14.59
20	3,743	2.05	136,205	74.45	1,121,932.54	1.39	12,936,631.62	15.97	12,936,631.62	15.97
21	1,193	0.65	137,398	75.10	365,758.35	0.45	13,302,369.77	16.42	13,302,369.77	16.42
22	1,511	0.83	138,909	75.93	492,372.67	0.61	13,794,762.44	17.03	13,794,762.44	17.03
23	1,087	0.59	139,996	76.52	365,040.66	0.45	14,159,803.10	17.48	14,159,803.10	17.48
24	2,489	1.36	142,485	77.88	909,786.02	1.12	15,069,589.12	18.60	15,069,589.12	18.60
25	1,367	0.75	143,852	78.63	512,450.87	0.63	15,582,039.99	19.24	15,582,039.99	19.24
26 - 30	5,901	3.23	149,753	81.86	2,577,959.45	3.16	18,159,999.44	22.42	18,159,999.44	22.42
31 - 35	3,884	2.12	153,637	83.98	2,015,281.25	2.49	20,175,280.69	24.91	20,175,280.69	24.91
36 - 40	4,735	2.59	156,372	86.57	2,975,106.01	3.67	23,150,386.70	28.58	23,150,386.70	28.58
41 - 45	2,225	1.22	160,597	87.78	1,596,394.43	1.97	24,746,781.13	30.55	24,746,781.13	30.55
46 - 50	2,515	1.37	163,112	89.16	2,017,124.41	2.49	26,763,905.54	33.04	26,763,905.54	33.04
51 - 55	1,328	0.73	164,440	89.68	1,201,212.55	1.48	27,965,118.09	34.52	27,965,118.09	34.52
56 - 60	2,498	1.37	166,918	91.25	2,552,584.73	3.15	30,517,702.82	37.68	30,517,702.82	37.68
61 - 65	1,053	0.58	167,991	91.82	1,136,860.04	1.40	31,654,562.86	39.08	31,654,562.86	39.08
66 - 70	984	0.54	168,975	92.36	1,186,318.79	1.46	32,840,901.65	40.54	32,840,901.65	40.54
71 - 75	845	0.46	169,820	92.82	1,076,652.78	1.33	33,917,554.43	41.87	33,917,554.43	41.87
76 - 80	1,316	0.72	171,136	93.54	1,869,155.82	2.31	35,786,710.25	44.18	35,786,710.25	44.18
81 - 85	521	0.28	171,657	93.83	800,238.96	0.99	36,586,949.21	45.17	36,586,949.21	45.17
86 - 90	755	0.41	172,412	94.24	1,210,609.33	1.49	37,797,558.54	46.66	37,797,558.54	46.66
91 - 95	287	0.16	172,699	94.40	477,120.81	0.59	38,274,679.35	47.25	38,274,679.35	47.25
96 - 100	951	0.52	173,650	94.92	1,693,544.54	2.09	39,968,223.89	49.34	39,968,223.89	49.34
101 - 110	849	0.46	174,499	95.38	1,627,711.36	2.01	41,595,935.25	51.35	41,595,935.25	51.35
111 - 120	952	0.52	175,451	95.90	1,956,435.47	2.42	43,552,370.72	53.77	43,552,370.72	53.77
121 - 130	548	0.30	175,999	96.20	1,227,705.44	1.52	44,780,076.16	55.28	44,780,076.16	55.28
131 - 140	480	0.26	176,479	96.46	1,193,544.27	1.47	45,973,620.43	56.76	45,973,620.43	56.76
141 - 150	596	0.33	177,075	96.79	1,529,772.20	1.89	47,503,392.63	58.65	47,503,392.63	58.65
151 - 160	485	0.27	177,560	97.05	1,390,635.98	1.72	48,594,028.61	60.36	48,594,028.61	60.36
161 - 170	262	0.14	177,822	97.20	800,636.56	0.99	49,694,665.17	61.35	49,694,665.17	61.35

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT
CIS SYSTEM

14/MAR/00

FOR THE MONTH OF JANUARY, 1999
KVA, STYLE 1, PART 1

HGS

ACTUAL KVA RANGE	COUNT	PCT	ACCU MOUNT OF	PCT	TOTAL REVENUE EXCLUDING SALES TAX		PCT	ACCU MOUNT OF	PCT
					AMOUNT(\$)	AMOUNT(\$)			
171 - 180	446	0.24	178,268	97.44	1,440,951.38	51,135,616.55	1.78	51,135,616.55	63.13
181 - 190	198	0.11	178,466	97.55	638,769.42	51,774,405.97	0.79	51,774,405.97	63.92
191 - 200	402	0.22	178,868	97.77	1,437,286.35	53,211,692.32	1.77	53,211,692.32	65.69
201 - 210	248	0.14	179,116	97.90	940,429.93	54,152,122.25	1.16	54,152,122.25	66.85
211 - 220	227	0.12	179,343	98.03	890,433.83	55,042,556.08	1.10	55,042,556.08	67.95
221 - 230	301	0.16	179,644	98.19	1,262,339.31	56,304,895.39	1.56	56,304,895.39	69.51
231 - 240	206	0.11	179,850	98.31	940,405.08	57,245,300.47	1.16	57,245,300.47	70.67
241 - 250	162	0.09	180,012	98.39	754,330.48	57,999,630.95	0.93	57,999,630.95	71.60
251 - 260	181	0.10	180,193	98.49	872,622.22	58,872,253.17	1.08	58,872,253.17	72.68
261 - 270	142	0.08	180,335	98.57	682,987.60	59,555,240.77	0.84	59,555,240.77	73.52
271 - 280	94	0.05	180,429	98.62	507,822.44	60,063,063.21	0.63	60,063,063.21	74.15
281 - 290	208	0.16	180,727	98.79	1,674,909.44	61,737,972.65	2.07	61,737,972.65	76.22
291 - 300	93	0.05	180,820	98.84	561,998.96	62,299,971.61	0.69	62,299,971.61	76.91
301 - 310	116	0.06	180,936	98.90	682,318.29	62,982,289.90	0.84	62,982,289.90	77.76
311 - 320	132	0.07	181,068	98.97	846,991.14	63,829,281.04	1.05	63,829,281.04	78.80
321 - 330	83	0.05	181,151	99.02	524,365.28	64,353,646.32	0.65	64,353,646.32	79.45
331 - 340	80	0.04	181,231	99.06	538,046.06	64,891,692.38	0.66	64,891,692.38	80.11
341 - 350	150	0.08	181,381	99.14	1,073,435.17	65,965,127.55	1.33	65,965,127.55	81.44
351 - 360	105	0.06	181,486	99.20	718,308.21	66,683,435.76	0.89	66,683,435.76	82.33
361 - 370	46	0.03	181,532	99.23	325,856.52	67,009,292.28	0.40	67,009,292.28	82.73
371 - 380	97	0.05	181,629	99.28	722,753.65	67,732,045.93	0.89	67,732,045.93	83.62
381 - 390	165	0.09	181,794	99.37	1,292,254.19	69,024,300.12	1.60	69,024,300.12	85.22
391 - 400	31	0.02	181,825	99.39	249,698.14	69,273,998.26	0.31	69,273,998.26	85.52
401 - 420	142	0.08	181,967	99.46	1,085,145.10	70,359,143.36	1.34	70,359,143.36	86.86
421 - 440	176	0.10	182,143	99.56	1,502,462.27	71,861,605.63	1.85	71,861,605.63	88.72
441 - 460	60	0.03	182,203	99.59	537,090.36	72,398,695.99	0.66	72,398,695.99	89.18
461 - 480	161	0.09	182,364	99.68	1,483,520.36	73,882,216.35	1.83	73,882,216.35	91.21
481 - 500	62	0.03	182,426	99.71	619,844.06	74,502,060.41	0.77	74,502,060.41	91.98
501 - 520	79	0.04	182,505	99.76	743,531.52	75,245,591.93	0.92	75,245,591.93	92.90
521 - 540	56	0.03	182,561	99.79	570,074.93	75,815,666.86	0.70	75,815,666.86	93.60
541 - 560	31	0.02	182,592	99.80	346,111.25	76,161,778.11	0.43	76,161,778.11	94.03
561 - 580	74	0.04	182,666	99.85	816,046.08	76,975,824.19	1.00	76,975,824.19	95.03
581 - 600	18	0.01	182,684	99.86	185,477.49	77,161,301.68	0.23	77,161,301.68	95.26
601 - 620	28	0.02	182,712	99.87	318,242.19	77,479,543.87	0.39	77,479,543.87	95.65
621 - 640	39	0.02	182,751	99.89	481,547.90	77,961,091.77	0.59	77,961,091.77	96.25
641 - 660	24	0.01	182,775	99.90	291,358.69	78,252,450.46	0.36	78,252,450.46	96.61
661 - 680	21	0.01	182,796	99.92	256,285.61	78,508,736.07	0.32	78,508,736.07	96.92
681 - 700	19	0.01	182,815	99.93	251,340.80	78,760,076.87	0.31	78,760,076.87	97.23
701 - 720	18	0.01	182,833	99.94	220,703.04	78,980,779.91	0.27	78,980,779.91	97.51
721 - 740	6	0.00	182,839	99.94	77,623.86	79,058,403.77	0.10	79,058,403.77	97.60
741 - 760	12	0.01	182,851	99.95	156,612.37	79,215,016.14	0.19	79,215,016.14	97.80
761 - 780	18	0.01	182,869	99.96	264,215.38	79,479,231.52	0.33	79,479,231.52	98.12
781 - 800	6	0.00	182,875	99.96	88,947.49	79,568,179.01	0.11	79,568,179.01	98.23
801 - 820	4	0.00	182,879	99.96	47,903.28	79,616,082.29	0.06	79,616,082.29	98.29
821 - 840	7	0.00	182,886	99.97	99,351.26	79,715,433.55	0.12	79,715,433.55	98.41
841 - 860	5	0.00	182,891	99.97	93,219.37	79,808,652.92	0.12	79,808,652.92	98.53
861 - 880	5	0.00	182,896	99.97	95,126.24	79,903,779.16	0.12	79,903,779.16	98.65
881 - 900	7	0.00	182,903	99.97	102,600.12	80,006,379.28	0.13	80,006,379.28	98.77

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT

14MAR00

LIS SYSTEM
FOR THE MONTH OF JANUARY, 1999
KVA, STYLE 1, PART I

HGS

ACTUAL KVA RANGE	COUNT	PCT	ACCUM COUNT OF	PCT	AMOUNT(\$)	TOTAL REVENUE EXCLUDING SALES TAX	PCT	ACCUM AMOUNT OF	PCT
901 - 920	2	0.00	182,905	99.98	30,132.99	0.04	80,036,512.27	98.81	
921 - 940	3	0.00	182,908	99.98	66,337.70	0.08	80,102,849.97	98.89	
941 - 960	6	0.00	182,914	99.98	90,305.74	0.11	80,193,155.71	99.00	
961 - 980	2	0.00	182,916	99.98	49,838.09	0.06	80,242,993.80	99.07	
981 - 1000	2	0.00	182,918	99.98	24,989.44	0.03	80,267,983.24	99.10	
1001 - 1100	9	0.00	182,927	99.99	135,994.76	0.17	80,403,978.00	99.26	
1101 - 1200	8	0.00	182,935	99.99	175,443.93	0.22	80,579,421.93	99.48	
1201 - 1300	2	0.00	182,937	99.99	29,135.16	0.04	80,608,557.07	99.52	
1301 - 1400	0	0.00	182,937	99.99	0.00	0.00	80,608,557.07	99.52	
1401 - 1500	1	0.00	182,938	99.99	18,596.64	0.02	80,627,153.71	99.54	
1501 - 1600	3	0.00	182,941	100.00	36,027.83	0.04	80,663,181.54	99.58	
1601 - 1700	0	0.00	182,941	100.00	0.00	0.00	80,663,181.54	99.58	
1701 - 1800	0	0.00	182,941	100.00	0.00	0.00	80,663,181.54	99.58	
1801 - 1900	2	0.00	182,943	100.00	85,757.68	0.11	80,748,939.22	99.69	
1901 - 2000	1	0.00	182,944	100.00	27,804.99	0.03	80,776,744.21	99.72	
2001 - 2100	0	0.00	182,944	100.00	0.00	0.00	80,776,744.21	99.72	
2101 - 2200	1	0.00	182,945	100.00	55,952.32	0.07	80,832,696.53	99.79	
2201 - 2300	1	0.00	182,946	100.00	42,015.53	0.05	80,874,712.06	99.85	
2301 - 2400	0	0.00	182,946	100.00	0.00	0.00	80,874,712.06	99.85	
2401 - 2500	0	0.00	182,946	100.00	0.00	0.00	80,874,712.06	99.85	
2501 - 2600	0	0.00	182,946	100.00	0.00	0.00	80,874,712.06	99.85	
2601 - 2700	0	0.00	182,946	100.00	0.00	0.00	80,874,712.06	99.85	
2701 - 2800	0	0.00	182,946	100.00	0.00	0.00	80,874,712.06	99.85	
2801 - 2900	2	0.00	182,948	100.00	56,142.91	0.07	80,930,854.97	99.91	
2901 - 3000	0	0.00	182,948	100.00	0.00	0.00	80,930,854.97	99.91	
3001 - 3100	0	0.00	182,948	100.00	0.00	0.00	80,930,854.97	99.91	
3101 - 3200	0	0.00	182,948	100.00	0.00	0.00	80,930,854.97	99.91	
3201 - 3300	1	0.00	182,949	100.00	69,250.54	0.09	81,000,105.51	100.00	
3301 - 3400	0	0.00	182,949	100.00	0.00	0.00	81,000,105.51	100.00	
3401 - 3500	0	0.00	182,949	100.00	0.00	0.00	81,000,105.51	100.00	
3501 - 3600	0	0.00	182,949	100.00	0.00	0.00	81,000,105.51	100.00	
3601 - 3700	0	0.00	182,949	100.00	0.00	0.00	81,000,105.51	100.00	
3701 - 3800	0	0.00	182,949	100.00	0.00	0.00	81,000,105.51	100.00	
3801 - 3900	0	0.00	182,949	100.00	0.00	0.00	81,000,105.51	100.00	
3901 - 4000	0	0.00	182,949	100.00	0.00	0.00	81,000,105.51	100.00	
4001 - 4100	0	0.00	182,949	100.00	0.00	0.00	81,000,105.51	100.00	
4101 - 4200	0	0.00	182,949	100.00	0.00	0.00	81,000,105.51	100.00	
4201 - 4300	0	0.00	182,949	100.00	0.00	0.00	81,000,105.51	100.00	
4301 - 4400	0	0.00	182,949	100.00	0.00	0.00	81,000,105.51	100.00	
4401 - 4500	0	0.00	182,949	100.00	0.00	0.00	81,000,105.51	100.00	
4501 - 4600	0	0.00	182,949	100.00	0.00	0.00	81,000,105.51	100.00	
4601 - 4700	0	0.00	182,949	100.00	0.00	0.00	81,000,105.51	100.00	
4701 - 4800	0	0.00	182,949	100.00	0.00	0.00	81,000,105.51	100.00	
4801 - 4900	0	0.00	182,949	100.00	0.00	0.00	81,000,105.51	100.00	
4901 - 5000	0	0.00	182,949	100.00	0.00	0.00	81,000,105.51	100.00	
5001 - 5500	0	0.00	182,949	100.00	0.00	0.00	81,000,105.51	100.00	
5501 - 6000	0	0.00	182,949	100.00	0.00	0.00	81,000,105.51	100.00	
6001 - 6500	0	0.00	182,949	100.00	0.00	0.00	81,000,105.51	100.00	

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT

14MAR00

CIS SYSTEM
FOR THE MONTH OF JANUARY, 1999
KVA, STYLE 1, PART 1

HGS

ACTUAL KVA RANGE	COUNT	TOTAL REVENUE EXCLUDING SALES TAX			TOTAL REVENUE EXCLUDING SALES TAX		
		AMOUNT(\$)	PCT	ACCU. AMOUNT OF	AMOUNT(\$)	PCT	ACCU. AMOUNT OF
6501 - 7000	0	0.00	0.00	0.00	0.00	0.00	0.00
7001 - 7500	0	0.00	0.00	0.00	0.00	0.00	0.00
7501 - 8000	0	0.00	0.00	0.00	0.00	0.00	0.00
8001 - 8500	0	0.00	0.00	0.00	0.00	0.00	0.00
8501 - 9000	0	0.00	0.00	0.00	0.00	0.00	0.00
9001 - 9500	0	0.00	0.00	0.00	0.00	0.00	0.00
9501 - 10000	0	0.00	0.00	0.00	0.00	0.00	0.00
10001 - 10500	0	0.00	0.00	0.00	0.00	0.00	0.00
10501 - 11000	0	0.00	0.00	0.00	0.00	0.00	0.00
11001 - 11500	0	0.00	0.00	0.00	0.00	0.00	0.00
11501 - 12000	0	0.00	0.00	0.00	0.00	0.00	0.00
12001 - 12500	0	0.00	0.00	0.00	0.00	0.00	0.00
12501 - 13000	0	0.00	0.00	0.00	0.00	0.00	0.00
13001 - 13500	0	0.00	0.00	0.00	0.00	0.00	0.00
13501 - 14000	0	0.00	0.00	0.00	0.00	0.00	0.00
14001 - 14500	0	0.00	0.00	0.00	0.00	0.00	0.00
14501 - 15000	0	0.00	0.00	0.00	0.00	0.00	0.00
15001 - 15500	0	0.00	0.00	0.00	0.00	0.00	0.00
15501 - 16000	0	0.00	0.00	0.00	0.00	0.00	0.00
16001 - 16500	0	0.00	0.00	0.00	0.00	0.00	0.00
16501 - 17000	0	0.00	0.00	0.00	0.00	0.00	0.00
17001 - 17500	0	0.00	0.00	0.00	0.00	0.00	0.00
17501 - 18000	0	0.00	0.00	0.00	0.00	0.00	0.00
18001 - 18500	0	0.00	0.00	0.00	0.00	0.00	0.00
18501 - 19000	0	0.00	0.00	0.00	0.00	0.00	0.00
19001 - 19500	0	0.00	0.00	0.00	0.00	0.00	0.00
19501 - 20000	0	0.00	0.00	0.00	0.00	0.00	0.00
20001 + NORMAL	182,949	0.00	0.00	0.00	0.00	0.00	0.00
IRREGULAR	17,458	2,503,262.48	17,458	2,503,262.48	2,503,262.48	17,458	2,503,262.48
TOTAL	200,407	83,503,367.99	200,407	83,503,367.99	83,503,367.99	200,407	83,503,367.99

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT

FOR THE MONTH OF JANUARY, 1999
KVA, STYLE I, PART 11
CIS SYSTEM

14MAR00

HGS

ACTUAL KVA RANGE	QUANTITY	USED KWH			PCT	ACCUQ. QUANTITY OF	PCT
		BLOCK 1	BLOCK 2	BLOCK 3			
0	63,327,298	53,160,652	8,576,265	1,590,381	5.36	63,327,298	5.36
1	369,056	247,788	42,670	78,598	0.03	63,696,354	5.39
2	323,081	259,409	58,854	4,818	0.03	64,019,435	5.42
3	1,203,339	978,316	214,079	10,944	0.10	65,222,774	5.52
4	1,574,681	1,102,243	362,550	109,888	0.13	66,797,455	5.66
5	1,988,466	1,341,706	590,986	55,774	0.17	68,785,921	5.82
6	2,370,628	1,457,033	774,039	139,556	0.20	71,156,549	6.02
7	2,624,160	1,493,425	888,241	242,494	0.22	73,780,709	6.25
8	4,701,274	2,466,040	1,560,273	674,941	0.40	78,481,983	6.64
9	3,789,355	1,917,717	1,315,363	556,275	0.32	82,271,338	6.97
10	7,538,755	3,808,716	2,640,456	1,089,583	0.64	89,810,093	7.60
11	4,415,713	2,326,525	1,534,354	554,834	0.37	94,225,806	7.98
12	7,082,186	3,824,616	2,414,867	842,703	0.60	101,307,992	8.58
13	5,457,290	2,993,088	1,848,547	615,655	0.46	106,765,282	9.04
14	6,232,253	3,535,408	2,120,618	576,227	0.53	112,997,535	9.57
15	7,533,409	4,260,940	2,456,233	816,236	0.64	120,530,944	10.21
16	8,133,939	4,584,368	2,778,020	771,551	0.69	128,664,883	10.89
17	5,225,122	3,005,713	1,737,395	482,014	0.44	133,890,005	11.34
18	6,848,850	3,963,446	2,277,503	607,901	0.58	140,738,855	11.92
19	5,570,962	3,270,040	1,847,776	453,146	0.47	146,309,817	12.39
20	15,636,841	8,661,684	5,437,559	1,517,598	1.32	161,946,658	13.71
21	4,986,845	2,883,736	1,704,871	398,238	0.42	166,933,503	14.13
22	6,759,783	3,812,147	2,348,954	576,682	0.57	173,673,284	14.70
23	4,945,539	2,858,650	1,681,228	405,661	0.42	178,618,825	15.12
24	12,652,841	6,821,039	4,547,615	1,284,187	1.07	191,271,666	16.19
25	6,981,713	3,985,964	2,439,454	556,295	0.59	198,253,379	16.79
26 - 30	35,698,879	19,392,486	13,011,634	3,294,759	3.02	233,952,258	19.81
31 - 35	28,096,858	14,788,930	10,506,571	2,801,357	2.38	262,049,116	22.19
36 - 40	42,484,490	21,139,011	15,984,338	5,361,141	3.60	304,533,606	25.78
41 - 45	22,954,745	11,173,418	8,722,551	3,058,776	1.94	327,488,351	27.73
46 - 50	29,098,468	13,994,718	11,012,007	4,091,743	2.46	356,586,819	30.19
51 - 55	17,425,263	8,195,354	6,814,011	2,415,698	1.48	374,012,082	31.67
56 - 60	37,471,747	17,123,184	14,721,492	5,627,071	3.17	411,483,829	34.84
61 - 65	16,516,221	7,704,308	6,381,568	2,430,345	1.40	428,000,050	36.24
66 - 70	17,594,171	7,846,066	6,911,098	2,837,807	1.49	445,594,221	37.73
71 - 75	15,856,342	7,096,389	6,320,441	2,439,512	1.34	461,450,563	39.07
76 - 80	27,905,023	12,155,228	11,150,926	4,988,869	2.36	489,355,586	41.43
81 - 85	11,965,029	5,176,294	4,875,219	1,913,516	1.01	501,320,615	42.45
86 - 90	18,311,994	7,799,429	7,159,209	3,353,356	1.55	519,632,609	44.00
91 - 95	7,127,084	3,072,787	2,849,638	1,204,659	0.60	526,759,693	44.60
96 - 100	25,748,552	10,734,031	10,194,196	4,820,325	2.18	552,508,245	46.78
101 - 110	24,437,246	10,540,482	9,616,989	4,279,775	2.07	576,945,491	48.85
111 - 120	28,779,439	12,843,646	11,394,492	4,541,301	2.44	605,724,930	51.29
121 - 130	18,288,317	7,996,538	7,051,094	3,240,685	1.55	624,013,247	52.83
131 - 140	17,695,717	7,624,162	7,301,608	2,969,947	1.52	641,908,964	54.35
141 - 150	22,632,804	9,976,125	8,937,595	3,719,284	1.92	664,561,768	56.27
151 - 160	21,042,816	8,912,784	8,200,044	3,929,888	1.78	685,584,584	58.05
161 - 170	11,947,308	5,180,431	4,815,196	1,951,681	1.01	697,531,892	59.06

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT

14MAR00

CIS SYSTEM
FOR THE MONTH OF JANUARY, 1999
KVA, STYLE 1, PART 11

NGS

ACTUAL KVA RANGE	QUANTITY	USEDKLN			PCT			ACCUM QUANTITY OF			PCT
		BLOCK 1	BLOCK 2	BLOCK 3	BLOCK 1	BLOCK 2	BLOCK 3	BLOCK 1	BLOCK 2	BLOCK 3	
171 - 180	21,670,101	9,171,730	8,704,731	3,793,640	1.83			719,201,993			60.89
181 - 190	9,391,644	4,194,949	3,658,216	1,538,479	0.80			728,593,637			61.69
191 - 200	21,856,752	9,125,218	8,517,616	4,213,918	1.85			750,450,369			63.54
201 - 210	14,287,618	6,005,606	5,589,221	2,701,791	1.21			764,738,007			64.75
211 - 220	13,483,616	5,796,309	5,035,445	2,651,862	1.14			778,221,623			65.89
221 - 230	19,141,160	8,052,377	7,442,201	3,046,602	1.62			797,362,803			67.51
231 - 240	14,617,648	5,867,807	5,602,455	3,147,386	1.24			811,980,451			68.75
241 - 250	11,538,464	4,770,367	4,499,107	2,268,990	0.98			823,518,915			69.73
251 - 260	13,531,800	5,457,356	5,156,071	2,918,373	1.15			837,050,715			70.87
261 - 270	10,364,542	4,361,026	3,882,608	2,120,908	0.88			847,415,257			71.75
271 - 280	8,230,252	3,027,368	2,982,445	2,220,439	0.70			855,645,509			72.45
281 - 290	26,914,460	10,183,993	9,796,261	6,934,206	2.28			882,559,969			74.72
291 - 300	9,324,076	3,221,329	3,430,058	2,672,689	0.79			891,884,045			75.51
301 - 310	10,610,960	4,233,286	4,099,672	2,278,002	0.90			902,495,035			76.41
311 - 320	13,658,824	5,064,198	5,261,130	3,333,496	1.16			916,153,829			77.57
321 - 330	8,220,504	3,249,539	3,112,710	1,058,255	0.70			924,374,333			78.26
331 - 340	8,566,868	3,224,004	3,359,271	1,963,593	0.73			932,941,201			78.99
341 - 350	17,443,876	6,362,882	6,668,120	4,412,874	1.48			950,385,077			80.47
351 - 360	11,195,396	4,470,059	4,266,228	2,459,109	0.95			961,580,473			81.41
361 - 370	5,042,016	2,036,015	1,977,525	1,028,476	0.43			966,622,469			81.84
371 - 380	11,371,696	4,421,918	4,441,904	2,507,874	0.96			977,994,185			82.80
381 - 390	20,638,612	7,739,048	8,109,172	4,790,392	1.75			998,632,797			84.55
391 - 400	3,960,492	1,524,749	1,544,239	691,504	0.34			1,002,593,269			84.69
401 - 420	16,678,556	6,994,959	6,086,387	3,597,210	1.41			1,019,271,845			86.30
421 - 440	23,723,556	9,223,884	9,114,769	5,384,903	2.01			1,042,995,401			88.31
441 - 460	8,306,432	3,507,091	3,443,972	1,555,369	0.70			1,051,301,833			89.01
461 - 480	23,164,044	9,152,860	9,093,159	4,918,025	1.96			1,074,465,877			90.97
481 - 500	9,901,460	3,796,322	3,770,357	2,334,781	0.84			1,084,367,337			91.81
501 - 520	11,277,712	4,929,393	4,015,884	2,332,435	0.95			1,095,645,059			92.77
521 - 540	8,550,328	3,630,835	3,365,528	1,353,965	0.72			1,104,195,377			93.49
541 - 560	5,435,344	2,351,990	2,109,080	974,274	0.46			1,109,630,721			93.95
561 - 580	12,253,308	5,289,808	4,796,639	2,156,861	1.04			1,121,884,029			94.99
581 - 600	2,578,260	1,337,375	1,693,826	265,906	0.22			1,124,462,289			95.21
601 - 620	4,628,928	2,122,295	2,901,814	1,567,564	0.64			1,129,091,217			95.60
621 - 640	7,502,880	3,033,502	2,901,814	1,567,564	0.64			1,136,596,097			96.23
641 - 660	4,143,024	1,925,170	1,873,908	343,946	0.35			1,140,737,121			96.58
661 - 680	3,729,416	1,758,551	1,401,653	569,212	0.32			1,144,466,537			96.90
681 - 700	3,983,022	1,498,150	1,518,230	966,642	0.34			1,148,449,559			97.24
701 - 720	3,122,808	1,503,291	1,236,366	383,151	0.26			1,151,572,367			97.50
721 - 740	1,109,952	549,250	400,187	160,515	0.09			1,152,682,319			97.59
741 - 760	2,248,160	1,069,309	655,171	323,480	0.19			1,154,930,479			97.79
761 - 780	3,964,368	1,725,525	1,551,396	687,447	0.34			1,158,094,847			98.12
781 - 800	1,300,640	567,225	541,650	191,765	0.11			1,160,195,487			98.23
801 - 820	591,936	374,350	217,586	0	0.05			1,160,787,423			98.26
821 - 840	1,445,656	687,700	492,850	265,106	0.12			1,162,233,079			98.40
841 - 860	1,584,156	529,375	601,619	453,162	0.13			1,163,017,235			98.54
861 - 880	1,634,112	541,500	562,212	530,400	0.14			1,165,451,347			98.60
881 - 900	1,456,476	707,110	551,151	198,215	0.12			1,166,907,823			98.80

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS (LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT

FOR THE MONTH OF JANUARY, 1999
KVA, STYLE I, PART II

14MAR03

CIS SYSTEM

MGS

ACTUAL KVA RANGE	QUANTITY	USED KWH			PCT	ACCUM QUANTITY OF	PCT
		BLOCK 1	BLOCK 2	BLOCK 3			
901 - 920	380,608	226,750	161,858	0	0.03	1,167,296,431	98.83
921 - 940	1,138,320	347,500	472,600	318,220	0.10	1,168,434,751	98.93
941 - 960	1,255,880	608,685	486,395	160,800	0.11	1,169,690,631	99.03
961 - 980	938,880	243,875	316,465	378,540	0.08	1,170,629,511	99.11
981 - 1000	342,900	126,150	168,300	48,450	0.03	1,170,972,411	99.14
1001 - 1100	1,720,708	994,685	591,517	134,506	0.15	1,172,693,119	99.29
1101 - 1200	2,712,976	1,120,766	906,560	685,650	0.23	1,175,406,095	99.52
1201 - 1300	344,700	166,275	178,425	0	0.03	1,175,750,795	99.55
1301 - 1400	0	0	0	0	0.00	1,175,750,795	99.55
1401 - 1500	203,760	177,250	26,510	0	0.02	1,175,954,555	99.57
1501 - 1600	304,200	304,200	0	0	0.03	1,176,258,755	99.59
1601 - 1700	0	0	0	0	0.00	1,176,258,755	99.59
1701 - 1800	0	0	0	0	0.00	1,176,258,755	99.59
1801 - 1900	1,379,040	466,500	613,740	298,800	0.12	1,177,637,795	99.71
1901 - 2000	328,800	240,000	88,800	0	0.03	1,177,966,595	99.74
2001 - 2100	0	0	0	0	0.00	1,177,966,595	99.74
2101 - 2200	1,025,280	270,000	367,200	388,080	0.09	1,178,991,875	99.82
2201 - 2300	556,800	283,250	273,550	0	0.05	1,179,548,675	99.87
2301 - 2400	0	0	0	0	0.00	1,179,548,675	99.87
2401 - 2500	0	0	0	0	0.00	1,179,548,675	99.87
2501 - 2600	0	0	0	0	0.00	1,179,548,675	99.87
2601 - 2700	0	0	0	0	0.00	1,179,548,675	99.87
2701 - 2800	0	0	0	0	0.00	1,179,548,675	99.87
2801 - 2900	546,400	500,800	45,600	0	0.05	1,180,095,075	99.92
2901 - 3000	0	0	0	0	0.00	1,180,095,075	99.92
3001 - 3100	0	0	0	0	0.00	1,180,095,075	99.92
3101 - 3200	0	0	0	0	0.00	1,180,095,075	99.92
3201 - 3300	993,600	405,000	550,800	37,800	0.08	1,181,088,675	100.00
3301 - 3400	0	0	0	0	0.00	1,181,088,675	100.00
3401 - 3500	0	0	0	0	0.00	1,181,088,675	100.00
3501 - 3600	0	0	0	0	0.00	1,181,088,675	100.00
3601 - 3700	0	0	0	0	0.00	1,181,088,675	100.00
3701 - 3800	0	0	0	0	0.00	1,181,088,675	100.00
3801 - 3900	0	0	0	0	0.00	1,181,088,675	100.00
3901 - 4000	0	0	0	0	0.00	1,181,088,675	100.00
4001 - 4100	0	0	0	0	0.00	1,181,088,675	100.00
4101 - 4200	0	0	0	0	0.00	1,181,088,675	100.00
4201 - 4300	0	0	0	0	0.00	1,181,088,675	100.00
4301 - 4400	0	0	0	0	0.00	1,181,088,675	100.00
4401 - 4500	0	0	0	0	0.00	1,181,088,675	100.00
4501 - 4600	0	0	0	0	0.00	1,181,088,675	100.00
4601 - 4700	0	0	0	0	0.00	1,181,088,675	100.00
4701 - 4800	0	0	0	0	0.00	1,181,088,675	100.00
4801 - 4900	0	0	0	0	0.00	1,181,088,675	100.00
4901 - 5000	0	0	0	0	0.00	1,181,088,675	100.00
5001 - 5500	0	0	0	0	0.00	1,181,088,675	100.00
5501 - 6000	0	0	0	0	0.00	1,181,088,675	100.00
6001 - 6500	0	0	0	0	0.00	1,181,088,675	100.00

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT

CIS SYSTEM
FOR THE MONTH OF JANUARY, 1999
KVA, STYLE 1, PART 11

14MAR00

MGS

ACTUAL KVA RANGE	QUANTITY	BLOCK 1	BLOCK 2	BLOCK 3	USED KWH	ACCUM QUANTITY OF	PCT
6501 - 7000	0	0	0	0	0	1,181,088,675	100.00
7001 - 7500	0	0	0	0	0	1,181,088,675	100.00
7501 - 8000	0	0	0	0	0	1,181,088,675	100.00
8001 - 8500	0	0	0	0	0	1,181,088,675	100.00
8501 - 9000	0	0	0	0	0	1,181,088,675	100.00
9001 - 9500	0	0	0	0	0	1,181,088,675	100.00
9501 - 10000	0	0	0	0	0	1,181,088,675	100.00
10001 - 10500	0	0	0	0	0	1,181,088,675	100.00
10501 - 11000	0	0	0	0	0	1,181,088,675	100.00
11001 - 11500	0	0	0	0	0	1,181,088,675	100.00
11501 - 12000	0	0	0	0	0	1,181,088,675	100.00
12001 - 12500	0	0	0	0	0	1,181,088,675	100.00
12501 - 13000	0	0	0	0	0	1,181,088,675	100.00
13001 - 13500	0	0	0	0	0	1,181,088,675	100.00
13501 - 14000	0	0	0	0	0	1,181,088,675	100.00
14001 - 14500	0	0	0	0	0	1,181,088,675	100.00
14501 - 15000	0	0	0	0	0	1,181,088,675	100.00
15001 - 15500	0	0	0	0	0	1,181,088,675	100.00
15501 - 16000	0	0	0	0	0	1,181,088,675	100.00
16001 - 16500	0	0	0	0	0	1,181,088,675	100.00
16501 - 17000	0	0	0	0	0	1,181,088,675	100.00
17001 - 17500	0	0	0	0	0	1,181,088,675	100.00
17501 - 18000	0	0	0	0	0	1,181,088,675	100.00
18001 - 18500	0	0	0	0	0	1,181,088,675	100.00
18501 - 19000	0	0	0	0	0	1,181,088,675	100.00
19001 - 19500	0	0	0	0	0	1,181,088,675	100.00
19501 - 20000	0	0	0	0	0	1,181,088,675	100.00
20001 + NORMAL	1,181,088,675	556,165,869	434,076,786	190,846,020			
IRREGULAR	33,339,239						
TOTAL	1,214,427,914						

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT

CIS SYSTEN
FOR THE MONTH OF FEBRUARY, 1999
KVA, STYLE 1, PART 1

14MAR00

HGS

ACTUAL		TOTAL REVENUE EXCLUDING SALES TAX			TOTAL REVENUE EXCLUDING SALES TAX		
KVA RANGE		COUNT	PCT	AMOUNT (\$)	PCT	AMOUNT (\$)	PCT
0	98,884	53.8	53.79	5,343,373.60	7.21	5,343,373.60	7.21
1	362	0.21	54.00	19,294.41	0.03	5,362,668.01	7.23
2	562	0.31	54.30	29,993.29	0.04	5,392,661.30	7.27
3	1,630	0.89	55.19	107,959.03	0.15	5,500,620.33	7.42
4	1,500	0.82	56.01	122,438.77	0.17	5,623,059.10	7.58
5	1,557	0.85	56.85	152,109.98	0.21	5,775,169.08	7.79
6	1,604	0.87	57.73	174,232.55	0.23	5,949,401.63	8.02
7	1,560	0.85	58.57	190,655.78	0.26	6,140,057.41	8.28
8	2,462	1.34	59.91	309,719.72	0.42	6,449,777.13	8.70
9	1,780	0.97	60.88	238,056.46	0.32	6,687,833.59	9.02
10	3,560	1.95	62.83	485,200.11	0.65	7,173,033.70	9.67
11	1,966	1.07	63.90	291,138.39	0.39	7,464,172.09	10.07
12	2,978	1.62	65.52	473,141.90	0.64	7,937,313.99	10.71
13	1,906	1.04	66.56	326,548.42	0.44	8,263,862.41	11.15
14	2,239	1.22	67.77	417,712.25	0.56	8,681,574.66	11.71
15	2,629	1.43	69.20	510,533.55	0.69	9,192,108.21	12.40
16	2,604	1.42	70.62	537,936.19	0.73	9,730,044.40	13.12
17	1,572	0.86	71.47	349,556.60	0.47	10,079,601.00	13.59
18	1,987	1.08	72.56	475,714.15	0.64	10,555,315.15	14.24
19	1,482	0.81	73.36	367,221.85	0.50	10,922,537.00	14.73
20	3,715	2.02	75.38	1,018,613.40	1.37	11,941,150.40	16.11
21	1,174	0.64	76.02	330,165.41	0.45	12,271,315.81	16.55
22	1,538	0.84	76.86	456,637.62	0.62	12,727,953.43	17.17
23	1,014	0.55	77.41	313,236.84	0.42	13,041,190.27	17.59
24	2,427	1.32	78.73	826,593.86	1.11	13,867,784.13	18.70
25	1,205	0.66	79.39	408,923.81	0.55	14,276,707.94	19.26
26 - 30	5,787	3.15	82.53	2,351,345.14	3.17	16,628,053.08	22.43
31 - 35	3,717	2.02	84.56	1,786,130.62	2.41	18,414,183.70	24.84
36 - 40	4,652	2.53	87.09	2,732,212.89	3.68	21,146,396.59	28.52
41 - 45	2,103	1.14	88.23	1,411,013.26	1.90	22,557,409.85	30.42
46 - 50	2,404	1.31	89.54	1,827,597.04	2.46	24,385,006.89	32.89
51 - 55	1,338	0.73	90.27	1,123,433.98	1.52	25,508,440.87	34.40
56 - 60	2,413	1.31	91.58	2,318,908.80	3.13	27,827,349.67	37.53
61 - 65	995	0.54	92.12	1,029,031.63	1.39	28,856,381.30	38.92
66 - 70	1,010	0.55	92.67	1,163,294.86	1.57	30,019,676.16	40.49
71 - 75	800	0.44	93.10	960,249.88	1.30	30,979,926.04	41.78
76 - 80	1,273	0.69	93.80	1,689,271.15	2.28	32,669,197.19	44.06
81 - 85	481	0.26	94.06	695,534.07	0.94	33,364,731.26	45.00
86 - 90	725	0.39	94.45	1,118,386.77	1.51	34,483,118.03	46.51
91 - 95	281	0.15	94.60	449,540.92	0.61	34,932,658.95	47.11
96 - 100	976	0.53	95.14	1,635,165.13	2.21	36,567,824.08	49.32
101 - 110	817	0.44	95.58	1,456,900.76	1.96	38,024,724.84	51.28
111 - 120	886	0.48	96.06	1,773,142.32	2.39	39,797,867.16	53.68
121 - 130	536	0.29	96.35	1,108,863.90	1.50	40,906,731.06	55.17
131 - 140	459	0.25	96.60	1,112,359.29	1.50	42,019,090.35	56.67
141 - 150	558	0.30	96.91	1,403,880.61	1.89	43,422,970.96	58.57
151 - 160	489	0.27	97.17	1,322,828.91	1.78	44,745,799.87	60.35
161 - 170	255	0.14	97.31	712,704.49	0.96	45,458,504.36	61.31

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT

14MAR00

FOR THE MONTH OF FEBRUARY, 1999
KVA, STYLE 1, PART 1

HGS

ACTUAL KVA RANGE	COUNT	PCT	ACCUM COUNT OF	PCT	AMOUNT(\$)	TOTAL REVENUE EXCLUDING SALES TAX	PCT	ACCUM AMOUNT OF	PCT
171 - 180	442	0.24	179,336	97.55	1,359,088.51	1.83	46,817,592.87	63.14	63.14
181 - 190	214	0.12	179,550	97.67	655,451.52	0.88	47,473,044.39	64.03	64.03
191 - 200	382	0.21	179,932	97.88	1,282,984.76	1.73	48,756,029.15	65.76	65.76
201 - 210	229	0.12	180,161	98.00	802,316.66	1.08	49,558,345.81	66.84	66.84
211 - 220	193	0.10	180,354	98.11	771,478.10	1.04	50,329,823.91	67.88	67.88
221 - 230	318	0.17	180,672	98.28	1,291,287.30	1.74	51,621,111.21	69.62	69.62
231 - 240	196	0.11	180,868	98.39	837,541.67	1.13	52,458,652.88	70.75	70.75
241 - 250	144	0.08	181,012	98.46	640,119.50	0.86	53,098,772.38	71.62	71.62
251 - 260	173	0.09	181,185	98.56	756,893.99	1.02	53,855,466.37	72.64	72.64
261 - 270	152	0.08	181,337	98.64	760,587.18	1.03	54,616,053.55	73.66	73.66
271 - 280	121	0.07	181,458	98.71	629,578.39	0.85	55,245,631.94	74.51	74.51
281 - 290	270	0.15	181,728	98.85	1,501,822.23	2.03	56,747,454.17	76.54	76.54
291 - 300	80	0.04	181,808	98.90	445,667.42	0.60	57,193,121.59	77.14	77.14
301 - 310	92	0.05	181,900	98.95	530,040.09	0.71	57,723,161.68	77.85	77.85
311 - 320	130	0.07	182,030	99.02	776,576.25	1.05	58,501,737.93	78.90	78.90
321 - 330	73	0.04	182,103	99.06	435,575.22	0.59	58,937,313.15	79.49	79.49
331 - 340	91	0.05	182,194	99.11	626,656.91	0.85	59,563,972.06	80.33	80.33
341 - 350	144	0.08	182,338	99.19	911,139.23	1.23	60,475,111.29	81.56	81.56
351 - 360	98	0.05	182,436	99.24	665,516.10	0.90	61,141,627.39	82.46	82.46
361 - 370	57	0.03	182,493	99.27	395,097.04	0.53	61,536,724.43	83.00	83.00
371 - 380	85	0.05	182,578	99.32	615,827.67	0.83	62,152,552.10	83.83	83.83
381 - 390	156	0.08	182,734	99.40	1,128,969.40	1.52	63,281,521.50	85.35	85.35
391 - 400	36	0.02	182,770	99.42	259,963.14	0.35	63,541,484.64	85.70	85.70
401 - 410	142	0.08	182,912	99.50	1,078,158.53	1.45	64,619,643.17	87.15	87.15
421 - 430	156	0.08	183,068	99.58	1,271,491.27	1.71	65,891,134.44	88.87	88.87
441 - 450	85	0.05	183,153	99.63	705,938.71	0.95	66,597,073.15	89.82	89.82
461 - 470	148	0.08	183,301	99.71	1,312,700.40	1.77	67,909,773.55	91.59	91.59
481 - 490	57	0.03	183,358	99.74	523,425.88	0.71	68,433,199.43	92.30	92.30
501 - 510	75	0.04	183,433	99.78	718,960.77	0.97	69,152,160.20	93.27	93.27
521 - 530	45	0.02	183,478	99.81	442,176.03	0.60	69,594,336.23	93.86	93.86
541 - 550	32	0.02	183,510	99.82	318,752.08	0.43	69,913,088.31	94.29	94.29
561 - 570	68	0.04	183,578	99.86	719,760.26	0.97	70,632,868.57	95.26	95.26
581 - 590	18	0.01	183,596	99.87	169,878.53	0.23	70,802,747.10	95.49	95.49
601 - 610	26	0.02	183,624	99.89	296,934.87	0.40	71,099,681.97	95.89	95.89
621 - 630	31	0.02	183,655	99.90	356,322.77	0.48	71,456,004.74	96.37	96.37
641 - 650	29	0.02	183,684	99.92	354,306.09	0.48	71,810,310.83	96.85	96.85
661 - 670	16	0.01	183,700	99.93	215,131.94	0.29	72,025,444.77	97.14	97.14
681 - 690	21	0.01	183,721	99.94	260,806.96	0.35	72,286,329.73	97.49	97.49
701 - 710	19	0.01	183,740	99.95	214,012.89	0.29	72,500,342.62	97.78	97.78
721 - 730	4	0.00	183,744	99.95	53,265.83	0.07	72,553,608.42	97.85	97.85
741 - 750	5	0.00	183,749	99.95	67,331.83	0.09	72,620,940.25	97.95	97.95
761 - 770	7	0.00	183,756	99.96	102,703.27	0.14	72,723,643.52	98.08	98.08
781 - 790	7	0.00	183,763	99.96	83,188.86	0.11	72,806,832.30	98.20	98.20
801 - 810	8	0.00	183,771	99.97	123,822.03	0.17	72,930,654.41	98.36	98.36
821 - 830	1	0.00	183,772	99.97	20,022.62	0.03	72,950,677.03	98.39	98.39
841 - 850	3	0.00	183,775	99.97	46,935.62	0.06	72,997,612.65	98.45	98.45
861 - 870	6	0.00	183,781	99.97	73,647.30	0.10	73,071,259.95	98.55	98.55
881 - 890	6	0.00	183,787	99.97	117,608.36	0.16	73,188,868.31	98.71	98.71

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT

14MAR00

CIS SYSTEM
FOR THE MONTH OF FEBRUARY, 1999
KVA, STYLE 1, PART 1

HGS

ACTUAL KVA RANGE	COUNT	PCT	ACCUM COUNT OF	PCT	AMOUNT(\$)	TOTAL REVENUE EXCLUDING SALES TAX		
						PCT	ACCUM AMOUNT OF	PCT
901 - 920	0	0.00	183,787	99.97	0.00	0.00	73,188,868.31	98.71
921 - 940	6	0.00	183,793	99.98	109,023.41	0.15	73,297,891.72	98.86
941 - 960	5	0.00	183,798	99.98	79,162.60	0.11	73,377,054.32	98.96
961 - 980	3	0.00	183,801	99.98	53,951.59	0.07	73,431,005.91	99.04
981 - 1000	3	0.00	183,804	99.98	43,041.15	0.06	73,474,047.06	99.10
1001 - 1100	7	0.00	183,811	99.99	102,437.81	0.14	73,576,484.87	99.23
1101 - 1200	9	0.00	183,820	99.99	163,549.57	0.22	73,740,034.44	99.45
1201 - 1300	1	0.00	183,821	99.99	16,664.48	0.02	73,756,698.92	99.48
1301 - 1400	0	0.00	183,821	99.99	0.00	0.00	73,756,698.92	99.48
1401 - 1500	3	0.00	183,824	99.99	47,218.53	0.06	73,803,917.45	99.54
1501 - 1600	1	0.00	183,825	100.00	13,159.40	0.02	73,817,076.93	99.56
1601 - 1700	0	0.00	183,825	100.00	0.00	0.00	73,817,076.93	99.56
1701 - 1800	0	0.00	183,825	100.00	0.00	0.00	73,817,076.93	99.56
1801 - 1900	2	0.00	183,827	100.00	80,132.78	0.11	73,897,209.71	99.67
1901 - 2000	1	0.00	183,828	100.00	25,511.58	0.03	73,922,721.29	99.70
2001 - 2100	0	0.00	183,828	100.00	0.00	0.00	73,922,721.29	99.70
2101 - 2200	3	0.00	183,831	100.00	97,539.19	0.13	74,020,260.48	99.83
2201 - 2300	0	0.00	183,831	100.00	0.00	0.00	74,020,260.48	99.83
2301 - 2400	0	0.00	183,831	100.00	0.00	0.00	74,020,260.48	99.83
2401 - 2500	0	0.00	183,831	100.00	0.00	0.00	74,020,260.48	99.83
2501 - 2600	0	0.00	183,831	100.00	0.00	0.00	74,020,260.48	99.83
2601 - 2700	0	0.00	183,831	100.00	0.00	0.00	74,020,260.48	99.83
2701 - 2800	2	0.00	183,833	100.00	103,494.35	0.14	74,123,754.83	99.97
2801 - 2900	0	0.00	183,833	100.00	0.00	0.00	74,123,754.83	99.97
2901 - 3000	0	0.00	183,833	100.00	0.00	0.00	74,123,754.83	99.97
3001 - 3100	0	0.00	183,833	100.00	0.00	0.00	74,123,754.83	99.97
3101 - 3200	0	0.00	183,833	100.00	0.00	0.00	74,123,754.83	99.97
3201 - 3300	0	0.00	183,833	100.00	0.00	0.00	74,123,754.83	99.97
3301 - 3400	0	0.00	183,833	100.00	0.00	0.00	74,123,754.83	99.97
3401 - 3500	0	0.00	183,833	100.00	0.00	0.00	74,123,754.83	99.97
3501 - 3600	1	0.00	183,834	100.00	20,839.66	0.03	74,144,594.29	100.00
3601 - 3700	0	0.00	183,834	100.00	0.00	0.00	74,144,594.29	100.00
3701 - 3800	0	0.00	183,834	100.00	0.00	0.00	74,144,594.29	100.00
3801 - 3900	0	0.00	183,834	100.00	0.00	0.00	74,144,594.29	100.00
3901 - 4000	0	0.00	183,834	100.00	0.00	0.00	74,144,594.29	100.00
4001 - 4100	0	0.00	183,834	100.00	0.00	0.00	74,144,594.29	100.00
4101 - 4200	0	0.00	183,834	100.00	0.00	0.00	74,144,594.29	100.00
4201 - 4300	0	0.00	183,834	100.00	0.00	0.00	74,144,594.29	100.00
4301 - 4400	0	0.00	183,834	100.00	0.00	0.00	74,144,594.29	100.00
4401 - 4500	0	0.00	183,834	100.00	0.00	0.00	74,144,594.29	100.00
4501 - 4600	0	0.00	183,834	100.00	0.00	0.00	74,144,594.29	100.00
4601 - 4700	0	0.00	183,834	100.00	0.00	0.00	74,144,594.29	100.00
4701 - 4800	0	0.00	183,834	100.00	0.00	0.00	74,144,594.29	100.00
4801 - 4900	0	0.00	183,834	100.00	0.00	0.00	74,144,594.29	100.00
4901 - 5000	0	0.00	183,834	100.00	0.00	0.00	74,144,594.29	100.00
5001 - 5500	0	0.00	183,834	100.00	0.00	0.00	74,144,594.29	100.00
5501 - 6000	0	0.00	183,834	100.00	0.00	0.00	74,144,594.29	100.00
6001 - 6500	0	0.00	183,834	100.00	0.00	0.00	74,144,594.29	100.00

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(CLOA SYSTEM) - RP 80
KVA FREQUENCY REPORT

14MAR00

CIS SYSTEM
FOR THE MONTH OF FEBRUARY, 1999
KVA, STYLE 1, PART 1

HQS

ACTUAL KVA RANGE	COUNT	TOTAL REVENUE EXCLUDING SALES TAX			TOTAL REVENUE EXCLUDING SALES TAX		
		AMOUNT(\$)	PCT	ACCUMOUNT(\$)	AMOUNT(\$)	PCT	ACCUMOUNT(\$)
6501 - 7000	0	0.00	0.00	0.00	74,144,594.29	0.00	74,144,594.29
7001 - 7500	0	0.00	0.00	0.00	74,144,594.29	0.00	74,144,594.29
7501 - 8000	0	0.00	0.00	0.00	74,144,594.29	0.00	74,144,594.29
8001 - 8500	0	0.00	0.00	0.00	74,144,594.29	0.00	74,144,594.29
8501 - 9000	0	0.00	0.00	0.00	74,144,594.29	0.00	74,144,594.29
9001 - 9500	0	0.00	0.00	0.00	74,144,594.29	0.00	74,144,594.29
9501 - 10000	0	0.00	0.00	0.00	74,144,594.29	0.00	74,144,594.29
10001 - 10500	0	0.00	0.00	0.00	74,144,594.29	0.00	74,144,594.29
10501 - 11000	0	0.00	0.00	0.00	74,144,594.29	0.00	74,144,594.29
11001 - 11500	0	0.00	0.00	0.00	74,144,594.29	0.00	74,144,594.29
11501 - 12000	0	0.00	0.00	0.00	74,144,594.29	0.00	74,144,594.29
12001 - 12500	0	0.00	0.00	0.00	74,144,594.29	0.00	74,144,594.29
12501 - 13000	0	0.00	0.00	0.00	74,144,594.29	0.00	74,144,594.29
13001 - 13500	0	0.00	0.00	0.00	74,144,594.29	0.00	74,144,594.29
13501 - 14000	0	0.00	0.00	0.00	74,144,594.29	0.00	74,144,594.29
14001 - 14500	0	0.00	0.00	0.00	74,144,594.29	0.00	74,144,594.29
14501 - 15000	0	0.00	0.00	0.00	74,144,594.29	0.00	74,144,594.29
15001 - 15500	0	0.00	0.00	0.00	74,144,594.29	0.00	74,144,594.29
15501 - 16000	0	0.00	0.00	0.00	74,144,594.29	0.00	74,144,594.29
16001 - 16500	0	0.00	0.00	0.00	74,144,594.29	0.00	74,144,594.29
16501 - 17000	0	0.00	0.00	0.00	74,144,594.29	0.00	74,144,594.29
17001 - 17500	0	0.00	0.00	0.00	74,144,594.29	0.00	74,144,594.29
17501 - 18000	0	0.00	0.00	0.00	74,144,594.29	0.00	74,144,594.29
18001 - 18500	0	0.00	0.00	0.00	74,144,594.29	0.00	74,144,594.29
18501 - 19000	0	0.00	0.00	0.00	74,144,594.29	0.00	74,144,594.29
19001 - 19500	0	0.00	0.00	0.00	74,144,594.29	0.00	74,144,594.29
19501 - 20000	0	0.00	0.00	0.00	74,144,594.29	0.00	74,144,594.29
20001 - NORMAL	183,834	0.00	0.00	0.00	74,144,594.29	0.00	74,144,594.29
IRREGULAR	17,051	17,051	17,051	1,598,877.51	1,598,877.51	1,598,877.51	1,598,877.51
TOTAL	200,885	200,885	200,885	76,043,471.80	76,043,471.80	76,043,471.80	76,043,471.80

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT
CIS SYSTEM

14MAR00

FOR THE MONTH OF FEBRUARY, 1999
KVA, STYLE 1, PART 11

KGS

ACTUAL KVA RANGE	QUANTITY	USEDXHH				PCT				ACCUM QUANTITY OF				PCT			
		BLOCK 1	BLOCK 2	BLOCK 3	BLOCK 4	BLOCK 1	BLOCK 2	BLOCK 3	BLOCK 4	BLOCK 1	BLOCK 2	BLOCK 3	BLOCK 4	BLOCK 1	BLOCK 2	BLOCK 3	BLOCK 4
0	53,604,325	47,273,021	5,172,014	1,159,290		5.18	5.18	5.18		53,604,325				5.18			
1	193,122	163,035	30,087	0		0.02	0.02	0.02		53,797,447				5.20			
2	292,981	252,183	40,578	220		0.03	0.03	0.03		54,090,428				5.22			
3	1,223,656	973,941	151,443	98,272		0.12	0.12	0.12		55,314,084				5.34			
4	1,430,424	1,151,300	276,382	2,742		0.14	0.14	0.14		56,744,508				5.48			
5	1,893,424	1,404,131	475,122	14,171		0.18	0.18	0.18		58,637,932				5.66			
6	2,249,230	1,529,081	652,576	67,573		0.22	0.22	0.22		60,887,162				5.88			
7	2,628,205	1,594,494	809,416	224,295		0.25	0.25	0.25		63,515,367				6.13			
8	4,280,305	2,581,677	1,370,705	327,923		0.41	0.41	0.41		67,795,672				6.55			
9	3,379,306	1,936,604	1,112,878	329,824		0.33	0.33	0.33		71,174,978				6.87			
10	6,996,790	3,925,145	2,283,323	788,322		0.68	0.68	0.68		78,171,768				7.55			
11	4,089,264	2,374,236	1,323,292	391,736		0.39	0.39	0.39		82,261,032				7.95			
12	6,506,401	3,900,428	2,065,300	540,673		0.63	0.63	0.63		88,767,433				8.57			
13	4,426,297	2,719,928	1,379,380	326,989		0.43	0.43	0.43		93,193,730				9.00			
14	5,642,537	3,466,096	1,732,383	444,058		0.54	0.54	0.54		98,836,267				9.55			
15	6,721,531	4,305,447	2,016,544	399,540		0.65	0.65	0.65		105,557,798				10.20			
16	7,081,325	4,472,722	2,140,217	468,386		0.68	0.68	0.68		112,639,123				10.88			
17	4,579,895	2,912,132	1,389,063	278,700		0.44	0.44	0.44		117,219,018				11.32			
18	6,268,959	3,924,975	1,934,426	409,558		0.61	0.61	0.61		123,487,977				11.93			
19	4,775,161	3,082,382	1,431,517	261,262		0.46	0.46	0.46		128,263,138				12.39			
20	13,515,041	8,243,107	4,352,728	919,206		1.31	1.31	1.31		141,778,179				13.69			
21	4,318,977	2,748,128	1,317,092	253,757		0.42	0.42	0.42		146,097,156				14.11			
22	5,954,536	3,723,382	1,870,079	361,075		0.58	0.58	0.58		152,051,692				14.69			
23	4,049,871	2,558,996	1,264,853	226,022		0.39	0.39	0.39		156,101,563				15.08			
24	11,010,214	6,495,201	3,716,986	798,027		1.06	1.06	1.06		167,111,777				16.14			
25	5,302,546	3,338,668	1,677,157	286,721		0.51	0.51	0.51		172,414,323				16.65			
26 - 30	31,271,958	18,372,109	10,790,591	2,109,258		3.02	3.02	3.02		203,686,281				19.67			
31 - 35	23,848,130	13,698,064	8,475,209	1,674,857		2.30	2.30	2.30		227,534,411				21.98			
36 - 40	37,249,977	20,332,708	13,675,447	3,241,822		3.60	3.60	3.60		264,784,368				25.57			
41 - 45	19,364,384	10,378,893	7,139,437	1,866,054		1.87	1.87	1.87		284,148,772				27.45			
46 - 50	25,357,132	13,108,898	9,644,604	2,603,630		2.45	2.45	2.45		309,505,904				29.89			
51 - 55	15,572,096	7,993,845	5,996,467	1,581,784		1.50	1.50	1.50		325,078,000				31.40			
56 - 60	32,513,777	16,362,713	12,713,460	3,437,584		3.14	3.14	3.14		357,591,777				34.54			
61 - 65	14,495,767	7,142,860	5,637,165	2,045,066		1.40	1.40	1.40		372,087,544				35.94			
66 - 70	16,619,087	7,968,412	6,005,609	2,045,066		1.61	1.61	1.61		388,706,631				37.54			
71 - 75	13,595,121	6,618,339	5,318,260	1,658,522		1.31	1.31	1.31		402,301,752				38.86			
76 - 80	24,085,803	11,481,407	9,649,283	2,955,113		2.33	2.33	2.33		426,387,555				41.18			
81 - 85	10,015,307	4,714,423	3,996,578	1,304,306		0.97	0.97	0.97		436,402,862				42.15			
86 - 90	16,351,061	7,411,245	6,564,840	2,374,976		1.58	1.58	1.58		452,753,923				43.73			
91 - 95	6,627,901	3,047,521	2,613,116	767,244		0.62	0.62	0.62		459,181,824				44.35			
96 - 100	23,711,512	10,684,062	9,494,199	3,333,251		2.29	2.29	2.29		482,893,336				46.64			
101 - 110	20,735,163	9,921,803	8,244,602	2,568,758		2.00	2.00	2.00		503,628,499				48.64			
111 - 120	25,428,110	11,942,599	10,153,467	3,332,044		2.46	2.46	2.46		529,056,609				51.10			
121 - 130	15,454,141	7,703,037	5,970,732	1,760,372		1.49	1.49	1.49		544,510,750				52.59			
131 - 140	16,235,452	7,308,183	6,688,049	2,239,220		1.57	1.57	1.57		560,746,202				54.16			
141 - 150	20,278,508	9,313,077	8,231,826	2,733,605		1.96	1.96	1.96		581,024,710				56.12			
151 - 160	19,025,610	8,859,462	7,618,495	2,547,653		1.84	1.84	1.84		600,050,320				57.96			
161 - 170	10,094,369	4,922,161	3,894,148	1,278,060		0.97	0.97	0.97		610,144,689				58.93			

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT
GIS SYSTEM

FOR THE MONTH OF FEBRUARY, 1999
KVA, STYLE 1, PART 11

14MAR00

MGS

ACTUAL KVA RANGE	QUANTITY	USEDKWH			PCT	ACCUM QUANTITY OF	PCT
		BLOCK 1	BLOCK 2	BLOCK 3			
171 - 180	19,902,506	8,930,130	7,862,616	3,109,760	1.92	630,047,195	60.85
181 - 190	9,122,200	4,529,912	3,662,376	929,912	0.88	639,169,395	61.74
191 - 200	18,520,536	8,513,514	7,504,648	2,502,374	1.79	657,689,931	63.52
201 - 210	11,569,756	5,367,276	4,547,509	1,654,971	1.12	669,259,687	64.66
211 - 220	11,579,264	4,947,649	4,680,030	1,951,585	1.12	680,838,951	65.76
221 - 230	19,077,726	8,488,927	7,462,806	3,125,973	1.84	699,916,677	67.60
231 - 240	12,623,372	5,463,393	4,831,404	2,128,575	1.20	712,340,049	68.80
241 - 250	9,370,756	4,231,652	3,799,205	1,339,699	0.91	721,710,805	69.71
251 - 260	10,819,960	5,178,064	4,131,728	1,510,188	1.05	732,530,785	70.75
261 - 270	11,518,610	4,853,801	4,529,998	2,134,811	1.11	744,049,395	71.87
271 - 280	9,747,800	3,899,033	3,805,518	2,043,249	0.94	753,797,195	72.81
281 - 290	23,217,228	9,343,654	9,182,631	4,690,943	2.24	777,014,423	75.05
291 - 300	6,793,596	2,848,447	2,634,657	1,310,492	0.66	783,808,019	75.71
301 - 310	8,099,472	3,317,454	3,221,372	1,560,646	0.78	791,907,491	76.19
311 - 320	11,757,012	4,971,898	4,718,372	2,066,742	1.14	803,664,503	77.62
321 - 330	6,513,312	2,776,073	2,632,693	1,104,546	0.63	810,177,815	78.25
331 - 340	10,051,596	3,683,353	4,089,225	2,279,018	0.97	820,229,411	79.22
341 - 350	13,521,280	6,047,158	5,195,990	2,276,132	1.31	833,750,691	80.53
351 - 360	10,350,684	4,076,008	4,170,301	2,154,375	1.00	844,101,375	81.53
361 - 370	5,975,552	2,523,993	2,373,963	1,077,596	0.58	850,076,927	82.11
371 - 380	9,549,232	3,825,311	3,709,874	2,014,047	0.92	859,626,159	83.03
381 - 390	17,064,112	7,247,082	6,678,628	3,138,402	1.65	876,690,271	84.68
391 - 400	3,788,952	1,718,950	1,533,328	536,674	0.37	880,479,223	85.04
401 - 420	15,880,432	7,144,301	6,353,966	2,382,165	1.53	896,359,655	86.58
421 - 440	19,057,160	8,086,481	7,881,451	3,059,228	1.84	915,416,815	88.42
441 - 460	10,553,656	4,618,713	4,152,908	1,782,035	1.02	925,970,471	89.44
461 - 480	19,841,736	8,362,025	8,020,512	3,459,199	1.92	945,812,207	91.35
481 - 500	7,668,616	3,452,172	3,151,153	1,085,291	0.74	953,460,823	92.09
501 - 520	10,903,036	4,871,758	4,138,737	1,692,541	1.05	964,383,859	93.15
521 - 540	6,397,568	2,905,003	2,726,615	765,950	0.62	970,781,427	93.77
541 - 560	4,561,344	2,090,211	1,977,322	493,811	0.44	975,342,771	94.21
561 - 580	10,482,084	4,740,877	4,338,254	1,402,933	1.01	985,824,855	95.22
581 - 600	2,326,280	1,249,539	775,266	301,475	0.22	988,151,135	95.44
601 - 620	4,084,256	2,101,308	1,676,906	308,042	0.39	992,235,391	95.84
621 - 640	5,174,460	2,393,970	2,054,548	725,942	0.50	997,409,851	96.34
641 - 660	5,205,444	2,368,000	2,095,130	742,314	0.50	1,002,615,295	96.84
661 - 680	3,296,768	1,335,875	1,379,667	581,226	0.32	1,005,912,063	97.16
681 - 700	3,783,348	1,756,378	1,568,514	458,456	0.37	1,009,695,411	97.52
701 - 720	2,691,964	1,516,855	1,097,909	277,260	0.28	1,012,587,375	97.80
721 - 740	726,144	365,500	340,218	20,426	0.07	1,013,313,519	97.87
741 - 760	925,032	467,500	411,223	46,309	0.09	1,014,238,551	97.96
761 - 780	1,493,232	656,939	675,458	160,805	0.14	1,015,231,783	98.11
781 - 800	1,087,792	604,395	405,277	78,120	0.11	1,016,819,575	98.21
801 - 820	1,774,120	808,125	816,596	149,399	0.17	1,018,593,695	98.38
821 - 840	344,160	104,750	142,460	96,950	0.03	1,018,937,655	98.42
841 - 860	663,264	316,823	288,830	57,611	0.06	1,019,601,119	98.48
861 - 880	903,600	561,630	341,970	0	0.09	1,020,504,719	98.57
881 - 900	1,909,020	671,750	813,980	423,290	0.18	1,022,413,739	98.75

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT
CIS SYSTEM

FOR THE MONTH OF FEBRUARY, 1999
KVA, STYLE I, PART II

144HAR00

HCS

ACTUAL KVA RANGE	QUANTITY	USEDKWH			PCT			ACCUM QUANTITY OF			PCT
		BLOCK 1	BLOCK 2	BLOCK 3	PCT	PCT	PCT	BLOCK 1	BLOCK 2	BLOCK 3	
901 - 920	0	0	0	0	0.00	0.00	0.00	1,022,413,739			98.75
921 - 940	1,692,960	671,548	666,930	354,482	0.16	0.16	0.16	1,024,106,699			98.92
941 - 960	1,099,280	579,600	377,280	142,400	0.11	0.11	0.11	1,025,205,979			99.02
961 - 980	744,432	366,250	365,615	32,567	0.07	0.07	0.07	1,025,950,411			99.09
981 - 1000	550,800	301,500	238,050	11,250	0.05	0.05	0.05	1,026,501,211			99.15
1001 - 1100	1,201,304	839,830	361,474	0	0.12	0.12	0.12	1,027,702,515			99.26
1101 - 1200	2,239,888	1,182,715	694,437	362,736	0.22	0.22	0.22	1,029,942,403			99.48
1201 - 1300	180,000	162,000	18,000	0	0.02	0.02	0.02	1,030,122,403			99.50
1301 - 1400	0	0	0	0	0.00	0.00	0.00	1,030,122,403			99.50
1401 - 1500	482,100	438,000	44,100	0	0.05	0.05	0.05	1,030,604,503			99.54
1501 - 1600	118,800	118,800	0	0	0.01	0.01	0.01	1,030,723,303			99.56
1601 - 1700	0	0	0	0	0.00	0.00	0.00	1,030,723,303			99.56
1701 - 1800	0	0	0	0	0.00	0.00	0.00	1,030,723,303			99.56
1801 - 1900	1,268,160	466,500	512,940	288,720	0.12	0.12	0.12	1,031,991,463			99.68
1901 - 2000	280,600	246,000	34,800	0	0.03	0.03	0.03	1,032,272,263			99.70
2001 - 2100	0	0	0	0	0.00	0.00	0.00	1,032,272,263			99.70
2101 - 2200	1,478,760	564,000	523,800	390,960	0.14	0.14	0.14	1,033,751,023			99.85
2201 - 2300	0	0	0	0	0.00	0.00	0.00	1,033,751,023			99.85
2301 - 2400	0	0	0	0	0.00	0.00	0.00	1,033,751,023			99.85
2401 - 2500	0	0	0	0	0.00	0.00	0.00	1,033,751,023			99.85
2501 - 2600	0	0	0	0	0.00	0.00	0.00	1,033,751,023			99.85
2601 - 2700	0	0	0	0	0.00	0.00	0.00	1,033,751,023			99.85
2701 - 2800	0	0	0	0	0.00	0.00	0.00	1,033,751,023			99.85
2801 - 2900	1,440,000	720,000	568,800	151,200	0.14	0.14	0.14	1,035,191,023			99.99
2901 - 3000	0	0	0	0	0.00	0.00	0.00	1,035,191,023			99.99
3001 - 3100	0	0	0	0	0.00	0.00	0.00	1,035,191,023			99.99
3101 - 3200	0	0	0	0	0.00	0.00	0.00	1,035,191,023			99.99
3201 - 3300	0	0	0	0	0.00	0.00	0.00	1,035,191,023			99.99
3301 - 3400	0	0	0	0	0.00	0.00	0.00	1,035,191,023			99.99
3401 - 3500	0	0	0	0	0.00	0.00	0.00	1,035,191,023			99.99
3501 - 3600	137,600	137,600	0	0	0.01	0.01	0.01	1,035,328,623			100.00
3601 - 3700	0	0	0	0	0.00	0.00	0.00	1,035,328,623			100.00
3701 - 3800	0	0	0	0	0.00	0.00	0.00	1,035,328,623			100.00
3801 - 3900	0	0	0	0	0.00	0.00	0.00	1,035,328,623			100.00
3901 - 4000	0	0	0	0	0.00	0.00	0.00	1,035,328,623			100.00
4001 - 4100	0	0	0	0	0.00	0.00	0.00	1,035,328,623			100.00
4101 - 4200	0	0	0	0	0.00	0.00	0.00	1,035,328,623			100.00
4201 - 4300	0	0	0	0	0.00	0.00	0.00	1,035,328,623			100.00
4301 - 4400	0	0	0	0	0.00	0.00	0.00	1,035,328,623			100.00
4401 - 4500	0	0	0	0	0.00	0.00	0.00	1,035,328,623			100.00
4501 - 4600	0	0	0	0	0.00	0.00	0.00	1,035,328,623			100.00
4601 - 4700	0	0	0	0	0.00	0.00	0.00	1,035,328,623			100.00
4701 - 4800	0	0	0	0	0.00	0.00	0.00	1,035,328,623			100.00
4801 - 4900	0	0	0	0	0.00	0.00	0.00	1,035,328,623			100.00
4901 - 5000	0	0	0	0	0.00	0.00	0.00	1,035,328,623			100.00
5001 - 5500	0	0	0	0	0.00	0.00	0.00	1,035,328,623			100.00
5501 - 6000	0	0	0	0	0.00	0.00	0.00	1,035,328,623			100.00
6001 - 6500	0	0	0	0	0.00	0.00	0.00	1,035,328,623			100.00

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LOA SYSTEM) - RP 80
KVA FREQUENCY REPORT

14MAR00

CIS SYSTEM
FOR THE MONTH OF FEBRUARY, 1999
KVA, STYLE 1, PART 11

MGS

ACTUAL KVA RANGE	QUANTITY	USEDKWH			PCT	ACCUM QUANTITY OF	PCT
		BLOCK 1	BLOCK 2	BLOCK 3			
6501 - 7000	0	0	0	0	0.00	1,035,328,623	100.00
7001 - 7500	0	0	0	0	0.00	1,035,328,623	100.00
7501 - 8000	0	0	0	0	0.00	1,035,328,623	100.00
8001 - 8500	0	0	0	0	0.00	1,035,328,623	100.00
8501 - 9000	0	0	0	0	0.00	1,035,328,623	100.00
9001 - 9500	0	0	0	0	0.00	1,035,328,623	100.00
9501 - 10000	0	0	0	0	0.00	1,035,328,623	100.00
10001 - 10500	0	0	0	0	0.00	1,035,328,623	100.00
10501 - 11000	0	0	0	0	0.00	1,035,328,623	100.00
11001 - 11500	0	0	0	0	0.00	1,035,328,623	100.00
11501 - 12000	0	0	0	0	0.00	1,035,328,623	100.00
12001 - 12500	0	0	0	0	0.00	1,035,328,623	100.00
12501 - 13000	0	0	0	0	0.00	1,035,328,623	100.00
13001 - 13500	0	0	0	0	0.00	1,035,328,623	100.00
13501 - 14000	0	0	0	0	0.00	1,035,328,623	100.00
14001 - 14500	0	0	0	0	0.00	1,035,328,623	100.00
14501 - 15000	0	0	0	0	0.00	1,035,328,623	100.00
15001 - 15500	0	0	0	0	0.00	1,035,328,623	100.00
15501 - 16000	0	0	0	0	0.00	1,035,328,623	100.00
16001 - 16500	0	0	0	0	0.00	1,035,328,623	100.00
16501 - 17000	0	0	0	0	0.00	1,035,328,623	100.00
17001 - 17500	0	0	0	0	0.00	1,035,328,623	100.00
17501 - 18000	0	0	0	0	0.00	1,035,328,623	100.00
18001 - 18500	0	0	0	0	0.00	1,035,328,623	100.00
18501 - 19000	0	0	0	0	0.00	1,035,328,623	100.00
19001 - 19500	0	0	0	0	0.00	1,035,328,623	100.00
19501 - 20000	0	0	0	0	0.00	1,035,328,623	100.00
20001 +	0	0	0	0	0.00	1,035,328,623	100.00
NORMAL	1,035,328,623	527,664,234	380,001,133	127,663,256			
IRREGULAR	24,404,533						
TOTAL	1,059,733,156						

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT
CIS SYSTEM
FOR THE MONTH OF MARCH, 1999
KVA, STYLE 1, PART 1

14MAR00

NCS

ACTUAL KVA RANGE	COUNT	PCT	ACCUM COUNT OF	PCT	AMOUNT(\$)	TOTAL REVENUE EXCLUDING SALES TAX	ACCUM AMOUNT OF	PCT
0	99,202	53.9	99,202	53.94	5,111,994.26	7.05	5,111,994.26	7.05
1	369	0.20	99,571	54.14	17,996.93	0.02	5,129,991.19	7.08
2	582	0.32	100,153	54.46	32,946.89	0.05	5,162,938.08	7.13
3	1,603	0.87	101,756	55.33	101,253.67	0.14	5,264,191.75	7.26
4	1,595	0.87	103,351	56.20	126,469.13	0.17	5,390,660.88	7.44
5	1,662	0.90	105,013	57.10	157,063.65	0.22	5,547,724.53	7.66
6	1,695	0.92	106,708	58.02	178,261.90	0.25	5,725,986.43	7.90
7	1,719	0.93	108,427	58.96	198,661.73	0.27	5,924,648.16	8.18
8	2,564	1.39	110,991	60.35	303,346.37	0.42	6,227,994.53	8.59
9	1,991	1.08	112,982	61.44	257,971.83	0.36	6,485,966.36	8.95
10	3,899	2.12	116,881	63.56	507,014.13	0.70	6,992,980.49	9.65
11	2,103	1.14	118,984	64.70	298,010.74	0.41	7,290,991.23	10.06
12	3,076	1.68	122,060	66.38	460,387.60	0.66	7,751,378.83	10.72
13	1,907	1.04	123,967	67.42	319,800.29	0.44	8,071,179.12	11.17
14	2,287	1.24	126,254	68.66	411,073.30	0.57	8,482,252.42	11.73
15	2,566	1.40	128,820	70.06	484,500.21	0.67	8,966,752.63	12.40
16	2,588	1.41	131,408	71.47	537,292.50	0.74	9,504,045.13	13.14
17	1,566	0.85	132,974	72.32	349,220.60	0.48	9,853,265.73	13.63
18	1,956	1.06	134,930	73.38	456,349.88	0.63	10,309,615.61	14.26
19	1,519	0.83	136,449	74.21	376,677.96	0.52	10,686,293.57	14.78
20	3,781	2.06	140,230	76.26	1,010,085.16	1.39	11,696,378.73	16.17
21	1,130	0.61	141,360	76.88	309,523.28	0.43	12,005,902.01	16.60
22	1,442	0.78	142,802	77.66	426,201.55	0.59	12,432,103.56	17.18
23	992	0.54	143,794	78.20	309,380.77	0.43	12,741,484.33	17.61
24	2,315	1.26	146,109	79.46	773,340.14	1.07	13,514,824.47	18.68
25	1,135	0.62	147,244	80.08	386,457.89	0.53	13,901,282.36	19.21
26 - 30	5,523	3.00	152,767	83.08	2,223,382.98	3.07	16,144,665.34	22.28
31 - 35	3,559	1.94	156,326	85.02	1,709,873.25	2.36	17,854,538.59	24.64
36 - 40	4,553	2.48	160,879	87.50	2,643,809.44	3.65	20,498,348.03	28.29
41 - 45	1,939	1.05	162,818	88.55	1,303,825.01	1.80	21,802,173.04	30.09
46 - 50	2,362	1.28	165,180	89.83	1,786,436.72	2.47	23,588,609.76	32.55
51 - 55	1,240	0.67	166,420	90.50	1,034,500.75	1.43	24,623,110.51	33.98
56 - 60	2,330	1.27	168,750	91.77	2,243,993.85	3.10	26,867,104.36	37.08
61 - 65	958	0.52	169,708	92.29	979,694.04	1.35	27,846,798.40	38.43
66 - 70	972	0.53	170,680	92.82	1,112,983.23	1.54	28,959,781.63	39.97
71 - 75	776	0.42	171,456	93.24	933,131.50	1.29	29,893,113.13	41.25
76 - 80	1,237	0.67	172,693	93.91	1,634,562.96	2.26	31,527,676.09	43.51
81 - 85	481	0.26	173,174	94.18	676,242.59	0.93	32,203,918.68	44.44
86 - 90	694	0.38	173,868	94.55	1,049,569.24	1.45	33,253,487.92	45.89
91 - 95	266	0.14	174,134	94.70	429,562.79	0.59	33,683,050.71	46.48
96 - 100	933	0.51	175,067	95.21	1,576,114.28	2.18	35,259,164.99	48.66
101 - 110	829	0.45	175,896	95.66	1,503,276.13	2.07	36,762,441.12	50.73
111 - 120	905	0.49	176,801	96.15	1,773,640.23	2.45	38,536,081.35	53.18
121 - 130	520	0.28	177,321	96.43	1,087,722.24	1.50	39,623,803.59	54.68
131 - 140	391	0.21	177,712	96.64	929,581.96	1.28	40,553,385.55	55.97
141 - 150	549	0.30	178,261	96.94	1,360,962.80	1.88	41,914,348.35	57.84
151 - 160	478	0.26	178,739	97.20	1,294,029.15	1.79	43,208,377.50	59.63
161 - 170	262	0.14	179,001	97.34	748,541.32	1.03	43,956,918.82	60.66

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LOA SYSTEM) - RP 80
KVA FREQUENCY REPORT

14HAR00

CIS SYSTEM
FOR THE MONTH OF MARCH, 1999
KVA, STYLE 1, PART 1

NOS

ACTUAL KVA RANGE	COUNT	TOTAL REVENUE EXCLUDING SALES TAX			TOTAL REVENUE EXCLUDING SALES TAX		
		AMOUNT(\$)	PCT	ACCUM AMOUNT OF	AMOUNT(\$)	PCT	ACCUM AMOUNT OF
171 - 180	395	179,416	97.56	1,192,881.90	45,149,800.72	1.65	62.31
181 - 190	198	179,614	97.67	610,727.61	45,760,528.33	0.84	63.15
191 - 200	386	180,000	97.88	1,274,097.15	47,034,625.48	1.76	64.91
201 - 210	243	180,243	98.01	863,762.41	47,898,387.89	1.19	66.10
211 - 220	213	180,456	98.13	822,232.80	48,720,620.69	1.13	67.24
221 - 230	298	180,754	98.29	1,206,692.01	49,927,302.70	1.67	68.90
231 - 240	194	180,948	98.39	878,639.94	50,805,942.64	1.21	70.11
241 - 250	150	181,098	98.47	666,869.80	51,472,812.44	0.92	71.03
251 - 260	166	181,264	98.56	788,212.62	52,261,025.06	1.09	72.12
261 - 270	150	181,414	98.65	723,747.30	52,984,772.36	1.00	73.12
271 - 280	109	181,523	98.71	542,299.33	53,527,071.69	0.75	73.87
281 - 290	262	181,785	98.85	1,428,923.28	54,955,994.97	1.97	75.84
291 - 300	81	181,866	98.89	436,808.12	55,392,803.09	0.60	76.44
301 - 310	103	181,969	98.95	591,162.49	55,983,965.58	0.82	77.26
311 - 320	138	182,107	99.02	853,531.03	56,837,496.61	1.18	78.44
321 - 330	75	182,182	99.06	460,499.70	57,297,996.31	0.64	79.07
331 - 340	83	182,265	99.11	520,273.15	57,818,269.46	0.72	79.79
341 - 350	135	182,400	99.18	911,046.73	58,729,316.19	1.26	81.05
351 - 360	55	182,480	99.23	338,470.53	59,267,786.72	0.74	81.79
361 - 370	84	182,535	99.26	362,062.19	59,629,848.91	0.50	82.29
371 - 380	84	182,619	99.30	610,372.48	60,240,221.39	0.84	83.13
381 - 390	172	182,791	99.39	1,238,623.56	61,478,844.95	1.71	84.84
391 - 400	33	182,824	99.41	246,580.41	61,725,425.36	0.34	85.18
401 - 420	153	182,977	99.50	1,174,751.63	62,900,176.99	1.62	86.80
421 - 440	156	183,133	99.58	1,248,585.53	64,148,762.52	1.72	88.53
441 - 460	74	183,207	99.62	625,468.72	64,774,231.24	0.86	89.39
461 - 480	145	183,352	99.70	1,290,409.19	66,064,640.43	1.78	91.17
481 - 500	72	183,424	99.74	645,200.66	66,709,841.09	0.69	92.06
501 - 520	68	183,492	99.78	660,556.13	67,370,397.22	0.91	92.97
521 - 540	47	183,539	99.80	436,158.39	67,806,555.61	0.60	93.58
541 - 560	31	183,570	99.82	318,385.38	68,124,940.99	0.44	94.02
561 - 580	79	183,649	99.86	824,307.74	68,949,248.73	1.14	95.15
581 - 600	20	183,669	99.87	202,434.31	69,151,683.04	0.28	95.43
601 - 620	28	183,697	99.89	304,187.04	69,455,870.08	0.42	95.85
621 - 640	26	183,723	99.90	289,037.29	69,744,907.37	0.40	96.25
641 - 660	22	183,745	99.91	253,135.17	69,998,042.54	0.35	96.60
661 - 680	18	183,763	99.92	206,456.12	70,204,498.66	0.28	96.89
681 - 700	17	183,780	99.93	223,532.46	70,428,031.12	0.31	97.19
701 - 720	23	183,803	99.95	316,276.81	70,744,307.93	0.44	97.63
721 - 740	5	183,808	99.95	74,762.27	70,819,070.20	0.10	97.73
741 - 760	9	183,817	99.95	118,751.22	70,937,821.62	0.16	97.90
761 - 780	12	183,829	99.96	155,034.90	71,092,856.32	0.21	98.11
781 - 800	4	183,833	99.96	45,453.85	71,138,510.17	0.06	98.17
801 - 820	6	183,839	99.96	68,462.04	71,206,972.21	0.09	98.27
821 - 840	5	183,844	99.97	63,583.85	71,270,556.06	0.09	98.36
841 - 860	4	183,848	99.97	55,529.16	71,326,085.22	0.08	98.43
861 - 880	5	183,853	99.97	86,857.92	71,412,943.14	0.12	98.55
881 - 900	9	183,862	99.98	135,325.27	71,548,268.41	0.19	98.74

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT

16HAR00

CIS SYSTEM
FOR THE MONTH OF MARCH, 1999
KVA, STYLE 1, PART 1

MBS

ACTUAL KVA RANGE	COUNT	TOTAL REVENUE EXCLUDING SALES TAX			TOTAL REVENUE EXCLUDING SALES TAX		
		AMOUNT(\$)	PCT	ACCUM AMOUNT OF	PCT	ACCUM AMOUNT OF	PCT
901 - 920	0	0.00	0.00	183,862	99.98	71,548,268.41	98.74
921 - 940	3	51,076.79	0.07	183,865	99.98	71,599,345.20	98.81
941 - 960	6	98,932.27	0.14	183,871	99.98	71,698,277.47	98.95
961 - 980	1	20,641.37	0.03	183,872	99.98	71,718,918.84	98.98
981 - 1000	0	0.00	0.00	183,872	99.98	71,718,918.84	98.98
1001 - 1100	4	78,028.02	0.11	183,876	99.98	71,796,946.86	99.08
1101 - 1200	8	136,352.60	0.19	183,884	99.99	71,933,299.46	99.27
1201 - 1300	3	59,125.84	0.08	183,887	99.99	71,992,425.30	99.35
1301 - 1400	3	50,503.26	0.07	183,890	99.99	72,043,228.56	99.42
1401 - 1500	1	23,548.71	0.03	183,891	99.99	72,066,777.27	99.46
1501 - 1600	1	25,640.07	0.04	183,892	99.99	72,092,417.34	99.49
1601 - 1700	1	15,059.70	0.02	183,893	99.99	72,107,477.04	99.51
1701 - 1800	3	66,176.71	0.09	183,896	100.00	72,173,653.75	99.60
1801 - 1900	1	36,407.97	0.05	183,897	100.00	72,210,061.72	99.65
1901 - 2000	0	0.00	0.00	183,897	100.00	72,210,061.72	99.65
2001 - 2100	1	17,769.93	0.02	183,898	100.00	72,227,831.65	99.68
2101 - 2200	0	0.00	0.00	183,898	100.00	72,227,831.65	99.68
2201 - 2300	1	38,941.51	0.05	183,899	100.00	72,266,773.16	99.73
2301 - 2400	0	0.00	0.00	183,899	100.00	72,266,773.16	99.73
2401 - 2500	0	0.00	0.00	183,899	100.00	72,266,773.16	99.73
2501 - 2600	1	63,328.92	0.09	183,900	100.00	72,330,102.08	99.82
2601 - 2700	0	0.00	0.00	183,900	100.00	72,330,102.08	99.82
2701 - 2800	1	35,261.94	0.05	183,901	100.00	72,365,364.02	99.87
2801 - 2900	1	58,172.66	0.08	183,902	100.00	72,423,536.68	99.95
2901 - 3000	0	0.00	0.00	183,902	100.00	72,423,536.68	99.95
3001 - 3100	0	0.00	0.00	183,902	100.00	72,423,536.68	99.95
3101 - 3200	1	18,922.68	0.03	183,903	100.00	72,442,459.56	99.97
3201 - 3300	0	0.00	0.00	183,903	100.00	72,442,459.56	99.97
3301 - 3400	0	0.00	0.00	183,903	100.00	72,442,459.56	99.97
3401 - 3500	0	0.00	0.00	183,903	100.00	72,442,459.56	99.97
3501 - 3600	0	0.00	0.00	183,903	100.00	72,442,459.56	99.97
3601 - 3700	0	0.00	0.00	183,903	100.00	72,442,459.56	99.97
3701 - 3800	0	0.00	0.00	183,903	100.00	72,442,459.56	99.97
3801 - 3900	0	0.00	0.00	183,903	100.00	72,442,459.56	99.97
3901 - 4000	0	0.00	0.00	183,903	100.00	72,442,459.56	99.97
4001 - 4100	0	0.00	0.00	183,903	100.00	72,442,459.56	99.97
4101 - 4200	0	0.00	0.00	183,903	100.00	72,442,459.56	99.97
4201 - 4300	0	0.00	0.00	183,903	100.00	72,442,459.56	99.97
4301 - 4400	1	19,036.65	0.03	183,904	100.00	72,461,498.21	100.00
4401 - 4500	0	0.00	0.00	183,904	100.00	72,461,498.21	100.00
4501 - 4600	0	0.00	0.00	183,904	100.00	72,461,498.21	100.00
4601 - 4700	0	0.00	0.00	183,904	100.00	72,461,498.21	100.00
4701 - 4800	0	0.00	0.00	183,904	100.00	72,461,498.21	100.00
4801 - 4900	0	0.00	0.00	183,904	100.00	72,461,498.21	100.00
4901 - 5000	0	0.00	0.00	183,904	100.00	72,461,498.21	100.00
5001 - 5500	0	0.00	0.00	183,904	100.00	72,461,498.21	100.00
5501 - 6000	0	0.00	0.00	183,904	100.00	72,461,498.21	100.00
6001 - 6500	0	0.00	0.00	183,904	100.00	72,461,498.21	100.00

HOUSTON LIGHTING & POWER COMPANY
LOAD DATA ANALYSIS(LDA SYSTEM) - RP 80
KVA FREQUENCY REPORT

CIS SYSTEM
FOR THE MONTH OF MARCH, 1999
KVA, STYLE 1, PART 1

14MAR00

HGS

ACTUAL KVA RANGE	COUNT	TOTAL REVENUE EXCLUDING SALES TAX			TOTAL REVENUE EXCLUDING SALES TAX		
		ACCUM COUNT OF	PCT	AMOUNT(\$)	ACCUM AMOUNT OF	PCT	PCT
6501 - 7000	0	183,904	100.00	0.00	72,461,498.21	100.00	100.00
7001 - 7500	0	183,904	100.00	0.00	72,461,498.21	100.00	100.00
7501 - 8000	0	183,904	100.00	0.00	72,461,498.21	100.00	100.00
8001 - 8500	0	183,904	100.00	0.00	72,461,498.21	100.00	100.00
8501 - 9000	0	183,904	100.00	0.00	72,461,498.21	100.00	100.00
9001 - 9500	0	183,904	100.00	0.00	72,461,498.21	100.00	100.00
9501 - 10000	0	183,904	100.00	0.00	72,461,498.21	100.00	100.00
10001 - 10500	0	183,904	100.00	0.00	72,461,498.21	100.00	100.00
10501 - 11000	0	183,904	100.00	0.00	72,461,498.21	100.00	100.00
11001 - 11500	0	183,904	100.00	0.00	72,461,498.21	100.00	100.00
11501 - 12000	0	183,904	100.00	0.00	72,461,498.21	100.00	100.00
12001 - 12500	0	183,904	100.00	0.00	72,461,498.21	100.00	100.00
12501 - 13000	0	183,904	100.00	0.00	72,461,498.21	100.00	100.00
13001 - 13500	0	183,904	100.00	0.00	72,461,498.21	100.00	100.00
13501 - 14000	0	183,904	100.00	0.00	72,461,498.21	100.00	100.00
14001 - 14500	0	183,904	100.00	0.00	72,461,498.21	100.00	100.00
14501 - 15000	0	183,904	100.00	0.00	72,461,498.21	100.00	100.00
15001 - 15500	0	183,904	100.00	0.00	72,461,498.21	100.00	100.00
15501 - 16000	0	183,904	100.00	0.00	72,461,498.21	100.00	100.00
16001 - 16500	0	183,904	100.00	0.00	72,461,498.21	100.00	100.00
16501 - 17000	0	183,904	100.00	0.00	72,461,498.21	100.00	100.00
17001 - 17500	0	183,904	100.00	0.00	72,461,498.21	100.00	100.00
17501 - 18000	0	183,904	100.00	0.00	72,461,498.21	100.00	100.00
18001 - 18500	0	183,904	100.00	0.00	72,461,498.21	100.00	100.00
18501 - 19000	0	183,904	100.00	0.00	72,461,498.21	100.00	100.00
19001 - 19500	0	183,904	100.00	0.00	72,461,498.21	100.00	100.00
19501 - 20000	0	183,904	100.00	0.00	72,461,498.21	100.00	100.00
20001 + NORMAL	183,904	183,904		72,461,498.21	72,461,498.21		
IRREGULAR	16,445	16,445		1,550,806.38	1,550,806.38		
TOTAL	200,349	200,349		74,012,304.59	74,012,304.59		