




Control Number: 33629



Item Number: 4

Addendum StartPage: 0

RECEIVED

2007 FEB 12 PM 2:46

PUBLIC UTILITY COMMISSION
FILING CLERK

Service Quality Report

To The

Public Utility Commission of Texas

In Accordance With

Substantive Rule §25.81

2006 Reporting Year

CenterPoint Energy

Project 33629

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| System SAIFI | | Annual | Jan | Feb | March | April | May | June | July | Aug | Sept | Oct | Nov | Dec |
|-----------------------|-------------|--------|------|------|-------|-------|------|------|------|------|------|------|------|------|
| Forced | | | | | | | | | | | | | | |
| | 2006 | 1.22 | 0.08 | 0.05 | 0.08 | 0.11 | 0.16 | 0.13 | 0.13 | 0.09 | 0.08 | 0.21 | 0.08 | 0.07 |
| Scheduled | | | | | | | | | | | | | | |
| | 2006 | 0.22 | 0.02 | 0.02 | 0.02 | 0.01 | 0.03 | 0.02 | 0.02 | 0.02 | 0.02 | 0.02 | 0.02 | 0.01 |
| Outside Causes | | | | | | | | | | | | | | |
| | 2006 | 0.14 | 0.01 | 0.01 | 0.02 | 0.01 | 0.03 | 0.01 | 0.00 | 0.01 | 0.01 | 0.03 | 0.00 | 0.01 |
| Major Events | | | | | | | | | | | | | | |
| | 2006 | 0.31 | 0.00 | 0.00 | 0.00 | 0.16 | 0.02 | 0.03 | 0.00 | 0.00 | 0.00 | 0.00 | 0.10 | 0.00 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| System SAIDI | Annual | Jan | Feb | March | April | May | June | July | Aug | Sept | Oct | Nov | Dec |
|-----------------------|---------------|------------|------------|--------------|--------------|------------|-------------|-------------|------------|-------------|------------|------------|------------|
| Forced | | | | | | | | | | | | | |
| 2006 | 100.76 | 5.75 | 3.41 | 4.51 | 11.09 | 16.86 | 10.51 | 11.50 | 8.27 | 7.06 | 16.26 | 5.85 | 4.85 |
| Scheduled | | | | | | | | | | | | | |
| 2006 | 11.95 | 0.97 | 1.15 | 1.12 | 0.71 | 1.05 | 1.01 | 1.31 | 1.13 | 1.02 | 1.07 | 0.99 | 0.77 |
| Outside Causes | | | | | | | | | | | | | |
| 2006 | 4.15 | 0.28 | 0.43 | 0.30 | 0.16 | 0.81 | 0.22 | 0.17 | 0.26 | 0.21 | 1.23 | 0.06 | 0.21 |
| Major Events | | | | | | | | | | | | | |
| 2006 | 20.64 | 0.00 | 0.00 | 0.00 | 3.73 | 1.66 | 4.08 | 0.16 | 0.00 | 0.34 | 1.14 | 8.97 | 0.00 |

Service Quality Report to the Public Utility Commission of Texas

Distribution Feeder Indices for Forced Interruptions

List all Distribution Feeders on Texas System

Total Number of Feeders

With More Than 10 Customers (CNP set threshold at 10 or more customers per Feeder) 1359

Add or Delete Rows as Necessary

CenterPoint Energy

| 2006 SAIFI Ranking | 2005 SAIFI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIFI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 1 | 124 | STW | 05 | 1,282 | 8.8307 |
| 2 | 69 | AL | 09 | 1,076 | 8.5279 |
| 3 | 50 | BAR | 44 | 4,915 | 7.2783 |
| 4 | 491 | LW | 42 | 3,199 | 6.8024 |
| 5 | NEW | STW | 06 | 1,109 | 6.0460 |
| 6 | 486 | KL | 45 | 5,034 | 5.9599 |
| 7 | 388 | GN | 10 | 1,693 | 5.4501 |
| 8 | 313 | GG | 07 | 1,699 | 5.2619 |
| 9 | 687 | MB | 05 | 1,940 | 5.1479 |
| 10 | 294 | AR | 42 | 5,750 | 5.1160 |
| 11 | 1102 | ME | 02 | 889 | 5.0371 |
| 12 | 99 | HB | 46 | 5,524 | 5.0317 |
| 13 | 664 | PI | 43 | 3,638 | 4.8983 |
| 14 | 1103 | ST | 14 | 566 | 4.8940 |
| 15 | 522 | KL | 43 | 4,591 | 4.7199 |
| 16 | 4 | KG | 42 | 3,659 | 4.6324 |
| 17 | 142 | SB | 08 | 1,389 | 4.5796 |
| 18 | 599 | NP | 41 | 3,264 | 4.5251 |
| 19 | 891 | RS | 03 | 1,441 | 4.5087 |
| 20 | 860 | RE | 05 | 1,604 | 4.4190 |
| 21 | 232 | WL | 02 | 467 | 4.3833 |
| 22 | 460 | CRB | 46 | 3,991 | 4.3743 |
| 23 | 416 | ES | 05 | 2,176 | 4.2973 |
| 24 | 19 | RA | 42 | 5,869 | 4.2779 |
| 25 | 104 | AR | 41 | 1,315 | 4.2479 |
| 26 | 1245 | PZ | 44 | 2,564 | 4.2250 |
| 27 | 8 | OB | 42 | 4,491 | 4.2182 |
| 28 | 176 | TWG | 43 | 5,449 | 4.2138 |
| 29 | 183 | SF | 46 | 1,301 | 4.2129 |
| 30 | 122 | HB | 48 | 2,762 | 4.1130 |
| 31 | 1197 | BA | 43 | 5,544 | 4.0285 |
| 32 | NEW | PI | 46 | 4,284 | 3.8357 |
| 33 | 141 | LV | 02 | 356 | 3.7360 |
| 34 | 553 | SA | 42 | 3,418 | 3.6589 |
| 35 | 9 | NP | 44 | 3,103 | 3.6394 |
| 36 | 413 | SA | 48 | 1,511 | 3.6294 |
| 37 | 1194 | FZ | 48 | 3,977 | 3.6291 |
| 38 | 102 | SO | 41 | 7,916 | 3.6263 |
| 39 | 369 | DV | 01 | 571 | 3.6217 |
| 40 | 427 | KDL | 43 | 4,809 | 3.6207 |
| 41 | 871 | HY | 11 | 1,343 | 3.6136 |
| 42 | 762 | KDL | 44 | 4,775 | 3.6126 |
| 43 | 907 | QV | 05 | 1,443 | 3.6043 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIFI Ranking | 2005 SAIFI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIFI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 44 | 274 | EU | 05 | 811 | 3.5943 |
| 45 | 1128 | PW | 08 | 1,603 | 3.5727 |
| 46 | NEW | STW | 07 | 1,696 | 3.5483 |
| 47 | 1113 | UV | 05 | 1,059 | 3.4929 |
| 48 | 1124 | BM | 05 | 693 | 3.4921 |
| 49 | 214 | LK | 09 | 911 | 3.4501 |
| 50 | 53 | TB | 47 | 1,824 | 3.4452 |
| 51 | 457 | GZ | 45 | 7,683 | 3.4347 |
| 52 | 29 | FM | 01 | 761 | 3.4205 |
| 53 | 1281 | SR | 01 | 695 | 3.4201 |
| 54 | 435 | FD | 15 | 2,651 | 3.3750 |
| 55 | 719 | STF | 06 | 365 | 3.3726 |
| 56 | 14 | WD | 43 | 1,769 | 3.3646 |
| 57 | 325 | LP | 04 | 1,292 | 3.3088 |
| 58 | 200 | HX | 03 | 767 | 3.3025 |
| 59 | 309 | TWG | 45 | 4,363 | 3.2691 |
| 60 | 585 | SE | 04 | 914 | 3.2593 |
| 61 | 905 | EC | 03 | 579 | 3.2280 |
| 62 | 34 | FR | 46 | 3,645 | 3.2162 |
| 63 | 1169 | AF | 03 | 2,113 | 3.2044 |
| 64 | 1065 | CB | 10 | 1,430 | 3.1951 |
| 65 | 506 | AR | 44 | 4,171 | 3.1836 |
| 66 | 347 | SIE | 41 | 4,256 | 3.1577 |
| 67 | 1262 | JN | 07 | 1,682 | 3.1486 |
| 68 | 736 | BH | 07 | 2,369 | 3.1228 |
| 69 | 992 | CRB | 41 | 3,339 | 3.1207 |
| 70 | 239 | ES | 06 | 1,921 | 3.1150 |
| 71 | 286 | FL | 42 | 2,978 | 3.1095 |
| 72 | 915 | KT | 45 | 2,617 | 3.1009 |
| 73 | 278 | UN | 01 | 1,057 | 3.0993 |
| 74 | 243 | PI | 44 | 4,960 | 3.0712 |
| 75 | 757 | BAR | 47 | 2,976 | 3.0370 |
| 76 | 1014 | DH | 08 | 2,066 | 3.0334 |
| 77 | 268 | FW | 05 | 271 | 3.0332 |
| 78 | 33 | VL | 04 | 2,044 | 3.0264 |
| 79 | 291 | GE | 45 | 6,850 | 3.0203 |
| 80 | 262 | RE | 07 | 1,534 | 3.0163 |
| 81 | 1198 | AR | 43 | 4,060 | 2.9722 |
| 82 | 1002 | SR | 07 | 69 | 2.9565 |
| 83 | 456 | GS | 28 | 193 | 2.9534 |
| 84 | 13 | PI | 42 | 3,550 | 2.9234 |
| 85 | 464 | ED | 06 | 2,339 | 2.9141 |
| 86 | 1231 | BAR | 43 | 4,617 | 2.9045 |
| 87 | 1050 | WF | 04 | 580 | 2.9034 |
| 88 | 306 | OR | 03 | 210 | 2.9000 |
| 89 | 1074 | DH | 10 | 2,930 | 2.8819 |
| 90 | 689 | GN | 09 | 707 | 2.8741 |
| 91 | 859 | LJ | 06 | 974 | 2.8696 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIFI Ranking | 2005 SAIFI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIFI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 92 | 596 | RA | 03 | 916 | 2.8635 |
| 93 | 409 | GA | 03 | 516 | 2.8450 |
| 94 | 538 | KB | 07 | 1,093 | 2.8445 |
| 95 | 739 | FT | 04 | 1,678 | 2.8331 |
| 96 | 398 | KDL | 41 | 2,635 | 2.8167 |
| 97 | 287 | OR | 01 | 58 | 2.8103 |
| 98 | 1211 | FL | 44 | 4,468 | 2.7603 |
| 99 | 1094 | ME | 04 | 1,536 | 2.7598 |
| 100 | 428 | KL | 42 | 4,220 | 2.7569 |
| 101 | 72 | TWG | 44 | 3,310 | 2.7550 |
| 102 | 390 | LU | 01 | 686 | 2.7420 |
| 103 | 63 | PI | 41 | 3,625 | 2.7354 |
| 104 | 101 | WT | 08 | 215 | 2.7302 |
| 105 | 15 | AE | 06 | 1,110 | 2.7216 |
| 106 | 614 | WR | 09 | 1,476 | 2.7195 |
| 107 | 1 | LA | 01 | 1,447 | 2.6586 |
| 108 | 1265 | FW | 02 | 1,082 | 2.6470 |
| 109 | 316 | HB | 44 | 5,548 | 2.6393 |
| 110 | 1067 | TO | 03 | 391 | 2.6240 |
| 111 | 254 | THW | 48 | 5,575 | 2.6174 |
| 112 | 373 | BY | 02 | 1,482 | 2.6046 |
| 113 | 801 | BU | 01 | 611 | 2.5728 |
| 114 | 726 | STW | 01 | 1,373 | 2.5717 |
| 115 | 12 | STW | 02 | 698 | 2.5702 |
| 116 | 601 | LM | 03 | 831 | 2.5656 |
| 117 | 279 | KW | 41 | 3,174 | 2.5605 |
| 118 | 487 | BL | 03 | 1,247 | 2.5597 |
| 119 | 1063 | AF | 05 | 1,747 | 2.5363 |
| 120 | 7 | GW | 02 | 1,658 | 2.4891 |
| 121 | 420 | GL | 01 | 2,163 | 2.4882 |
| 122 | 207 | OR | 02 | 1,177 | 2.4860 |
| 123 | 661 | AM | 06 | 1,929 | 2.4852 |
| 124 | 865 | MY | 02 | 891 | 2.4837 |
| 125 | 110 | SA | 03 | 609 | 2.4795 |
| 126 | 794 | RB | 01 | 164 | 2.4756 |
| 127 | 230 | FP | 02 | 120 | 2.4750 |
| 128 | 116 | KL | 48 | 4,771 | 2.4605 |
| 129 | 812 | FM | 02 | 242 | 2.4587 |
| 130 | 512 | PW | 05 | 2,133 | 2.4557 |
| 131 | 233 | MB | 10 | 1,439 | 2.4524 |
| 132 | 167 | TE | 06 | 2,026 | 2.4472 |
| 133 | 777 | LB | 04 | 421 | 2.4466 |
| 134 | 683 | PW | 03 | 2,160 | 2.4426 |
| 135 | 132 | KI | 46 | 2,363 | 2.4397 |
| 136 | 985 | UV | 06 | 1,639 | 2.4301 |
| 137 | 753 | RU | 05 | 2,589 | 2.4241 |
| 138 | 933 | SB | 03 | 1,696 | 2.4239 |
| 139 | 1210 | PK | 45 | 31 | 2.4194 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIFI Ranking | 2005 SAIFI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIFI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 140 | 365 | SW | 06 | 1,544 | 2.4152 |
| 141 | 732 | WF | 05 | 979 | 2.4147 |
| 142 | 180 | CYF | 44 | 5,536 | 2.4111 |
| 143 | 669 | UN | 03 | 1,642 | 2.3971 |
| 144 | 174 | SF | 15 | 388 | 2.3969 |
| 145 | 645 | SCW | 02 | 801 | 2.3958 |
| 146 | 1118 | MY | 07 | 1,464 | 2.3948 |
| 147 | 450 | HE | 08 | 2,115 | 2.3943 |
| 148 | 361 | EB | 05 | 791 | 2.3894 |
| 149 | 302 | CS | 01 | 1,584 | 2.3870 |
| 150 | 90 | TB | 44 | 2,787 | 2.3825 |
| 151 | 134 | BT | 07 | 1,547 | 2.3756 |
| 152 | 994 | SR | 13 | 1,090 | 2.3697 |
| 153 | 461 | KL | 46 | 4,255 | 2.3643 |
| 154 | 417 | TO | 07 | 1,324 | 2.3565 |
| 155 | 1027 | NS | 05 | 2,848 | 2.3448 |
| 156 | 109 | UN | 10 | 1,117 | 2.3384 |
| 157 | 525 | HL | 04 | 327 | 2.3364 |
| 158 | 46 | NB | 43 | 4,276 | 2.3253 |
| 159 | 83 | HK | 42 | 5,389 | 2.3225 |
| 160 | 242 | FZ | 46 | 6,591 | 2.3162 |
| 161 | 51 | WT | 06 | 739 | 2.3126 |
| 162 | 752 | AV | 03 | 806 | 2.3065 |
| 163 | 822 | SW | 05 | 1,116 | 2.2984 |
| 164 | 586 | DE | 06 | 1,164 | 2.2981 |
| 165 | 1222 | THW | 47 | 4,152 | 2.2970 |
| 166 | 199 | WT | 11 | 290 | 2.2966 |
| 167 | 282 | KG | 41 | 2,464 | 2.2963 |
| 168 | 1251 | IND | 02 | 17 | 2.2941 |
| 169 | 567 | GN | 12 | 372 | 2.2903 |
| 170 | 952 | KB | 12 | 1,292 | 2.2864 |
| 171 | 179 | WT | 09 | 263 | 2.2852 |
| 172 | 80 | CC | 03 | 2,664 | 2.2845 |
| 173 | 643 | CS | 02 | 1,361 | 2.2843 |
| 174 | 924 | PJ | 04 | 1,603 | 2.2832 |
| 175 | 317 | HA | 01 | 1,349 | 2.2817 |
| 176 | 448 | HB | 43 | 4,828 | 2.2807 |
| 177 | 136 | SP | 02 | 1,715 | 2.2729 |
| 178 | 972 | DV | 03 | 854 | 2.2681 |
| 179 | 652 | KW | 43 | 3,069 | 2.2672 |
| 180 | 59 | LK | 01 | 1,318 | 2.2671 |
| 181 | 43 | HK | 04 | 1,285 | 2.2654 |
| 182 | 108 | CG | 04 | 1,670 | 2.2587 |
| 183 | 315 | MC | 05 | 1,658 | 2.2545 |
| 184 | 429 | SF | 42 | 1,661 | 2.2535 |
| 185 | 785 | LM | 04 | 1,341 | 2.2491 |
| 186 | 854 | WW | 05 | 3,477 | 2.2468 |
| 187 | 202 | KL | 44 | 3,711 | 2.2423 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIFI Ranking | 2005 SAIFI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIFI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 188 | 218 | DL | 41 | 2,245 | 2.2414 |
| 189 | 426 | FR | 45 | 4,262 | 2.2382 |
| 190 | 1034 | BA | 02 | 1,282 | 2.2363 |
| 191 | 48 | HK | 05 | 686 | 2.2347 |
| 192 | 1122 | KW | 45 | 4,292 | 2.2311 |
| 193 | 297 | CE | 05 | 2,176 | 2.2284 |
| 194 | 433 | FZ | 41 | 3,164 | 2.2222 |
| 195 | 88 | BH | 04 | 506 | 2.2194 |
| 196 | 244 | LU | 43 | 1,733 | 2.2193 |
| 197 | 1044 | ST | 13 | 1,639 | 2.2190 |
| 198 | 565 | ADK | 44 | 684 | 2.2149 |
| 199 | 939 | QV | 07 | 1,188 | 2.2079 |
| 200 | 321 | IM | 42 | 1,764 | 2.2069 |
| 201 | 1112 | CL | 09 | 451 | 2.2040 |
| 202 | 22 | BA | 45 | 3,796 | 2.1910 |
| 203 | 288 | TWG | 42 | 4,884 | 2.1894 |
| 204 | 77 | SO | 44 | 5,056 | 2.1871 |
| 205 | 260 | HL | 05 | 952 | 2.1786 |
| 206 | 980 | PZ | 42 | 591 | 2.1743 |
| 207 | NEW | SA | 52 | 5,408 | 2.1733 |
| 208 | 229 | ADK | 43 | 2,114 | 2.1727 |
| 209 | 995 | TO | 06 | 990 | 2.1596 |
| 210 | 1043 | LK | 08 | 440 | 2.1545 |
| 211 | 897 | CB | 06 | 883 | 2.1506 |
| 212 | 408 | BAR | 46 | 4,373 | 2.1459 |
| 213 | 1151 | PJ | 03 | 1,531 | 2.1450 |
| 214 | 403 | OA | 05 | 1,796 | 2.1381 |
| 215 | 651 | PJ | 02 | 1,208 | 2.1349 |
| 216 | 1024 | MDY | 01 | 1,274 | 2.1272 |
| 217 | 657 | BAR | 42 | 4,573 | 2.1126 |
| 218 | 545 | LU | 42 | 4,417 | 2.1084 |
| 219 | 92 | LW | 44 | 3,494 | 2.1022 |
| 220 | 1135 | CK | 02 | 1,025 | 2.0907 |
| 221 | NEW | BL | 09 | 1,398 | 2.0715 |
| 222 | 1249 | HM | 01 | 438 | 2.0479 |
| 223 | 681 | DR | 06 | 881 | 2.0477 |
| 224 | 463 | IM | 43 | 4,186 | 2.0449 |
| 225 | 772 | AD | 04 | 2,281 | 2.0416 |
| 226 | 444 | BI | 11 | 462 | 2.0346 |
| 227 | 518 | SF | 47 | 870 | 2.0322 |
| 228 | 511 | ED | 03 | 1,950 | 2.0282 |
| 229 | 564 | WI | 42 | 3,502 | 2.0214 |
| 230 | 587 | HNY | 04 | 1,317 | 2.0129 |
| 231 | 550 | BW | 09 | 61 | 2.0000 |
| 232 | 1332 | SF | 11 | 11 | 2.0000 |
| 233 | 39 | WD | 42 | 1,172 | 1.9974 |
| 234 | 593 | EB | 06 | 1,504 | 1.9973 |
| 235 | 265 | MB | 06 | 316 | 1.9905 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIFI Ranking | 2005 SAIFI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIFI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 236 | 709 | BH | 08 | 2,422 | 1.9884 |
| 237 | 283 | GE | 44 | 5,429 | 1.9856 |
| 238 | 440 | BV | 41 | 474 | 1.9810 |
| 239 | 1282 | MY | 03 | 1,817 | 1.9642 |
| 240 | 584 | NV | 02 | 1,621 | 1.9593 |
| 241 | 345 | CV | 05 | 2,631 | 1.9555 |
| 242 | 31 | CRB | 42 | 3,919 | 1.9331 |
| 243 | 1098 | LU | 41 | 5,506 | 1.9295 |
| 244 | 918 | GV | 05 | 287 | 1.9268 |
| 245 | 70 | SF | 41 | 1,284 | 1.9260 |
| 246 | 712 | VL | 02 | 757 | 1.8904 |
| 247 | 1275 | WZ | 46 | 225 | 1.8889 |
| 248 | 1035 | HV | 06 | 1,372 | 1.8659 |
| 249 | 742 | ME | 01 | 780 | 1.8590 |
| 250 | 1075 | DR | 07 | 1,297 | 1.8419 |
| 251 | 778 | GN | 06 | 932 | 1.8176 |
| 252 | 713 | UW | 02 | 2,111 | 1.8157 |
| 253 | 1060 | CE | 03 | 1,611 | 1.8119 |
| 254 | 30 | FR | 42 | 2,941 | 1.8052 |
| 255 | 213 | CD | 11 | 579 | 1.8014 |
| 256 | 20 | CRB | 45 | 3,311 | 1.7995 |
| 257 | 530 | CE | 10 | 1,484 | 1.7850 |
| 258 | NEW | BL | 10 | 2,330 | 1.7820 |
| 259 | 84 | AE | 05 | 413 | 1.7797 |
| 260 | 866 | AL | 10 | 1,970 | 1.7797 |
| 261 | 622 | SE | 41 | 2,195 | 1.7718 |
| 262 | 637 | STF | 07 | 92 | 1.7717 |
| 263 | 74 | LV | 01 | 847 | 1.7532 |
| 264 | 750 | NEW | 03 | 286 | 1.7517 |
| 265 | 660 | CV | 06 | 1,782 | 1.7492 |
| 266 | 41 | KW | 42 | 3,916 | 1.7434 |
| 267 | 490 | AF | 09 | 2,110 | 1.7417 |
| 268 | 329 | HG | 03 | 1,415 | 1.7350 |
| 269 | 481 | MY | 06 | 1,011 | 1.7339 |
| 270 | 845 | KN | 04 | 22 | 1.7273 |
| 271 | 405 | GP | 08 | 1,588 | 1.7242 |
| 272 | 1289 | HV | 01 | 1,094 | 1.7002 |
| 273 | 796 | OA | 07 | 739 | 1.6888 |
| 274 | 1013 | WZ | 45 | 2,071 | 1.6857 |
| 275 | 1000 | SH | 01 | 1,406 | 1.6750 |
| 276 | 959 | BL | 06 | 1,280 | 1.6719 |
| 277 | 575 | IT | 41 | 18 | 1.6667 |
| 278 | 514 | GZ | 46 | 4,036 | 1.6663 |
| 279 | 62 | GV | 06 | 1,494 | 1.6647 |
| 280 | 404 | WL | 42 | 1,016 | 1.6535 |
| 281 | 607 | AT | 41 | 2,305 | 1.6508 |
| 282 | 406 | HB | 45 | 5,094 | 1.6474 |
| 283 | NEW | CA | 07 | 1,266 | 1.6430 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIFI Ranking | 2005 SAIFI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIFI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 284 | 808 | NM | 01 | 938 | 1.6375 |
| 285 | 17 | MDY | 03 | 2,984 | 1.6273 |
| 286 | 672 | FT | 07 | 1,445 | 1.6270 |
| 287 | 906 | BH | 05 | 906 | 1.6214 |
| 288 | 965 | AF | 01 | 3,531 | 1.6211 |
| 289 | 829 | SR | 11 | 471 | 1.6178 |
| 290 | 798 | BM | 04 | 1,628 | 1.6161 |
| 291 | 73 | RZ | 01 | 1,011 | 1.6152 |
| 292 | 323 | AD | 09 | 2,004 | 1.6078 |
| 293 | 678 | TIK | 01 | 1,051 | 1.6070 |
| 294 | 682 | HV | 08 | 1,796 | 1.6024 |
| 295 | 921 | DE | 03 | 1,144 | 1.5970 |
| 296 | 308 | HV | 07 | 1,666 | 1.5948 |
| 297 | 878 | AN | 01 | 768 | 1.5938 |
| 298 | 421 | HT | 01 | 2,988 | 1.5870 |
| 299 | 352 | LK | 04 | 1,842 | 1.5798 |
| 300 | 276 | TO | 11 | 1,580 | 1.5785 |
| 301 | 663 | RT | 02 | 492 | 1.5772 |
| 302 | 117 | QV | 02 | 1,032 | 1.5591 |
| 303 | 937 | UV | 02 | 1,414 | 1.5566 |
| 304 | 125 | AM | 04 | 1,156 | 1.5519 |
| 305 | 849 | TB | 06 | 1,707 | 1.5460 |
| 306 | 677 | SW | 10 | 2,287 | 1.5383 |
| 307 | 856 | HG | 02 | 1,739 | 1.5313 |
| 308 | 1248 | WW | 06 | 1,503 | 1.5223 |
| 309 | 888 | BG | 02 | 1,924 | 1.5218 |
| 310 | 583 | OB | 44 | 4,925 | 1.5214 |
| 311 | 1201 | SA | 50 | 1,113 | 1.5211 |
| 312 | 24 | LV | 03 | 1,078 | 1.5186 |
| 313 | 928 | MC | 01 | 1,577 | 1.5181 |
| 314 | 508 | RB | 02 | 149 | 1.5101 |
| 315 | 1082 | GA | 05 | 1,144 | 1.5087 |
| 316 | 600 | OB | 43 | 5,243 | 1.5072 |
| 317 | 311 | HV | 04 | 2,227 | 1.5065 |
| 318 | 310 | EC | 11 | 721 | 1.5035 |
| 319 | 170 | MB | 03 | 1,686 | 1.5024 |
| 320 | 437 | WO | 02 | 1,782 | 1.4994 |
| 321 | 803 | FD | 04 | 1,118 | 1.4991 |
| 322 | 488 | SCW | 01 | 1,815 | 1.4986 |
| 323 | 1033 | RA | 01 | 982 | 1.4959 |
| 324 | 694 | CC | 01 | 2,349 | 1.4917 |
| 325 | 1020 | HA | 08 | 2,003 | 1.4908 |
| 326 | 350 | GE | 46 | 4,100 | 1.4868 |
| 327 | 968 | FD | 14 | 2,877 | 1.4772 |
| 328 | 1203 | SH | 08 | 1,872 | 1.4770 |
| 329 | 394 | WR | 11 | 1,207 | 1.4764 |
| 330 | 765 | FR | 44 | 5,483 | 1.4720 |
| 331 | 733 | BE | 02 | 1,805 | 1.4704 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIFI Ranking | 2005 SAIFI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIFI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 332 | 326 | GL | 05 | 1,628 | 1.4662 |
| 333 | 320 | CB | 08 | 668 | 1.4656 |
| 334 | 914 | BR | 10 | 777 | 1.4633 |
| 335 | 55 | PW | 04 | 1,307 | 1.4606 |
| 336 | 868 | CB | 01 | 1,554 | 1.4575 |
| 337 | 708 | SE | 01 | 1,300 | 1.4569 |
| 338 | 392 | WF | 41 | 6,931 | 1.4565 |
| 339 | 112 | BV | 42 | 2,804 | 1.4497 |
| 340 | 206 | PI | 45 | 3,734 | 1.4480 |
| 341 | 818 | HG | 05 | 324 | 1.4475 |
| 342 | 462 | WE | 07 | 392 | 1.4388 |
| 343 | 6 | WD | 45 | 1,475 | 1.4359 |
| 344 | 299 | WI | 02 | 1,015 | 1.4355 |
| 345 | 64 | LJ | 08 | 1,781 | 1.4346 |
| 346 | 89 | PT | 07 | 461 | 1.4317 |
| 347 | 799 | AN | 04 | 1,863 | 1.4294 |
| 348 | 385 | KB | 20 | 751 | 1.4288 |
| 349 | 1174 | BI | 08 | 1,031 | 1.4248 |
| 350 | 360 | PO | 03 | 804 | 1.4229 |
| 351 | 790 | WE | 08 | 744 | 1.4220 |
| 352 | 1086 | HY | 12 | 899 | 1.4205 |
| 353 | 1028 | CB | 07 | 2,002 | 1.4141 |
| 354 | NEW | FP | 07 | 1,595 | 1.4138 |
| 355 | 215 | QV | 06 | 778 | 1.4126 |
| 356 | 483 | WT | 07 | 1,551 | 1.4120 |
| 357 | 591 | GA | 01 | 27 | 1.4074 |
| 358 | 920 | SF | 03 | 602 | 1.4037 |
| 359 | 1085 | KM | 01 | 1,999 | 1.4027 |
| 360 | 86 | WT | 12 | 676 | 1.3979 |
| 361 | 500 | FP | 06 | 2,038 | 1.3945 |
| 362 | 241 | AL | 05 | 2,226 | 1.3877 |
| 363 | 445 | GW | 06 | 1,828 | 1.3873 |
| 364 | 418 | MP | 01 | 1,684 | 1.3812 |
| 365 | 177 | TWG | 41 | 6,957 | 1.3769 |
| 366 | 853 | UV | 07 | 975 | 1.3764 |
| 367 | 1294 | DV | 04 | 889 | 1.3735 |
| 368 | 827 | WV | 03 | 2,623 | 1.3709 |
| 369 | 431 | ME | 03 | 786 | 1.3702 |
| 370 | 148 | LY | 44 | 3,163 | 1.3690 |
| 371 | 847 | KM | 02 | 1,485 | 1.3670 |
| 372 | 950 | SR | 04 | 1,036 | 1.3668 |
| 373 | 1083 | IM | 44 | 2,817 | 1.3607 |
| 374 | 133 | LP | 05 | 1,373 | 1.3598 |
| 375 | 579 | HNY | 03 | 988 | 1.3543 |
| 376 | 695 | LP | 02 | 2,005 | 1.3486 |
| 377 | 784 | DR | 01 | 1,509 | 1.3479 |
| 378 | 1041 | HB | 49 | 4,515 | 1.3473 |
| 379 | 126 | KL | 47 | 2,125 | 1.3440 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIFI Ranking | 2005 SAIFI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIFI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 380 | 673 | RZ | 03 | 937 | 1.3351 |
| 381 | 756 | ME | 07 | 1,210 | 1.3339 |
| 382 | 1258 | MB | 09 | 1,268 | 1.3328 |
| 383 | 1073 | KM | 05 | 1,445 | 1.3322 |
| 384 | 626 | LM | 02 | 386 | 1.3316 |
| 385 | 363 | MV | 01 | 1,899 | 1.3312 |
| 386 | 773 | LU | 02 | 1,150 | 1.3304 |
| 387 | 710 | GG | 01 | 1,296 | 1.3302 |
| 388 | 946 | RO | 02 | 2,701 | 1.3247 |
| 389 | 82 | RO | 42 | 3,499 | 1.3215 |
| 390 | 873 | HB | 04 | 663 | 1.3183 |
| 391 | 1171 | RO | 06 | 1,037 | 1.3144 |
| 392 | 589 | OA | 01 | 746 | 1.3097 |
| 393 | 779 | CE | 11 | 2,825 | 1.3069 |
| 394 | 935 | ST | 08 | 473 | 1.3066 |
| 395 | 284 | AM | 03 | 1,931 | 1.3061 |
| 396 | 970 | CG | 02 | 1,716 | 1.3036 |
| 397 | 301 | BY | 10 | 1,170 | 1.3034 |
| 398 | 57 | HY | 06 | 1,398 | 1.3026 |
| 399 | 1022 | FR | 43 | 4,962 | 1.3019 |
| 400 | 91 | GW | 01 | 2,467 | 1.3016 |
| 401 | 144 | WZ | 44 | 3,891 | 1.3007 |
| 402 | 382 | HY | 01 | 2,275 | 1.3002 |
| 403 | 333 | WE | 05 | 20 | 1.3000 |
| 404 | 1250 | FW | 01 | 1,795 | 1.2986 |
| 405 | 727 | LJ | 01 | 1,109 | 1.2976 |
| 406 | 374 | FD | 10 | 2,158 | 1.2961 |
| 407 | 434 | BM | 07 | 1,275 | 1.2957 |
| 408 | 884 | RE | 09 | 1,062 | 1.2957 |
| 409 | 786 | STF | 04 | 731 | 1.2955 |
| 410 | 679 | LB | 07 | 153 | 1.2941 |
| 411 | 945 | EU | 09 | 1,433 | 1.2931 |
| 412 | 692 | LJ | 03 | 1,492 | 1.2916 |
| 413 | 292 | GZ | 42 | 1,672 | 1.2895 |
| 414 | 474 | JP | 01 | 25 | 1.2800 |
| 415 | 161 | IR | 03 | 2,184 | 1.2798 |
| 416 | 175 | GL | 09 | 2,090 | 1.2785 |
| 417 | 650 | BU | 03 | 625 | 1.2768 |
| 418 | 155 | WT | 04 | 646 | 1.2755 |
| 419 | 539 | DV | 10 | 863 | 1.2735 |
| 420 | 1240 | KN | 03 | 88 | 1.2727 |
| 421 | 667 | LA | 03 | 1,581 | 1.2726 |
| 422 | 1237 | CG | 01 | 438 | 1.2717 |
| 423 | 1121 | DH | 01 | 3,044 | 1.2714 |
| 424 | 300 | RT | 01 | 255 | 1.2706 |
| 425 | 940 | NS | 06 | 1,895 | 1.2702 |
| 426 | 1196 | GA | 08 | 63 | 1.2698 |
| 427 | 1108 | LP | 01 | 545 | 1.2661 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIFI Ranking | 2005 SAIFI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIFI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 428 | 253 | MP | 08 | 1,941 | 1.2653 |
| 429 | 621 | LB | 06 | 130 | 1.2615 |
| 430 | 85 | THW | 44 | 4,104 | 1.2615 |
| 431 | 1127 | TRN | 01 | 1,206 | 1.2554 |
| 432 | 119 | BA | 44 | 5,469 | 1.2545 |
| 433 | 715 | BZ | 06 | 2,223 | 1.2524 |
| 434 | 764 | PW | 02 | 2,177 | 1.2517 |
| 435 | 211 | BAR | 48 | 4,919 | 1.2513 |
| 436 | 858 | AN | 03 | 1,237 | 1.2490 |
| 437 | 537 | FZ | 43 | 3,759 | 1.2485 |
| 438 | 219 | DH | 02 | 1,591 | 1.2432 |
| 439 | 295 | GP | 06 | 1,563 | 1.2367 |
| 440 | 296 | HA | 02 | 1,577 | 1.2359 |
| 441 | 919 | HE | 01 | 1,682 | 1.2354 |
| 442 | 836 | PZ | 41 | 3,891 | 1.2336 |
| 443 | 1139 | DH | 06 | 1,398 | 1.2332 |
| 444 | 1162 | PO | 01 | 891 | 1.2323 |
| 445 | 478 | PW | 01 | 962 | 1.2318 |
| 446 | 32 | WT | 05 | 498 | 1.2309 |
| 447 | 547 | CYF | 41 | 5,006 | 1.2279 |
| 448 | 362 | QV | 04 | 1,326 | 1.2255 |
| 449 | 224 | IM | 46 | 2,098 | 1.2188 |
| 450 | 257 | TE | 03 | 786 | 1.2188 |
| 451 | 1233 | TB | 02 | 828 | 1.2186 |
| 452 | 880 | DA | 06 | 434 | 1.2166 |
| 453 | 542 | CRB | 44 | 3,183 | 1.2161 |
| 454 | 835 | AI | 08 | 51 | 1.2157 |
| 455 | 1051 | KB | 05 | 266 | 1.2143 |
| 456 | 1131 | LK | 03 | 1,183 | 1.2130 |
| 457 | 767 | FD | 06 | 2,408 | 1.2093 |
| 458 | 78 | CD | 02 | 1,700 | 1.2082 |
| 459 | 989 | UV | 08 | 591 | 1.2081 |
| 460 | 338 | HE | 02 | 1,905 | 1.2042 |
| 461 | 1038 | CR | 04 | 2,303 | 1.2019 |
| 462 | 948 | SA | 43 | 1,130 | 1.2018 |
| 463 | 106 | NSH | 03 | 417 | 1.2014 |
| 464 | 335 | LJ | 09 | 1,385 | 1.1993 |
| 465 | 441 | CD | 06 | 1,179 | 1.1976 |
| 466 | 917 | PA | 01 | 1,849 | 1.1969 |
| 467 | 1008 | ME | 09 | 777 | 1.1956 |
| 468 | 938 | HG | 04 | 1,903 | 1.1929 |
| 469 | 240 | MP | 09 | 26 | 1.1923 |
| 470 | 731 | DN | 01 | 997 | 1.1906 |
| 471 | 401 | GL | 07 | 2,255 | 1.1902 |
| 472 | 780 | WV | 02 | 675 | 1.1896 |
| 473 | 936 | WI | 04 | 2,325 | 1.1880 |
| 474 | 45 | SA | 01 | 1,127 | 1.1872 |
| 475 | 775 | BI | 07 | 1,324 | 1.1866 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIFI Ranking | 2005 SAIFI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIFI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 476 | 963 | DE | 05 | 2,019 | 1.1847 |
| 477 | 1214 | BG | 05 | 386 | 1.1839 |
| 478 | 209 | SR | 10 | 1,211 | 1.1825 |
| 479 | 37 | BA | 46 | 4,344 | 1.1802 |
| 480 | 447 | JP | 02 | 87 | 1.1724 |
| 481 | 195 | KW | 44 | 4,897 | 1.1689 |
| 482 | 1012 | ES | 01 | 340 | 1.1676 |
| 483 | 769 | GA | 07 | 1,893 | 1.1664 |
| 484 | 960 | RO | 03 | 1,424 | 1.1650 |
| 485 | 68 | DL | 46 | 2,797 | 1.1637 |
| 486 | 256 | JN | 03 | 1,800 | 1.1633 |
| 487 | 1064 | ME | 06 | 877 | 1.1619 |
| 488 | 509 | DR | 04 | 1,184 | 1.1605 |
| 489 | 93 | HOC | 02 | 1,222 | 1.1604 |
| 490 | 559 | BW | 02 | 1,386 | 1.1602 |
| 491 | 54 | ST | 10 | 906 | 1.1578 |
| 492 | 961 | CB | 03 | 659 | 1.1563 |
| 493 | 1066 | UN | 05 | 1,082 | 1.1534 |
| 494 | 411 | SR | 05 | 918 | 1.1503 |
| 495 | 322 | WO | 04 | 1,542 | 1.1485 |
| 496 | 541 | AF | 02 | 1,579 | 1.1476 |
| 497 | 929 | DA | 04 | 761 | 1.1445 |
| 498 | 1156 | OA | 03 | 29 | 1.1379 |
| 499 | 513 | SH | 03 | 1,908 | 1.1326 |
| 500 | 598 | WA | 43 | 1,442 | 1.1311 |
| 501 | 353 | FP | 03 | 117 | 1.1282 |
| 502 | 662 | CC | 04 | 1,161 | 1.1275 |
| 503 | 495 | THW | 45 | 5,618 | 1.1267 |
| 504 | 1163 | MAR | 44 | 3,633 | 1.1241 |
| 505 | 81 | WF | 43 | 258 | 1.1240 |
| 506 | 469 | DL | 43 | 3,220 | 1.1227 |
| 507 | 137 | VL | 01 | 1,533 | 1.1226 |
| 508 | 1200 | WW | 01 | 699 | 1.1202 |
| 509 | 734 | CC | 02 | 1,781 | 1.1190 |
| 510 | 52 | LK | 07 | 1,032 | 1.1134 |
| 511 | 247 | CYF | 46 | 4,736 | 1.1130 |
| 512 | 549 | RE | 02 | 1,269 | 1.1103 |
| 513 | 1141 | NS | 01 | 1,939 | 1.1093 |
| 514 | 454 | WD | 46 | 965 | 1.1078 |
| 515 | 633 | RS | 08 | 789 | 1.1077 |
| 516 | 1150 | FAN | 45 | 1,522 | 1.1018 |
| 517 | 1068 | AM | 07 | 20 | 1.1000 |
| 518 | 114 | GE | 41 | 6,297 | 1.0962 |
| 519 | 263 | VL | 03 | 1,348 | 1.0950 |
| 520 | 569 | UL | 47 | 3,825 | 1.0944 |
| 521 | 378 | LY | 42 | 1,654 | 1.0907 |
| 522 | 168 | SP | 07 | 2,004 | 1.0873 |
| 523 | 1287 | THW | 43 | 1,989 | 1.0830 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIFI Ranking | 2005 SAIFI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIFI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 524 | 191 | HNY | 01 | 1,141 | 1.0824 |
| 525 | 222 | FZ | 44 | 6,212 | 1.0773 |
| 526 | 1052 | EL | 05 | 1,369 | 1.0672 |
| 527 | 556 | NV | 01 | 911 | 1.0637 |
| 528 | 79 | WF | 42 | 4,185 | 1.0626 |
| 529 | 975 | AD | 01 | 642 | 1.0623 |
| 530 | 145 | EC | 02 | 1,832 | 1.0600 |
| 531 | 149 | PO | 06 | 1,783 | 1.0600 |
| 532 | 852 | CS | 03 | 1,817 | 1.0583 |
| 533 | 386 | TV | 02 | 990 | 1.0515 |
| 534 | 496 | BM | 06 | 1,089 | 1.0496 |
| 535 | 152 | LJ | 04 | 813 | 1.0467 |
| 536 | 5 | LW | 41 | 3,501 | 1.0460 |
| 537 | 1228 | ED | 08 | 1,264 | 1.0427 |
| 538 | 1296 | HT | 08 | 855 | 1.0363 |
| 539 | 576 | KB | 13 | 29 | 1.0345 |
| 540 | 227 | HT | 09 | 559 | 1.0322 |
| 541 | 1236 | HP | 04 | 2,148 | 1.0312 |
| 542 | 531 | AF | 12 | 330 | 1.0303 |
| 543 | 1263 | WE | 01 | 217 | 1.0276 |
| 544 | 1202 | KT | 42 | 2,924 | 1.0274 |
| 545 | 146 | MV | 02 | 842 | 1.0166 |
| 546 | 802 | ES | 07 | 313 | 1.0160 |
| 547 | 722 | DH | 09 | 1,913 | 1.0141 |
| 548 | 568 | RA | 43 | 3,779 | 1.0114 |
| 549 | 1292 | EC | 01 | 561 | 1.0071 |
| 550 | 533 | GT | 06 | 621 | 1.0064 |
| 551 | 452 | HE | 05 | 1,467 | 1.0014 |
| 552 | 529 | FP | 04 | 99 | 1.0000 |
| 553 | 1318 | GS | 02 | 13 | 1.0000 |
| 554 | 1321 | GS | 23 | 156 | 1.0000 |
| 555 | 1326 | KB | 08 | 28 | 1.0000 |
| 556 | 228 | WA | 42 | 1,246 | 1.0000 |
| 557 | 781 | AD | 10 | 708 | 0.9986 |
| 558 | 1053 | AD | 11 | 1,253 | 0.9984 |
| 559 | 754 | PZ | 45 | 1,742 | 0.9943 |
| 560 | 120 | CD | 04 | 1,758 | 0.9909 |
| 561 | 182 | SH | 04 | 2,342 | 0.9833 |
| 562 | 414 | FZ | 45 | 2,488 | 0.9807 |
| 563 | 423 | SA | 49 | 5,211 | 0.9804 |
| 564 | 2 | HK | 06 | 533 | 0.9719 |
| 565 | 1329 | PK | 46 | 55 | 0.9636 |
| 566 | 594 | TM | 04 | 397 | 0.9471 |
| 567 | 252 | AT | 42 | 3,759 | 0.9441 |
| 568 | 266 | DA | 05 | 577 | 0.9359 |
| 569 | 438 | BA | 41 | 2,939 | 0.9330 |
| 570 | 259 | CL | 01 | 142 | 0.9296 |
| 571 | 1140 | UL | 46 | 3,665 | 0.9239 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIFI Ranking | 2005 SAIFI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIFI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 572 | 620 | LB | 05 | 2,074 | 0.9103 |
| 573 | 217 | FAN | 47 | 4,089 | 0.9066 |
| 574 | 552 | BG | 07 | 1,585 | 0.9054 |
| 575 | 981 | WO | 09 | 267 | 0.8914 |
| 576 | 768 | PA | 09 | 1,299 | 0.8868 |
| 577 | 515 | LJ | 07 | 1,798 | 0.8865 |
| 578 | 610 | TO | 10 | 2,198 | 0.8790 |
| 579 | 624 | WR | 10 | 1,817 | 0.8734 |
| 580 | 809 | CD | 03 | 1,374 | 0.8697 |
| 581 | 720 | TB | 45 | 2,387 | 0.8689 |
| 582 | 1039 | GT | 12 | 2,675 | 0.8650 |
| 583 | 566 | ES | 08 | 674 | 0.8487 |
| 584 | 25 | ADK | 42 | 3,146 | 0.8477 |
| 585 | 484 | OB | 41 | 2,335 | 0.8420 |
| 586 | 730 | QV | 01 | 1,421 | 0.8353 |
| 587 | 699 | MB | 07 | 12 | 0.8333 |
| 588 | 867 | GP | 07 | 1,100 | 0.8318 |
| 589 | 851 | STF | 01 | 724 | 0.8232 |
| 590 | 1032 | PA | 07 | 1,575 | 0.8197 |
| 591 | 192 | FM | 03 | 246 | 0.8171 |
| 592 | 861 | MY | 05 | 929 | 0.8159 |
| 593 | 1209 | HM | 07 | 868 | 0.8122 |
| 594 | 1025 | AF | 04 | 1,302 | 0.8088 |
| 595 | 1040 | GV | 03 | 1,258 | 0.8045 |
| 596 | 1080 | WEB | 10 | 160 | 0.8000 |
| 597 | 728 | WC | 01 | 281 | 0.7936 |
| 598 | 833 | PA | 04 | 448 | 0.7924 |
| 599 | 27 | STW | 04 | 809 | 0.7899 |
| 600 | NEW | PE | 06 | 1,547 | 0.7886 |
| 601 | 371 | HL | 06 | 1,651 | 0.7874 |
| 602 | 714 | BE | 03 | 1,378 | 0.7852 |
| 603 | 810 | LK | 02 | 2,135 | 0.7789 |
| 604 | 26 | LC | 01 | 472 | 0.7775 |
| 605 | 1126 | CV | 04 | 1,408 | 0.7607 |
| 606 | 364 | EC | 04 | 1,877 | 0.7592 |
| 607 | NEW | TE | 08 | 1,864 | 0.7591 |
| 608 | 716 | OA | 04 | 1,914 | 0.7524 |
| 609 | 909 | GG | 04 | 1,732 | 0.7465 |
| 610 | 976 | AD | 02 | 2,202 | 0.7389 |
| 611 | 410 | EC | 13 | 352 | 0.7301 |
| 612 | 570 | SP | 11 | 1,052 | 0.7300 |
| 613 | 270 | AV | 02 | 1,233 | 0.7267 |
| 614 | 665 | TE | 04 | 1,118 | 0.7236 |
| 615 | 505 | HOC | 05 | 1,338 | 0.7220 |
| 616 | 97 | KI | 42 | 4,651 | 0.7147 |
| 617 | 653 | HOC | 08 | 1,231 | 0.7051 |
| 618 | 422 | BZ | 02 | 1,123 | 0.7017 |
| 619 | 251 | PE | 03 | 1,221 | 0.6945 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIFI Ranking | 2005 SAIFI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIFI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 620 | 384 | AD | 06 | 522 | 0.6916 |
| 621 | 718 | UW | 05 | 1,865 | 0.6895 |
| 622 | 705 | STF | 05 | 1,628 | 0.6886 |
| 623 | 255 | GL | 06 | 1,827 | 0.6809 |
| 624 | 671 | LB | 01 | 1,942 | 0.6797 |
| 625 | 635 | SB | 01 | 1,762 | 0.6771 |
| 626 | 56 | AD | 08 | 2,113 | 0.6720 |
| 627 | 314 | SH | 06 | 991 | 0.6710 |
| 628 | 344 | HV | 03 | 1,081 | 0.6688 |
| 629 | 111 | CV | 10 | 1,649 | 0.6683 |
| 630 | 482 | LU | 03 | 966 | 0.6656 |
| 631 | 1288 | WEB | 08 | 631 | 0.6640 |
| 632 | 670 | NM | 04 | 1,194 | 0.6566 |
| 633 | 334 | LP | 07 | 917 | 0.6565 |
| 634 | 298 | QV | 03 | 1,104 | 0.6513 |
| 635 | 623 | PE | 04 | 1,738 | 0.6467 |
| 636 | 1077 | CV | 02 | 1,663 | 0.6458 |
| 637 | 619 | KB | 09 | 743 | 0.6433 |
| 638 | 188 | MU | 02 | 1,190 | 0.6395 |
| 639 | 261 | BW | 08 | 36 | 0.6389 |
| 640 | 468 | KI | 43 | 2,953 | 0.6377 |
| 641 | 393 | LU | 45 | 4,639 | 0.6348 |
| 642 | 711 | NV | 03 | 1,301 | 0.6334 |
| 643 | 164 | GE | 47 | 4,824 | 0.6320 |
| 644 | 717 | WEB | 09 | 726 | 0.6267 |
| 645 | 782 | HY | 03 | 1,011 | 0.6261 |
| 646 | 40 | NEW | 01 | 1,179 | 0.6251 |
| 647 | 698 | GV | 02 | 1,749 | 0.6238 |
| 648 | 604 | WE | 04 | 261 | 0.6207 |
| 649 | 602 | BC | 09 | 469 | 0.6205 |
| 650 | 668 | WL | 41 | 563 | 0.6199 |
| 651 | 666 | BT | 04 | 1,232 | 0.6177 |
| 652 | 581 | JP | 07 | 473 | 0.6131 |
| 653 | 100 | SW | 08 | 1,672 | 0.6118 |
| 654 | 272 | SB | 04 | 1,776 | 0.6115 |
| 655 | 65 | WF | 44 | 4,583 | 0.6090 |
| 656 | 883 | RU | 02 | 1,636 | 0.6070 |
| 657 | 123 | SP | 06 | 2,208 | 0.6064 |
| 658 | 776 | EC | 07 | 348 | 0.6063 |
| 659 | 642 | WE | 06 | 865 | 0.6000 |
| 660 | 290 | GZ | 43 | 3,600 | 0.5994 |
| 661 | 231 | TE | 07 | 1,860 | 0.5978 |
| 662 | 954 | DN | 03 | 2,419 | 0.5974 |
| 663 | 629 | GV | 04 | 1,325 | 0.5970 |
| 664 | 502 | WEB | 05 | 483 | 0.5963 |
| 665 | 743 | HR | 03 | 2,834 | 0.5956 |
| 666 | 115 | MU | 01 | 767 | 0.5945 |
| 667 | 332 | RE | 04 | 1,492 | 0.5938 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIFI Ranking | 2005 SAIFI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIFI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 668 | 16 | EC | 05 | 1,107 | 0.5935 |
| 669 | 1229 | EU | 01 | 164 | 0.5915 |
| 670 | 903 | UN | 11 | 1,761 | 0.5911 |
| 671 | 816 | CR | 01 | 2,585 | 0.5907 |
| 672 | 1057 | DE | 01 | 988 | 0.5901 |
| 673 | 351 | MP | 07 | 573 | 0.5899 |
| 674 | 1117 | SB | 02 | 2,406 | 0.5865 |
| 675 | 147 | WZ | 43 | 1,492 | 0.5845 |
| 676 | 674 | HM | 04 | 2,180 | 0.5748 |
| 677 | 277 | HM | 02 | 2,078 | 0.5746 |
| 678 | 380 | AL | 08 | 1,602 | 0.5743 |
| 679 | 872 | CL | 07 | 44 | 0.5682 |
| 680 | 96 | TE | 01 | 2,695 | 0.5581 |
| 681 | 18 | HL | 01 | 2,079 | 0.5580 |
| 682 | 275 | DR | 08 | 1,404 | 0.5577 |
| 683 | 1089 | HR | 02 | 1,149 | 0.5561 |
| 684 | 1221 | KB | 02 | 924 | 0.5552 |
| 685 | 140 | NB | 42 | 323 | 0.5542 |
| 686 | 94 | WA | 41 | 174 | 0.5517 |
| 687 | 303 | WW | 02 | 649 | 0.5516 |
| 688 | 691 | WEB | 03 | 1,876 | 0.5512 |
| 689 | 348 | PA | 05 | 941 | 0.5505 |
| 690 | 890 | BG | 03 | 1,766 | 0.5481 |
| 691 | 740 | HA | 05 | 1,506 | 0.5438 |
| 692 | 346 | EU | 03 | 2,294 | 0.5432 |
| 693 | 638 | CG | 06 | 2,222 | 0.5423 |
| 694 | 285 | GP | 04 | 1,384 | 0.5419 |
| 695 | 1178 | EL | 06 | 696 | 0.5402 |
| 696 | 135 | GG | 06 | 1,555 | 0.5370 |
| 697 | 572 | IR | 02 | 2,241 | 0.5364 |
| 698 | 67 | CE | 04 | 1,474 | 0.5353 |
| 699 | 430 | BI | 06 | 1,308 | 0.5344 |
| 700 | 825 | WO | 14 | 2,110 | 0.5299 |
| 701 | 186 | BG | 09 | 1,896 | 0.5295 |
| 702 | 520 | FAN | 46 | 1,758 | 0.5279 |
| 703 | 166 | BZ | 05 | 2,550 | 0.5278 |
| 704 | 696 | LK | 06 | 1,425 | 0.5277 |
| 705 | 319 | GG | 03 | 2,318 | 0.5272 |
| 706 | 675 | AL | 06 | 1,420 | 0.5261 |
| 707 | 1076 | FW | 04 | 2,180 | 0.5248 |
| 708 | 606 | UN | 09 | 1,028 | 0.5243 |
| 709 | 649 | HM | 06 | 2,990 | 0.5221 |
| 710 | 592 | PO | 09 | 2,052 | 0.5214 |
| 711 | 723 | HOC | 03 | 1,499 | 0.5203 |
| 712 | 923 | GA | 06 | 1,208 | 0.5174 |
| 713 | 724 | PE | 01 | 1,714 | 0.5152 |
| 714 | 608 | SW | 07 | 1,819 | 0.5146 |
| 715 | 1061 | DN | 12 | 218 | 0.5138 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIFI Ranking | 2005 SAIFI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIFI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 716 | 1029 | ST | 09 | 1,125 | 0.5129 |
| 717 | 95 | KB | 15 | 984 | 0.5112 |
| 718 | 138 | BZ | 04 | 1,289 | 0.5097 |
| 719 | 949 | CV | 08 | 2,290 | 0.5083 |
| 720 | 1093 | FT | 03 | 963 | 0.5078 |
| 721 | 1099 | BI | 02 | 1,100 | 0.5055 |
| 722 | 837 | AD | 07 | 1,437 | 0.5052 |
| 723 | NEW | GE | 48 | 4,567 | 0.5049 |
| 724 | 424 | TO | 08 | 588 | 0.5034 |
| 725 | 874 | UL | 02 | 1,169 | 0.5004 |
| 726 | 1308 | DT | 32 | 22 | 0.5000 |
| 727 | 458 | JP | 05 | 28 | 0.5000 |
| 728 | 655 | PA | 08 | 617 | 0.4992 |
| 729 | 498 | LW | 43 | 5,188 | 0.4983 |
| 730 | 238 | WF | 02 | 1,148 | 0.4965 |
| 731 | 721 | BT | 05 | 2,307 | 0.4937 |
| 732 | 745 | TO | 02 | 757 | 0.4914 |
| 733 | 846 | LJ | 05 | 782 | 0.4910 |
| 734 | 237 | BC | 08 | 795 | 0.4881 |
| 735 | 61 | MP | 05 | 1,736 | 0.4873 |
| 736 | 741 | ST | 07 | 1,314 | 0.4848 |
| 737 | 381 | SB | 07 | 1,694 | 0.4823 |
| 738 | 1047 | LP | 06 | 566 | 0.4806 |
| 739 | 245 | GA | 04 | 1,545 | 0.4790 |
| 740 | 910 | RO | 05 | 999 | 0.4785 |
| 741 | 761 | CB | 02 | 1,127 | 0.4774 |
| 742 | 476 | WT | 01 | 988 | 0.4767 |
| 743 | 817 | IR | 01 | 1,736 | 0.4752 |
| 744 | 618 | SW | 09 | 2,121 | 0.4705 |
| 745 | 98 | RZ | 02 | 642 | 0.4704 |
| 746 | 1223 | HT | 02 | 3,568 | 0.4700 |
| 747 | 639 | RU | 01 | 2,120 | 0.4698 |
| 748 | 249 | GZ | 41 | 5,230 | 0.4694 |
| 749 | 789 | CR | 05 | 660 | 0.4682 |
| 750 | 807 | TRN | 02 | 1,521 | 0.4661 |
| 751 | 996 | HA | 04 | 1,612 | 0.4653 |
| 752 | 737 | BR | 05 | 566 | 0.4647 |
| 753 | 894 | BR | 08 | 1,018 | 0.4646 |
| 754 | 603 | KL | 49 | 3,485 | 0.4623 |
| 755 | 1148 | CL | 05 | 1,014 | 0.4615 |
| 756 | 820 | ED | 07 | 1,015 | 0.4601 |
| 757 | 11 | BAR | 45 | 6,203 | 0.4595 |
| 758 | 760 | BR | 04 | 1,069 | 0.4574 |
| 759 | 700 | TO | 05 | 1,761 | 0.4554 |
| 760 | 1055 | GW | 07 | 889 | 0.4533 |
| 761 | 305 | HG | 01 | 781 | 0.4533 |
| 762 | 830 | MC | 02 | 1,476 | 0.4533 |
| 763 | 766 | RU | 04 | 1,647 | 0.4523 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIFI Ranking | 2005 SAIFI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIFI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 764 | 44 | WT | 10 | 165 | 0.4485 |
| 765 | 336 | HE | 10 | 876 | 0.4463 |
| 766 | 744 | PHR | 01 | 2,699 | 0.4457 |
| 767 | 560 | SE | 02 | 1,437 | 0.4454 |
| 768 | 590 | DV | 05 | 700 | 0.4443 |
| 769 | 194 | WO | 01 | 1,239 | 0.4431 |
| 770 | 795 | BY | 07 | 1,088 | 0.4403 |
| 771 | 797 | SB | 06 | 1,701 | 0.4392 |
| 772 | 930 | ST | 04 | 1,473 | 0.4379 |
| 773 | 190 | UN | 08 | 2,061 | 0.4377 |
| 774 | 758 | AF | 06 | 2,265 | 0.4375 |
| 775 | 962 | SP | 03 | 2,173 | 0.4367 |
| 776 | 1177 | OA | 02 | 333 | 0.4354 |
| 777 | 1123 | BI | 09 | 1,666 | 0.4352 |
| 778 | 957 | HM | 09 | 2,316 | 0.4331 |
| 779 | 131 | BE | 04 | 1,712 | 0.4328 |
| 780 | 969 | SB | 05 | 1,458 | 0.4328 |
| 781 | 658 | BY | 06 | 2,031 | 0.4323 |
| 782 | 634 | WO | 13 | 273 | 0.4322 |
| 783 | 702 | DR | 02 | 2,569 | 0.4305 |
| 784 | 1084 | LK | 05 | 1,583 | 0.4296 |
| 785 | 703 | RO | 04 | 1,409 | 0.4280 |
| 786 | 1191 | DR | 09 | 344 | 0.4273 |
| 787 | 1133 | TV | 04 | 1,648 | 0.4272 |
| 788 | 947 | SP | 01 | 1,363 | 0.4263 |
| 789 | 680 | IR | 04 | 1,221 | 0.4251 |
| 790 | 693 | SA | 46 | 1,829 | 0.4243 |
| 791 | 330 | MP | 02 | 1,514 | 0.4240 |
| 792 | 1120 | HA | 03 | 2,012 | 0.4210 |
| 793 | 824 | VVW | 07 | 1,383 | 0.4201 |
| 794 | 748 | CB | 05 | 1,900 | 0.4200 |
| 795 | 631 | AD | 05 | 1,283 | 0.4186 |
| 796 | 823 | CD | 05 | 1,853 | 0.4177 |
| 797 | 805 | GG | 09 | 1,739 | 0.4175 |
| 798 | 1081 | AF | 08 | 1,602 | 0.4170 |
| 799 | 885 | BW | 10 | 12 | 0.4167 |
| 800 | 879 | PA | 06 | 1,668 | 0.4161 |
| 801 | 1049 | HT | 07 | 980 | 0.4143 |
| 802 | 1092 | DR | 03 | 2,446 | 0.4133 |
| 803 | 3 | LU | 44 | 3,161 | 0.4119 |
| 804 | 595 | BR | 01 | 1,190 | 0.4118 |
| 805 | 128 | HY | 08 | 1,359 | 0.4113 |
| 806 | 707 | HM | 05 | 3,546 | 0.4086 |
| 807 | 814 | BE | 01 | 2,271 | 0.4073 |
| 808 | 646 | KM | 06 | 1,159 | 0.4064 |
| 809 | 1009 | HP | 03 | 2,371 | 0.4062 |
| 810 | 75 | HY | 09 | 1,316 | 0.4058 |
| 811 | 613 | HX | 01 | 693 | 0.4055 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIFI Ranking | 2005 SAIFI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIFI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 812 | 943 | RS | 05 | 2,014 | 0.4047 |
| 813 | 611 | SP | 05 | 1,992 | 0.4046 |
| 814 | 1176 | IM | 45 | 3,794 | 0.4043 |
| 815 | 881 | PA | 03 | 2,392 | 0.4030 |
| 816 | 636 | SF | 02 | 641 | 0.4025 |
| 817 | 877 | EC | 14 | 927 | 0.4024 |
| 818 | 439 | BY | 05 | 1,676 | 0.4021 |
| 819 | 473 | WI | 06 | 686 | 0.3980 |
| 820 | 307 | PA | 02 | 1,746 | 0.3969 |
| 821 | 162 | BY | 08 | 1,553 | 0.3967 |
| 822 | 1182 | SP | 10 | 1,121 | 0.3934 |
| 823 | 497 | FR | 41 | 5,357 | 0.3901 |
| 824 | 129 | RO | 08 | 1,787 | 0.3900 |
| 825 | 234 | WEB | 01 | 2,015 | 0.3891 |
| 826 | 616 | WR | 13 | 1,286 | 0.3888 |
| 827 | 997 | DE | 04 | 1,483 | 0.3884 |
| 828 | 471 | FT | 05 | 1,349 | 0.3877 |
| 829 | 1005 | WD | 41 | 519 | 0.3873 |
| 830 | 900 | AF | 11 | 2,497 | 0.3865 |
| 831 | NEW | WD | 44 | 13 | 0.3846 |
| 832 | 931 | GV | 07 | 677 | 0.3826 |
| 833 | 916 | KI | 41 | 3,542 | 0.3817 |
| 834 | 389 | CR | 03 | 2,263 | 0.3814 |
| 835 | 751 | UW | 03 | 1,192 | 0.3809 |
| 836 | 1019 | NS | 03 | 1,373 | 0.3802 |
| 837 | 990 | CG | 03 | 932 | 0.3798 |
| 838 | NEW | FL | 45 | 2,726 | 0.3786 |
| 839 | 1030 | KB | 01 | 1,034 | 0.3781 |
| 840 | 355 | QV | 08 | 879 | 0.3732 |
| 841 | 504 | BL | 01 | 598 | 0.3712 |
| 842 | 280 | HB | 03 | 431 | 0.3712 |
| 843 | 1059 | CA | 02 | 1,536 | 0.3711 |
| 844 | 1144 | EU | 10 | 238 | 0.3697 |
| 845 | 554 | GP | 03 | 460 | 0.3696 |
| 846 | 372 | WEB | 07 | 120 | 0.3667 |
| 847 | 746 | JN | 09 | 1,557 | 0.3648 |
| 848 | 609 | LY | 41 | 456 | 0.3640 |
| 849 | 159 | KI | 44 | 5,209 | 0.3636 |
| 850 | 842 | BY | 09 | 1,186 | 0.3617 |
| 851 | 632 | CE | 02 | 1,615 | 0.3610 |
| 852 | 641 | BL | 02 | 1,668 | 0.3603 |
| 853 | 399 | MP | 10 | 984 | 0.3598 |
| 854 | 701 | EC | 09 | 976 | 0.3586 |
| 855 | 358 | AD | 03 | 775 | 0.3574 |
| 856 | 841 | FD | 11 | 1,797 | 0.3573 |
| 857 | 379 | LB | 02 | 1,794 | 0.3567 |
| 858 | 1204 | DV | 08 | 1,002 | 0.3563 |
| 859 | 269 | AL | 07 | 1,423 | 0.3556 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIFI Ranking | 2005 SAIFI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIFI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 860 | 181 | CE | 09 | 1,404 | 0.3526 |
| 861 | 644 | CG | 05 | 1,808 | 0.3507 |
| 862 | 258 | FL | 41 | 3,985 | 0.3491 |
| 863 | 770 | WR | 12 | 1,771 | 0.3490 |
| 864 | 281 | BL | 05 | 1,511 | 0.3488 |
| 865 | 87 | HE | 04 | 1,898 | 0.3483 |
| 866 | 983 | ES | 04 | 324 | 0.3457 |
| 867 | 1230 | ST | 16 | 1,380 | 0.3457 |
| 868 | 1129 | PE | 05 | 1,590 | 0.3440 |
| 869 | 771 | SH | 11 | 2,071 | 0.3433 |
| 870 | 349 | HOC | 01 | 1,615 | 0.3406 |
| 871 | 684 | BY | 03 | 1,434 | 0.3396 |
| 872 | 293 | RU | 03 | 1,950 | 0.3385 |
| 873 | 367 | HM | 03 | 1,266 | 0.3381 |
| 874 | 850 | CB | 12 | 1,155 | 0.3377 |
| 875 | 312 | BR | 07 | 1,323 | 0.3364 |
| 876 | 1111 | ME | 10 | 667 | 0.3358 |
| 877 | 1107 | DE | 02 | 1,394 | 0.3343 |
| 878 | 840 | BG | 06 | 2,095 | 0.3337 |
| 879 | NEW | BW | 06 | 12 | 0.3333 |
| 880 | 688 | FW | 03 | 2,062 | 0.3332 |
| 881 | 640 | SP | 04 | 385 | 0.3325 |
| 882 | 118 | DN | 02 | 650 | 0.3323 |
| 883 | 356 | BL | 08 | 1,878 | 0.3312 |
| 884 | 1096 | CV | 11 | 1,809 | 0.3306 |
| 885 | 532 | RS | 01 | 614 | 0.3306 |
| 886 | 273 | AN | 02 | 3,087 | 0.3304 |
| 887 | 1001 | UN | 04 | 367 | 0.3297 |
| 888 | 271 | CA | 03 | 1,530 | 0.3294 |
| 889 | 499 | CK | 05 | 1,303 | 0.3292 |
| 890 | 876 | WO | 03 | 1,860 | 0.3290 |
| 891 | NEW | GR | 02 | 140 | 0.3286 |
| 892 | 1283 | KM | 03 | 119 | 0.3277 |
| 893 | 1017 | KB | 06 | 1,144 | 0.3269 |
| 894 | 121 | WI | 05 | 759 | 0.3267 |
| 895 | 103 | GT | 13 | 1,304 | 0.3259 |
| 896 | 834 | HR | 01 | 2,329 | 0.3255 |
| 897 | 446 | BAR | 41 | 1,594 | 0.3243 |
| 898 | 659 | ES | 02 | 1,160 | 0.3241 |
| 899 | 971 | TM | 05 | 34 | 0.3235 |
| 900 | 318 | ME | 11 | 1,096 | 0.3221 |
| 901 | 71 | BR | 11 | 649 | 0.3220 |
| 902 | 339 | SR | 08 | 1,150 | 0.3217 |
| 903 | 226 | WT | 03 | 599 | 0.3205 |
| 904 | 432 | HY | 05 | 2,775 | 0.3196 |
| 905 | 359 | AN | 09 | 1,801 | 0.3187 |
| 906 | 832 | ES | 03 | 811 | 0.3181 |
| 907 | 904 | GT | 04 | 1,077 | 0.3175 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIFI Ranking | 2005 SAIFI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIFI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 908 | 442 | RE | 03 | 463 | 0.3175 |
| 909 | 407 | GZ | 44 | 3,680 | 0.3174 |
| 910 | 654 | KM | 07 | 1,260 | 0.3167 |
| 911 | 755 | AM | 05 | 2,309 | 0.3157 |
| 912 | 66 | UL | 45 | 2,540 | 0.3157 |
| 913 | 443 | BR | 09 | 884 | 0.3156 |
| 914 | 656 | CD | 09 | 2,296 | 0.3153 |
| 915 | 864 | HOC | 07 | 1,336 | 0.3144 |
| 916 | 977 | BI | 03 | 140 | 0.3143 |
| 917 | 973 | LB | 03 | 393 | 0.3130 |
| 918 | 60 | PHR | 02 | 2,637 | 0.3129 |
| 919 | NEW | KB | 03 | 1,200 | 0.3125 |
| 920 | 895 | SP | 08 | 2,381 | 0.3121 |
| 921 | 489 | RO | 44 | 2,639 | 0.3115 |
| 922 | 1016 | SH | 07 | 680 | 0.3103 |
| 923 | 340 | AN | 08 | 1,087 | 0.3091 |
| 924 | 400 | BA | 01 | 961 | 0.3080 |
| 925 | 1042 | FD | 16 | 1,241 | 0.3062 |
| 926 | 534 | PZ | 43 | 1,598 | 0.3054 |
| 927 | 1078 | SP | 09 | 1,968 | 0.3054 |
| 928 | 264 | DN | 10 | 1,130 | 0.3053 |
| 929 | 1147 | STF | 02 | 482 | 0.3050 |
| 930 | 127 | RA | 44 | 4,111 | 0.3043 |
| 931 | 113 | HL | 03 | 1,320 | 0.3030 |
| 932 | 932 | HR | 04 | 1,162 | 0.3021 |
| 933 | 377 | SF | 44 | 255 | 0.3020 |
| 934 | 763 | CV | 01 | 2,913 | 0.3014 |
| 935 | 848 | MP | 03 | 2,448 | 0.2998 |
| 936 | 472 | WF | 01 | 1,032 | 0.2994 |
| 937 | 958 | HE | 07 | 1,920 | 0.2990 |
| 938 | 942 | AN | 06 | 901 | 0.2986 |
| 939 | 459 | KDL | 42 | 3,222 | 0.2983 |
| 940 | 387 | NB | 46 | 3,454 | 0.2965 |
| 941 | NEW | WW | 10 | 1,796 | 0.2962 |
| 942 | 370 | JN | 04 | 781 | 0.2958 |
| 943 | 1175 | KM | 04 | 1,474 | 0.2951 |
| 944 | 58 | MB | 02 | 92 | 0.2935 |
| 945 | 912 | GA | 10 | 986 | 0.2931 |
| 946 | 869 | HX | 02 | 1,145 | 0.2926 |
| 947 | 1161 | FD | 05 | 1,532 | 0.2905 |
| 948 | 1157 | SR | 12 | 1,694 | 0.2898 |
| 949 | 341 | EC | 08 | 1,538 | 0.2880 |
| 950 | 1087 | ED | 04 | 1,960 | 0.2872 |
| 951 | 47 | MP | 04 | 1,266 | 0.2867 |
| 952 | 36 | MP | 06 | 307 | 0.2866 |
| 953 | 1145 | SR | 15 | 1,894 | 0.2862 |
| 954 | 899 | WEB | 02 | 458 | 0.2860 |
| 955 | 1247 | BW | 03 | 14 | 0.2857 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIFI Ranking | 2005 SAIFI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIFI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 956 | 1069 | HA | 07 | 1,573 | 0.2835 |
| 957 | 107 | GE | 42 | 4,897 | 0.2832 |
| 958 | 21 | AN | 10 | 1,253 | 0.2825 |
| 959 | 402 | WO | 12 | 1,607 | 0.2825 |
| 960 | 28 | HNY | 02 | 1,828 | 0.2823 |
| 961 | 1188 | DV | 09 | 2,086 | 0.2814 |
| 962 | NEW | RA | 45 | 3,034 | 0.2802 |
| 963 | 38 | KT | 43 | 2,258 | 0.2795 |
| 964 | 704 | TB | 03 | 184 | 0.2772 |
| 965 | 331 | BY | 04 | 1,694 | 0.2769 |
| 966 | 886 | WW | 08 | 264 | 0.2765 |
| 967 | 625 | RS | 04 | 1,046 | 0.2753 |
| 968 | 524 | BI | 41 | 3,812 | 0.2749 |
| 969 | 143 | JN | 02 | 1,521 | 0.2748 |
| 970 | 1007 | TV | 01 | 946 | 0.2738 |
| 971 | 1207 | JN | 06 | 2,860 | 0.2717 |
| 972 | 1153 | SR | 02 | 451 | 0.2705 |
| 973 | 843 | PE | 02 | 1,827 | 0.2704 |
| 974 | 1142 | HG | 06 | 857 | 0.2695 |
| 975 | 1138 | FD | 12 | 1,805 | 0.2693 |
| 976 | 172 | CD | 07 | 1,541 | 0.2674 |
| 977 | 1168 | GA | 02 | 2,253 | 0.2663 |
| 978 | 375 | LA | 04 | 2,042 | 0.2649 |
| 979 | 203 | GP | 05 | 991 | 0.2644 |
| 980 | 1213 | WI | 01 | 2,198 | 0.2639 |
| 981 | 453 | DL | 42 | 3,408 | 0.2638 |
| 982 | 304 | PG | 01 | 342 | 0.2632 |
| 983 | 42 | THW | 46 | 4,391 | 0.2630 |
| 984 | 216 | SO | 42 | 4,986 | 0.2623 |
| 985 | 1109 | MY | 04 | 871 | 0.2618 |
| 986 | 1090 | CV | 03 | 1,081 | 0.2599 |
| 987 | 519 | BZ | 03 | 898 | 0.2595 |
| 988 | 925 | GA | 09 | 2,157 | 0.2592 |
| 989 | 185 | TO | 09 | 1,393 | 0.2592 |
| 990 | 927 | MAR | 45 | 2,342 | 0.2583 |
| 991 | 503 | WI | 41 | 5,335 | 0.2583 |
| 992 | 395 | TB | 04 | 408 | 0.2574 |
| 993 | 811 | WO | 05 | 1,428 | 0.2570 |
| 994 | 982 | GT | 08 | 2,592 | 0.2562 |
| 995 | 1180 | BH | 06 | 168 | 0.2560 |
| 996 | 749 | BA | 04 | 1,173 | 0.2558 |
| 997 | 1036 | WV | 01 | 110 | 0.2545 |
| 998 | 156 | LJ | 02 | 1,904 | 0.2537 |
| 999 | 804 | FT | 01 | 1,488 | 0.2527 |
| 1000 | 993 | CA | 01 | 1,311 | 0.2517 |
| 1001 | 165 | EL | 07 | 1,577 | 0.2511 |
| 1002 | 974 | WE | 03 | 970 | 0.2505 |
| 1003 | 588 | MY | 08 | 2,187 | 0.2501 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIFI Ranking | 2005 SAIFI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIFI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 1004 | 150 | BI | 46 | 1,448 | 0.2500 |
| 1005 | 1018 | DH | 03 | 56 | 0.2500 |
| 1006 | 366 | IM | 48 | 1,290 | 0.2496 |
| 1007 | 1095 | RE | 08 | 872 | 0.2477 |
| 1008 | 35 | TRN | 03 | 807 | 0.2466 |
| 1009 | 466 | MAR | 42 | 4,245 | 0.2459 |
| 1010 | 1206 | BI | 44 | 1,547 | 0.2450 |
| 1011 | 343 | ADK | 41 | 1,216 | 0.2442 |
| 1012 | 1172 | SA | 47 | 4,924 | 0.2437 |
| 1013 | 368 | BM | 03 | 1,287 | 0.2424 |
| 1014 | 967 | DN | 07 | 1,477 | 0.2417 |
| 1015 | 354 | HM | 10 | 2,197 | 0.2417 |
| 1016 | 327 | RS | 02 | 1,647 | 0.2398 |
| 1017 | 628 | KB | 04 | 1,395 | 0.2394 |
| 1018 | 546 | CK | 01 | 890 | 0.2393 |
| 1019 | 173 | WT | 02 | 2,045 | 0.2391 |
| 1020 | 425 | DH | 05 | 1,373 | 0.2389 |
| 1021 | 1072 | RE | 06 | 1,091 | 0.2383 |
| 1022 | 725 | BL | 07 | 464 | 0.2371 |
| 1023 | 792 | WO | 11 | 76 | 0.2368 |
| 1024 | 828 | BL | 04 | 1,980 | 0.2364 |
| 1025 | 838 | BT | 06 | 1,009 | 0.2359 |
| 1026 | 991 | CYF | 43 | 5,496 | 0.2347 |
| 1027 | 235 | CE | 06 | 1,892 | 0.2336 |
| 1028 | 951 | CE | 08 | 1,807 | 0.2313 |
| 1029 | 1010 | PO | 02 | 1,446 | 0.2310 |
| 1030 | 1062 | DN | 04 | 1,732 | 0.2309 |
| 1031 | 236 | SO | 43 | 5,428 | 0.2299 |
| 1032 | 467 | DH | 04 | 2,388 | 0.2291 |
| 1033 | 1097 | DR | 05 | 2,626 | 0.2285 |
| 1034 | 383 | CE | 07 | 1,513 | 0.2280 |
| 1035 | 157 | WO | 06 | 1,483 | 0.2279 |
| 1036 | 1303 | ED | 01 | 1,735 | 0.2277 |
| 1037 | 1046 | IND | 01 | 22 | 0.2273 |
| 1038 | 956 | FD | 07 | 1,001 | 0.2248 |
| 1039 | 337 | BR | 02 | 853 | 0.2239 |
| 1040 | 1115 | AI | 06 | 108 | 0.2222 |
| 1041 | 10 | ST | 06 | 934 | 0.2216 |
| 1042 | 501 | HT | 03 | 339 | 0.2212 |
| 1043 | 419 | EU | 04 | 245 | 0.2204 |
| 1044 | 171 | KL | 41 | 3,539 | 0.2204 |
| 1045 | 944 | NS | 04 | 1,515 | 0.2165 |
| 1046 | 815 | GG | 10 | 1,800 | 0.2150 |
| 1047 | 412 | GE | 43 | 4,419 | 0.2143 |
| 1048 | 1011 | LK | 10 | 2,325 | 0.2138 |
| 1049 | 1023 | BT | 03 | 1,606 | 0.2136 |
| 1050 | 1299 | CK | 06 | 880 | 0.2136 |
| 1051 | 160 | RS | 06 | 164 | 0.2134 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIFI Ranking | 2005 SAIFI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIFI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 1052 | 475 | CRB | 43 | 3,984 | 0.2131 |
| 1053 | 988 | TO | 01 | 1,684 | 0.2126 |
| 1054 | 855 | UL | 49 | 334 | 0.2126 |
| 1055 | 800 | EL | 08 | 1,213 | 0.2119 |
| 1056 | 898 | BR | 03 | 2,297 | 0.2116 |
| 1057 | 158 | ADK | 45 | 1,684 | 0.2108 |
| 1058 | 806 | EC | 06 | 631 | 0.2108 |
| 1059 | 1104 | IM | 47 | 760 | 0.2105 |
| 1060 | 821 | BR | 13 | 1,071 | 0.2092 |
| 1061 | 926 | CB | 11 | 2,365 | 0.2089 |
| 1062 | 901 | HY | 13 | 398 | 0.2085 |
| 1063 | 204 | FD | 02 | 1,737 | 0.2084 |
| 1064 | 955 | EL | 10 | 921 | 0.2074 |
| 1065 | 187 | HE | 03 | 1,202 | 0.2072 |
| 1066 | 23 | ST | 05 | 1,187 | 0.2064 |
| 1067 | 889 | KW | 46 | 3,191 | 0.2059 |
| 1068 | 415 | WI | 07 | 1,290 | 0.2031 |
| 1069 | 1181 | CR | 06 | 670 | 0.2030 |
| 1070 | 1003 | CK | 03 | 843 | 0.2028 |
| 1071 | 376 | FD | 03 | 1,026 | 0.2027 |
| 1072 | 391 | DN | 05 | 691 | 0.2026 |
| 1073 | 1136 | KT | 41 | 2,831 | 0.2024 |
| 1074 | 221 | FZ | 42 | 6,190 | 0.2015 |
| 1075 | 787 | TB | 46 | 4,231 | 0.2004 |
| 1076 | 1058 | IND | 04 | 35 | 0.2000 |
| 1077 | NEW | VL | 05 | 10 | 0.2000 |
| 1078 | 612 | WW | 04 | 916 | 0.1998 |
| 1079 | 507 | CD | 01 | 1,547 | 0.1991 |
| 1080 | 706 | KB | 11 | 392 | 0.1990 |
| 1081 | 1021 | BM | 01 | 623 | 0.1958 |
| 1082 | 449 | BA | 03 | 1,152 | 0.1953 |
| 1083 | 465 | THW | 42 | 4,584 | 0.1948 |
| 1084 | 1234 | CA | 04 | 972 | 0.1944 |
| 1085 | 1270 | BI | 45 | 3,549 | 0.1939 |
| 1086 | 870 | CL | 03 | 2,206 | 0.1936 |
| 1087 | 892 | GL | 02 | 140 | 0.1929 |
| 1088 | 528 | WZ | 47 | 4,818 | 0.1918 |
| 1089 | 1220 | GS | 29 | 287 | 0.1916 |
| 1090 | 485 | KT | 04 | 530 | 0.1906 |
| 1091 | 697 | HV | 02 | 332 | 0.1898 |
| 1092 | 220 | UL | 41 | 2,634 | 0.1898 |
| 1093 | 1152 | ST | 12 | 961 | 0.1894 |
| 1094 | 1143 | ST | 03 | 1,167 | 0.1885 |
| 1095 | 1244 | KB | 19 | 1,089 | 0.1882 |
| 1096 | 729 | FD | 09 | 2,589 | 0.1881 |
| 1097 | 759 | BU | 02 | 117 | 0.1880 |
| 1098 | 543 | GT | 03 | 165 | 0.1879 |
| 1099 | 210 | BT | 01 | 1,159 | 0.1855 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIFI Ranking | 2005 SAIFI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIFI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 1100 | 1254 | CL | 04 | 54 | 0.1852 |
| 1101 | 198 | HB | 47 | 1,448 | 0.1851 |
| 1102 | 738 | UL | 15 | 602 | 0.1844 |
| 1103 | 1232 | FT | 08 | 761 | 0.1840 |
| 1104 | 987 | SIE | 42 | 3,089 | 0.1839 |
| 1105 | 49 | LA | 02 | 1,672 | 0.1830 |
| 1106 | 1149 | CK | 04 | 1,427 | 0.1829 |
| 1107 | 1125 | AN | 05 | 1,644 | 0.1825 |
| 1108 | NEW | KT | 47 | 2,972 | 0.1817 |
| 1109 | 1184 | OA | 06 | 1,596 | 0.1817 |
| 1110 | 342 | ST | 01 | 985 | 0.1797 |
| 1111 | 862 | FD | 08 | 2,747 | 0.1787 |
| 1112 | 196 | STW | 03 | 610 | 0.1787 |
| 1113 | 1146 | JP | 03 | 28 | 0.1786 |
| 1114 | 455 | AF | 07 | 1,546 | 0.1785 |
| 1115 | 1134 | UL | 03 | 1,294 | 0.1785 |
| 1116 | 735 | NS | 02 | 1,579 | 0.1773 |
| 1117 | 1269 | HY | 02 | 1,591 | 0.1772 |
| 1118 | 1315 | GP | 09 | 51 | 0.1765 |
| 1119 | 558 | GL | 03 | 193 | 0.1762 |
| 1120 | 902 | STF | 08 | 341 | 0.1760 |
| 1121 | 396 | THW | 41 | 4,451 | 0.1759 |
| 1122 | 1212 | JN | 05 | 1,697 | 0.1756 |
| 1123 | 831 | DH | 07 | 1,282 | 0.1755 |
| 1124 | 1242 | SF | 01 | 667 | 0.1754 |
| 1125 | 813 | CA | 06 | 594 | 0.1751 |
| 1126 | 1091 | HP | 02 | 1,349 | 0.1749 |
| 1127 | 1045 | TE | 02 | 213 | 0.1737 |
| 1128 | 1070 | DL | 45 | 3,432 | 0.1734 |
| 1129 | 791 | SF | 13 | 812 | 0.1724 |
| 1130 | 941 | AN | 07 | 817 | 0.1714 |
| 1131 | 844 | DN | 06 | 1,031 | 0.1707 |
| 1132 | 1241 | HY | 07 | 1,039 | 0.1704 |
| 1133 | 197 | JN | 11 | 1,759 | 0.1688 |
| 1134 | 1264 | DV | 07 | 791 | 0.1681 |
| 1135 | 130 | AF | 10 | 982 | 0.1680 |
| 1136 | 561 | UN | 02 | 900 | 0.1678 |
| 1137 | 1006 | HOC | 04 | 1,432 | 0.1676 |
| 1138 | 857 | CD | 10 | 1,149 | 0.1671 |
| 1139 | 986 | PO | 05 | 1,326 | 0.1667 |
| 1140 | 1026 | UV | 04 | 868 | 0.1659 |
| 1141 | 1116 | CE | 01 | 1,716 | 0.1649 |
| 1142 | 605 | SH | 02 | 1,746 | 0.1638 |
| 1143 | 523 | HE | 06 | 2,475 | 0.1628 |
| 1144 | 225 | LP | 03 | 1,053 | 0.1624 |
| 1145 | 615 | ST | 11 | 1,164 | 0.1607 |
| 1146 | 517 | IM | 41 | 1,389 | 0.1605 |
| 1147 | 151 | AI | 07 | 75 | 0.1600 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIFI Ranking | 2005 SAIFI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIFI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 1148 | 1243 | BT | 02 | 1,815 | 0.1598 |
| 1149 | 1155 | ME | 05 | 1,626 | 0.1581 |
| 1150 | 1225 | EU | 07 | 1,526 | 0.1579 |
| 1151 | 1101 | SH | 09 | 977 | 0.1576 |
| 1152 | 1031 | WO | 08 | 880 | 0.1568 |
| 1153 | 908 | LU | 04 | 1,321 | 0.1567 |
| 1154 | 690 | EL | 04 | 742 | 0.1563 |
| 1155 | 783 | MID | 01 | 457 | 0.1554 |
| 1156 | 555 | BW | 05 | 1,338 | 0.1540 |
| 1157 | 1298 | SR | 03 | 383 | 0.1540 |
| 1158 | 397 | FT | 02 | 1,853 | 0.1538 |
| 1159 | 1071 | DV | 02 | 1,904 | 0.1534 |
| 1160 | 1167 | ED | 02 | 1,446 | 0.1521 |
| 1161 | 357 | CD | 12 | 1,398 | 0.1509 |
| 1162 | 911 | CL | 06 | 505 | 0.1505 |
| 1163 | 617 | WI | 44 | 4,076 | 0.1504 |
| 1164 | 510 | BI | 04 | 454 | 0.1498 |
| 1165 | 250 | KI | 45 | 2,845 | 0.1487 |
| 1166 | 477 | NM | 03 | 1,660 | 0.1482 |
| 1167 | 1004 | KT | 01 | 223 | 0.1480 |
| 1168 | 934 | WZ | 41 | 3,974 | 0.1480 |
| 1169 | 896 | KN | 05 | 1,819 | 0.1479 |
| 1170 | 648 | BZ | 01 | 1,522 | 0.1478 |
| 1171 | 788 | WE | 02 | 1,394 | 0.1478 |
| 1172 | 536 | JN | 08 | 1,252 | 0.1446 |
| 1173 | 578 | PK | 47 | 14 | 0.1429 |
| 1174 | 1165 | WO | 07 | 1,870 | 0.1417 |
| 1175 | 1185 | BW | 07 | 1,983 | 0.1412 |
| 1176 | 153 | WR | 14 | 362 | 0.1409 |
| 1177 | 1224 | EU | 11 | 2,141 | 0.1406 |
| 1178 | 1266 | KB | 10 | 498 | 0.1406 |
| 1179 | 1159 | SF | 05 | 421 | 0.1401 |
| 1180 | 793 | EU | 12 | 72 | 0.1389 |
| 1181 | 521 | WEB | 04 | 635 | 0.1386 |
| 1182 | 1195 | DN | 08 | 1,026 | 0.1384 |
| 1183 | 1105 | RS | 07 | 362 | 0.1381 |
| 1184 | 105 | WZ | 42 | 3,679 | 0.1375 |
| 1185 | 1189 | WW | 09 | 1,786 | 0.1361 |
| 1186 | 747 | NB | 41 | 5,815 | 0.1355 |
| 1187 | 627 | MAR | 43 | 3,251 | 0.1347 |
| 1188 | 597 | SH | 05 | 2,267 | 0.1328 |
| 1189 | 1272 | HM | 08 | 1,017 | 0.1327 |
| 1190 | 1160 | SR | 09 | 68 | 0.1324 |
| 1191 | 154 | GL | 08 | 1,238 | 0.1317 |
| 1192 | 1256 | UV | 03 | 907 | 0.1312 |
| 1193 | 1114 | EL | 09 | 649 | 0.1310 |
| 1194 | 1277 | UW | 04 | 703 | 0.1309 |
| 1195 | 1199 | IND | 03 | 39 | 0.1282 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIFI Ranking | 2005 SAIFI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIFI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 1196 | 685 | KT | 46 | 195 | 0.1282 |
| 1197 | 1154 | FT | 06 | 898 | 0.1269 |
| 1198 | 526 | ST | 02 | 1,785 | 0.1266 |
| 1199 | 1193 | CR | 07 | 87 | 0.1264 |
| 1200 | 1088 | KN | 02 | 1,079 | 0.1260 |
| 1201 | 246 | NB | 45 | 2,264 | 0.1259 |
| 1202 | 1119 | CB | 09 | 1,734 | 0.1251 |
| 1203 | 163 | MC | 03 | 1,101 | 0.1244 |
| 1204 | 178 | SA | 41 | 1,403 | 0.1240 |
| 1205 | 1110 | GT | 05 | 1,996 | 0.1237 |
| 1206 | 1173 | RO | 07 | 2,234 | 0.1222 |
| 1207 | 826 | RA | 41 | 4,141 | 0.1217 |
| 1208 | 979 | GT | 01 | 865 | 0.1214 |
| 1209 | 1170 | RO | 01 | 3,348 | 0.1213 |
| 1210 | 1218 | BW | 01 | 33 | 0.1212 |
| 1211 | 1268 | CYF | 42 | 5,892 | 0.1207 |
| 1212 | 451 | TV | 03 | 1,408 | 0.1207 |
| 1213 | 1261 | WI | 03 | 267 | 0.1199 |
| 1214 | 1253 | BM | 02 | 111 | 0.1171 |
| 1215 | 953 | TO | 04 | 489 | 0.1166 |
| 1216 | 1217 | PO | 08 | 1,813 | 0.1164 |
| 1217 | 998 | WW | 03 | 2,187 | 0.1161 |
| 1218 | 1255 | DV | 11 | 1,092 | 0.1145 |
| 1219 | 184 | PO | 04 | 1,112 | 0.1142 |
| 1220 | 647 | DN | 09 | 97 | 0.1134 |
| 1221 | 189 | HE | 11 | 1,344 | 0.1131 |
| 1222 | 1267 | UL | 48 | 2,056 | 0.1124 |
| 1223 | 913 | BI | 05 | 705 | 0.1121 |
| 1224 | 1192 | MC | 06 | 759 | 0.1120 |
| 1225 | 169 | SA | 44 | 2,955 | 0.1117 |
| 1226 | 1056 | MID | 03 | 985 | 0.1107 |
| 1227 | 267 | CD | 08 | 1,525 | 0.1095 |
| 1228 | 1226 | JN | 10 | 2,842 | 0.1094 |
| 1229 | 139 | ADK | 46 | 952 | 0.1092 |
| 1230 | 208 | GS | 22 | 1,360 | 0.1088 |
| 1231 | 1295 | HP | 01 | 959 | 0.1074 |
| 1232 | 839 | MC | 04 | 1,243 | 0.1070 |
| 1233 | 76 | HY | 10 | 2,057 | 0.1065 |
| 1234 | 686 | NB | 44 | 245 | 0.1061 |
| 1235 | 544 | WF | 03 | 574 | 0.1045 |
| 1236 | 574 | GP | 02 | 29 | 0.1034 |
| 1237 | 205 | PO | 07 | 916 | 0.1026 |
| 1238 | 676 | FD | 13 | 1,026 | 0.1023 |
| 1239 | 436 | ST | 15 | 1,077 | 0.1012 |
| 1240 | 1208 | UV | 01 | 685 | 0.1007 |
| 1241 | 223 | MB | 08 | 777 | 0.1004 |
| 1242 | 1215 | RO | 41 | 1,361 | 0.0985 |
| 1243 | 875 | BR | 12 | 685 | 0.0964 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIFI Ranking | 2005 SAIFI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIFI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 1244 | 1137 | FD | 01 | 1,961 | 0.0959 |
| 1245 | 1037 | GL | 10 | 1,116 | 0.0959 |
| 1246 | 1166 | MAR | 41 | 3,624 | 0.0952 |
| 1247 | 571 | BA | 42 | 4,867 | 0.0945 |
| 1248 | 494 | CL | 08 | 85 | 0.0941 |
| 1249 | 1183 | BR | 14 | 783 | 0.0932 |
| 1250 | 922 | HK | 41 | 97 | 0.0928 |
| 1251 | 248 | RO | 43 | 1,530 | 0.0902 |
| 1252 | 978 | MY | 01 | 2,280 | 0.0868 |
| 1253 | 492 | GT | 09 | 1,156 | 0.0865 |
| 1254 | 580 | CR | 08 | 1,942 | 0.0855 |
| 1255 | NEW | KI | 47 | 5,070 | 0.0832 |
| 1256 | 893 | SE | 03 | 709 | 0.0832 |
| 1257 | 1276 | HL | 02 | 97 | 0.0825 |
| 1258 | 882 | KN | 06 | 2,793 | 0.0823 |
| 1259 | 582 | HP | 05 | 2,123 | 0.0787 |
| 1260 | 1179 | NM | 05 | 3,154 | 0.0770 |
| 1261 | 480 | KT | 44 | 2,043 | 0.0744 |
| 1262 | 630 | MB | 04 | 27 | 0.0741 |
| 1263 | NEW | HP | 06 | 460 | 0.0739 |
| 1264 | 535 | UL | 13 | 3,232 | 0.0730 |
| 1265 | 1216 | HY | 04 | 1,657 | 0.0712 |
| 1266 | 527 | EU | 08 | 245 | 0.0694 |
| 1267 | 1304 | BI | 43 | 419 | 0.0692 |
| 1268 | 328 | FL | 43 | 3,263 | 0.0683 |
| 1269 | 470 | UL | 09 | 868 | 0.0680 |
| 1270 | 984 | AI | 05 | 104 | 0.0673 |
| 1271 | 1164 | BR | 06 | 15 | 0.0667 |
| 1272 | 774 | EC | 12 | 485 | 0.0660 |
| 1273 | 1271 | TV | 05 | 61 | 0.0656 |
| 1274 | 1227 | DN | 11 | 2,427 | 0.0647 |
| 1275 | 1325 | JP | 04 | 31 | 0.0645 |
| 1276 | 540 | CYF | 45 | 5,312 | 0.0619 |
| 1277 | 1186 | WEB | 06 | 572 | 0.0594 |
| 1278 | 516 | GG | 02 | 2,981 | 0.0567 |
| 1279 | 557 | EU | 06 | 307 | 0.0554 |
| 1280 | 201 | IT | 42 | 74 | 0.0541 |
| 1281 | 1235 | MDY | 02 | 388 | 0.0541 |
| 1282 | 863 | NM | 02 | 3,178 | 0.0532 |
| 1283 | 1205 | HG | 08 | 19 | 0.0526 |
| 1284 | 289 | BG | 01 | 1,540 | 0.0513 |
| 1285 | 1335 | UL | 14 | 60 | 0.0500 |
| 1286 | 887 | DV | 06 | 1,452 | 0.0482 |
| 1287 | 1106 | HT | 05 | 874 | 0.0481 |
| 1288 | 1048 | HOC | 06 | 200 | 0.0450 |
| 1289 | 193 | WI | 43 | 5,503 | 0.0449 |
| 1290 | 1239 | DL | 44 | 4,401 | 0.0445 |
| 1291 | 999 | CR | 02 | 68 | 0.0441 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIFI Ranking | 2005 SAIFI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIFI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 1292 | 819 | BI | 42 | 1,353 | 0.0436 |
| 1293 | 1285 | MID | 02 | 776 | 0.0412 |
| 1294 | 551 | FZ | 47 | 5,121 | 0.0410 |
| 1295 | 1130 | CA | 05 | 795 | 0.0390 |
| 1296 | 1079 | GR | 01 | 26 | 0.0385 |
| 1297 | 1317 | GR | 04 | 26 | 0.0385 |
| 1298 | 1284 | JN | 01 | 2,310 | 0.0377 |
| 1299 | 212 | UL | 16 | 481 | 0.0374 |
| 1300 | 1100 | SF | 14 | 2,066 | 0.0358 |
| 1301 | NEW | WEB | 11 | 1,284 | 0.0358 |
| 1302 | 479 | EU | 02 | 142 | 0.0352 |
| 1303 | 1252 | KN | 01 | 981 | 0.0347 |
| 1304 | 1238 | GT | 10 | 1,018 | 0.0334 |
| 1305 | 1158 | CB | 04 | 1,667 | 0.0330 |
| 1306 | 1278 | HA | 06 | 1,360 | 0.0309 |
| 1307 | 324 | HT | 06 | 1,864 | 0.0306 |
| 1308 | 1300 | SF | 43 | 599 | 0.0301 |
| 1309 | NEW | HOC | 09 | 2,373 | 0.0299 |
| 1310 | 1259 | EC | 10 | 343 | 0.0292 |
| 1311 | 1297 | SH | 10 | 1,280 | 0.0281 |
| 1312 | 1246 | WZ | 48 | 1,372 | 0.0219 |
| 1313 | 1333 | SF | 12 | 50 | 0.0200 |
| 1314 | 1280 | GN | 11 | 404 | 0.0198 |
| 1315 | 563 | ED | 05 | 626 | 0.0176 |
| 1316 | 1286 | WO | 10 | 300 | 0.0167 |
| 1317 | 1290 | BG | 04 | 1,419 | 0.0141 |
| 1318 | 1302 | KB | 17 | 993 | 0.0141 |
| 1319 | 562 | HT | 04 | 428 | 0.0140 |
| 1320 | 1015 | TE | 05 | 667 | 0.0105 |
| 1321 | 493 | PJ | 01 | 214 | 0.0093 |
| 1322 | 1291 | SF | 08 | 117 | 0.0085 |
| 1323 | 1273 | SF | 07 | 883 | 0.0068 |
| 1324 | 1279 | UL | 04 | 1,057 | 0.0066 |
| 1325 | 1190 | HE | 09 | 466 | 0.0064 |
| 1326 | 1334 | SF | 45 | 936 | 0.0053 |
| 1327 | 1301 | KB | 18 | 714 | 0.0042 |
| 1328 | 573 | BI | 01 | 360 | 0.0028 |
| 1329 | 1293 | HV | 05 | 706 | 0.0014 |
| 1330 | 966 | BI | 10 | 18 | 0.0000 |
| 1331 | NEW | BI | 47 | 393 | 0.0000 |
| 1332 | 548 | DT | 17 | 20 | 0.0000 |
| 1333 | 1305 | DT | 19 | 14 | 0.0000 |
| 1334 | 1306 | DT | 24 | 24 | 0.0000 |
| 1335 | NEW | DT | 25 | 10 | 0.0000 |
| 1336 | 1307 | DT | 26 | 51 | 0.0000 |
| 1337 | NEW | DT | 33 | 10 | 0.0000 |
| 1338 | 1309 | GG | 05 | 11 | 0.0000 |
| 1339 | 1310 | GN | 13 | 14 | 0.0000 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIFI Ranking | 2005 SAIFI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIFI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 1340 | 1311 | GN | 41 | 18 | 0.0000 |
| 1341 | 1312 | GN | 42 | 20 | 0.0000 |
| 1342 | 1313 | GN | 45 | 22 | 0.0000 |
| 1343 | 1316 | GR | 03 | 33 | 0.0000 |
| 1344 | 1319 | GS | 06 | 257 | 0.0000 |
| 1345 | 1320 | GS | 09 | 105 | 0.0000 |
| 1346 | 1322 | GT | 02 | 164 | 0.0000 |
| 1347 | 1323 | IT | 01 | 97 | 0.0000 |
| 1348 | 1324 | IT | 03 | 13 | 0.0000 |
| 1349 | NEW | JP | 06 | 10 | 0.0000 |
| 1350 | 964 | ME | 08 | 23 | 0.0000 |
| 1351 | 1054 | PK | 02 | 19 | 0.0000 |
| 1352 | 1327 | PK | 41 | 457 | 0.0000 |
| 1353 | 1257 | PK | 42 | 19 | 0.0000 |
| 1354 | 577 | PK | 43 | 65 | 0.0000 |
| 1355 | 1328 | PK | 44 | 13 | 0.0000 |
| 1356 | 1330 | SF | 09 | 220 | 0.0000 |
| 1357 | 1331 | SF | 10 | 93 | 0.0000 |
| 1358 | 1187 | SR | 06 | 67 | 0.0000 |
| 1359 | 1274 | SR | 14 | 183 | 0.0000 |

Service Quality Report to the Public Utility Commission of Texas

Distribution Feeder Indices for Forced Interruptions

List all Distribution Feeders on Texas System

Total Number of Feeders

With More Than 10 Customers (CNP set threshold at 10 or more customers per P 1359)

Add or Delete Rows as Necessary

CenterPoint Energy

| 2006 SAIDI Ranking | 2005 SAIDI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIDI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 1 | 76 | OR | 03 | 210 | 823.5190 |
| 2 | 63 | OR | 01 | 58 | 738.7414 |
| 3 | 191 | STF | 06 | 365 | 673.6712 |
| 4 | 307 | STW | 05 | 1,282 | 580.2785 |
| 5 | 391 | PI | 43 | 3,638 | 566.6377 |
| 6 | 24 | PI | 42 | 3,550 | 462.5068 |
| 7 | 904 | WF | 04 | 580 | 462.3414 |
| 8 | 1190 | PZ | 44 | 2,564 | 456.9165 |
| 9 | 34 | AR | 41 | 1,315 | 451.2221 |
| 10 | 30 | AL | 09 | 1,076 | 444.7035 |
| 11 | 1318 | GS | 02 | 13 | 440.0000 |
| 12 | 1166 | MY | 07 | 1,464 | 413.6728 |
| 13 | 181 | SB | 08 | 1,389 | 410.0518 |
| 14 | 162 | IT | 41 | 18 | 407.0000 |
| 15 | 278 | NP | 41 | 3,264 | 404.3618 |
| 16 | 626 | LW | 42 | 3,199 | 401.7731 |
| 17 | 968 | RS | 03 | 1,441 | 401.0132 |
| 18 | 67 | RA | 42 | 5,869 | 393.9944 |
| 19 | 1080 | BA | 43 | 5,544 | 391.1317 |
| 20 | 662 | MB | 05 | 1,940 | 387.5407 |
| 21 | 15 | PI | 41 | 3,625 | 386.7012 |
| 22 | 940 | DH | 10 | 2,930 | 384.4628 |
| 23 | 136 | FR | 42 | 2,941 | 383.5889 |
| 24 | 77 | FW | 05 | 271 | 382.9557 |
| 25 | 680 | MB | 06 | 316 | 381.8481 |
| 26 | 540 | GN | 09 | 707 | 375.7624 |
| 27 | 440 | WF | 05 | 979 | 371.6088 |
| 28 | 1155 | PW | 08 | 1,603 | 370.6663 |
| 29 | 262 | PI | 44 | 4,960 | 365.4044 |
| 30 | 206 | EU | 05 | 811 | 359.1554 |
| 31 | NEW | STW | 06 | 1,109 | 352.9017 |
| 32 | 505 | AD | 04 | 2,281 | 348.5160 |
| 33 | 437 | TWG | 43 | 5,449 | 348.4324 |
| 34 | 304 | THW | 48 | 5,575 | 347.5141 |
| 35 | 264 | VL | 04 | 2,044 | 346.5284 |
| 36 | 935 | KL | 45 | 5,034 | 342.3552 |
| 37 | 635 | PZ | 42 | 591 | 340.2420 |
| 38 | 180 | SE | 04 | 914 | 336.5449 |
| 39 | 22 | AE | 06 | 1,110 | 336.4234 |
| 40 | 1255 | PK | 45 | 31 | 333.0645 |
| 41 | 511 | GZ | 45 | 7,683 | 325.2922 |
| 42 | 797 | AM | 06 | 1,929 | 317.5775 |
| 43 | 802 | DA | 04 | 761 | 314.5414 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIDI Ranking | 2005 SAIDI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIDI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 44 | 863 | LU | 01 | 686 | 314.1137 |
| 45 | 923 | ME | 04 | 1,536 | 311.7858 |
| 46 | 406 | KDL | 41 | 2,635 | 308.1727 |
| 47 | 202 | AR | 42 | 5,750 | 307.5254 |
| 48 | 683 | KW | 41 | 3,174 | 306.8352 |
| 49 | 75 | EB | 05 | 791 | 305.0076 |
| 50 | 47 | HX | 03 | 767 | 303.0183 |
| 51 | 1024 | ME | 02 | 889 | 302.1845 |
| 52 | 355 | NEW | 03 | 286 | 295.5280 |
| 53 | 506 | TWG | 42 | 4,884 | 294.6953 |
| 54 | 367 | BAR | 44 | 4,915 | 293.5139 |
| 55 | NEW | PI | 46 | 4,284 | 293.1123 |
| 56 | 518 | WT | 11 | 290 | 292.4828 |
| 57 | 424 | AV | 03 | 806 | 291.9578 |
| 58 | 688 | VL | 02 | 757 | 288.0106 |
| 59 | 606 | CE | 10 | 1,484 | 287.1772 |
| 60 | 426 | GL | 01 | 2,163 | 285.8183 |
| 61 | 70 | BV | 41 | 474 | 283.5485 |
| 62 | 836 | BI | 11 | 462 | 282.4221 |
| 63 | 794 | RU | 05 | 2,589 | 282.3519 |
| 64 | 895 | PJ | 04 | 1,603 | 280.5702 |
| 65 | 656 | HE | 08 | 2,115 | 280.1697 |
| 66 | 33 | GG | 07 | 1,699 | 279.7016 |
| 67 | 1112 | CL | 09 | 451 | 278.4390 |
| 68 | 951 | KG | 41 | 2,464 | 277.1282 |
| 69 | NEW | STW | 07 | 1,696 | 276.6285 |
| 70 | 227 | RA | 03 | 916 | 275.5939 |
| 71 | 1172 | BM | 05 | 693 | 274.1270 |
| 72 | 292 | MB | 10 | 1,439 | 271.5247 |
| 73 | 259 | HB | 46 | 5,524 | 271.1229 |
| 74 | 494 | KL | 43 | 4,591 | 270.4687 |
| 75 | 306 | AR | 44 | 4,171 | 269.9892 |
| 76 | 320 | TO | 10 | 2,198 | 266.0914 |
| 77 | 859 | GP | 08 | 1,588 | 265.7714 |
| 78 | 558 | SA | 48 | 1,511 | 264.6578 |
| 79 | 666 | RB | 01 | 164 | 264.2866 |
| 80 | 735 | DV | 01 | 571 | 261.0701 |
| 81 | 668 | HG | 05 | 324 | 259.1358 |
| 82 | 893 | HV | 06 | 1,372 | 256.4082 |
| 83 | 360 | GE | 45 | 6,850 | 255.6936 |
| 84 | 387 | PW | 03 | 2,160 | 255.4083 |
| 85 | 253 | WA | 43 | 1,442 | 254.6602 |
| 86 | 710 | LP | 04 | 1,292 | 250.4683 |
| 87 | 135 | HK | 05 | 686 | 250.1749 |
| 88 | 198 | HB | 48 | 2,762 | 249.9091 |
| 89 | 454 | TV | 02 | 990 | 249.7040 |
| 90 | 57 | OR | 02 | 1,177 | 248.6032 |
| 91 | 86 | UN | 01 | 1,057 | 248.4201 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIDI Ranking | 2005 SAIDI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIDI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 92 | 89 | TB | 47 | 1,824 | 248.2670 |
| 93 | 917 | SR | 13 | 1,090 | 247.3633 |
| 94 | 1246 | SA | 42 | 3,418 | 247.2074 |
| 95 | 88 | STW | 04 | 809 | 246.5612 |
| 96 | 294 | SF | 15 | 388 | 246.2371 |
| 97 | 331 | UN | 03 | 1,642 | 244.8624 |
| 98 | 114 | LK | 09 | 911 | 244.6312 |
| 99 | 786 | BH | 07 | 2,369 | 239.8565 |
| 100 | 1073 | ME | 06 | 877 | 239.0285 |
| 101 | 483 | CC | 01 | 2,349 | 238.2035 |
| 102 | 657 | BAR | 42 | 4,573 | 238.0356 |
| 103 | 513 | SW | 10 | 2,287 | 236.9672 |
| 104 | 182 | AM | 04 | 1,156 | 236.2535 |
| 105 | 246 | AT | 41 | 2,305 | 235.1488 |
| 106 | 480 | WI | 42 | 3,502 | 235.0814 |
| 107 | 604 | DH | 02 | 1,591 | 234.9862 |
| 108 | 971 | AF | 05 | 1,747 | 231.8220 |
| 109 | 52 | GP | 06 | 1,563 | 230.4242 |
| 110 | 267 | WL | 02 | 467 | 229.8587 |
| 111 | 478 | SO | 41 | 7,916 | 229.2065 |
| 112 | 1288 | SR | 01 | 695 | 228.4978 |
| 113 | 625 | HOC | 08 | 1,231 | 227.4216 |
| 114 | 1079 | LU | 41 | 5,506 | 226.2485 |
| 115 | 496 | BU | 01 | 611 | 225.4370 |
| 116 | 902 | ED | 06 | 2,339 | 224.8713 |
| 117 | 773 | EC | 03 | 579 | 224.3748 |
| 118 | 755 | FM | 02 | 242 | 224.3347 |
| 119 | 707 | SW | 05 | 1,116 | 224.3306 |
| 120 | 177 | KI | 46 | 2,363 | 224.0741 |
| 121 | 21 | AE | 05 | 413 | 224.0605 |
| 122 | 471 | WF | 41 | 6,931 | 222.0615 |
| 123 | 257 | KDL | 43 | 4,809 | 219.6080 |
| 124 | 5 | FM | 01 | 761 | 219.5138 |
| 125 | 1148 | TRN | 01 | 1,206 | 219.3275 |
| 126 | 775 | GV | 05 | 287 | 218.2439 |
| 127 | 7 | WT | 08 | 215 | 217.9395 |
| 128 | 27 | LK | 01 | 1,318 | 217.7921 |
| 129 | 185 | ADK | 43 | 2,114 | 217.7862 |
| 130 | 700 | BY | 02 | 1,482 | 217.4285 |
| 131 | 708 | LM | 04 | 1,341 | 217.2192 |
| 132 | 411 | SH | 03 | 1,908 | 217.0928 |
| 133 | 36 | NP | 44 | 3,103 | 214.0126 |
| 134 | 451 | BL | 03 | 1,247 | 213.1724 |
| 135 | 1250 | IND | 02 | 17 | 212.4706 |
| 136 | 896 | DH | 06 | 1,398 | 212.3155 |
| 137 | 433 | DV | 03 | 854 | 211.9859 |
| 138 | 1111 | DR | 07 | 1,297 | 211.9082 |
| 139 | 609 | WE | 07 | 392 | 211.0510 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIDI Ranking | 2005 SAIDI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIDI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 140 | 1002 | DH | 08 | 2,066 | 210.3049 |
| 141 | 620 | QV | 05 | 1,443 | 209.8947 |
| 142 | 527 | BW | 09 | 61 | 209.7541 |
| 143 | 84 | KG | 42 | 3,659 | 209.4889 |
| 144 | 1094 | UV | 05 | 1,059 | 207.2229 |
| 145 | 434 | GN | 10 | 1,693 | 206.7354 |
| 146 | 144 | KL | 42 | 4,220 | 203.0114 |
| 147 | 237 | SW | 06 | 1,544 | 202.2481 |
| 148 | 1089 | BR | 10 | 777 | 200.3900 |
| 149 | 269 | PI | 45 | 3,734 | 199.9336 |
| 150 | 11 | LV | 03 | 1,078 | 199.8618 |
| 151 | 153 | VL | 03 | 1,348 | 198.9688 |
| 152 | 291 | ES | 05 | 2,176 | 198.8888 |
| 153 | 68 | RZ | 01 | 1,011 | 197.1385 |
| 154 | 96 | KW | 42 | 3,916 | 196.7074 |
| 155 | 10 | HK | 04 | 1,285 | 196.6475 |
| 156 | 296 | ES | 06 | 1,921 | 194.8568 |
| 157 | 500 | NB | 42 | 323 | 194.0433 |
| 158 | 757 | OA | 07 | 739 | 193.1313 |
| 159 | 165 | IM | 42 | 1,764 | 192.5856 |
| 160 | 438 | MC | 05 | 1,658 | 191.7328 |
| 161 | 988 | SR | 07 | 69 | 191.2319 |
| 162 | 502 | CS | 02 | 1,361 | 190.2623 |
| 163 | 790 | SA | 43 | 1,130 | 189.9230 |
| 164 | NEW | BL | 09 | 1,398 | 188.6781 |
| 165 | 127 | HB | 44 | 5,548 | 188.0856 |
| 166 | 472 | FD | 04 | 1,118 | 187.8775 |
| 167 | 630 | HL | 04 | 327 | 187.2661 |
| 168 | 1176 | TO | 03 | 391 | 186.7008 |
| 169 | 143 | RO | 42 | 3,499 | 186.5422 |
| 170 | 473 | TWG | 45 | 4,363 | 186.5056 |
| 171 | 138 | MV | 01 | 1,899 | 186.0832 |
| 172 | 289 | GA | 01 | 27 | 186.0741 |
| 173 | 861 | KL | 46 | 4,255 | 185.3692 |
| 174 | 489 | HNY | 04 | 1,317 | 183.8717 |
| 175 | 3 | LC | 01 | 472 | 181.4703 |
| 176 | 444 | EB | 06 | 1,504 | 181.3876 |
| 177 | 2 | PT | 07 | 461 | 180.9610 |
| 178 | 59 | LA | 01 | 1,447 | 180.6628 |
| 179 | 1285 | THW | 43 | 1,989 | 180.6104 |
| 180 | 1072 | ST | 14 | 566 | 180.3905 |
| 181 | 74 | DA | 05 | 577 | 180.3640 |
| 182 | 847 | ME | 07 | 1,210 | 178.2306 |
| 183 | 73 | FR | 46 | 3,645 | 178.2230 |
| 184 | 60 | BA | 46 | 4,344 | 178.0285 |
| 185 | 799 | UW | 02 | 2,111 | 177.1435 |
| 186 | 17 | LK | 07 | 1,032 | 176.4302 |
| 187 | 636 | AD | 10 | 708 | 175.9308 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIDI Ranking | 2005 SAIDI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIDI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 188 | 366 | THW | 45 | 5,618 | 175.1851 |
| 189 | 344 | TO | 07 | 1,324 | 174.7591 |
| 190 | 120 | LU | 43 | 1,733 | 174.6232 |
| 191 | 643 | FT | 04 | 1,678 | 174.2598 |
| 192 | 42 | LV | 01 | 847 | 173.5431 |
| 193 | 716 | RE | 02 | 1,269 | 173.2151 |
| 194 | 204 | KL | 47 | 2,125 | 173.1478 |
| 195 | 330 | SF | 46 | 1,301 | 172.8878 |
| 196 | 1260 | JN | 07 | 1,682 | 171.6415 |
| 197 | 929 | CB | 01 | 1,554 | 170.9569 |
| 198 | 720 | GN | 12 | 372 | 170.1505 |
| 199 | 907 | ST | 13 | 1,639 | 170.1257 |
| 200 | 225 | NV | 01 | 911 | 169.2162 |
| 201 | 737 | CB | 06 | 883 | 168.6999 |
| 202 | 702 | SCW | 02 | 801 | 168.4744 |
| 203 | 443 | SIE | 41 | 4,256 | 168.3442 |
| 204 | 1132 | AR | 43 | 4,060 | 168.1271 |
| 205 | 482 | KB | 07 | 1,093 | 168.1043 |
| 206 | 999 | KM | 02 | 1,485 | 168.0586 |
| 207 | 118 | WR | 11 | 1,207 | 167.5816 |
| 208 | 894 | RA | 01 | 982 | 167.0886 |
| 209 | 641 | CB | 08 | 668 | 166.8383 |
| 210 | 249 | BV | 42 | 2,804 | 166.7536 |
| 211 | 252 | SE | 41 | 2,195 | 166.7380 |
| 212 | 537 | DH | 09 | 1,913 | 165.7757 |
| 213 | 287 | STF | 07 | 92 | 165.7609 |
| 214 | 133 | LJ | 04 | 813 | 164.5670 |
| 215 | 124 | TO | 08 | 588 | 163.0578 |
| 216 | 723 | CRB | 41 | 3,339 | 163.0554 |
| 217 | 81 | NSH | 03 | 417 | 163.0384 |
| 218 | 607 | HY | 11 | 1,343 | 163.0164 |
| 219 | 377 | TB | 45 | 2,387 | 162.8194 |
| 220 | 777 | IM | 43 | 4,186 | 161.3161 |
| 221 | 1052 | EL | 05 | 1,369 | 160.7896 |
| 222 | 1 | HK | 06 | 533 | 160.1332 |
| 223 | 192 | WE | 05 | 20 | 159.4500 |
| 224 | 618 | PW | 05 | 2,133 | 159.2700 |
| 225 | 102 | TWG | 41 | 6,957 | 158.6363 |
| 226 | 31 | ST | 10 | 906 | 158.1645 |
| 227 | 690 | BH | 08 | 2,422 | 157.2205 |
| 228 | 1109 | KT | 45 | 2,617 | 156.9094 |
| 229 | 1275 | MB | 09 | 1,268 | 156.6585 |
| 230 | 908 | RO | 02 | 2,701 | 156.3499 |
| 231 | 587 | AN | 01 | 768 | 155.5977 |
| 232 | 532 | BAR | 47 | 2,976 | 155.4677 |
| 233 | 1121 | NS | 05 | 2,848 | 154.5867 |
| 234 | 546 | WT | 09 | 263 | 154.4030 |
| 235 | 1178 | OB | 43 | 5,243 | 153.5972 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIDI Ranking | 2005 SAIDI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIDI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 236 | 1076 | BAR | 43 | 4,617 | 153.1618 |
| 237 | 14 | HL | 05 | 952 | 152.9517 |
| 238 | 468 | WC | 01 | 281 | 152.8861 |
| 239 | 29 | FP | 02 | 120 | 152.8250 |
| 240 | 1020 | PA | 07 | 1,575 | 152.7086 |
| 241 | 835 | KW | 43 | 3,069 | 152.2193 |
| 242 | 552 | FL | 42 | 2,978 | 151.7102 |
| 243 | 941 | SB | 03 | 1,696 | 151.0867 |
| 244 | 317 | GL | 05 | 1,628 | 150.4552 |
| 245 | 808 | SF | 47 | 870 | 150.1414 |
| 246 | 1055 | LJ | 06 | 974 | 149.0082 |
| 247 | 250 | HB | 45 | 5,094 | 148.1661 |
| 248 | 1003 | BL | 06 | 1,280 | 147.8438 |
| 249 | 363 | LK | 04 | 1,842 | 147.2302 |
| 250 | 965 | MY | 02 | 891 | 147.0168 |
| 251 | 530 | ME | 03 | 786 | 146.9097 |
| 252 | 301 | LW | 44 | 3,494 | 146.2041 |
| 253 | 80 | GV | 06 | 1,494 | 146.0060 |
| 254 | 695 | CD | 11 | 579 | 145.7599 |
| 255 | 667 | BH | 05 | 906 | 144.4845 |
| 256 | 543 | CV | 05 | 2,631 | 144.4044 |
| 257 | 217 | BW | 08 | 36 | 144.3889 |
| 258 | 350 | GS | 28 | 193 | 143.3316 |
| 259 | 305 | EC | 11 | 721 | 143.1969 |
| 260 | 547 | HB | 04 | 663 | 143.0694 |
| 261 | 64 | GZ | 46 | 4,036 | 142.8764 |
| 262 | 321 | TM | 04 | 397 | 142.6801 |
| 263 | 261 | HV | 04 | 2,227 | 142.6529 |
| 264 | 412 | BR | 05 | 566 | 142.4170 |
| 265 | 717 | BZ | 06 | 2,223 | 142.3945 |
| 266 | 324 | RT | 02 | 492 | 142.0549 |
| 267 | 788 | HL | 06 | 1,651 | 141.8619 |
| 268 | 590 | STF | 01 | 724 | 141.4807 |
| 269 | 1262 | BG | 05 | 386 | 141.2720 |
| 270 | 1130 | FZ | 48 | 3,977 | 141.2069 |
| 271 | 962 | UV | 06 | 1,639 | 141.0891 |
| 272 | 40 | KL | 48 | 4,771 | 140.6336 |
| 273 | 750 | RE | 05 | 1,604 | 140.6141 |
| 274 | 616 | HK | 42 | 5,389 | 140.4441 |
| 275 | 901 | AL | 10 | 1,970 | 139.6954 |
| 276 | 792 | NM | 01 | 938 | 138.8923 |
| 277 | 13 | GW | 02 | 1,658 | 138.8842 |
| 278 | 100 | CRB | 45 | 3,311 | 138.8324 |
| 279 | 48 | WL | 42 | 1,016 | 138.4764 |
| 280 | 1078 | PO | 01 | 891 | 137.8687 |
| 281 | 398 | GE | 46 | 4,100 | 137.6056 |
| 282 | 1201 | FL | 44 | 4,468 | 137.4188 |
| 283 | 56 | LV | 02 | 356 | 137.1348 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIDI Ranking | 2005 SAIDI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIDI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 284 | 383 | QV | 04 | 1,326 | 136.7986 |
| 285 | 780 | ADK | 44 | 684 | 136.7880 |
| 286 | 371 | CYF | 44 | 5,536 | 136.7034 |
| 287 | 800 | GW | 01 | 2,467 | 136.6109 |
| 288 | 1047 | AD | 11 | 1,253 | 136.5994 |
| 289 | 1005 | CE | 03 | 1,611 | 136.3749 |
| 290 | 83 | WA | 42 | 1,246 | 136.0770 |
| 291 | 503 | CRB | 46 | 3,991 | 135.9764 |
| 292 | 619 | LK | 02 | 2,135 | 135.7049 |
| 293 | 123 | RT | 01 | 255 | 134.1098 |
| 294 | 739 | DA | 06 | 434 | 133.2442 |
| 295 | 1090 | TV | 04 | 1,648 | 133.1796 |
| 296 | 28 | MV | 02 | 842 | 132.9382 |
| 297 | 199 | QV | 02 | 1,032 | 132.3207 |
| 298 | 747 | KB | 20 | 751 | 132.2690 |
| 299 | 300 | FD | 15 | 2,651 | 131.9532 |
| 300 | 815 | AD | 01 | 642 | 131.9424 |
| 301 | 785 | CD | 03 | 1,374 | 131.8952 |
| 302 | 1025 | CB | 10 | 1,430 | 131.6923 |
| 303 | 218 | CD | 04 | 1,758 | 131.4050 |
| 304 | 254 | RB | 02 | 149 | 131.2483 |
| 305 | 817 | UV | 07 | 975 | 131.0677 |
| 306 | 1154 | AF | 03 | 2,113 | 131.0322 |
| 307 | 945 | CS | 03 | 1,817 | 130.9246 |
| 308 | 108 | LY | 44 | 3,163 | 130.3993 |
| 309 | 754 | SF | 03 | 602 | 130.0183 |
| 310 | 811 | LJ | 03 | 1,492 | 129.4933 |
| 311 | 475 | SCW | 01 | 1,815 | 129.3813 |
| 312 | 98 | AT | 42 | 3,759 | 129.2115 |
| 313 | 122 | LJ | 08 | 1,781 | 128.9618 |
| 314 | 545 | DR | 06 | 881 | 128.7696 |
| 315 | 293 | AD | 06 | 522 | 128.3333 |
| 316 | 793 | HG | 02 | 1,739 | 127.8465 |
| 317 | 51 | TWG | 44 | 3,310 | 127.7970 |
| 318 | 223 | HV | 03 | 1,081 | 127.3525 |
| 319 | 628 | DV | 10 | 863 | 127.3175 |
| 320 | 364 | KB | 09 | 743 | 127.2275 |
| 321 | 954 | KW | 45 | 4,292 | 127.2241 |
| 322 | 416 | AD | 09 | 2,004 | 127.1422 |
| 323 | 885 | MDY | 01 | 1,274 | 126.1429 |
| 324 | 1279 | FW | 02 | 1,082 | 125.7394 |
| 325 | 659 | ME | 01 | 780 | 125.4244 |
| 326 | 538 | RZ | 03 | 937 | 125.3351 |
| 327 | 869 | FR | 44 | 5,483 | 125.3040 |
| 328 | 477 | CC | 02 | 1,781 | 125.2145 |
| 329 | 427 | WR | 09 | 1,476 | 125.0298 |
| 330 | 529 | AF | 04 | 1,302 | 124.6313 |
| 331 | 479 | RS | 08 | 789 | 124.6312 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIDI Ranking | 2005 SAIDI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIDI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 332 | 50 | BA | 44 | 5,469 | 124.3917 |
| 333 | 255 | BG | 07 | 1,585 | 124.3880 |
| 334 | 308 | TE | 03 | 786 | 124.3524 |
| 335 | 1103 | WT | 07 | 1,551 | 124.1309 |
| 336 | 1234 | HM | 01 | 438 | 123.9018 |
| 337 | 491 | QV | 01 | 1,421 | 123.7994 |
| 338 | 315 | IM | 46 | 2,098 | 123.6644 |
| 339 | 53 | WT | 06 | 739 | 123.6211 |
| 340 | 110 | WZ | 44 | 3,891 | 123.4333 |
| 341 | 302 | NV | 02 | 1,621 | 123.2758 |
| 342 | 1180 | SA | 50 | 1,113 | 123.1312 |
| 343 | 654 | LB | 01 | 1,942 | 122.7472 |
| 344 | 1068 | FZ | 41 | 3,164 | 122.6805 |
| 345 | NEW | CA | 07 | 1,266 | 122.1027 |
| 346 | 128 | CL | 01 | 142 | 122.0070 |
| 347 | 596 | LP | 02 | 2,005 | 121.8913 |
| 348 | 388 | STW | 01 | 1,373 | 121.8339 |
| 349 | 1170 | KDL | 44 | 4,775 | 121.7837 |
| 350 | 219 | HG | 03 | 1,415 | 121.6707 |
| 351 | 1082 | HNY | 03 | 988 | 121.2824 |
| 352 | 950 | UN | 05 | 1,082 | 120.0786 |
| 353 | 234 | GP | 03 | 460 | 120.0174 |
| 354 | 1223 | THW | 47 | 4,152 | 119.8064 |
| 355 | 985 | FP | 03 | 117 | 119.2991 |
| 356 | 769 | TO | 06 | 990 | 119.2475 |
| 357 | 1168 | WW | 06 | 1,503 | 119.2475 |
| 358 | NEW | SA | 52 | 5,408 | 119.2226 |
| 359 | 8 | OB | 42 | 4,491 | 119.1650 |
| 360 | 826 | DE | 03 | 1,144 | 119.0953 |
| 361 | 867 | WW | 05 | 3,477 | 119.0768 |
| 362 | 97 | VL | 01 | 1,533 | 118.7547 |
| 363 | 920 | QV | 07 | 1,188 | 118.7079 |
| 364 | 238 | DV | 05 | 700 | 118.1443 |
| 365 | 58 | ADK | 42 | 3,146 | 117.8522 |
| 366 | 856 | LY | 42 | 1,654 | 117.8507 |
| 367 | 158 | TE | 06 | 2,026 | 117.8406 |
| 368 | 340 | WR | 10 | 1,817 | 117.3555 |
| 369 | 243 | HV | 08 | 1,796 | 116.5501 |
| 370 | 1206 | BI | 08 | 1,031 | 116.1950 |
| 371 | 966 | CB | 07 | 2,002 | 115.6828 |
| 372 | 585 | HA | 05 | 1,506 | 115.4681 |
| 373 | 838 | KB | 12 | 1,292 | 114.8003 |
| 374 | 857 | KN | 04 | 22 | 114.7727 |
| 375 | 26 | STW | 02 | 698 | 114.7507 |
| 376 | 927 | GG | 04 | 1,732 | 114.3510 |
| 377 | 137 | HB | 43 | 4,828 | 114.2887 |
| 378 | 145 | FZ | 43 | 3,759 | 114.2118 |
| 379 | 428 | LA | 03 | 1,581 | 114.1069 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIDI Ranking | 2005 SAIDI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIDI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 380 | 1127 | GA | 05 | 1,144 | 114.0428 |
| 381 | 706 | SF | 42 | 1,661 | 113.6785 |
| 382 | 156 | GE | 47 | 4,824 | 113.0489 |
| 383 | 365 | SH | 04 | 2,342 | 112.3382 |
| 384 | 879 | PA | 09 | 1,299 | 112.2664 |
| 385 | 1253 | MY | 03 | 1,817 | 111.8503 |
| 386 | 333 | GG | 06 | 1,555 | 111.7537 |
| 387 | 157 | BE | 04 | 1,712 | 111.5789 |
| 388 | 570 | CS | 01 | 1,584 | 111.3965 |
| 389 | 911 | FD | 06 | 2,408 | 111.3821 |
| 390 | 6 | SW | 08 | 1,672 | 111.1471 |
| 391 | 548 | AN | 04 | 1,863 | 111.1417 |
| 392 | 297 | TO | 11 | 1,580 | 111.0804 |
| 393 | 270 | AM | 03 | 1,931 | 110.8389 |
| 394 | 593 | MP | 01 | 1,684 | 110.4121 |
| 395 | 1004 | AI | 08 | 51 | 110.1569 |
| 396 | 298 | AL | 05 | 2,226 | 109.5234 |
| 397 | 1147 | WO | 09 | 267 | 109.5019 |
| 398 | NEW | FP | 07 | 1,595 | 109.3542 |
| 399 | 718 | PA | 04 | 448 | 109.3013 |
| 400 | 381 | LU | 45 | 4,639 | 108.3729 |
| 401 | 544 | HY | 03 | 1,011 | 108.3422 |
| 402 | 719 | HG | 04 | 1,903 | 108.2827 |
| 403 | 335 | MP | 09 | 26 | 108.1154 |
| 404 | 486 | TO | 02 | 757 | 108.0489 |
| 405 | 823 | RE | 09 | 1,062 | 107.5631 |
| 406 | 970 | WV | 02 | 675 | 106.4489 |
| 407 | 168 | BA | 45 | 3,796 | 106.1855 |
| 408 | 996 | WEB | 05 | 483 | 105.9130 |
| 409 | 910 | GV | 03 | 1,258 | 105.1296 |
| 410 | 179 | LJ | 07 | 1,798 | 104.7175 |
| 411 | 1018 | CV | 08 | 2,290 | 104.6035 |
| 412 | 531 | LJ | 01 | 1,109 | 103.7944 |
| 413 | 655 | WE | 04 | 261 | 102.8238 |
| 414 | 1119 | WD | 46 | 965 | 102.7617 |
| 415 | 727 | MC | 01 | 1,577 | 102.6557 |
| 416 | 912 | IM | 44 | 2,817 | 102.4792 |
| 417 | 726 | CE | 11 | 2,825 | 102.4032 |
| 418 | 638 | BE | 03 | 1,378 | 102.3491 |
| 419 | 474 | NV | 03 | 1,301 | 101.9424 |
| 420 | 551 | HT | 01 | 2,988 | 101.9257 |
| 421 | 1144 | FAN | 45 | 1,522 | 101.8791 |
| 422 | 464 | LP | 07 | 917 | 101.3544 |
| 423 | 814 | PJ | 02 | 1,208 | 101.1325 |
| 424 | 1228 | CG | 01 | 438 | 101.0731 |
| 425 | 1332 | SF | 11 | 11 | 100.8182 |
| 426 | 571 | GG | 01 | 1,296 | 100.8094 |
| 427 | 45 | GG | 03 | 2,318 | 100.7567 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIDI Ranking | 2005 SAIDI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIDI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 428 | 622 | BAR | 46 | 4,373 | 100.6634 |
| 429 | 595 | WL | 41 | 563 | 100.5258 |
| 430 | 663 | UL | 02 | 1,169 | 100.4166 |
| 431 | 395 | QV | 03 | 1,104 | 100.3967 |
| 432 | 574 | EC | 07 | 348 | 100.3046 |
| 433 | 554 | CE | 05 | 2,176 | 100.0928 |
| 434 | 72 | CC | 03 | 2,664 | 100.0815 |
| 435 | 519 | BE | 02 | 1,805 | 100.0665 |
| 436 | 1107 | OA | 02 | 333 | 99.8378 |
| 437 | 342 | EC | 13 | 352 | 99.5881 |
| 438 | 130 | HM | 02 | 2,078 | 99.5284 |
| 439 | 516 | LU | 02 | 1,150 | 99.3574 |
| 440 | 1220 | SH | 08 | 1,872 | 98.8040 |
| 441 | 353 | SA | 03 | 609 | 98.7800 |
| 442 | 521 | SB | 01 | 1,762 | 98.7611 |
| 443 | 131 | CG | 04 | 1,670 | 98.7114 |
| 444 | 1054 | DH | 01 | 3,044 | 98.6288 |
| 445 | 809 | BM | 04 | 1,628 | 98.5719 |
| 446 | 829 | LP | 05 | 1,373 | 98.5586 |
| 447 | 685 | FR | 45 | 4,262 | 98.4674 |
| 448 | 913 | AF | 01 | 3,531 | 98.3588 |
| 449 | 284 | HM | 06 | 2,990 | 98.2843 |
| 450 | 851 | GA | 04 | 1,545 | 98.2809 |
| 451 | 1009 | DN | 12 | 218 | 98.1606 |
| 452 | 354 | OA | 01 | 746 | 97.7520 |
| 453 | 563 | DR | 04 | 1,184 | 97.4645 |
| 454 | 1057 | DR | 03 | 2,446 | 96.9873 |
| 455 | 94 | PW | 04 | 1,307 | 96.9074 |
| 456 | 520 | SE | 01 | 1,300 | 96.6392 |
| 457 | 598 | STF | 05 | 1,628 | 96.1130 |
| 458 | 66 | LJ | 09 | 1,385 | 96.0332 |
| 459 | 384 | WI | 02 | 1,015 | 96.0256 |
| 460 | 111 | THW | 44 | 4,104 | 95.7507 |
| 461 | 855 | EU | 09 | 1,433 | 95.6364 |
| 462 | 190 | HV | 07 | 1,666 | 95.5300 |
| 463 | 164 | DR | 08 | 1,404 | 95.4416 |
| 464 | 265 | MU | 02 | 1,190 | 95.4050 |
| 465 | 843 | UL | 47 | 3,825 | 95.3966 |
| 466 | 91 | BT | 07 | 1,547 | 95.2463 |
| 467 | 1145 | CV | 02 | 1,663 | 95.1485 |
| 468 | 576 | TE | 04 | 1,118 | 94.8014 |
| 469 | 222 | CRB | 42 | 3,919 | 94.3680 |
| 470 | 55 | WD | 43 | 1,769 | 94.1764 |
| 471 | 453 | EC | 04 | 1,877 | 94.0852 |
| 472 | 541 | IR | 03 | 2,184 | 94.0110 |
| 473 | 244 | SR | 05 | 918 | 93.4379 |
| 474 | 288 | KL | 44 | 3,711 | 93.1094 |
| 475 | 1241 | TB | 02 | 828 | 92.9300 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIDI Ranking | 2005 SAIDI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIDI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 476 | 361 | BC | 09 | 469 | 92.8593 |
| 477 | 1188 | STF | 02 | 482 | 92.7842 |
| 478 | 99 | AV | 02 | 1,233 | 92.7470 |
| 479 | 1022 | HA | 08 | 2,003 | 92.6510 |
| 480 | 347 | CV | 10 | 1,649 | 92.6149 |
| 481 | 969 | WZ | 45 | 2,071 | 92.6065 |
| 482 | 62 | UN | 10 | 1,117 | 92.3572 |
| 483 | 455 | WT | 04 | 646 | 92.3127 |
| 484 | 572 | NM | 04 | 1,194 | 91.8074 |
| 485 | 260 | AD | 08 | 2,113 | 91.5816 |
| 486 | 759 | AF | 02 | 1,579 | 91.5003 |
| 487 | 230 | FD | 10 | 2,158 | 90.6960 |
| 488 | 944 | GT | 12 | 2,675 | 90.5006 |
| 489 | 312 | SH | 06 | 991 | 90.2947 |
| 490 | 1088 | UL | 46 | 3,665 | 89.9416 |
| 491 | 374 | JP | 01 | 25 | 89.5600 |
| 492 | 898 | HY | 12 | 899 | 89.3726 |
| 493 | 789 | FP | 04 | 99 | 89.3232 |
| 494 | 414 | WT | 05 | 498 | 89.2229 |
| 495 | 736 | LB | 04 | 421 | 89.1496 |
| 496 | 1104 | CG | 02 | 1,716 | 89.0309 |
| 497 | 578 | LM | 02 | 386 | 88.9067 |
| 498 | 796 | OA | 04 | 1,914 | 88.6264 |
| 499 | 704 | PW | 02 | 2,177 | 88.5554 |
| 500 | 95 | KI | 42 | 4,651 | 88.3842 |
| 501 | 555 | PE | 04 | 1,738 | 87.9171 |
| 502 | 1100 | CL | 05 | 1,014 | 87.8540 |
| 503 | 699 | KL | 49 | 3,485 | 87.7113 |
| 504 | 876 | ST | 08 | 473 | 87.6892 |
| 505 | 16 | WA | 41 | 174 | 87.4023 |
| 506 | 816 | BG | 02 | 1,924 | 87.3186 |
| 507 | 129 | GZ | 42 | 1,672 | 87.2961 |
| 508 | 372 | KW | 44 | 4,897 | 87.2820 |
| 509 | 19 | NEW | 01 | 1,179 | 86.9729 |
| 510 | 166 | HA | 01 | 1,349 | 86.9362 |
| 511 | 976 | SB | 05 | 1,458 | 86.7860 |
| 512 | 866 | FR | 43 | 4,962 | 86.7664 |
| 513 | 268 | PW | 01 | 962 | 85.7048 |
| 514 | 352 | LM | 03 | 831 | 85.5367 |
| 515 | 431 | WO | 02 | 1,782 | 85.0443 |
| 516 | 764 | GN | 06 | 932 | 84.6309 |
| 517 | 392 | FZ | 46 | 6,591 | 84.5596 |
| 518 | 462 | KI | 43 | 2,953 | 84.5306 |
| 519 | 311 | WE | 06 | 865 | 84.4486 |
| 520 | 1038 | RS | 05 | 2,014 | 84.4444 |
| 521 | 693 | WO | 14 | 2,110 | 84.2185 |
| 522 | 588 | BU | 03 | 625 | 84.1392 |
| 523 | 407 | CL | 07 | 44 | 84.0000 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIDI Ranking | 2005 SAIDI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIDI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 524 | 848 | HT | 07 | 980 | 83.8418 |
| 525 | 878 | UV | 02 | 1,414 | 83.7822 |
| 526 | 465 | WZ | 43 | 1,492 | 83.7453 |
| 527 | 584 | GW | 06 | 1,828 | 83.4480 |
| 528 | 841 | NS | 06 | 1,895 | 83.3071 |
| 529 | 299 | BY | 10 | 1,170 | 83.1607 |
| 530 | 1270 | KN | 03 | 88 | 83.0227 |
| 531 | 119 | SO | 44 | 5,056 | 82.8412 |
| 532 | 359 | FP | 06 | 2,038 | 82.7031 |
| 533 | 865 | RO | 05 | 999 | 82.6106 |
| 534 | 501 | PO | 03 | 804 | 82.5697 |
| 535 | 919 | ST | 09 | 1,125 | 82.4276 |
| 536 | 85 | GL | 06 | 1,827 | 82.4067 |
| 537 | 748 | EC | 14 | 927 | 82.1046 |
| 538 | 549 | LB | 06 | 130 | 82.0077 |
| 539 | 18 | SA | 01 | 1,127 | 82.0018 |
| 540 | 1276 | HV | 01 | 1,094 | 81.2029 |
| 541 | 580 | DR | 01 | 1,509 | 80.9543 |
| 542 | 633 | AF | 09 | 2,110 | 80.0967 |
| 543 | 569 | GV | 04 | 1,325 | 79.6468 |
| 544 | 692 | BY | 09 | 1,186 | 79.3702 |
| 545 | 1124 | HR | 02 | 1,149 | 79.3307 |
| 546 | 280 | BAR | 48 | 4,919 | 79.2053 |
| 547 | 23 | EC | 05 | 1,107 | 79.1969 |
| 548 | 613 | CB | 12 | 1,155 | 79.1732 |
| 549 | 79 | HY | 08 | 1,359 | 79.1670 |
| 550 | 784 | CK | 05 | 1,303 | 78.6347 |
| 551 | 266 | WT | 10 | 165 | 78.4182 |
| 552 | 368 | SA | 49 | 5,211 | 78.3523 |
| 553 | 274 | GE | 41 | 6,297 | 78.2959 |
| 554 | 163 | FM | 03 | 246 | 77.8293 |
| 555 | 430 | WF | 01 | 1,032 | 77.6773 |
| 556 | 781 | IR | 02 | 2,241 | 77.6176 |
| 557 | 92 | SP | 06 | 2,208 | 77.5747 |
| 558 | 146 | WD | 42 | 1,172 | 77.5597 |
| 559 | 452 | JN | 03 | 1,800 | 77.4117 |
| 560 | 646 | HOC | 05 | 1,338 | 77.1906 |
| 561 | 536 | LW | 43 | 5,188 | 77.1604 |
| 562 | 1199 | OA | 03 | 29 | 77.1379 |
| 563 | 46 | NB | 43 | 4,276 | 77.1312 |
| 564 | 310 | BY | 06 | 2,031 | 77.0832 |
| 565 | 998 | BA | 02 | 1,282 | 77.0218 |
| 566 | 583 | TIK | 01 | 1,051 | 76.7678 |
| 567 | 778 | GV | 02 | 1,749 | 76.5792 |
| 568 | 151 | HY | 01 | 2,275 | 76.2431 |
| 569 | 189 | TE | 01 | 2,695 | 76.1481 |
| 570 | 842 | UN | 11 | 1,761 | 76.1266 |
| 571 | 115 | GP | 04 | 1,384 | 75.5766 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIDI Ranking | 2005 SAIDI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIDI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 572 | 271 | PA | 01 | 1,849 | 75.5571 |
| 573 | NEW | PE | 06 | 1,547 | 75.4693 |
| 574 | 864 | AN | 03 | 1,237 | 75.4559 |
| 575 | 733 | AD | 07 | 1,437 | 75.3779 |
| 576 | 615 | LU | 03 | 966 | 75.3427 |
| 577 | 627 | CB | 05 | 1,900 | 75.3016 |
| 578 | 840 | GA | 03 | 516 | 74.8605 |
| 579 | 1224 | DR | 09 | 344 | 74.6890 |
| 580 | 1308 | DT | 32 | 22 | 74.5000 |
| 581 | 846 | DE | 06 | 1,164 | 74.4235 |
| 582 | 766 | MY | 06 | 1,011 | 74.4174 |
| 583 | 661 | BR | 04 | 1,069 | 74.3517 |
| 584 | 783 | RU | 04 | 1,647 | 74.2186 |
| 585 | NEW | TE | 08 | 1,864 | 74.1840 |
| 586 | 1140 | FT | 03 | 963 | 73.9418 |
| 587 | 279 | RU | 03 | 1,950 | 73.7241 |
| 588 | 651 | HM | 04 | 2,180 | 73.6569 |
| 589 | 286 | RO | 04 | 1,409 | 73.6416 |
| 590 | 174 | SF | 41 | 1,284 | 73.4307 |
| 591 | 215 | RU | 01 | 2,120 | 73.0953 |
| 592 | 877 | RO | 03 | 1,424 | 72.8111 |
| 593 | 550 | CC | 04 | 1,161 | 72.6598 |
| 594 | 915 | ES | 03 | 811 | 72.6523 |
| 595 | 582 | BT | 04 | 1,232 | 72.1201 |
| 596 | 673 | IR | 04 | 1,221 | 72.0901 |
| 597 | 404 | SB | 04 | 1,776 | 72.0794 |
| 598 | 397 | WF | 02 | 1,148 | 71.9939 |
| 599 | 410 | BW | 02 | 1,386 | 71.8838 |
| 600 | 1215 | CA | 04 | 972 | 71.8220 |
| 601 | 25 | WT | 12 | 676 | 71.8107 |
| 602 | 107 | WW | 02 | 649 | 71.8089 |
| 603 | 701 | LU | 42 | 4,417 | 71.7707 |
| 604 | 69 | DL | 46 | 2,797 | 70.9331 |
| 605 | 1187 | WW | 01 | 699 | 70.7539 |
| 606 | 295 | TB | 44 | 2,787 | 70.6634 |
| 607 | 233 | SW | 07 | 1,819 | 70.5970 |
| 608 | 779 | CB | 02 | 1,127 | 70.2618 |
| 609 | 647 | BY | 07 | 1,088 | 70.1553 |
| 610 | 713 | HOC | 03 | 1,499 | 70.0854 |
| 611 | 698 | TB | 06 | 1,707 | 70.0170 |
| 612 | 1037 | PJ | 03 | 1,531 | 69.9477 |
| 613 | 226 | LY | 41 | 456 | 69.9123 |
| 614 | 205 | SP | 02 | 1,715 | 69.8093 |
| 615 | 4 | LU | 44 | 3,161 | 69.5052 |
| 616 | 889 | MB | 03 | 1,686 | 69.2165 |
| 617 | 101 | SR | 08 | 1,150 | 69.1452 |
| 618 | 681 | LB | 05 | 2,074 | 69.1287 |
| 619 | 1067 | ES | 01 | 340 | 69.0971 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIDI Ranking | 2005 SAIDI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIDI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 620 | 235 | BM | 07 | 1,275 | 69.0031 |
| 621 | 403 | LA | 04 | 2,042 | 68.9403 |
| 622 | 175 | BA | 41 | 2,939 | 68.7952 |
| 623 | 1149 | CV | 04 | 1,408 | 68.6420 |
| 624 | 458 | FT | 07 | 1,445 | 68.5841 |
| 625 | 599 | UW | 05 | 1,865 | 68.3190 |
| 626 | 1012 | AD | 02 | 2,202 | 67.9496 |
| 627 | 188 | RE | 04 | 1,492 | 67.7996 |
| 628 | 905 | WE | 08 | 744 | 67.6277 |
| 629 | 1146 | EU | 01 | 164 | 67.4695 |
| 630 | 125 | WEB | 01 | 2,015 | 67.4347 |
| 631 | 356 | HA | 02 | 1,577 | 67.2441 |
| 632 | 684 | AL | 06 | 1,420 | 67.2225 |
| 633 | 1093 | EL | 06 | 696 | 66.8865 |
| 634 | 926 | FD | 16 | 1,241 | 66.8469 |
| 635 | 463 | FZ | 45 | 2,488 | 66.7886 |
| 636 | 339 | WI | 05 | 759 | 66.7141 |
| 637 | 1071 | FD | 05 | 1,532 | 66.7037 |
| 638 | 1098 | SB | 02 | 2,406 | 66.6904 |
| 639 | 193 | GT | 13 | 1,304 | 66.6434 |
| 640 | 441 | TB | 04 | 408 | 66.5784 |
| 641 | 432 | AD | 05 | 1,283 | 66.5698 |
| 642 | 887 | DL | 43 | 3,220 | 66.2689 |
| 643 | 1028 | LK | 05 | 1,583 | 66.2394 |
| 644 | 161 | BZ | 04 | 1,289 | 66.1102 |
| 645 | 460 | MU | 01 | 767 | 66.0600 |
| 646 | 752 | HE | 01 | 1,682 | 66.0476 |
| 647 | 435 | BAR | 41 | 1,594 | 66.0458 |
| 648 | 319 | BM | 06 | 1,089 | 65.9899 |
| 649 | 1016 | KM | 05 | 1,445 | 65.9862 |
| 650 | 417 | TO | 05 | 1,761 | 65.5769 |
| 651 | 1108 | SH | 01 | 1,406 | 65.5121 |
| 652 | 399 | TE | 07 | 1,860 | 65.3930 |
| 653 | 1208 | GA | 08 | 63 | 65.3810 |
| 654 | 134 | BC | 08 | 795 | 65.2528 |
| 655 | 756 | AN | 06 | 901 | 65.1776 |
| 656 | NEW | WD | 44 | 13 | 65.0769 |
| 657 | 918 | GP | 07 | 1,100 | 64.9682 |
| 658 | 194 | RZ | 02 | 642 | 64.8769 |
| 659 | 467 | UV | 08 | 591 | 64.8714 |
| 660 | 623 | LK | 06 | 1,425 | 64.7839 |
| 661 | 922 | GA | 07 | 1,893 | 64.6170 |
| 662 | 322 | TB | 03 | 184 | 64.5489 |
| 663 | 178 | HY | 09 | 1,316 | 64.5281 |
| 664 | 499 | BL | 01 | 598 | 64.4749 |
| 665 | 485 | TRN | 02 | 1,521 | 64.3360 |
| 666 | 113 | MDY | 03 | 2,984 | 63.9360 |
| 667 | 504 | BY | 05 | 1,676 | 63.9266 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIDI Ranking | 2005 SAIDI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIDI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 668 | 806 | WV | 03 | 2,623 | 63.9100 |
| 669 | 336 | KI | 44 | 5,209 | 63.7558 |
| 670 | 197 | JP | 07 | 473 | 63.6533 |
| 671 | 375 | KM | 06 | 1,159 | 63.6333 |
| 672 | 533 | QV | 06 | 778 | 63.2442 |
| 673 | 378 | CV | 06 | 1,782 | 63.0673 |
| 674 | 833 | IR | 01 | 1,736 | 62.8859 |
| 675 | 676 | PHR | 01 | 2,699 | 62.6843 |
| 676 | 556 | FR | 41 | 5,357 | 62.6629 |
| 677 | 1181 | DE | 01 | 988 | 62.6377 |
| 678 | 332 | BG | 09 | 1,896 | 62.6218 |
| 679 | 936 | FD | 14 | 2,877 | 62.6211 |
| 680 | 334 | HE | 02 | 1,905 | 62.5790 |
| 681 | 1031 | HA | 03 | 2,012 | 62.5164 |
| 682 | 564 | SP | 05 | 1,992 | 62.1842 |
| 683 | NEW | BL | 10 | 2,330 | 62.1262 |
| 684 | 975 | BI | 09 | 1,666 | 62.1218 |
| 685 | 394 | PO | 06 | 1,783 | 61.6371 |
| 686 | 132 | WT | 03 | 599 | 61.5693 |
| 687 | 176 | HY | 06 | 1,398 | 61.5551 |
| 688 | 1173 | PE | 05 | 1,590 | 61.4308 |
| 689 | 509 | HR | 03 | 2,834 | 61.3850 |
| 690 | 1099 | AM | 07 | 20 | 61.3500 |
| 691 | 978 | SR | 11 | 471 | 61.3206 |
| 692 | 994 | PA | 03 | 2,392 | 61.3064 |
| 693 | 236 | PA | 02 | 1,746 | 61.1220 |
| 694 | 522 | WI | 06 | 686 | 61.0933 |
| 695 | 832 | IM | 48 | 1,290 | 60.8519 |
| 696 | 1157 | SR | 12 | 1,694 | 60.7426 |
| 697 | 358 | AD | 03 | 775 | 60.5548 |
| 698 | 782 | BG | 03 | 1,766 | 60.4921 |
| 699 | 349 | QV | 08 | 879 | 60.4608 |
| 700 | 1126 | LK | 08 | 440 | 60.3773 |
| 701 | 725 | GG | 09 | 1,739 | 60.2496 |
| 702 | 495 | EU | 03 | 2,294 | 60.1595 |
| 703 | 71 | MP | 06 | 307 | 59.6840 |
| 704 | 686 | CG | 05 | 1,808 | 59.6737 |
| 705 | 828 | AF | 08 | 1,602 | 59.6255 |
| 706 | 348 | STF | 04 | 731 | 59.2462 |
| 707 | 1097 | BI | 02 | 1,100 | 59.1891 |
| 708 | 248 | WO | 04 | 1,542 | 59.1355 |
| 709 | 762 | MC | 02 | 1,476 | 59.0386 |
| 710 | 909 | WD | 41 | 519 | 58.9846 |
| 711 | 423 | BR | 07 | 1,323 | 58.9781 |
| 712 | 591 | EC | 09 | 976 | 58.8709 |
| 713 | 1265 | WZ | 46 | 225 | 58.7733 |
| 714 | 601 | AF | 06 | 2,265 | 58.7722 |
| 715 | 43 | LW | 41 | 3,501 | 58.5941 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIDI Ranking | 2005 SAIDI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIDI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 716 | 1010 | TV | 01 | 946 | 58.4112 |
| 717 | 1033 | NS | 01 | 1,939 | 58.2981 |
| 718 | NEW | FL | 45 | 2,726 | 58.2858 |
| 719 | 560 | JP | 05 | 28 | 58.0714 |
| 720 | 1217 | AF | 12 | 330 | 57.9909 |
| 721 | 738 | SR | 04 | 1,036 | 57.8195 |
| 722 | 696 | WEB | 09 | 726 | 57.8168 |
| 723 | 1123 | KM | 01 | 1,999 | 57.6913 |
| 724 | 402 | BZ | 05 | 2,550 | 57.6808 |
| 725 | 457 | MP | 08 | 1,941 | 57.6734 |
| 726 | 1141 | LP | 06 | 566 | 57.3569 |
| 727 | 524 | WT | 01 | 988 | 57.2399 |
| 728 | 201 | HL | 01 | 2,079 | 57.1756 |
| 729 | 819 | SH | 11 | 2,071 | 57.0758 |
| 730 | 1061 | HA | 04 | 1,612 | 57.0639 |
| 731 | 1165 | SP | 03 | 2,173 | 56.5278 |
| 732 | 240 | JN | 04 | 781 | 56.4136 |
| 733 | 316 | WW | 04 | 916 | 56.3985 |
| 734 | 142 | HB | 03 | 431 | 56.3573 |
| 735 | 1043 | SR | 02 | 451 | 56.2306 |
| 736 | 882 | HM | 09 | 2,316 | 56.0419 |
| 737 | 211 | SF | 02 | 641 | 55.9485 |
| 738 | 899 | GW | 07 | 889 | 55.9089 |
| 739 | 1066 | GE | 44 | 5,429 | 55.5679 |
| 740 | 1195 | ED | 08 | 1,264 | 55.5665 |
| 741 | 357 | DL | 41 | 2,245 | 55.5586 |
| 742 | 528 | ST | 07 | 1,314 | 55.5525 |
| 743 | 514 | UL | 45 | 2,540 | 55.4465 |
| 744 | 729 | CG | 06 | 2,222 | 55.3627 |
| 745 | 997 | ME | 09 | 777 | 55.3243 |
| 746 | 852 | LB | 07 | 153 | 55.2745 |
| 747 | 1271 | KM | 03 | 119 | 55.2269 |
| 748 | 921 | CB | 03 | 659 | 54.9484 |
| 749 | 170 | RA | 43 | 3,779 | 54.3165 |
| 750 | 761 | ED | 07 | 1,015 | 54.2926 |
| 751 | 906 | RE | 07 | 1,534 | 54.1734 |
| 752 | 621 | BE | 01 | 2,271 | 54.1585 |
| 753 | 409 | PA | 05 | 941 | 53.9862 |
| 754 | 1110 | RO | 06 | 1,037 | 53.7686 |
| 755 | 948 | HB | 49 | 4,515 | 53.7524 |
| 756 | 1211 | GA | 02 | 2,253 | 53.4905 |
| 757 | 1297 | HP | 01 | 959 | 53.2701 |
| 758 | 837 | BR | 08 | 1,018 | 53.1169 |
| 759 | 41 | BAR | 45 | 6,203 | 53.0268 |
| 760 | 772 | ES | 08 | 674 | 52.9110 |
| 761 | 740 | CR | 01 | 2,585 | 52.8607 |
| 762 | 186 | GE | 43 | 4,419 | 52.6873 |
| 763 | 751 | HE | 05 | 1,467 | 52.4554 |

Service Quality Report to the Public Utility Commission of Texas

CenterPoint Energy

| 2006 SAIDI Ranking | 2005 SAIDI Ranking | Substation Identification | Feeder Identification | Number of Customers | 2006 SAIDI Value |
|--------------------|--------------------|---------------------------|-----------------------|---------------------|------------------|
| 764 | 669 | LJ | 05 | 782 | 52.3299 |
| 765 | 535 | PA | 08 | 617 | 52.2723 |
| 766 | 928 | WO | 03 | 1,860 | 52.1586 |
| 767 | 1169 | PO | 09 | 2,052 | 51.8250 |
| 768 | 54 | KT | 43 | 2,258 | 51.7839 |
| 769 | 38 | SR | 10 | 1,211 | 51.6557 |
| 770 | 329 | SE | 02 | 1,437 | 51.6465 |
| 771 | 508 | DN | 02 | 650 | 51.5615 |
| 772 | 448 | GL | 07 | 2,255 | 51.3419 |
| 773 | 795 | MB | 07 | 12 | 51.3333 |
| 774 | 93 | GZ | 41 | 5,230 | 51.1849 |
| 775 | 845 | TM | 05 | 34 | 51.0294 |
| 776 | 1249 | DV | 08 | 1,002 | 51.0080 |
| 777 | 446 | HX | 01 | 693 | 50.9394 |
| 778 | 858 | RU | 02 | 1,636 | 50.8949 |
| 779 | 187 | GP | 05 | 991 | 50.8607 |
| 780 | 860 | GA | 10 | 986 | 50.7373 |
| 781 | 947 | WEB | 10 | 160 | 50.5375 |
| 782 | 938 | DN | 03 | 2,419 | 50.4642 |
| 783 | 318 | EC | 02 | 1,832 | 50.3996 |
| 784 | 1001 | SA | 47 | 4,924 | 50.3664 |
| 785 | 1214 | CK | 02 | 1,025 | 50.3502 |
| 786 | 1117 | RE | 08 | 872 | 50.2959 |
| 787 | 742 | HR | 01 | 2,329 | 50.0687 |
| 788 | 942 | DH | 03 | 56 | 50.0179 |
| 789 | 1015 | KB | 05 | 266 | 49.9060 |
| 790 | 200 | UN | 08 | 2,061 | 49.7715 |
| 791 | 955 | ME | 10 | 667 | 49.7166 |
| 792 | 401 | GZ | 44 | 3,680 | 49.6641 |
| 793 | 1257 | KB | 13 | 29 | 49.6552 |
| 794 | 1230 | ST | 16 | 1,380 | 49.5594 |
| 795 | 765 | WI | 04 | 2,325 | 49.5230 |
| 796 | 984 | BL | 05 | 1,511 | 48.9477 |
| 797 | 1284 | WEB | 08 | 631 | 48.8463 |
| 798 | 212 | PZ | 43 | 1,598 | 48.7290 |
| 799 | 1113 | CV | 03 | 1,081 | 48.7280 |
| 800 | 1019 | BI | 03 | 140 | 48.5429 |
| 801 | 492 | HG | 01 | 781 | 48.2958 |
| 802 | NEW | WW | 10 | 1,796 | 48.2094 |
| 803 | 974 | CR | 04 | 2,303 | 48.0773 |
| 804 | 612 | CYF | 41 | 5,006 | 48.0376 |
| 805 | 924 | AF | 11 | 2,497 | 48.0280 |
| 806 | 749 | BG | 06 | 2,095 | 47.7107 |
| 807 | 210 | CR | 03 | 2,263 | 47.7039 |
| 808 | 449 | FAN | 47 | 4,089 | 47.5525 |
| 809 | 573 | WR | 12 | 1,771 | 47.5059 |
| 810 | 825 | ES | 07 | 313 | 47.4569 |
| 811 | 303 | CE | 09 | 1,404 | 47.3967 |