

Control Number: 35077



Item Number: 1117

Addendum StartPage: 0





Mickey Moon Assistant General Counsel

July 1, 2020

Filing Clerk Public Utility Commission of Texas 1701 N. Congress Avenue P.O. Box 13326 Austin, TX 78711-3326

#### RE: Project No. 35077, ERCOT Standard Generation Interconnection Agreement between CenterPoint Energy Houston Electric, LLC and Hecate Energy Ramsey LLC

To whom it may concern:

Enclosed for filing in Project No. 35077 is the ERCOT Standard Generation Interconnection Agreement (SGIA) dated May 29, 2020 between CenterPoint Energy Houston Electric, LLC and Hecate Energy Ramsey LLC. Also enclosed are the SGIA Amendment Provisions agreed to by the parties. This filing is made pursuant to 16 Tex. Admin. Code § 25.195(e).

Respectfully submitted,

S. Mon

Mickey Moon Assistant General Counsel CenterPoint Energy Houston Electric, LLC

Enclosures: (1) Executed SGIA Amendment Provisions (2) Executed SGIA

Page 1 of 62

# EXHIBIT 1

#### AGREEMENT TO ADOPT SGIA AMENDMENT PROVISIONS

This Agreement to Adopt SGIA Amendment Provisions (this "Agreement") is made as of this 29th day of May 2020 between CenterPoint Energy Houston Electric, LLC ("CenterPoint Energy") and Hecate Energy Ramsey LLC ("Generator").

CenterPoint Energy and Generator are parties to that certain ERCOT Standard Generation Interconnection Agreement dated May 29, 2020 (the "SGIA").

The SGIA is based on the form standard generation interconnection agreement approved by the Public Utility Commission of Texas (the "Commission") on May 16, 2000 in Docket No. 22052 and is the required form of agreement to be used between transmission service providers ("TSPs") and power generation companies "for the interconnection of new generating facilities" with a TSP's transmission facilities pursuant to Section 25.195(a) of the Commission's rules.

Section 25.195(a) of the Commission's rules authorizes the parties to modify the terms of the SGIA.

CenterPoint Energy and Generator desire to modify Exhibit A of the SGIA ("Exhibit A"), which contains the general terms and conditions of the SGIA, by adopting the amendment provisions set forth in this Agreement (the "Amendment Provisions") and to file this Agreement in Project No. 35077.

CenterPoint Energy and Generator, therefore, agree to adopt the following Amendment Provisions as amendments to Exhibit A:

#### **ARTICLE 1 AMENDMENT PROVISIONS**

<u>Section 1.2</u>. Section 1.2 of Exhibit A is amended to change the defined term to "Commercial Operation Date" and to replace the words "Generator declares" with the words "Generator notifies TSP."

Section 1.3. Section 1.3 of Exhibit A is amended to change the Commission rule reference to 25.5(19).

<u>Section 1.6</u>. Section 1.6 of Exhibit A is amended and restated as follows: "<u>Facilities Study</u>" shall mean the Full Interconnection Study Report dated August 26, 2019 prepared by the TSP in response to Generator's interconnection request no. 20INR0130."

Section 1.9. Section 1.9 of Exhibit A is amended to change the Commission rule reference to 25.5(56).

<u>Section 1.17</u>. Section 1.17 of Exhibit A is amended to change the Commission rule reference to 25.191(d)(3).

<u>Section 1.19</u>. Section 1.19 of Exhibit A is amended to change the defined term to "System Security Screening Study" and to change the Commission rule reference to 25.198(c).

#### ARTICLE 2 AMENDMENT PROVISIONS

Section 2.1. Subsections B and C of Section 2.1 of Exhibit A are amended and restated as follows:

B. the TSP may terminate this Agreement (subject to Governmental Authority approval, if required) upon written notice to the Generator if (i) all of the conditions precedent listed in Section 4.3 are not satisfied, and a new In-Service Date is not established pursuant to Section 4.5, within 12 months after the "Scheduled Start Date" specified in Exhibit "B" or (ii) the Commercial Operation Date does not, or the Generator notifies or otherwise informs the TSP that the Commercial Operation Date will not, occur within one year after the scheduled Commercial Operation Date\_reflected in Exhibit "B"; or

C. either Party may terminate this Agreement for a Default of the other Party in accordance with Section 10.6.

Section 2.2. Section 2.2 of Exhibit A is amended and restated as follows:

<u>Termination Costs</u>. If a Party elects to terminate this Agreement pursuant to Section 2.1 above, the Generator shall promptly pay all reasonable and documented costs incurred (or committed to be incurred) by TSP for performance under this Agreement (and that may include costs for the design, planning, licensing, procurement and construction of the TIF and for any upgrades to the TSP System to meet the requirements of the Plant), as of the date of the other Party's receipt of such notice of termination. The TSP may immediately exercise its rights under Section 8.3 and Exhibit "E" to recover such costs through the Security described therein; provided, however, if the Security is insufficient to cover such costs, then the Generator shall reimburse the TSP for any remaining amounts. In the event of termination by either Party, both Parties shall use commercially reasonable efforts to mitigate the damages and charges that they may incur as a consequence of termination. The provisions of Sections 2.2 and 2.3 shall survive termination of this Agreement.

#### ARTICLE 4 AMENDMENT PROVISIONS

<u>Section 4.2</u>. Section 4.2 of Exhibit A is deleted in its entirety (excluding the section number) and intentionally left blank to preserve the section numbering in Article 4.

Section 4.3. Section 4.3 of Exhibit A is amended and restated as follows:

<u>Construction Commencement</u>. The TSP shall commence design, equipment procurement and construction of the TIF as soon as practicable after all of the following conditions precedent are satisfied:

A. The TSP has completed the Facilities Study pursuant to the Facilities Study Agreement;

B. Approval of the appropriate Governmental Authority has been obtained for any facilities requiring regulatory approval (including any required CCN approvals);

C. Necessary real property rights, if any, have been obtained;

D. The TSP has received written notice to proceed with design, procurement and construction of the TIF (the "Notice to Proceed") from the Generator by the date specified in Exhibit "B";

E. The Generator has provided the Security to the TSP in accordance with Section 8.3 by the date specified in Exhibit "B"; and

F. If a CIAC is specified in Exhibit "C," the Generator has provided the CIAC to the TSP in accordance with Section 8.1 by the date specified in Exhibit "B".

<u>Section 4.5</u>. Section 4.5 of Exhibit A is amended and restated as follows:

<u>Conditions Precedent Delay</u>. To the extent any of the conditions precedent under Section 4.3 is not or cannot be satisfied in time for the TSP to meet the In-Service Date using Good Utility Practice, the Parties will negotiate in good faith to amend the time schedule in Exhibit "B" to establish a new In-Service Date.

#### **ARTICLE 6 AMENDMENT PROVISION**

<u>Section 6.2</u>. Section 6.2 of Exhibit A is amended and restated as follows:

<u>Control Area.</u> The Parties acknowledge and agree that the location of the TIF and GIF will be entirely within the ERCOT region and that the ERCOT region constitutes a single Control Area.

#### ARTICLE 7 AMENDMENT PROVISION

<u>Section 7.3</u>. Section 7.3 of Exhibit A is amended by replacing the term "System Security Study" with "System Security Screening Study."

#### ARTICLE 8 AMENDMENT PROVISIONS

Section 8.1. Section 8.1 of Exhibit A is amended and restated as follows:

<u>Generator's Cost Responsibility.</u> The Generator will acquire, construct, operate, test, maintain and own the Plant and the GIF at its sole expense. In addition, the Generator shall, by the date set out in Exhibit "B," make a contribution in aid of construction ("CIAC") in the amount set out in and for the TIF facilities described in Exhibit "C," if any, in accordance with PUCT Rules.

Section 8.2. Section 8.2 of Exhibit A is amended by replacing the phrase "Section 4.1.B" with "Sections 2.2 and 4.1.B."

Section 8.3. Section 8.3 of Exhibit A is amended and restated as follows:

<u>Financial Security Arrangements.</u> To secure the Generator's obligation to pay the termination costs described in Section 2.2 if this Agreement is terminated pursuant to Section 2.1, the TSP may require the Generator to pay a reasonable deposit or provide

#### Project No. 35077 CenterPoint Energy Contract #INT-20-072A

another means of security, to cover the costs of planning, licensing, procuring equipment and materials, and constructing the TIF. The required security arrangements are specified in Exhibit "E." The Generator shall deliver the financial security called for in Exhibit "E" (the "Security") to the TSP by the date specified in Exhibit "B" or as soon as practical thereafter. Within five business days after the TSP receives notice of the Commercial Operation Date from the Generator, the TSP shall return the Security to the Generator. However, the TSP may retain an amount of the Security to cover the incremental difference between the TSP's actual out of pocket costs associated with the choice of Section 4.1.B over Section 4.1.A, pending a final PUCT Order as contemplated in Section 4.1.B(iii). If the Commercial Operation Date for the Plant does not occur within one year after the scheduled Commercial Operation Date identified in Exhibit "B" or if this Agreement is terminated in accordance with Section 2.1 and the TIF are not required, the TSP may, in accordance with the provisions of Section 2.2, retain as much of the Security as is required to cover the costs it incurred in planning, licensing, procuring equipment and materials, and constructing the TIF. If a cash deposit is provided as the Security pursuant to Exhibit "E," any repayment of such cash deposit shall include interest at a rate applicable to customer deposits as established from time to time by the PUCT or other Governmental Authority. If ERCOT requires the TSP to update the Facilities Study or conduct a new facilities study for the TIF, whether due to a delay in the Commercial Operation Date or otherwise, the TSP may increase the Security amount required from the Generator to cover any increase in the estimated cost of the TIF identified in such updated or new facilities study, provided that the TSP shall provide seven (7) days advance written notice prior to such increase.

#### ARTICLE 9 AMENDMENT PROVISIONS

<u>Section 9.1</u>. Subsections B, E and I of Section 9.1 of Exhibit A are amended and restated as follows:

B. <u>Commercial General Liability Insurance</u> including for premises and operations, providing personal injury coverage; broad form property damage coverage; broad form blanket contractual liability coverage (including coverage for the contractual indemnification); products and completed operations coverage; coverage for explosion, collapse and underground hazards; independent contractors coverage; coverage for pollution to the extent normally available; coverage for punitive damages to the extent normally available; and cross liability coverage, with minimum limits of One Million Dollars (\$1,000,000) per occurrence/One Million Dollars (\$1,000,000) aggregate combined single limit for personal injury, bodily injury, including death and property damage.

E. The Commercial General Liability Insurance, Comprehensive Automobile Liability Insurance, and Excess Public Liability Insurance policies shall cover the other Party, its parent, associated and affiliated companies and their respective directors, officers, agents, servants and employees ("Other Party Group") as additional insured. All policies shall contain provisions whereby the insurers waive all rights of subrogation in accordance with the provisions of this Agreement against the Other Party Group, and each Party shall provide thirty (30) days advance written notice to Other Party Group prior to anniversary date of cancellation or any material change in coverage or condition. I. Within ten (10) days following execution of this Agreement, and as soon as practicable after the end of each fiscal year or at the renewal of the insurance policy and in any event within ninety (90) days thereafter, each Party shall provide certification of all insurance required in this Agreement, executed by each insurer or by an authorized representative of each insurer, or a letter of self-insurance executed by the Party's authorized representative.

#### **ARTICLE 10 AMENDMENT PROVISIONS**

Section 10.5. Subsection B of Section 10.5 of Exhibit A is amended and restated as follows:

Β. Neither Party shall be considered to be in Default (as hereinafter defined) with respect to any obligation hereunder (including obligations under Article 4), other than the obligation to provide the Security or pay money when due, if prevented from fulfilling such obligation by Force Majeure. A Party unable to fulfill any obligation hereunder (other than an obligation to provide the Security or pay money when due) by reason of Force Majeure shall give notice and the full particulars of such Force Majeure to the other Party in writing or by telephone as soon as reasonably possible after the occurrence of the cause relied upon. Telephone notices given pursuant to this Section shall be confirmed in writing as soon as reasonably possible and shall specifically state full particulars of the Force Majeure, the time and date when the Force Majeure occurred and when the Force Majeure is reasonably expected to cease. The Party affected shall exercise due diligence to remove such disability with reasonable dispatch but shall not be required to accede or agree to any provision not satisfactory to it in order to settle and terminate a strike or other labor disturbance. The In-Service Date will be extended by one day for each day TIF construction is delayed due to Force Majeure.

Section 10.6. Subsection A of Section 10.6 of Exhibit A is amended and restated as follows:

A. The term "Default" shall mean the failure of either Party to perform any obligation in the time or manner provided in this Agreement. No Default shall exist where such failure to discharge an obligation (other than an obligation to provide the Security or to pay money) is the result of Force Majeure as defined in this Agreement or the result of an act or omission of the other Party. Upon a Default, the non-defaulting Party shall give written notice of such Default to the defaulting Party. Except as provided in Section 10.6.B, the defaulting Party shall have thirty (30) days from receipt of the Default notice within which to cure such Default; provided however, if such Default is not capable of cure within 30 days, the defaulting Party shall commence such cure within 30 days after receipt of the Default notice and continuously and diligently complete such cure within 90 days from receipt of the Default notice; and, if cured within such time, the Default specified in such notice shall cease to exist.

Project No. 35077 CenterPoint Energy Contract #INT-20-072A

This Agreement and the Amendment Provisions herein are effective as of the effective date of the SGIA.

#### CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC

Hecate Energy Ramsey LLC

ву	Descriftingeneid lay:	Ву:	Ph
ہے Name:	John Somerhalder II	Name:	Philip Mooney
Title:	Interim Pres and CEO	Title:	VP Engineering and Development
	June 22, 2020		May 20, 2020

May 29, 2020

# EXHIBIT 2

## ERCOT STANDARD GENERATION INTERCONNECTION AGREEMENT

Between

### Hecate Energy Ramsey LLC

and

### CenterPoint Energy, Houston Electric, LLC

for

Ramsey Solar Project, Wharton County, Texas

May 29, 2020

#### TABLE OF CONTENTS

#### **ERCOT STANDARD GENERATION INTERCONNECTION AGREEMENT ..... 3**

EXHIBIT 'A' - TERMS AND CONDITIONS OF THE ERCOT STANDARD GENERATION				
INTERCONNECTION AGREEMENT				
ARTICLE 1. DEFINITIONS				
ARTICLE 2. TERMINATION				
ARTICLE 3. REGULATORY FILINGS				
ARTICLE 4. INTERCONNECTION FACILITIES ENGINEERING,				
PROCUREMENT, AND CONSTRUCTION				
ARTICLE 5. FACILITIES AND EQUIPMENT				
ARTICLE 6. OPERATION AND MAINTENANCE 17				
ARTICLE 7. DATA REQUIREMENTS				
ARTICLE 8. PERFORMANCE OBLIGATION				
ARTICLE 9. INSURANCE				
ARTICLE 10. MISCELLANEOUS				
EXHIBIT 'B' - TIME SCHEDULE				
EXHIBIT 'C' - INTERCONNECTION DETAILS				
EXHIBIT 'D' - NOTICE AND EFT INFORMATION				
EXHIBIT 'E' - SECURITY ARRANGEMENT DETAILS				
EXHIBIT 'F' - FINAL SUBSTATION DEVELOPMENT PLAN BASIC OFFER				
EXHIBIT 'G' - ONE-LINE RELAYING AND METERING DIAGRAM				
EXHIBIT 'H' - SPECIFICATION FOR CUSTOMER-OWNED 138 KV SUBSTATION DESIGN 47				
EXHIBIT 'I' - REMOTE TELEMETRY SPECIFICATION				
EXHIBIT 'J' - OUTAGE AND CLEARANCE COORDINATION PROCEDURES				
EXHIBIT 'K' - Ramsey Point of Interconnection Structure Location				
EXHIBIT 'L' - Minimum Acceptable Requirements 345kV Substation Construction51				
EXHIBIT 'M' - Ramsey One Line Diagram53				

#### **ERCOT STANDARD GENERATION INTERCONNECTION AGREEMENT**

This Standard Generation Interconnection Agreement is made and entered into this 29th day of May, 2020, between CenterPoint Energy, Houston Electric, LLC ("Transmission Service Provider") and Hecate Energy Ramsey LLC ("Generator"), hereinafter individually referred to as "Party," and collectively referred to as "Parties." In consideration of the mutual covenants and agreements herein contained, the Parties hereto agree as follows:

Transmission Service Provider represents that it is a public utility that owns and operates facilities for the transmission and distribution of electricity. Generator represents that it will own and operate the Plant. Pursuant to the terms and conditions of this Agreement, Transmission Service Provider shall interconnect Generator's Plant with Transmission Service Provider's System consistent with the Facilities Study Agreement executed between the CenterPoint Energy, Houston Electric, LLC and Hecate Energy LLC on January 10, 2019.

This Agreement applies only to the Plant and the Parties' interconnection facilities as identified in Exhibit "C".

This Agreement shall become effective on May 29, 2020, subject to Governmental Authority approval, if required, and shall continue in full force and effect until terminated in accordance with Exhibit "A".

This Agreement will be subject to the following, all of which are incorporated herein:

- A. The "Terms and Conditions of the ERCOT Standard Generation Interconnection Agreement" attached hereto as Exhibit "A";
- B. The ERCOT Requirements (unless expressly stated herein, where the ERCOT Requirements are in conflict with this Agreement, the ERCOT Requirements shall prevail);
- C. The PUCT Rules (where the PUCT Rules are in conflict with this Agreement, the PUCT Rules shall prevail);
- D. The Time Schedule attached hereto as Exhibit "B";
- E. The Interconnection Details attached hereto as Exhibit "C";
- F. The notice requirements attached hereto as Exhibit "D";
- G. The Security Arrangement Details attached hereto as Exhibit "E";

IN WITNESS WHEREOF, the Parties have executed this Agreement in duplicate originals, each of which shall constitute and be an original effective Agreement between the Parties.

CenterPoint Energy, Houston Electric, LLC		Hecate Energy Ramsey LLC	
By.	By:	Ph	
Title: Interim Pres and CEO	Title:	VP Engineering and Development	
Date:	Date:	May 29, 2020	

#### Exhibit "A" Terms and Conditions of the ERCOT Standard Generation Interconnection Agreement

#### **ARTICLE 1. DEFINITIONS**

Capitalized terms shall have the meanings as set forth below, except as otherwise specified in the Agreement:

1.1 "<u>CCN</u>" shall mean a Certificate of Convenience and Necessity issued by the PUCT.

1.2 "<u>Commercial Operation</u>" shall mean the date on which Generator declares that the construction of the Plant has been substantially completed, Trial Operation of the Plant has been completed, and the Plant is ready for dispatch.

1.3 "<u>Control Area</u>" shall have the meaning ascribed thereto in PUCT Rule 25.5(8) or its successor.

1.4 "ERCOT" shall mean the Electric Reliability Council of Texas, Inc.

1.5 "<u>ERCOT Requirements</u>" means the ERCOT Operating Guides, ISO Generation Interconnection Procedures as well as any other documents adopted by the ISO or ERCOT relating to the interconnection and operation of generators and transmission systems in ERCOT as amended from time to time, and any successors thereto. Any requirement in the foregoing documents imposed upon generation entities or generation facilities shall become the responsibility of the Generator, and any requirements imposed on transmission providers or transmission facilities shall become the responsibility of the TSP.

1.6 "<u>Facilities Study</u>" shall have the meaning as described in PUCT Rule 25.198(g) or its successor.

1.7 "<u>Facilities Study Agreement</u>" shall mean an agreement executed by the Parties relating to the performance of the Facilities Study.

1.8 "<u>GIF</u>" shall mean Generator's interconnection facilities as described in Exhibit "C."

1.9 "<u>Good Utility Practice</u>" shall have the meaning described in PUCT Rule 25.5(23) or its successor.

1.10 "<u>Governmental Authority(ies)</u>" shall mean any federal, state, local or municipal body having jurisdiction over a Party.

1.11 "<u>In-Service Date</u>" shall be the date, as reflected in Exhibit "B," that the TIF will be ready to connect to the GIF.

1.12 "ISO" shall mean the ERCOT Independent System Operator.

1.13 "<u>Plant</u>" shall mean the electric generation facility owned and operated by the Generator, as specified in Exhibit "C."

1.14 "<u>Point of Interconnection</u>" shall mean the location(s) where the GIF connects to the TIF as negotiated and defined by the Parties and as shown on Exhibit "C" of this Agreement.

1.15 "<u>PUCT</u>" shall mean the Public Utility Commission of Texas.

1.16 "<u>PUCT Rules</u>" shall mean the Substantive Rules of the PUCT.

1.17 "<u>Reasonable Efforts</u>" shall mean the use of Good Utility Practice and the exercise of due diligence (pursuant to PUCT Rule 25.196(e)).

1.18 "<u>System Protection Equipment</u>" shall mean those facilities located within the TIF and the GIF as described in Section 5.6 and Exhibit "C."

1.19 "<u>System Security Study</u>" shall have the meaning as described in PUCT Rule25.198(f) or its successor.

1.20 "<u>TCOS</u>" shall mean the TSP's transmission cost of service as allowed by the applicable Governmental Authority.

1.21 "<u>TIF</u>" shall mean the TSP's interconnection facilities as described in Exhibit "C" to this Agreement.

1.22 "<u>Trial Operation</u>" shall mean the process by which the Generator is engaged in onsite test operations and commissioning of the Plant prior to Commercial Operation.

1.23 "<u>TSP</u>" shall mean the Transmission Service Provider.

1.24 "<u>TSP System</u>" shall mean the electric transmission facilities, including the TIF, and all associated equipment and facilities owned and/or operated by the TSP.

#### **ARTICLE 2. TERMINATION**

2.1 <u>Termination Procedures</u>. This Agreement may be terminated as follows:

A. the Generator may terminate this Agreement after giving the TSP thirty (30) days advance written notice; or

B. the TSP may terminate this Agreement (subject to Governmental Authority approval, if required) on written notice to the Generator if the Generator's Plant has not achieved Commercial Operation within one year after the scheduled Commercial Operation date reflected in Exhibit "B"; or

C. either Party may terminate this Agreement in accordance with Section 10.6.

2.2 <u>Termination Costs</u>. If a Party elects to terminate the Agreement pursuant to Section 2.1 above, the Generator shall pay all costs incurred (or committed to be incurred) by TSP, as of the date of the other Party's receipt of such notice of termination, that are the responsibility of the Generator under this Agreement. In the event of termination by either Party, both Parties shall use commercially reasonable efforts to mitigate the damages and

charges that they may incur as a consequence of termination. The provisions of the Sections 2.2 and 2.3 shall survive termination of the Agreement.

2.3 <u>Disconnection</u>. Upon termination of this Agreement, the Parties will disconnect the GIF from the TIF.

#### **ARTICLE 3. REGULATORY FILINGS**

3.1 <u>Filing</u>. The TSP shall file this executed Agreement with the appropriate Governmental Authority, if required. Any portions of this Agreement asserted by Generator to contain competitively sensitive commercial or financial information shall be filed by the TSP identified as "confidential" under seal stating, for the TSP's showing of good cause, that Generator asserts such information is confidential information and has requested such filing under seal. If requested by the TSP, Generator shall provide the TSP, in writing, with the Generator's basis for asserting that the information referred to in this Section 3.1 is competitively sensitive information, and the TSP may disclose such writing to the appropriate Governmental Authority.

3.2 <u>Regulatory Approvals</u>. Unless exempt, the TSP shall timely request ISO and all regulatory approvals necessary for it to carry out its responsibilities under this Agreement. Such approvals shall include any CCN required for the construction of the TIF.

#### ARTICLE 4. INTERCONNECTION FACILITIES ENGINEERING, PROCUREMENT, AND CONSTRUCTION

4.1 <u>Options</u>. The Generator shall select one of the following options (subsection A or subsection B) and include the selected option in Exhibit "B" for completion of the TIF:

A. The TSP shall design, procure, and construct the TIF, using Reasonable Efforts to complete the TIF by the In-Service Date reflected in Exhibit "B." The TSP will utilize its own resources and will contract for additional resources, as reasonably necessary, to meet the In-Service Date. Such resources shall include, as the TSP believes is reasonable, use of other contractors, other equipment suppliers, other material suppliers, additional contract personnel, additional payments to contractors for expedited work, and premiums paid to equipment and material suppliers for expedited delivery. The TSP shall not be required to undertake any initiative which is inconsistent with its standard safety practices, its labor agreements, applicable laws and regulations, and ERCOT Requirements. In the event the TSP reasonably expects that it will not be able to complete the TIF by the In-Service Date, the TSP will promptly provide written notice to the Generator and will undertake Reasonable Efforts to meet the earliest date thereafter.

B. (i) The TSP shall design, procure, and construct the TIF by the In-Service Date reflected in Exhibit "B." The Parties acknowledge that the In-Service Date was either agreed upon through good faith negotiations or designated by the Generator upon failure of the Parties to agree. In the process of negotiating the In-Service Date, Generator will request a date upon which it reasonably expects it will be ready to begin use of the TIF and upon which it reasonably expects to begin doing so. Any date designated by the Generator shall in no event be less than fifteen months from the date that all conditions of Sections 4.2 and 4.3 have been satisfied. The designated In-Service Date will be extended day for day for each day that the ISO refuses to grant clearances to install equipment. If the TSP fails to

complete the TIF by the In-Service Date reflected in Exhibit "B," the TSP shall pay the Generator liquidated damages in accordance with this Section 4.1.B.

(ii) The Parties agree that actual damages to the Generator, in the event the TIF are not completed by the In-Service Date, may include Generator's fixed operation and maintenance costs and lost opportunity costs. Such actual damages are uncertain and impossible to determine at this time. The Parties agree that, because of such uncertainty, any liquidated damages paid by the TSP to the Generator shall be an amount equal to ½ of 1% of the actual cost of the TIF, per day. However, in no event shall the total liquidated damages are less than the Generator's actual damages. The Parties agree that such liquidated damages are less than the Generator's actual damages. The Parties agree that the foregoing payments will be made by the TSP to the Generator as just compensation for the damages caused to the Generator, which actual damages are uncertain and impossible to determine at this time, and as reasonable liquidated damages, but not as a penalty or a method to secure performance of this Agreement.

(iii) The TSP shall apply to have the full costs of the TIF included in TCOS. If the PUCT issues a final, appealable order excluding from TCOS any portion of the TIF costs, including higher contractor and vendor costs due to liquidated damage provisions in those contracts and insurance costs to cover liquidated damages, which costs may have been reasonably incurred but which the PUCT finds should not be recovered through TCOS, the Generator shall reimburse the TSP for such costs in an amount not to exceed the difference between the TSP's estimate of the cost of the TIF under section 4.1.A and the TSP's estimate of the cost of the TIF under Section 4.1.B as reflected in Exhibit "C." Such costs shall be estimated using Good Utility Practice.

(iv) No liquidated damages shall be paid to Generator if the Generator is not ready to commence use of the TIF for the delivery of power to the Plant for Trial Operation or export of power from the Plant on the In-Service Date, unless the Generator would have been able to commence use of the TIF for the delivery of power to the Plant for Trial Operation or export of power from the Plant but for TSP's delay.

(v) If the In-Service Date has been designated by the Generator upon a failure of the Parties to agree on the In-Service Date, the TSP may, at its option, require the Generator to subcontract with the TSP for all or part of the design, procurement and construction of the TIF in accordance with the TSP's standard subcontractor agreements. In such event, the TSP shall be subject to the payment of liquidated damages to the Generator only if the In-Service Date is not met solely due to the TSP's failure to complete the portion of the TIF for which the TSP has retained responsibility. It is the intent of this subsection to give the TSP full control of the contents and quality of the TIF. To the extent the Generator acts as a subcontractor to the TSP, the following will apply: 1) The Generator shall engineer, procure equipment, and construct the TIF (or portions thereof) using Good Utility Practice and using standards and specifications provided in advance by the TSP; 2) In its engineering, procurement and construction of the TIF, the Generator shall comply with all requirements of law to which the TSP would be subject in the engineering, procurement or construction of the TIF; 3) The TSP shall review and approve the engineering design, acceptance tests of equipment, and the construction of the TIF; 4) The TSP shall have the right to approve and accept for operation the TIF in accordance with the standards and specifications provided in advance by the TSP, such approval and acceptance shall not be unreasonably withheld, conditioned, or delayed; 5) Should any

phase of the engineering, equipment procurement, or construction of the TIF, including selection of subcontractors, not meet the standards and specifications provided by the TSP, and therefore be deemed unacceptable, then the Generator shall be obligated to remedy that portion of the TIF or selection of subcontractors that is deemed unacceptable, the TSP's approval of the Generator's selection of subcontractors will not be unreasonably withheld, conditioned or delayed; and 6) Once the TIF is accepted for operation by the TSP, then the TSP shall reimburse the Generator for the reasonable and necessary costs incurred by the Generator to complete the TIF, not to exceed the amount specified in the subcontract. Such reimbursement shall be made within thirty days after receipt of the invoice, unless otherwise agreed to by the Parties.

4.2 <u>Equipment Procurement</u>. If responsibility for construction of the TIF is borne by the TSP, then the TSP shall commence design of the TIF and procure necessary equipment within a reasonable time after all of the following conditions are satisfied:

A. The TSP has completed the Facilities Study pursuant to the Facilities Study Agreement;

B. The TSP has received written authorization to proceed with design and procurement from the Generator by the date specified in Exhibit "B"; and

C. The Generator has provided security to the TSP in accordance with Section8.3 by the dates specified in Exhibit "B."

4.3 <u>Construction Commencement</u>. The TSP shall commence construction of the TIF as soon as practicable after the following additional conditions are satisfied:

A. Approval of the appropriate Governmental Authority has been obtained for any facilities requiring regulatory approval;

12

B. Necessary real property rights, if any, have been obtained;

C. The TSP has received written authorization to proceed with construction from the Generator by the date specified in Exhibit "B"; and

D. The Generator has provided security to the TSP in accordance with Section 8.3 by the dates specified in Exhibit "B."

4.4 <u>Work Progress</u>. The Parties will keep each other advised periodically as to the progress of their respective design, procurement and construction efforts. If, at any time, the Generator becomes aware that the completion of the TIF will not be required until after the specified In-Service Date, the Generator will promptly provide written notice to the TSP of a new, later In-Service Date.

4.5 <u>Conditions Precedent Delay</u>. To the extent this Agreement incorporates a specified In-Service Date and the Generator fails to satisfy conditions precedent under Sections 4.2 and 4.3 so that the TSP may meet the In-Service Date, the Parties will negotiate in good faith to establish a new schedule for completion of the TIF.

#### **ARTICLE 5. FACILITIES AND EQUIPMENT**

5.1 <u>Information Exchange</u>. The Parties shall exchange information and mutually agree upon the design and compatibility of the Parties' interconnection facilities. The Parties shall work diligently and in good faith to make any necessary design changes to ensure compatibility of the GIF to the TSP System.

5.2 <u>GIF Construction</u>. Generator agrees to cause the GIF to be designed and constructed in accordance with Good Utility Practice, ERCOT Requirements and the National Electrical Safety Code in effect at the time of construction. Within one-hundred and twenty (120) days after Commercial Operation, unless the Parties agree on another mutually

acceptable deadline, the Generator shall deliver to the TSP the following "as-built" drawings, information and documents for the GIF: a one-line diagram, a site plan showing the Plant and the GIF, plan and elevation drawings showing the layout of the GIF, a relay functional diagram, relaying AC and DC schematic wiring diagrams and relay settings for all facilities associated with the Generator's main-power transformers, the facilities connecting the Generator to the main power transformers and the GIF, and the impedances (determined by factory tests) for the associated main power transformers and the generators.

5.3 <u>TIF Construction</u>. The TSP agrees to cause the TIF to be designed and constructed in accordance with Good Utility Practice, ERCOT Requirements and the National Electrical Safety Code in effect at the time of construction.

5.4 <u>Equipment Changes</u>. For facilities not described in Exhibit "C," if either Party makes equipment changes to the Plant, the GIF, the TIF or the TSP System which it knows will affect the operation or performance of the other Party's interconnection facilities, the Parties agree to notify the other Party, in writing, of such changes. Such changes shall be made in accordance with ERCOT Requirements and coordinated between the Parties.

#### 5.5 Metering, Telemetry and Communications Requirements.

A. Metering and telemetry of data will be accomplished in accordance with ERCOT Requirements. The specific metering, telemetry and communications equipment to be installed and data to be telemetered are described in Exhibit "C."

B. At the Point of Interconnection, the metering and telemetry equipment shall be owned by the TSP. However, the TSP shall provide the Generator with metering and telemetry values in accordance with ERCOT Requirements.

C. A minimum set of inputs to the telemetry equipment are specified in Exhibit"C." Additional sets of inputs may be subsequently mutually agreed upon.

D. The TSP will notify the Generator at least five (5) working days in advance of any planned maintenance, inspection, testing, or calibration of the metering equipment, unless otherwise agreed to in writing. The Generator, or its designated representative, shall have the right to be present for these activities and to receive copies of any documents related to the procedures and results.

E. Prior to the connection of the GIF to the TIF, acceptance tests will be performed by the owning Party to ensure the proper functioning of all metering, telemetry and communications equipment associated with the Point of Interconnection and both Parties' interconnection facilities, and to verify the accuracy of data being received by the TSP, the Control Area(s) in which the Plant and the TSP are located and the Generator. All acceptance tests will be performed consistent with ERCOT Requirements.

F. The TSP shall, in accordance with Good Utility Practice and ERCOT Requirements, specify communications facilities, including those necessary to transmit data from the metering equipment to the TSP, that are necessary for the effective operation of the Plant and the GIF with the TSP System. Such communication facilities shall be included in Exhibit "C." The Generator shall make arrangements to procure and bear the cost of such facilities.

G. Any changes to the meters, telemetry equipment, voltage transformers, current transformers, and associated panels, hardware, conduit and cable, which will affect the data being received by the other Party must be mutually agreed to by the Parties.

H. Each Party will promptly advise the other Party if it detects or otherwise learns of any metering, telemetry or communications equipment errors or malfunctions that require the attention and/or correction by the other Party. The Party owning such equipment shall correct such error or malfunction as soon as reasonably feasible in accordance with ERCOT Requirements.

#### 5.6 System Protection and Other Controls Requirements.

A. Each Party's facilities shall be designed to isolate any fault, or to correct or isolate any abnormality, that would negatively affect the other Party's system or other entities connected to the TSP System.

B. The Generator shall be responsible for protection of its facilities consistent with ERCOT Requirements.

C. Each Party's protective relay design shall incorporate the necessary test switches to perform the tests required in Section 5.6.F. The required test switches will be placed such that they allow operation of lockout relays while preventing breaker failure schemes from operating and causing unnecessary breaker operations and tripping the Generator's units.

D. Recording equipment shall be installed to analyze all system disturbances in accordance with ERCOT Requirements.

E. Each Party will test, operate and maintain System Protection Equipment in accordance with ERCOT Requirements. Each Party will provide reasonable notice to the

other Party of any testing of its System Protection Equipment allowing such other Party the opportunity to have representatives present during testing of its System Protection Equipment.

F. Prior to the In-Service Date, and again prior to Commercial Operation, each Party or its agent shall perform a complete calibration test and functional trip test of the System Protection Equipment. At intervals suggested by Good Utility Practice or at intervals described in the ERCOT Requirements if so defined therein, and following any apparent malfunction of the System Protection Equipment, each Party shall perform both calibration and functional trip tests of its System Protection Equipment. These tests do not require the tripping of any in-service generation unit. These tests do, however, require that all protective relays and lockout contacts be activated.

5.7 <u>No Annexation</u>. Any and all equipment placed on the premises of a Party shall be and remain the property of the Party providing such equipment regardless of the mode and manner of annexation or attachment to real property, unless otherwise mutually agreed by the Parties.

#### **ARTICLE 6. OPERATION AND MAINTENANCE**

6.1 <u>Operation and Maintenance of Interconnection Facilities.</u> The Parties agree to operate and maintain their systems in accordance with Good Utility Practice, National Electrical Safety Code, the ERCOT Requirements, PUCT Rules and all applicable laws and regulations. Subject to any necessary ISO approval, each Party shall provide necessary equipment outages to allow the other Party to perform periodic maintenance, repair or replacement of its facilities. Such outages shall be scheduled at mutually agreeable times,

unless conditions exist which a Party believes, in accordance with Good Utility Practice, may endanger persons or property. No changes will be made in the normal operation of the Point of Interconnection without the mutual agreement of the Parties except as otherwise provided herein. All testing of the Plant that affects the operation of the Point of Interconnection shall be coordinated between the TSP, the Control Area(s) in which the Plant and the TSP are located, and the Generator and will be conducted in accordance with ERCOT Requirements.

6.2 <u>Control Area Notification</u>. At least six months before Trial Operation, the Generator shall notify the TSP in writing of the Control Area in which it will be located. If the Generator elects to be located in a Control Area other than the Control Area in which the TSP is located, all necessary agreements, including but not limited to remote control area generator interchange agreements, if applicable, and appropriate measures under such agreements, shall be executed and implemented prior to the placement of the Plant in the other Control Area. The Parties will diligently cooperate with one another to enable such agreements to be executed and implemented on a schedule necessary to meet the Trial Operation date specified in Exhibit "B."

6.3 <u>Land Rights and Easements.</u> Terms and conditions addressing the rights of the TSP and the Generator regarding any facilities located on the other Party's property shall be addressed in a separate, duly executed and recorded easement agreement between the Parties. Prior to Commercial Operation, the Parties will mutually agree upon procedures to govern access to each other's property as necessary for the Parties to fulfill their obligations hereunder.

6.4 <u>Service Interruption</u>. The Parties recognize that the interruption of service

provisions of the PUCT Rules give TSP the right to disconnect the TSP System from the Plant under the conditions specified therein. The Generator will promptly disconnect the Plant from the TSP System when required by and in accordance with the PUCT Rules and ERCOT Requirements.

6.5 <u>Switching and Clearance.</u>

A. Any switching or clearances needed on the TIF or the GIF will be done in accordance with ERCOT Requirements.

B. Any switching and clearance procedure necessary to comply with Good Utility Practice or ERCOT Requirements that may have specific application to the Plant shall be addressed in Exhibit "C."

6.6 <u>Start-Up and Synchronization.</u> Consistent with ERCOT Requirements and the Parties' mutually acceptable procedure, the Generator is responsible for the proper synchronization of the Plant to the TSP System.

6.7 <u>Routine Operational Communications.</u> On a timely basis, the Parties shall exchange all information necessary to comply with ERCOT Requirements.

6.8 <u>Blackstart Operations.</u> If the Plant is capable of blackstart operations, Generator will coordinate individual Plant start-up procedures consistent with ERCOT Requirements. Any blackstart operations shall be conducted in accordance with the blackstart criteria included in the ERCOT Requirements and the TSP Blackstart Plan on file with the ISO. Notwithstanding this section, the Generator is not required to have blackstart capability by virtue of this Agreement. If the Generator will have blackstart capability, then Generator shall provide and maintain an emergency communication system that will interface with the TSP during a blackstart condition.

6.9 <u>Power System Stabilizers.</u> The Generator shall procure, install, maintain and operate power system stabilizers if required to meet ERCOT Requirements and as described in Exhibit "C."

#### **ARTICLE 7. DATA REQUIREMENTS**

7.1 <u>Data Acquisition</u>. The acquisition of data to realistically simulate the electrical behavior of system components is a fundamental requirement for the development of a reliable interconnected transmission system. Therefore, the TSP and the Generator shall be required to submit specific information regarding the electrical characteristics of their respective facilities to each other as described below in accordance with ERCOT Requirements.

7.2 <u>Initial Data Submission by TSP</u>. The initial data submission by the TSP shall occur no later than 120 days prior to Trial Operation and shall include transmission system data necessary to allow the Generator to select equipment and meet any system protection and stability requirements.

7.3 <u>Initial Data Submission by Generator</u>. The initial data submission by the Generator, including manufacturer data, shall occur no later than 90 days prior to the Trial Operation and shall include a completed copy of the following forms contained in the ISO's Generation Interconnection Procedure: (1) Plant Description/Data and (2) Generation Stability Data. It shall also include any additional data provided to the ISO for the System Security Study. Data in the initial submissions shall be the most current Plant design or expected performance data. Data submitted for stability models shall be compatible with the ISO standard models. If there is no compatible model, the Generator will work with an ISO designated consultant to develop and supply a standard model and associated data.

7.4 <u>Data Supplementation</u>. Prior to Commercial Operation, the Parties shall supplement their initial data submissions with any and all "as-built" Plant data or "as-tested" performance data which differs from the initial submissions or, alternatively, written confirmation that no such differences exist. Subsequent to Commercial Operation, the Generator shall provide the TSP any data changes due to equipment replacement, repair, or adjustment. The TSP shall provide the Generator any data changes due to equipment replacement, repair, or adjustment in the directly connected substation or any adjacent TSP-owned substation that may affect the GIF equipment ratings, protection or operating requirements. The Parties shall provide such data no later than 30 days after the date of the actual change in equipment characteristics. Also, the Parties shall provide to each other a copy of any additional data later required by the ISO concerning these facilities.

7.5 <u>Data Exchange</u>. Each Party shall furnish to the other Party real-time and forecasted data as required by ERCOT Requirements. The Parties will cooperate with one another in the analysis of disturbances to either the Plant or the TSP's System by gathering and providing access to any information relating to any disturbance, including information from oscillography, protective relay targets, breaker operations and sequence of events records.

#### **ARTICLE 8. PERFORMANCE OBLIGATION**

8.1 <u>Generator's Cost Responsibility.</u> The Generator will acquire, construct, operate, test, maintain and own the Plant and the GIF at its sole expense. In addition, the Generator may be required to make a contribution in aid of construction in the amount set out in and for the facilities described in Exhibit "C," if any, in accordance with PUCT Rules.

8.2 <u>TSP's Cost Responsibility.</u> The TSP will acquire, own, operate, test, and maintain the TIF at its sole expense, subject to the provisions of Section 4.1.B and the contribution in aid of construction provisions of Section 8.1 of this Agreement.

8.3 Financial Security Arrangements. The TSP may require the Generator to pay a reasonable deposit or provide another means of security, to cover the costs of planning, licensing, procuring equipment and materials, and constructing the TIF. The required security arrangements shall be specified in Exhibit "E." Within five business days after the Plant achieves Commercial Operation with respect to the applicable Phase, the TSP shall return the deposit or security to the Generator relating to such Phase. However, the TSP may retain an amount to cover the incremental difference between the TSP's actual out of pocket costs associated with the choice of Section 4.1.B over Section 4.1.A, pending a final PUCT Order as contemplated in Section 4.1.B(iii). If the Plant has not achieved Commercial Operation within one year after the scheduled Commercial Operation date identified in Exhibit "B" or if the Generator terminates this Agreement in accordance with Section 2.1 and the TIF are not required, the TSP may, subject to the provisions of Section 2.2, retain as much of the deposit or security as is required to cover the costs it incurred in planning, licensing, procuring equipment and materials, and constructing the TIF. If a cash deposit is made pursuant to Exhibit "E," any repayment of such cash deposit shall include interest at a rate applicable to customer deposits as established from time to time by the PUCT or other Governmental Authority.

#### **ARTICLE 9. INSURANCE**

9.1 Each Party shall, at its own expense, maintain in force throughout the period of this Agreement and until released by the other Party the following minimum insurance coverages, with insurers authorized to do business in Texas:

A. <u>Employers Liability and Worker's Compensation Insurance</u> providing statutory benefits in accordance with the laws and regulations of the State of Texas. The minimum limits for the Employer's Liability insurance shall be One Million Dollars (\$1,000,000) each accident bodily injury by accident, One Million Dollars (\$1,000,000) each employee bodily injury by disease, and One Million Dollars (\$1,000,000) policy limit bodily injury by disease.

B. <u>Commercial General Liability Insurance</u> including premises and operations, personal injury, broad form property damage, broad form blanket contractual liability coverage (including coverage for the contractual indemnification) products and completed operations coverage, coverage for explosion, collapse and underground hazards, independent contractors coverage, coverage for pollution to the extent normally available and punitive damages to the extent normally available and a cross liability endorsement, with minimum limits of One Million Dollars (\$1,000,000) per occurrence/One Million Dollars (\$1,000,000) aggregate combined single limit for personal injury, bodily injury, including death and property damage.

C. <u>Comprehensive Automobile Liability Insurance</u> for coverage of owned, non-owned and hired vehicles, trailers or semi-trailers designed for travel on public roads, with a minimum combined single limit of One Million Dollars (\$1,000,000) per occurrence for bodily injury, including death, and property damage.

23

D. <u>Excess Public Liability Insurance</u> over and above the Employer's Liability, Commercial General Liability and Comprehensive Automobile Liability Insurance coverage, with a minimum combined single limit of Twenty Million Dollars (\$20,000,000) per occurrence/Twenty Million Dollars (\$20,000,000) aggregate.

E. The Commercial General Liability Insurance, Comprehensive Automobile Liability Insurance, and Excess Public Liability Insurance polices shall name the other Party, its parent, associated and affiliated companies and their respective directors, officers, agents, servants and employees ("Other Party Group") as additional insured. All policies shall contain provisions whereby the insurers waive all rights of subrogation in accordance with the provisions of this Agreement against the Other Party Group and provide thirty (30) days advance written notice to Other Party Group prior to anniversary date of cancellation or any material change in coverage or condition.

F. The Commercial General Liability Insurance, Comprehensive Automobile Liability Insurance and Excess Public Liability Insurance policies shall contain provisions that specify that the policies are primary and shall apply to such extent without consideration for other policies separately carried and shall state that each insured is provided coverage as though a separate policy had been issued to each, except the insurer's liability shall not be increased beyond the amount for which the insurer would have been liable had only one insured been covered. Each Party shall be responsible for its respective deductibles or retentions.

G. The Commercial General Liability Insurance, Comprehensive Automobile Liability Insurance and Excess Public Liability Insurance policies, if written on a Claims First Made basis, shall be maintained in full force and effect for two (2) years after

termination of this Agreement, which coverage may be in the form of tail coverage or extended reporting period coverage if agreed by the Parties.

H. The requirements contained herein as to the types and limits of all insurance to be maintained by the Parties are not intended to and shall not in any manner, limit or qualify the liabilities and obligations assumed by the Parties under this Agreement.

I. Within ten (10) days following execution of this Agreement, and as soon as practicable after the end of each fiscal year or at the renewal of the insurance policy and in any event within ninety (90) days thereafter, each Party shall provide certification of all insurance required in this Agreement, executed by each insurer or by an authorized representative of each insurer.

J. Notwithstanding the foregoing, each Party may self-insure to the extent it maintains a self-insurance program; provided that, such Party's senior secured debt is rated at investment grade, or better, by Standard & Poor's. For any period of time that a Party's senior secured debt is unrated by Standard & Poor's or is rated at less than investment grade by Standard & Poor's, such Party shall comply with the insurance requirements applicable to it under Sections 9.1.A through 9.1.I. In the event that a Party is permitted to self-insure pursuant to this Section 9.1.J, it shall not be required to comply with the insurance requirements applicable to it under Sections 9.1.A through 9.1.I.

K. The Parties agree to report to each other in writing as soon as practical all accidents or occurrences resulting in injuries to any person, including death, and any property damage arising out of this Agreement.

#### **ARTICLE 10. MISCELLANEOUS**

#### 10.1 Governing Law and Applicable Tariffs.

A. This Agreement for all purposes shall be construed in accordance with and governed by the laws of the State of Texas, excluding conflicts of law principles that would refer to the laws of another jurisdiction. The Parties submit to the jurisdiction of the federal and state courts in the State of Texas.

B. This Agreement is subject to all valid, applicable rules, regulations and orders of, and tariffs approved by, duly constituted Governmental Authorities.

C. Each Party expressly reserves the right to seek changes in, appeal, or otherwise contest any laws, orders, rules, or regulations of a Governmental Authority.

10.2 <u>No Other Services.</u> This Agreement is applicable only to the interconnection of the Plant to the TSP System at the Point of Interconnection and does not obligate either Party to provide, or entitle either Party to receive, any service not expressly provided for herein. Each Party is responsible for making the arrangements necessary for it to receive any other service that it may desire from the other Party or any third party. This Agreement does not address the sale or purchase of any electric energy, transmission service or ancillary services by either Party, either before or after Commercial Operation.

10.3 <u>Entire Agreement</u>. This Agreement, including all Exhibits, Attachments and Schedules attached hereto, constitutes the entire agreement between the Parties with reference to the subject matter hereof, and supersedes all prior and contemporaneous understandings or agreements, oral or written, between the Parties with respect to the subject matter of this Agreement. There are no other agreements, representations, warranties, or covenants which constitute any part of the consideration for, or any condition to, either Party's compliance with its obligations under this Agreement. Notwithstanding

the other provisions of this Section, the Facilities Study Agreement, if any, is unaffected by this Agreement.

10.4 <u>Notices</u>. Except as otherwise provided in Exhibit "D," any formal notice, demand or request provided for in this Agreement shall be in writing and shall be deemed properly served, given or made if delivered in person, or sent by either registered or certified mail, postage prepaid, overnight mail or fax to the address or number identified on Exhibit "D" attached to this Agreement. Either Party may change the notice information on Exhibit "D" by giving five business days written notice prior to the effective date of the change.

10.5 Force Majeure.

A. The term "Force Majeure" as used herein shall mean any cause beyond the reasonable control of the Party claiming Force Majeure, and without the fault or negligence of such Party, which materially prevents or impairs the performance of such Party's obligations hereunder, including but not limited to, storm, flood, lightning, earthquake, fire, explosion, failure or imminent threat of failure of facilities, civil disturbance, strike or other labor disturbance, sabotage, war, national emergency, or restraint by any Governmental Authority.

B. Neither Party shall be considered to be in Default (as hereinafter defined) with respect to any obligation hereunder (including obligations under Article 4), other than the obligation to pay money when due, if prevented from fulfilling such obligation by Force Majeure. A Party unable to fulfill any obligation hereunder (other than an obligation to pay money when due) by reason of Force Majeure shall give notice and the full particulars of such Force Majeure to the other Party in writing or by telephone as soon as reasonably possible after the occurrence of the cause relied upon. Telephone notices given pursuant

to this Section shall be confirmed in writing as soon as reasonably possible and shall specifically state full particulars of the Force Majeure, the time and date when the Force Majeure occurred and when the Force Majeure is reasonably expected to cease. The Party affected shall exercise due diligence to remove such disability with reasonable dispatch, but shall not be required to accede or agree to any provision not satisfactory to it in order to settle and terminate a strike or other labor disturbance.

### 10.6 Default

A. The term "Default" shall mean the failure of either Party to perform any obligation in the time or manner provided in this Agreement. No Default shall exist where such failure to discharge an obligation (other than the payment of money) is the result of Force Majeure as defined in this Agreement or the result of an act or omission of the other Party. Upon a Default, the non-defaulting Party shall give written notice of such Default to the defaulting Party. Except as provided in Section 10.6.B, the defaulting Party shall have thirty (30) days from receipt of the Default notice within which to cure such Default; provided however, if such Default is not capable of cure within 30 days, the defaulting Party shall commence such cure within 30 days after notice and continuously and diligently complete such cure within 90 days from receipt of the Default notice; and, if cured within such time, the Default specified in such notice shall cease to exist.

B. If a Default is not cured as provided in this Section, or if a Default is not capable of being cured within the period provided for herein, the non-defaulting Party shall have the right to terminate this Agreement by written notice at any time until cure occurs, and be relieved of any further obligation hereunder and, whether or not that Party terminates this Agreement, to recover from the defaulting Party all amounts due hereunder.

plus all other damages and remedies to which it is entitled at law or in equity. The provisions of this Section will survive termination of this Agreement.

10.7 Intrastate Operation. The operation of the Plant by Generator shall not cause there to be a synchronous or an asynchronous interconnection between ERCOT and any other transmission facilities operated outside of ERCOT unless ordered by the Federal Energy Regulatory Commission under Section 210 of the Federal Power Act. The Parties recognize and agree that any such interconnection will constitute an adverse condition giving the TSP the right to immediately disconnect the TIF from the GIF, until such interconnection has been disconnected. The Generator will not be prohibited by this Section from interconnecting the Plant with facilities operated by the Comision Federal de Electricidad of Mexico, unless such interconnection would cause ERCOT utilities that are not "public utilities" under the Federal Power Act to become subject to the plenary jurisdiction of the Federal Energy Regulatory Commission.

10.8 <u>No Third Party Beneficiaries.</u> This Agreement is not intended to and does not create rights, remedies, or benefits of any character whatsoever in favor of any persons, corporations, associations, or entities other than the Parties, and the obligations herein assumed are solely for the use and benefit of the Parties, their successors in interest and, where permitted, their assigns.

10.9 <u>No Waiver</u>. The failure of a Party to this Agreement to insist, on any occasion, upon strict performance of any provision of this Agreement will not be considered a waiver of obligations, rights, or duties imposed upon the Parties. Termination or Default of this Agreement for any reason by the Generator shall not constitute a waiver of the Generator's

Ramsey Solar 2020-05-29 Hecate-CenterPoint SGIA (20INR0130)

legal rights to obtain an interconnection from the TSP under a new interconnection agreement.

10.10 <u>Headings</u>. The descriptive headings of the various articles and sections of this Agreement have been inserted for convenience of reference only and are of no significance in the interpretation or construction of this Agreement.

10.11 <u>Multiple Counterparts.</u> This Agreement may be executed in two or more counterparts, each of which is deemed an original but all constitute one and the same instrument.

10.12 <u>Amendment</u>. This Agreement may be amended only upon mutual agreement of the Parties, which amendment will not be effective until reduced to writing and executed by the Parties.

10.13 <u>No Partnership</u>. This Agreement shall not be interpreted or construed to create an association, joint venture, agency relationship, or partnership between the Parties or to impose any partnership obligation or liability upon either Party. Neither Party shall have any right, power or authority to enter into any agreement or undertaking for, or act on behalf of, or to act as or be an agent or representative of, or to otherwise bind, the other Party.

10.14 <u>Further Assurances</u>. The Parties agree to (i) furnish upon request to each other such further information, (ii) execute and deliver to each other such other documents, and (iii) do such other acts and things, all as the other Party may reasonably request for the purpose of carrying out the intent of this Agreement and the documents referred to in this Agreement. Without limiting the generality of the foregoing, the TSP shall, at the Generator's expense, when reasonably requested to do so by the Generator at any time after

the execution of this Agreement, prepare and provide such information in connection with this Agreement (including, if available, resolutions, certificates, opinions of counsel or other documents relating to the TSP's corporate authorization to enter into this Agreement and to undertake the obligations set out herein) as may be reasonably required by any potential lender to the Generator under a proposed loan agreement. The TSP will use commercially reasonable efforts to obtain any opinion of counsel reasonably requested by Generator, but the TSP shall not be in Default of any obligation under this Agreement if the TSP is unable to provide an opinion of counsel that will satisfy any potential lender to the Generator. Specifically, upon the written request of one Party, the other Party shall provide the requesting Party with a letter stating whether or not, up to the date of the letter, that Party is satisfied with the performance of the requesting Party under this Agreement.

10.15 <u>Indemnification and Liability</u>. The indemnification and liability provisions of the PUCT Rule 25.202(b)(2) or its successor shall govern this Agreement.

10.16 <u>Consequential Damages</u>. OTHER THAN THE LIQUIDATED DAMAGES HERETOFORE DESCRIBED, IN NO EVENT SHALL EITHER PARTY BE LIABLE UNDER ANY PROVISION OF THIS AGREEMENT FOR ANY LOSSES, DAMAGES, COSTS OR EXPENSES FOR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, OR PUNITIVE DAMAGES, INCLUDING BUT NOT LIMITED TO LOSS OF PROFIT OR REVENUE, LOSS OF THE USE OF EQUIPMENT, COST OF CAPITAL, COST OF TEMPORARY EQUIPMENT OR SERVICES, WHETHER BASED IN WHOLE OR IN PART IN CONTRACT, IN TORT, INCLUDING NEGLIGENCE, STRICT LIABILITY, OR ANY OTHER THEORY OF LIABILITY; PROVIDED, HOWEVER, THAT DAMAGES FOR WHICH A PARTY MAY BE

LIABLE TO THE OTHER PARTY UNDER ANOTHER AGREEMENT WILL NOT BE CONSIDERED TO BE SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES HEREUNDER.

10.17 Assignment. This Agreement may be assigned by either Party only with the written consent of the other; provided that either Party may assign this Agreement without the consent of the other Party to any affiliate of the assigning Party with an equal or greater credit rating and with the legal authority and operational ability to satisfy the obligations of the assigning Party under this Agreement; and provided further that the Generator shall have the right to assign this Agreement, without the consent of the TSP, for collateral security purposes to aid in providing financing for the Plant, provided that the Generator will require any secured party, trustee or mortgagee to notify the TSP of any such assignment. Any financing arrangement entered into by the Generator pursuant to this Section will provide that prior to or upon the exercise of the secured party's, trustee's or mortgagee's assignment rights pursuant to said arrangement, the secured creditor, the trustee or mortgagee will notify the TSP of the date and particulars of any such exercise of assignment right(s). Any attempted assignment that violates this Section is void and ineffective. Any assignment under this Agreement shall not relieve a Party of its obligations, nor shall a Party's obligations be enlarged, in whole or in part, by reason thereof. Where required, consent to assignment will not be unreasonably withheld, conditioned or delayed.

10.18 <u>Severability</u>. If any provision in this Agreement is finally determined to be invalid, void or unenforceable by any court having jurisdiction, such determination shall not invalidate, void or make unenforceable any other provision, agreement or covenant of this

Agreement; provided that if the Generator (or any third-party, but only if such third-party is not acting at the direction of the TSP) seeks and obtains such a final determination with respect to any provision of Section 4.1.B, then none of the provisions of Section 4.1.B. shall thereafter have any force or effect and the Parties' rights and obligations shall be governed solely by Section 4.1.A.

10.19 <u>Comparability</u>. The Parties will comply with all applicable comparability and code of conduct laws, rules and regulations, as amended from time to time.

10.20 <u>Invoicing and Payment</u>. Unless the Parties otherwise agree (in a manner permitted by applicable PUCT Rules and as specified in writing in an Exhibit "E" attached hereto), invoicing and payment rights and obligations under this Agreement shall be governed by PUCT Rules or applicable Governmental Authority. Invoices shall be rendered to the paying Party at the address specified on, and payments shall be made in accordance with the requirements of, Exhibit "D."

### 10.21 Confidentiality.

A. Subject to the exception in Section 10.21.B, any information that a Party claims is competitively sensitive, commercial or financial information under this Agreement ("Confidential Information") shall not be disclosed by the other Party to any person not employed or retained by the other Party, except to the extent disclosure is (i) required by law; (ii) reasonably deemed by the disclosing Party to be required to be disclosed in connection with a dispute between or among the Parties, or the defense of litigation or dispute; (iii) otherwise permitted by consent of the other Party, such consent not to be unreasonably withheld; or (iv) necessary to fulfill its obligations under this Agreement or as a transmission service provider or a Control Area operator including

disclosing the Confidential Information to the ISO. The Party asserting confidentiality shall notify the other Party in writing of the information it claims is confidential. Prior to any disclosures of the other Party's Confidential Information under this subsection, or if any third party or Governmental Authority makes any request or demand for any of the information described in this subsection, the disclosing Party agrees to promptly notify the other Party in writing and agrees to assert confidentiality and cooperate with the other Party in seeking to protect the Confidential Information from public disclosure by confidentiality agreement, protective order or other reasonable measures.

B. This provision shall not apply to any information that was or is hereafter in the public domain (except as a result of a breach of this provision).

## Exhibit "B" Time Schedule

1. Interconnection Option chosen by Generator (check one):

X Section 4.1.A. or Section 4.1.B

If Section 4.1.B is chosen by Generator, the In-Service Date(s) was determined by (check one): (1) N/A good faith negotiations, or (2) N/A designated by Generator upon failure to agree.

- 2. Generator expects to deliver each of the following items (collectively, the "Prerequisite Items") to TSP by no later than <u>June 30, 2020</u> (the "Scheduled Start Date"):
  - A. The Notice to Proceed defined in Section 4.3.D of Exhibit "A";
  - B. The CIAC, if any, described in Exhibit "C"; and
  - C. The Security described in Exhibit "E."
- 3. The In-Service Date is the later of <u>May 1<sup>st</sup>, 2021</u> or 18 months after TSP's receipt of the Prerequisite Items.
- 4. The scheduled Commercial Operation Date is the later of <u>June 1<sup>st</sup></u>, <u>2021</u> or nine (9) months after the In-Service Date.

If, at any time, either Party becomes aware that the dates in this Exhibit B may be delayed, the Parties will negotiate in good faith to establish a new schedule.

# Exhibit "C" Interconnection Details

- 1) Plant Name: Ramsey Solar Project ("Plant").
- 2) Point of Interconnection Location
  - A) TSP system side of Plant's terminating structure(s), located on the GIF interconnection line route at approximate coordinates [29° 2' 19.30"N, 96°14'41.50"W ]("POI") as such location may be adjusted during final design and shall be such that TSP portion of TIF is no more than one (1) mile of TSP's Hilje Substation in Wharton County, Texas, as shown on Exhibit "K".
- 3) Delivery Voltage: 345 kV
- 4) Number and Size of Generating Unit(s)
  - A) Plant will be comprised of solar photovoltaic arrays powering multiple inverters with a total output of 514 MW measured at the generator terminals (when operating at 0.95 power factor) ("Planned Capacity"); the inverter design MVA rating may be different subject to final selected inverter reactive power capability.
- 5) Type of Generating Unit
  - A) Solar photovoltaic modules, DC/AC inverters (TMEIC PVH Series or similar) and associated medium voltage transformers and aux transformers.
  - B) Two main step-up transformers connected at Delivery Voltage each will have a circuit breaker for isolation from the TIF.
  - C) Electrical characteristics of Plant's generating units shall be in accordance with the most recent version of data that Generator has provided to TSP and shall be consistent with data provided to ERCOT.
- 6) Metering Equipment
  - A) TSP shall provide and install ERCOT Polled Settlement (EPS) primary and check meters, 345 kV instrument transformers and associated wiring required for measuring the output of the Plant's generation and auxiliary electrical load at TSP's HILJE Substation. The 345 kV metering instrument transformers for the EPS metering shall be procured by TSP and owned, maintained, and replaced by TSP. TSP shall install and maintain the metering system's components in a manner consistent with ERCOT Requirements and the PUCT Substantive Rules. TSP shall provide Generator remote communication access to the metering data.
- 7) Generator Interconnection Facilities (GIF)
  - A) Generator shall furnish, operate, and maintain a complete generation facility capable of generating the Planned Capacity, including, but not limited to, all inverters, main step-up transformers, protective devices, and other transformers and associated foundations, the terminating structures at the Point of Interconnection, all relays necessary for the protection and coordination of the Plant equipment.
  - B) The Plant shall meet all voltage and reactive requirements as outlined in the ERCOT Protocol, ERCOT Operating Guides and other binding documents.

- C) Generator shall furnish, own and maintain the connection from Plant's equipment to Plant's terminating structure at the Point of Interconnection, including phase conductors, static conductors, structure(s), tower fittings, suspension insulators, terminating clamps and line conductor terminal fittings.
- D) TSP shall provide to Generator the TSP's alpha/numeric identifiers for incoming 345 kV transmission lines and shall provide TSP's alpha/numeric identifiers for high voltage circuit breakers, switches, power transformers, generators and certain low side equipment and the TSP's assigned 6-character substation identification for the GIF substation. The GIF high voltage circuit breakers, switches, transformers, generators and certain low side equipment, including 34.5kV feeder breakers, shall be identified with TSP's identifiers as requested by TSP. TSP will develop a substation basic one-line diagram that includes these identifiers. The Generator shall mark these identifiers on the applicable GIF substation equipment. TSP may require Generator to stencil identification numbers on GIF substation equipment and mount signs, labels, drawings, telephone numbers, and other suitable instructions as required by TSP. The Generator shall use TSP's assigned substation name, or Substation ID, and equipment identifiers in discussions with TSP and in RARF submittals.
- E) Generator shall provide the foundations for Plant's terminating structures and disconnecting devices. Generator shall design and install the POI terminating structure(s) and necessary conductor mounting features, insulators all in accordance with TSP's conductor loading requirements.
- F) Generator shall connect its generating Plant ground mat to transmission tower static wires at the Plant's terminating structures. Static wire(s) shall be bonded directly to the generating plant's ground mat via use of dedicated grounding conductor(s) of adequate ampacity to establish main electrical bond(s).
- G) Electrical characteristics of Plant's Generator Interconnection Facilities shall be in accordance with the most recent version of TSP's "Specification for Customer 138 kV Substation Design attached as Exhibit "H" to the extent applicable and in particular, the section pertaining to "Generation" and also the most recent version of TSP's "Minimum Acceptable Requirements for 345 kV Substation Construction" attached as Exhibit "L".
- H) Generator shall provide a disconnect switch located on Generator's terminating structure(s) located at the Plant substation for connection to TIF. No disconnect switch is provided at the POI terminating structure on the GIF interconnection line.
- Generator shall provide NEMA four-hole pads on Plant's GIF interconnection line terminating structure for connection to NEMA four-hole pads on TSP's connecting conductors.
- J) Generator shall grant to TSP all necessary land rights for TIF, in a form mutually acceptable to TSP and Generator, and drafted by TSP.
- K) Generator shall own all protective relays, instrument transformers, instrumentation, and control equipment physically located at the Plant substation.
- 8) TSP Interconnection Facilities (TIF)

- A) Generator shall facilitate conveyance to TSP, and TSP shall purchase, easement rights to the property for the TIF interconnection line at an agreed price that shall not be greater than the market price as determined by an independent appraisal, the cost of said appraisal shall be split evenly between Generator and TSP. TSP shall subsequently construct the TIF on real property at the location shown in Exhibit "K".
- B) TSP shall complete its entire scope of work on the HILJE Substation and TIF interconnection line (except for Punch List Items) including, but not limited to, bus works, supports, structures, circuit breakers, disconnect switches, relays, and other equipment necessary for protection and coordination, controls, and wiring all as necessary to provide an interconnection between Plant's generation facilities and TSP's System; energize the same, and interconnect with Plant, all as provided herein.
  - Punch List Items are defined as those non-material items of work that remain to be performed in order to ensure full compliance with this Agreement. Punch List Items do not include any items of work, alone or in the aggregate, non-completion of which (i) prevents the TIF from being used for its intended purposes as described in this Agreement or in accordance with applicable laws; (ii) prevents the TIF from being legally, safely, and reliably placed in commercial operation; or (iii) in the exercise of reasonable engineering judgment could have an adverse effect on the operation, efficiency, or reliability of the TIF, or its ability to transmit the Plant's power to the ERCOT grid.
- C) TSP shall furnish, own, and maintain the connection from TSP's equipment to Plant's terminating structure(s) at the Point of Interconnection, including phase conductors, static conductors, structures, tower fittings, suspension insulators, terminating clamps and line conductor terminal fittings with NEMA standard four-hole flat pads for attachment to the NEMA four-hole pads on Plant's GIF interconnection line terminating structure.
- D) TSP shall furnish, own, and maintain the connection from Point of Interconnection to TSP's transmission system.
- E) TSP shall develop and install transmission improvements that it determines, in its sole discretion, are foreseeable and reasonably necessary to safely, reliably, and economically integrate the Plant into the TSP System.
- F) TSP shall expand its existing HILJE Substation as shown on the drawing entitled "CenterPoint Energy 345 kV HILJE Substation, Substation Development Plan for Ramsey Solar Project Interconnection Agreement – Final Proposed Offer," dated 6\_-15-2019 ("HILJE Substation Development Plan") and any subsequent modifications to such drawing(s) made by TSP and delivered to Generator.
- G) TSP shall provide a disconnect switch located at HILJE substation for isolation of the TSP system from the Plant and GIF.
- H) Generator shall facilitate to TSP all necessary land rights for the TIF interconnection line, in a form mutually acceptable to TSP and Generator and drafted by TSP.
- 9) Communications Facilities
  - A) TSP shall provide and maintain, at TSP's expense, a communication circuit for real-time data transmittal via SCADA equipment from the HILJE Substation to TSP's Energy Management System.
  - B) Generator shall provide a fiber optic communication interface device at its GIF interconnection line terminating structure and at the Plant substation. TSP will provide a

fiber optic communication interface device at the HILJE Substation. Fiber is associated with the RTU inputs between Plant and the HILJE Substation and required relaying.

- C) Generator shall furnish RTU inputs identified in Exhibit "C", Paragraph 10) D) from the Plant to the HILJE Substation's communication interface point.
- D) Generator shall provide a voice telephone extension outlet in close proximity to Plant's relay panel that is located within the Plant. Such telephone extension outlet shall be connected to the local exchange carrier's telephone system; however, the telephone extension outlet may be connected to Plant's internal telephone system, provided Plant's internal telephone system is equipped with an uninterruptible power supply system.
- E) TSP shall furnish RTU inputs identified in Exhibit "C", Paragraph 11) D) from HILJE Substation to Plant's communication interface termination point.
- F) Generator and TSP will each be individually responsible for providing fiber optic communication cables of suitable type and sufficient length, and terminating such fiber optic communication cables at the fiber optic communication interface devices located at the Point of Interconnection.

### 10) System Protection Equipment

- A) Generator shall provide two sets of protective relaying accuracy (C800) current transformers on Generator's 345 kV circuit breakers associated with the protective relaying between Plant and the HILJE Substation. Each set of current transformers will provide signals to independent sets of primary and backup protective relays for the interconnection line between the GIF and the HILJE Substation. The current transformer ratio will be approved by the TSP relay protection engineer and reflected on the Generator's drawings.
- B) The fiber optic communication cables will have strands of single mode fiber optic cable to be utilized at 1300 nm wavelength for communication of protection data and telemetry.

### 11) Telemetry Requirements

- A) TSP shall furnish a substation SCADA RTU at the HILJE Substation. The RTU will be multi-port equipped and operate with protocols compatible with TSP. The RTU will be equipped to monitor the HILJE Substation as outlined in Paragraph 11 and control circuit breakers in the HILJE Substation. TSP shall also furnish the RTU inputs, such as contacts and transducers, in the HILJE Substation. Selected real-time data of the HILJE Substation will be available at TSP's RTU for Generator's use. TSP's RTU will be equipped with a DNP-3 "Slave" serial communication port for this purpose. TSP shall furnish the fiber optic cable(s) between the HILJE Substation and the Plant RTU or DCS "Master" serial communication port for this purpose.
- B) Generator shall furnish Plant data to TSP's RTU communication port at the HILJE Substation as referenced below. The Generator's RTU/DCS shall be equipped with a DNP-3 "Slave" serial communication port for this purpose. TSP shall furnish the fiber optic cable between the Plant and the HILJE Substation RTU "Master" serial communication port for this purpose.
- C) Generator shall provide Plant data to ERCOT according to ERCOT requirements. TSP is not responsible for providing Plant data to ERCOT.
- D) Generator shall provide to TSP at the following signals originating at Generator's Plant:
  - 1) Analog Data from Plant
    - (i) Kilovolts for 345 kV transmission voltage (A phase).

- (ii) Net megawatts and megavars for the 345 kV transmission line (three phase).
- (iii)Frequency at the collector bus
- (iv)Megawatts and megavars for each 345/{34.5 kV transformer (three phase).
- 2) Status Data from Plant
  - (i) Status of the 345 kV transmission voltage circuit breakers.
  - (ii) Status of all 34.5 kV circuit breakers for feeders and reactive support equipment.
- E) TSP will provide to Generator at Generator's Substation the following signals originating at TSP's HILJE Substation:
  - 1) Analog Data from TSP Substation Devices
    - (i) Kilovolts for the TIF line at the HILJE Substation (A phase).
    - (ii) Megawatts, megavars, and megawatt-hour data.
  - 2) Data from TSP Substation Devices
    - (i) Status of transmission voltage circuit breakers associated with the generator interconnection line(s).
    - (ii) Alarm for failure of Pilot Wire/fiber optic relaying communication channels, if applicable.
- 12) Supplemental Terms and Conditions
  - A) The following drawings are attached and made a part of this agreement as Exhibit "I" Attached Drawings. (*Note: The drawings contain a line of demarcation between TSP provided facilities and Generator provided facilities*).
    - CenterPoint Energy 345 kV Ramsey Solar Project / HILJE Substation Project Interconnection Agreement – Final Substation Development Plan Basic Offer, dated 06-15-2019.
    - Basic Offer CenterPoint Energy 345 kV Ramsey Solar Project / HILJE Substation Interconnection Agreement One-Line Relaying and Metering diagram dated 6/13/19
    - 3) Simplified schematic drawing titled "Ramsey Solar Basic One Line" attached and made a part of this agreement as Exhibit "M"
  - B) Cost Responsibility:
    - 1) Notwithstanding the provisions of Exhibit "A", Section 8.1, the amount of the contribution in aid of construction, if any, that Generator may be required to make, shall be specified in Exhibit "E", Security Arrangement Details.
    - 2) The Generator does not desire any enhancements to TSP's basic offer interconnection facilities and therefore no contribution in aid of construction ("CIAC") of the Transmission Interconnection Facilities is required.
    - 3) The TIF described herein is designed based on the generating capacity provided by the Generator. It is assumed that the generating facility will be capable of generating the Planned Capacity by the Scheduled Commercial Operation Date specified in Exhibit "B". Within the first 12 months following full Plant Commercial Operation, if the highest level of Actual Capacity is less than the Planned Capacity and not cured within 120 days after TSP provides notice, then the Generator shall be responsible for TIF costs, if any, that are determined, solely by the TSP, to have been incurred to accommodate Generator's Planned Capacity, but are then determined to not be necessary to accommodate Generator's Actual Capacity. As used here, "Actual Capacity" shall mean the total actual output at the generator terminals as

demonstrated by Generator through testing in accordance with ERCOT Requirements. Generator shall pay such costs determined herein within thirty (30) days following the receipt of TSP's invoice.

- C) Clarifications to Exhibit "A"
  - The Parties agree that at the time of executing this Agreement the references to the PUCT Rules contained within certain definitions set forth in Exhibit "A", "Article 1. Definitions" have the meanings ascribed to such terms as established in the current PUCT Rules. The Parties recognize that the PUCT Rules are amended from time to time by the PUCT. The parties also acknowledge that ERCOT issues ERCOT Requirements in which terms are redefined from time to time. When the PUCT Rules or ERCOT Requirements are amended and terms defined in Exhibit "A", "Article 1. Definitions" are affected by such amendments, the Parties agree that such terms shall have the meanings as amended by the PUCT or ERCOT. The term "System Security Study" shall have the same definition as "Security Screening Study" in the ERCOT Requirements.
- D) Miscellaneous
  - Each Party shall be solely responsible for keeping itself informed of, and understanding its respective responsibilities under, all applicable North American Electric Reliability Corporation ("NERC") Standards and ERCOT Requirements and all valid, applicable laws, rules, regulations and orders of, and tariffs approved by, duly constituted Governmental Authorities.
  - 2) CenterPoint Energy has documented data specifications that define the operational data CenterPoint Energy requires to perform real-time monitoring. These specifications are incorporated in Exhibit "C", Paragraph 11) D above, Exhibit 'J' Outage and Clearance Coordination Procedure, and Exhibit 'I' Telemetry Specification.
  - 3) Generator shall provide on its property access roads to the TIF, and the access roads will be maintained by Generator in such a manner and condition to allow passage of heavy utility vehicles. Otherwise, Generator shall provide, or cause to be provided, such perpetual easements as reasonably needed by TSP, in a form mutually acceptable to TSP and Generator and at no cost to TSP, to use and construct access roads from nearest public road in such a manner and condition to allow passage of heavy utility vehicles.
  - 4) Each Party's personnel, contractors, subcontractors, and agents shall abide by and comply with the other Party's reasonable safety requirements and procedures while in areas designated as under that other Party's control.
  - 5) Generator understands and agrees that identification of any, including but not limited to stability, oscillation, harmonic, short circuit, over frequency, under frequency, over voltage, under voltage, phase imbalance, or geomagnetic disturbance conditions that may affect Generator's Plant and implementation of any associated protective measures, are the sole responsibility of Generator.
  - 6) ERCOT Requirements.
    - (i) Unless expressly stated herein, where the ERCOT Requirements are in conflict with TSP's specifications or procedures, the ERCOT Requirements shall prevail.
    - (ii) ERCOT requirements that currently require installation of power system stabilizers on generators, do not apply to the Plant.

- (iii)Prior to commercial operation, ERCOT may verify that the Generator is meeting ERCOT Requirements, including complying with Guide and Protocol requirements on RARF modeling, telemetry and testing, as well as complying with reactive standards, and the provision of accurate stability models. It should be noted that the Generator will not be able to go into commercial operation until after 30 days after the TIF is modeled and energized. Failure to meet these ERCOT Requirements may result in delays to commercial operation.
- 7) All generator data, including data for stability studies (transient and voltage) and subsynchronous resonance data, as required by the ERCOT Requirements, shall be provided to ERCOT and the TSP before commercial operation. This data shall be updated when the Plant begins commercial operation. Any updates to this information will be provided within 60 days to ERCOT and the TSP as changes or upgrades are made during the life of the Plant. This requirement applies to all future owners of the Plant. The Generator and any future owners of the Plant shall comply with these data requirements along with all applicable NERC Standards. Such Standards are subject to change from time to time, and such changes shall automatically become applicable based upon the effective date of the approved change.

13) Special Operating Conditions, if any, attached: None.

# Exhibit "D"

Notice and EFT Information of the ERCOT Sta	ndard Generation Interconnection Agreement			
(a) All notices of an operational nature shal	I be in writing and/or may be sent between the			
Parties via electronic means including facsimile a	as follows:			
If to Generator:	If to CenterPoint Energy Houston Electric, LLC			
Hecate Energy Ramsey LLC Attn: Nick Bullinger 621 West Randolph St. Chicago, IL 60661 24 Hour Telephone: [to be provided prior to In Service Date] Operational/Confirmation Fax [to be provided prior to In Service Date] E-mail <u>mbullingen@beccatecmergy.com</u>	CenterPoint Energy Houston Electric, LLC   Attn: Real Time Operations   P.O. Box 1700   Houston, Texas 77251   24 Hour Telephone 713-894-0491   E-mail			
(b) Notices of an administrative nature:				
If to Generator:	If to CenterPoint Energy Houston Electric, LLC			
Hecate Energy Ramsey LLC Attn: Nick Bullinger 621 West Randolph St. Chicago, IL 60661 Phone: (312) 722-5900 Fax: (312) 284-4514 E-mail: mbulllinger@thecattcemergy.com	CenterPoint Energy Houston Electric, LLC Manager, Transmission Accounts P.O. Box 1700 Houston, TX 77251 Phone 713-207-7617 E-mail: lesli.cummings@CenterPointEnergy.com			
(c) Notice for statement and billing purposes				
If to Generator: Hecate Energy Ramsey LLC Attn: Accounting Department 621 West Randolph St. Chicago, IL 60661 Phone: (312) 722-5900 E-mail: Interfinance @theceateenergy.com	If to CenterPoint Energy Houston Electric, LLC Accounts Payable P.O. Box 1374 Houston, TX 77251-1374 Phone 713-207-7888 E-mail: ap.invoices@centerpointenergy.com Mark Invoices with WF00220951			
(d) Information concerning electronic funds				
If to Generator: Pinnacle Financial Partners Tennessee, USA ABA/Routing Number: 064008637 for credit to:_ Hecate Energy LLC Account No. 5538294	If to <i>CenterPoint Energy Houston Electric, LLC</i> Chase Bank of Texas Houston, Texas ABA No. 111000614 For credit to: CenterPoint Energy Houston Electric, LLC Account No. 0010-097-0798			

## Exhibit "E" Security Arrangement Details

- A) The total estimated project cost to construct the TIF as described in Exhibit "C" (less any CIAC amount described in Exhibit C) is approximately ten million nine hundred thousand dollars (\$10,900,000) (the "Security Estimate"). The Security Estimate does not include the estimated cost for obtaining any required CCNs for the TIF. The Parties at this time do not anticipate that a CCN is required for the construction of the TIF. However, if TSP determines that a CCN is required to construct the TIF or any portion thereof, the estimated cost for obtaining the CCN will be added to the Security Estimate (with such addition, the "Revised Security Estimate").
- B) In accordance with Section 8.3 of Exhibit A, TSP requires Generator to deliver the Security in the form described below in the amount of the Security Estimate or Revised Security Estimate by the Scheduled Start Date specified in Exhibit "B."
- C) Generator shall have the option of providing the Security in the form of (i) an irrevocable letter of credit in favor of TSP issued by a financial institution reasonably acceptable to TSP having a long-term debt rating by Moody's Investor Services of "A3" or better, and Standard & Poor's long-term debt rating of "A-" or better ("LOC"), and/or (ii) a guaranty in favor of TSP issued by Tokyo Gas Co. Ltd. ("Guaranty"). TSP agrees that initially Generator may provide the LOC as the Security (as set forth in Exhibit B.2) and, with reasonable notice to TSP, that Generator may elect to replace the LOC with the Guaranty.





Exhibit "F" Final Substation Development Plan Basic Offer

Ramsey Solar 2020-05-29 Hecate-CenterPoint SGIA (20INR0130) 304695482 v1



**Exhibit "G"** Interconnection Agreement One-Line Relaying and Metering Diagram

05/29/20

# Exhibit "H" Specification for Customer-Owned 138 kV Substation Design

	attra metabolita di serie e nana				
438	ECIFICATION				
	FOR				
CUSTOMER-OWNE	ID 138 KV SUBSTATION DESIGN				
	CenterPoint. Energy				
ELECTRIC EN	SINEERING DEPARTMENT				
P.O. BOX 1700	HOUSTON, TEXAS 77251				
I and 2 CenterPoint Energy 581-500-01, 138 kV Poin REFERENCE DOCUMENT: Latest revision	bunce Substation Line Termination Standard eria 138 kV Standard Instrument Transformer Stand, Sh.'s milial Transformer Schematic and Wiring Diagram				
RHFHRINGE SPECIFICATIONS: Latest res	-				
CenterPoint Energy 007-400-02, Specification	n for Remote Telemetry of a Customer-Owned Facility				
REFERENCE STANDARDS: Latest revision	nof				
AASHTO	IEAE C57.13				
AISC, "Manual of Steel Construction"	IEEE C2 (NESC)				
ASCE 10	TEEE 80				
and the stress of the stress	IPADE 519				
ANSI/C12.1	IBEE 837				
ANSI/C12.1 ANSI/C37.32	1999 837 1999 119				
ANSI/C12.1 ANSI/C37.32 IIIIEE/C37.06	TEEE 837 1037E 1119 TEEE 998				
ANSI (C12.) ANSI (C37.32 IEEE (C37.06 TEEE (C37.04	TEEE 837 1933E 1119 TEEE 998 1935E 142				
ANSI C12.1 ANSI C37.32 IBBE C37.06 IBEE C37.04 IBEE C37.40	IEEE 837 10332 1119 IEEE 998 10332 142 IEEE 1423				
ASCE 113 ANSI/C12.1 ANSI/C37.32 HEEE/C37.06 FEEE/C37.04 HEEE/C37.40 HEEE/C37.60 HEEE/C37.60	TEEE 837 1933E 1119 TEEE 998 1935E 142				
ANSI C12.1 ANSI C37.32 IBBE C37.06 IBEE C37.04 IBEE C37.40	IEEE 837 10332 1119 IEEE 998 10332 142 IEEE 1423				
ANSI C12.1 ANSI C37.32 HBBE C37.06 HBEE C37.04 HBEE C37.40 HBEE C37.60	IEEE 837 10332 1119 IEEE 998 10332 142 IEEE 1423				
ANSI/C12.1 ANSI/C37.32 HBEE/C37.06 HBEE/C37.04 HBEE/C37.40 HBEE/C37.60	IEEE 837 10332 1119 IEEE 998 10332 142 IEEE 1423				
ANSI C12.1 ANSI C37.32 HBBE C37.06 HBEE C37.04 HBEE C37.40 HBEE C37.60	IEEE 837 IJ:TE 1119 IEEE 998 IFEE 142 IEEE 1453 NEMA CC 1				
ANSI/C12.1 ANSI/C37.32 HBEE/C37.06 HBEE/C37.04 HBEE/C37.40 HBEE/C37.60	IEEE 837 10332 1119 IEEE 998 10332 142 IEEE 1423				
ANSI (C12.1 ANSI (C37.32 IBBE (C37.06 IBEE (C37.04 IBBE (C37.60 IBBE (C37.60 IBBE (C37.12.00	IEEE 837 USEE 1119 IEEE 998 IEEE 142 IEEE 1453 NEMA CC 1 CENTERPOINT ENERGY HOUSTON, 10XAS WREITIEN 4974 E. C. Reid				
ANSI C12.1 ANSI C37.32 IBBE C37.06 IBBE C37.04 IBBE C37.40 IBBE C37.60 IBBE C57.12.00	IEEE 837 USEE 1119 IEEE 998 IFFE 142 IEEE 1453 NEMA CC 1 CENTRRPOINT ENERGY HOUSTON, 18XAS WRITTLIN 4974 E. C. Reid CHIECKED 4/10/74 L. G. Pond				
ANSI C12.1 ANSI C37.32 IBBE C37.06 IBEE C37.04 IBEE C37.40 IBEE C37.60 IBBE C57.12.00	Den Var Var DRS APPROVED 7/17/74 C. S. Kayser				

Ramsey Solar 2020-05-29 Hecate-CenterPoint SGIA (20INR0130) 304695482 v1

-----

**Exhibit "I"** Specification for Remote Telemetry of a Customer-Owned Facility

			SPECI	FICAT	ION			
			F	OR				
		REMOTET	ELEMETRY OF A	CUSTO	MER	OWNED FAC	ILITY	
				enter A nergy	int.			
		Б	LECTRIC ENGINE	ERING	DEPA	RTMENT		
P.O. BOX 1700 HOUSTON, TEXAS 77251								
		REFERENCE DRAWING CenterPoint Energy, CNP CenterPoint Energy, Tele	Drawing No.BSC	007-40				
	0	EFERENCE SPECIFIC RenterPoint Energy, CNP Resign.				ustomer 138	V Substati	on
	(()	SEFERENCE DOCUMER DenterPoint Energy, Tran Procedures.	smission & Substa	ation Ou	tage ar	d Clearance	Coordinatio	n
		CenterPoint Energy, Sub	station IFC Proces	S.				
	(0							
	Q							
	<u>0</u>					Ce	enterPoint Houston El	
					Active	Ce		
	7-26-2017	Rowisod seaton 5	CWM	HAL	WDB-	WRITTEN	Houston El 12/30/03 12/30/03	ectric C.W. Mogannam R.M. Secrest
+		Rowissid section 5 Rowissid sections Revised sections 2, 3, 8.	CWM CWM CWM	HAL	MDB MDB	WRITTEN	Houston E 12/30/03 12/30/03 12/30/03	ectric C.W. Mogannam

05/29/20

•

. . .. .

....

1

:

• • •

:

... ..

**Exhibit "J"** Transmission & Substation Outage and Clearance Coordination Procedures



Transmission & Substation Outage and Clearance Coordination Procedures

Real Time Operations Department Revised August 21, 2017

Ramsey Solar 2020-05-29 Hecate-CenterPoint SGIA (20INR0130) 304695482 v1

49

05/29/20



Exhibit "K" Ramsey Point of Interconnection Structure Location

# Exhibit "L"

Minimum Acceptable Requirements for 345 kV Substation Construction

The following CenterPoint Energy minimum acceptable electrical, mechanical, and structural design characteristics pertains to the 345 kV substation facilities owned by Hecate Energy, Ramsey LLC for interconnection of the generation facility known as GIFSUB Substation to the CenterPoint Energy 345 kV HILJE Substation and the CenterPoint Energy transmission network:

1. Maximum operating voltage = 362.5 kV.

2. Impulse level (for equipment not listed below, excluding transformer winding BIL) = 1300 kV BIL.

3. Bus and switch insulator impulse level (leakage) = 1300 kV BIL (231 inches).

4. Apparatus bushing (porcelain insulators, circuit breaker bushings transformer bushings, etc.) impulse level (leakage) = 1300 kV BIL (225 Inches).

5. If the 345 kV substation facilities owned by Hecate Energy, Ramsey LLC for interconnection of the generation facility known as GIFSUB Substation will be in a contaminated area, as determined by Hecate Energy, Ramsey LLC, all porcelain (i.e. insulators, circuit breaker bushings transformer bushings, etc.) shall be coated with a room temperature vulcanizing (RTV) silicone rubber.

6. Phase-to-ground clearance (metal-to-metal) = 105 inches.

7. Phase-to-phase clearance (metal-to-metal) = 119 inches.

8. The CenterPoint Energy 345 kV HILJE substation to be constructed for interconnection of GIFSUB substation and CenterPoint Energy transmission network will utilize 5000 A equipment. The 345 kV lines and equipment in the substation facilities owned by Hecate Energy, Ramsey LLC for interconnection of the generation facility known as GIFSUB substation are not required to be 5000 A minimum. However, operational scenarios after a scheduled outage of equipment in the CenterPoint Energy 345 kV HILJE substation exist that would result in CenterPoint Energy transmission line network load current flowing on the 345 kV transmission lines and substation facilities owned by Hecate Energy, Ramsey LLC. Therefore, CenterPoint Energy suggests that 345 kV transmission 'loop lines' and substation 'loop bus' facilities owned by Hecate Energy, Ramsey LLC be 5000 A minimum.

9. Any 345 kV conductor connections shall utilize a minimum bundled 795 kcmil conductors.

10. The CenterPoint Energy 345 kV HILJE substation to be constructed for interconnection of GIFSUB substation and CenterPoint Energy transmission network will be designed for a total maximum anticipated fault current, including contribution from the Hecate Energy, Ramsey LLC generation facility, of 63 kA rms symmetrical three phase and single phase, X/R of 15 and a duration of 0.25 seconds. The 345 kV substation facilities owned by Hecate Energy, Ramsey LLC shall be designed for a total available short circuit current from all sources commensurate with the Hecate Energy, Ramsey LLC345 kV transmission line design, generation facility design and the CenterPoint Energy 345 kV HILJE substation design.

11. Normal anticipated wind speed conditions combined with maximum fault current = 15 mph, 63 kA.

12. Maximum anticipated wind speed conditions combined with reduced fault current (80%) = 120 mph, 50 kA.

13. The CenterPoint Energy 345 kV HILJE substation bus will not be directly bus connected to the 345 kV substation facilities owned by Hecate Energy, Ramsey LLC for interconnection of the generation facility known as GIFSUB substation and therefore the bus height does not need to conform to CenterPoint Energy substation bus elevations.

14. Direct lightning stroke shielding design shall comply with IEEE standard 998.

15. Substation ground mat and fence grounding system shall comply with IEEE standard 80.

16 The CenterPoint Energy 345 kV HILJE substation will not be adjacent to 345 kV substation facilities owned by Hecate Energy, Ramsey LLC for interconnection of the generation facility known as GIFSUB substation, and therefore the two substation ground mats will not be directly connected together by ground mat connections.

17. The CenterPoint Energy 345 kV HILJE substation circuit breaker current transformers (CTs) that connect to the CenterPoint Energy protective relaying schemes will be 4000:5 multi-ratio, two CTs per bushing, with C800 accuracy at the 3000:5 tap and a rating factor (RF) equal to 2.0. The secondary resistance of the CTs shall not exceed 0.0025 ohms per turn. The circuit breaker shall not have a capacitor across the interrupters. The interrupting capability and CT ratings of the 345 kV substation circuit breakers owned by Hecate Energy, Ramsey LLC shall be commensurate with the Hecate Energy, Ramsey LLC 345 kV transmission line design, generation facility design and the CenterPoint Energy 345 kV HILJE substation design. CenterPoint Energy will provide information on the minimum interruptible current rating of the breaker (63 kAIC or potentially higher) and CT ratio required after project commencement and determination of system conditions.

18. Surge arresters shall be station class with a minimum rated MCOV of 220 kV.

19. A key interlock system is not permitted on 345 kV equipment.

20. The use of manually applied grounding devices constructed of conductors and clamps is the norm for protective grounding of all de-energized 345 kV electrical apparatus directly connected to the CenterPoint Energy transmission system. The use of a 'grounding switch' that is motor operator and is electrically interlocked with the 'open' status of appropriate motor operated disconnect switch(es) will be considered acceptable to CenterPoint Energy provided drawings (i.e. the motor operator 'grounding switch' cannot be closed unless the surrounding motor operated disconnect switches are in the open position). This would be verified by CenterPoint Energy's review of substation protection & control drawings of the control for the motor operated 'grounding switch' and motor operated disconnect switches. Hecate Energy, Ramsey LLC would be responsible for the periodic preventive maintenance of the motor operated 'grounding switch'. A manually operated 'grounding switch' associated with 345 kV equipment is not acceptable to CenterPoint Energy.




Exhibit "M" Ramsey Solar Basic One Line