

Control Number: 38491



Item Number: 9

Addendum StartPage: 0



J. Michael Sherburne Sr. Director, Rates & Financial Analysis

PH 2: 35

Oncor Electric Delivery 1601 Bryan Street Suite 23-115B Dallas, TX 75201

Tel 214-486-4981 Fax 214-486-3221

October 1, 2010

Hand Delivery Filing Clerk Public Utility Commission of Texas 1701 N. Congress Avenue Austin, TX 78711

Subject: Tariff Control No. 38491 – Annual Compliance Filing of Oncor Electric Delivery Company LLC To Revise Certain Meter-Related Discretionary Charges

Enclosed for filing is a "clean" Record Copy of Oncor Electric Delivery Company's Tariff Rate Schedule 6.1.2.1 Standard Discretionary Service Charges (pages 1-6) and Tariff Rate Schedule 6.1.2.3 Discretionary Charges Other than Construction Services Charges (pages 1-3) effective October 4, 2010. Please note the Tariff Rate Schedule 6.1.2.3 filed on July 26, 2010, incorrectly marked as Revision Five, has been corrected to Revision Four.

If you have any questions, please do not hesitate to call me.

Best regards,

J. Michael Sperburne/JBH

JMS/jbh Enclosure

6.1.2 Discretionary Charges Applicable: Entire Certified Service Area Effective Date: October 4, 2010

Sheet: 1 Page 1 of 6 **Revision: Ten**

6.1.2 Discretionary Charges

6.1.2.1 Standard Discretionary Service Charges

Í.

Charges Billed by Company to Competitive Retailer The Discretionary Service Charges listed below are charges for which the Company shall bill the Competitive Retailer upon completion of the service. All charges for the services in 6.1.2 are included in the rates herein. No additional charges (such as processing fees, copying fees etc) shall apply. Company shall uniformly apply the standard TX SET code that corresponds to each service below on all invoices for such service.

Charge No.	Name and Description	Amount
	Company shall be open for normal business Monday – Friday 8:00 AM – 5:00 PM and available for Priority/Same Day requests Monday – Friday 5:00 PM – 10:00 PM except on holidays designated in Section 3.18, NON-BUSINESS DAY DESIGNATIONS. Company shall be available for emergencies at all times. This shall not preclude Company from staffing at additional times.	
Connection	Charges (Move-in)	
SD1	Standard Move-In Applicable to requests to energize a Retail Customer's connection to the Delivery System where at least two Business Days notice has been provided. Such requests, which include the corresponding TX SET code for standard service, and are received by Company at least two Business Days prior to the Competitive Retailer's requested date shall be completed no later than the requested date. Requests received after 5:00 PM CPT or on a day that is not a Business Day, shall be considered received on the next Business Day. If the request is received less than two Business Days prior to the requested date, the Move-In will be scheduled for the Business Day that is two Business Days after the date the request is received. If the requested date is not a Business Day, the Move-In will be scheduled for the first Business Day following the requested date. This service is not available if inspections and permits, or other construction is required.	
	i. Self-Contained Meter (existing) ii. Self-Contained Meter (new) iii. CT/Other Meter (existing) iv. CT/Other Meter (new)	\$ 6.80 \$ 14.45 \$ 46.45 \$ 69.50
SD2	Priority Move-In Applicable to requests to energize a Retail Customer's connection to the Delivery System where less than two Business Days notice has been provided. Such request shall include the TX SET priority code designation for priority service. Company shall complete Priority Connections on the requested date, provided that the request was received by 5:00 PM CPT of that Business Day. If service is not provided on the Business Day the request is received, the Priority Connection shall be completed by no later than close of business of the next Business Day. Requests received after 5:00 PM CPT or on a day that is not a Business Day, shall be considered received on the next Business Day. This service is only available at an existing Premises with an existing Meter. It is not available if inspections and permits, or other construction is required.	
Discorrecti	i. Self-Contained Meter (existing) ii. CT/Other Meter (existing)	\$ 11.70 \$ 91.05
Disconnecti	on Charges	
SD3	Move-Out Company shall discontinue Delivery Service to the Point of Delivery on the requested date provided the Company receives the transaction at least two Business Days prior to the requested date. A transaction received after 5:00 PM CPT on a Business Day, or on a day that is not a Business Day, will be considered received on the next Business Day. If the request is received less than two Business Days prior to the requested date, the Move-Out will be scheduled for the Business Day that is two Business Days after the date the request is received. If the requested date is not a Business Day, the move-out will be scheduled for the first Business Day following the requested date.	Charge applicable to requests to de- energize service on a move-out is included in the move-in charge.

-

6.1.2 Discretionary Charges Applicable: Entire Certified Service Area Effective Date: October 4, 2010

Sheet: 1 Page 2 of 6 Revision: Ten

SD4	Customer Requested Clearance Applicable to requests to de-energize/re-energize Company facilities to allow Retail Customer or Retail Customer's contractor to work near Company or on or near Retail Customer's electrical facilities. Requests for Clearance shall be filled on the requested date provided Company receives the request on a Business Day that is not later than three Business Days prior to the requested date. Notices received after 5:00 PM CPT, or on a day that is not a Business Day, will be considered received on the next Business Day. If the requested date is not a Business Day, or if the Company receives the request with less than three Business Days prior notice, or the clearance cannot be safely performed on the requested date, Company will accommodate the request based on mutual agreement with the requesting party at charges as calculated. All charges include the cost for de-energizing and re-energizing facilities.	
	i. With three Business Days notice (residential) ii. With three Business Days notice (non-residential) iii. With less than three Business Days notice	As Calculated As Calculated As Calculated
Disconnect	t / Reconnect for Non-Pay Charges	
SD5	Disconnect for Non-Pay (DNP) Applicable to requests from Competitive Retailer to de-energize service to Retail Customer due to Retail Customer's failure to pay charges billed by its Competitive Retailer or Company. For premises without a provisioned advanced meter and for premises with a provisioned advanced meter without remote disconnect/connect capabilities, if the DNP is requested by the Competitive Retailer, the request shall be completed within three Business Days of the requested date, provided Company receives the request at least two Business Days before the requested date. Notices received after 5:00 PM CPT, or on a day that is not a Business Day, will be considered received on the next Business Day. For premises with a provisioned advanced meter with remote disconnect/connect capabilities and for which that Company can successfully communicate with that provisioned advanced meter at the time Company attempts to execute the request by using Company's advanced metering system, if the DNP is requested by the Competitive Retailer, the request shall be completed within 2 hours of receipt of request on the requested date and provided that the requested tate is a Business Day. Requests provisioned advanced meter that the requested date is a Business Day. Requests received after 2:00 PM CPT on the requested date, or on a day that is not a Business Day, will be completed no later than 8:00 AM CPT on the next Business Day. If Company cannot successfully communicate with the provisioned advanced meter at the time Company attempts to execute the request by using Company's advanced metering system, the request shall be completed within three Business Days of the requested date and shall not disconnect a premise on the Business Day immediately preceding a holiday. If the DNP is performed by Company due to Retail Customer's non-payment of a charge billed directly by Company to the Retail Customer's non-payment of a charge billed directly by Company to the Retail Customer's non-payment of a	
	Standard Disconnect Same Day Disconnect	\$ 5.45 n/a
	At Premium Location (i.e. pole, weatherhead, secondary box) i. Standard Disconnect ii. Same Day Disconnect	\$ 32.50 n/a

•

6.1.2 Discretionary Charges Applicable: Entire Certified Service Area Effective Date: October 4, 2010

Sheet: 1 Page 3 of 6 Revision: Ten

SD6	Reconnect After DNP Applicable to requests to re-energize service to Retail Customer after Retail Customer has been disconnected for non-payment. Company shall complete reconnection no later than 48 hours from the time the request is received. However, if this requirement results in the reconnection being performed on a day that is not a Business Day, an additional charge for non-Business Day connection will also apply.	
	Standard Reconnect:	
	For premises without a provisioned advanced meter, for premises with a provisioned advanced meter without remote disconnect/connect capabilities, and for premises with a provisioned advanced meter for which that Company cannot successfully communicate with that provisioned advanced meter at the time Company attempts to execute the request by using Company's advanced metering system, standard reconnect requests received by Company by 2:00 PM CPT on a Business Day shall be reconnected that day.	
	For premises with a provisioned advanced meter with remote disconnect/connect capabilities and for which Company can successfully communicate with that provisioned advanced meter at the time Company attempts to execute the request by using Company's advanced metering system, standard reconnect requests received by Company from 8:00 AM CPT to 7:00 PM CPT on a Business Day shall be reconnected within 2 hours of receipt of request.	
	For premises with a provisioned advanced meter with remote disconnect/connect capabilities where the Competitive Retailer provides prepaid service under P.U.C. SUBST. R. 25.498, standard reconnect requests received by the Company from 8:00 AM CPT to 7:00 PM CPT on a Business Day shall be reconnected within 1 hour of receipt of request.	
	For all premises, standard reconnect requests received by Company after 2:00 PM CPT on a Business Day shall be reconnected that day if possible, but no later than the close of Company's next field operational day. Standard reconnect requests received by Company after 7:00 PM CPT or on a day that is not a Business Day maybe considered received on the next Business Day.	
	Same Day Reconnect:	
	Same day reconnect requests received by Company prior to 5:00 PM CPT on a Business Day shall be reconnected no later than the close of Company's field operational day.	
	At Meter	
	i. Standard Reconnect	\$ 6.45
	ii. Same Day Reconnect	\$ 8.90
	iii. Weekend iv. Holiday	\$ 43.15 \$ 52.05
	At Premium Location (i.e. pole, weatherhead, secondary box)	
	i. Standard Reconnect	\$ 37.00**
	ii. Same Day Reconnect	\$ 58.50**
	iii. Weekend iv. Holiday	\$103.60** \$126.95**
	NOTE: In no event shall Company fail to reconnect service within 48 hours after a reconnection request is received.	
Meter Test (Charge	
SD7	Applicable to Meter tests performed at the request of Competitive Retailer or Retail Customer in accordance with Section 4.7.4, METER TESTING.	
	Self-contained Meter - Company owned	
	i. First test within the previous four years	No Charge
	 Found outside of the accuracy standards 	No Charge
	iii. Single Phase iv. Three Phase	\$ 33.60 \$ 70.95
	CT/Other Motor Company and	÷ , 0.00
	CT/Other Meter – Company owned i. First test within the previous four years	
	i. First test within the previous four years ii. Found outside of the accuracy standards	No Charge
	iii. Single Phase	No Charge \$ 80.00
	iv. Three Phase	\$106.65
	Competitive Meter	\$106.65 4

6.1.2 Discretionary Charges Applicable: Entire Certified Service Area Effective Date: October 4, 2010

Sheet: 1 Page 4 of 6 Revision: Ten

SD8	Re-Reads Applicable to requests to re-read Retail Customer's Meter to verify the accuracy of Company's Meter Reading. The re-read shall be completed within five Business Days of Company's receipt of the request.	
	i. Meter Reading found to be in error ii. Meter Reading found to be accurate	\$ 0.00 \$ 3.70
SD9	Out-of-cycle Meter Read for the Purpose of a Self-Selected Switch Applicable to requests to read Retall Customer's Meter on a date other than Company's regularly scheduled monthly Meter Reading date for the purpose of a switch of a Retail Customer's account to a new Competitive Retailer on a date certain. Company shall perform the Meter Read on the Competitive Retailer's requested date, provided the Company receives the request on a Business Day that is not later than two Business Days prior to the requested date. Notices received after 5:00 PM CPT, or on a day that is not a Business Day, will be considered received on the next Business Day. If the requested date is not a Business Day, the out-of-cycle Meter Read will be scheduled for the first Business Day following the requested date. The meter read shall be performed in accordance with Section 4.3.4, CHANGING OF DESIGNATED COMPETITIVE RETAILER.	\$ 3.70
	Meter Read for the Purpose of a Standard Switch Applicable to requests to read Retail Customer's Meter for the purpose of switching Retail Customer's account to a new Competitive Retailer when the customer has not requested switching on a date certain. Company shall use on-cycle meter readings obtained during the three business days prior to the first available switch date (FASD) received from the Registration Agent or the four business days beginning with the FASD for customers whose meters were scheduled for on-cycle readings during that time, and shall perform a Meter Reading or Estimated Meter Reading within four business days beginning with the FASD for customers whose meters were not scheduled to be read during that time. The Meter Reading shall be performed in accordance with Section 4.3.4, CHANGING OF DESIGNATED COMPETITIVE RETAILER.	\$ 0.00
	Out-of-Cycle Meter Estimation for the Purpose of a Switch due to denial of Access by Retail Customer	\$ 3.70
	Out-of-Cycle Estimate for the Purpose of a Mass Transition Charges for estimation shall be charged to the exiting Competitive Retailer.	\$ 0.00
-Stand	ard Meter Installation Charges	
SD10	Off-site Meter Reading (OMR) Equipment Installation Applicable to installation, upon request, by Retail Customer or Retail Customer's Competitive Retailer, of Company's "Standard Advanced Metering Equipment" designed to transmit information via radio to a hand held Meter Reading device carried by the meter reader. This allows for the provision of a Meter Reading without visual contact with the Meter. Equipment shall be installed within 30 days of receipt of request.	
	During Normal Business Hours	\$110.60
SD11	Automated Meter Reading (AMR) Equipment Installation Applicable to installation, upon request, by Retail Customer or Retail Customer's Competitive Retailer, of Company's "Standard Advanced Metering Equipment" designed to transmit information via telephone to a central location. This allows for the provision of Meter Reading information on cycle or special reading date without visual contact with the Meter. Equipment shall be installed within 30 days of receipt of request.	
	Single-Phase Self Contained During Normal Business Hours	\$236.75
	Three-Phase Self Contained During Normal Business Hours	\$297.85
	Single-Phase Instrumented Rated During Normal Business Hours	\$250.10
	Three-Phase Instrumented Rated During Normal Business Hours	\$324.50

6.1.2 Discretionary Charges Applicable: Entire Certified Service Area Effective Date: October 4, 2010

Sheet: 1 Page 5 of 6 Revision: Ten

SD12	Interval Data Recorder (IDR) Equipment Installation Applicable to installation, upon request, by Retail Customer or Retail Customer' Competitive Retailer, of Company's "Standard Advanced Metering Equipment" designe to access interval load data via telephone or other mode of transmission agreed to b customer to a central location. Equipment shall be installed within 30 days of receipt or request.	d
0	During Normal Business Hours	As Calculated
Service Ca	ll Charge	-
SD13	Applicable when Company employee is dispatched to the Retail Customer's Premises a the request of the Retail Customer or Competitive Retailer to investigate an outage o other service problem that, upon investigation by Company, is determined not to be a problem with Company's equipment or system.	
	i. During Business Days, 8:00 AM -5:00 PM CPT ii. Business Days non-Business Hours iii. Weekend iv. Holiday	No Charge No Charge No Charge No Charge
Outdoor Li	ghting Charges	
SD14	Security Lighting Repair Applicable to requests, by Retail Customer or Retail Customer's Competitive Retailer, to repair existing Company-owned security lights on Retail Customer's Premises unless such repair is necessary due to normal lamp and glass replacements. If necessary due to normal lamp and glass replacements, repair shall be performed at no charge. Company shall complete repairs within 15 calendar days of the request in accordance with Section 5.4.6, RETAIL CUSTOMER'S DUTY REGARDING COMPANY'S FACILITIES ON RETAIL CUSTOMER'S PREMISES.	As Calculated*
SD15	Security Light Removal Applicable to requests, by Retail Customer or Retail Customer's Competitive Retailer, to remove Company-owned security lights on the Retail Customer's Premises in accordance with Sections 5.7.8, REMOVAL AND RELOCATION OF COMPANY'S FACILITIES AND METERS and 5.7.9, DISMANTLING OF COMPANY'S FACILITIES. This charge shall not apply to removals initiated by the Company.	
	A Retail Customer or a Competitive Retailer on behalf of Retail Customer, shall request removal of outdoor lighting facilities at least 30 days prior to the requested removal date. The removal request shall be completed by Company on requested removal date. If mutually agreed to by Company and the Retail Customer, or the Competitive Retailer on behalf of the Retail Customer, Company may begin the removal of outdoor lighting facilities and complete the removal of outdoor lighting facilities on a date or dates other than the initially requested removal date.	As Calculated*
	Street Light Removal Applicable to requests, by Retail Customer or Retail Customer's Competitive Retailer, to remove existing Company-owned street lights, in accordance with Sections 5.7.8, REMOVAL AND RELOCATION OF COMPANY'S FACILITIES AND METERS and 5.7.9, DISMANTLING OF COMPANY'S FACILITIES.	
	A Retail Customer or a Competitive Retailer on behalf of Retail Customer, shall request removal of outdoor lighting facilities at least 30 days prior to the requested removal date. The removal request shall be completed by Company on requested removal date. If mutually agreed to by Company and the Retail Customer, or the Competitive Retailer on behalf of the Retail Customer, Company may begin the removal of outdoor lighting facilities and complete the removal of outdoor lighting facilities on a date or dates other than the initially requested removal date.	As Calculated*

۰.

• •

٠.

1 - E -

6.1.2 Discretionary Charges

Applicable: Entire Certified Service Area Effective Date: October 4, 2010 Sheet: 1 Page 6 of 6 Revision: Ten

Tamperi	ng Charges	
SD17	Tampering Applicable to unauthorized use of Delivery System pursuant to Section 5.4.7, UNAUTHORIZED USE OF DELIVERY SYSTEM or other Tampering with Company metering facilities or any theft of electric service by any person on the Retail Customer's Premises.	
	Tampering charges can include, but are not limited to, Delivery Charges, cost of replacement and repair of damaged Meter and associated equipment, cost of installation of protective facilities or relocation of the Meter, and all other costs associated with the investigation and correction of the unauthorized use.	
SD18	Broken Meter Seal Applicable to breakage of the Meter seal.	\$ 18.80
Denial of	Access	φ <u>16.60</u>
SD19	Inaccessible Meter Charge Applicable when Company personnel is unable to gain access to the meter of a non- residential critical load premises as a result of continued denial of Access as provided in Section 4.7.2.1, DENIAL OF ACCESS BY RETAIL CUSTOMER.	\$ 109.60

* These charges are applicable to services that will have widely varying costs depending upon the circumstances and requirements of the work to be done.

** These charges are applicable to services provided at locations that are unique and that present special challenges. These challenges vary and as a result, the costs of providing the service may vary widely depending on the required expertise and equipment needed to perform the work.

Sheet: 3 Page 1 of 3 Revision: Four

6.1.2.3 Discretionary Charges Other Than Construction Service Charges

AVAILABILITY

r

Applicable to all Competitive Retailers and Retail Customers served by the Company.

The service charges listed below are in addition to any other charges made under Company's Tariff for Retail Delivery Service, and will be applied for the appropriate condition described. Other services not covered by these standard conditions will be charged on the basis of an estimate for the job or the Company's cost plus appropriate adders and will be provided in accordance with Commission Substantive Rules.

Discretionary Charges - Other Than Construction Service Charges include:

Charge No.	Name and Description	Amount
DD9	Holiday Move-In Charge Applicable to requests to energize Retail Customer's connection to the Delivery System on a holiday. This service is only available at an existing Premise with an existing Meter. It is not available if inspections and permits, or other construction is required.	
	A. Self Contained Meter B. Other Connections	\$ 53.65 \$ 159.50
DD10	Out-of-Cycle Meter Reading Charge Applicable to requests to read Retail Customer's Meter outside Normal Business Hours.	
	A. Outside Regular Hours - Non-Holiday B. Outside Regular Hours – Holiday	\$ 5.15 \$ 44.55
DD11	PCB Inquiry and Testing Charge Applicable to requests for information pertaining to PCB levels and testing of Company-owned, mineral oil-filled electrical equipment,	
	 A. Initial Charge, includes up to four transformers or other oil-filled electrical equipment at a specific location B. Additional Charge, for each additional transformer or other oil-filled electrical equipment at a specific site C. Lab Testing Charge, if required 	\$ 155.35 \$ 24.15 As Calculated
DD12	Priority Move-In (New Premise) Charge Applicable to requests to energize Retail Customer's connection to the Delivery System for the first time (New Premise) and such connection is made outside of Normal Business Hours.	
	A. Self Contained Meter B. Other Connections	\$ 172.35 As Calculated
DD13	Unmetered Facilities Connection/Disconnection Applicable to request to energize/de-energize service to unmetered points of delivery.	
	 A. Connection charge for the first device on a specific circuit B. Connection charge for each additional device on that specific circuit C. Disconnection charge for the first device on a specific circuit D. Disconnection charge for each additional device on that specific circuit 	\$ 37.00 \$ 5.55 \$ 32.55 \$ 5.55

,

6.1.2 Discretionary Charges Applicable: Entire Certified Service Area Effective Date: October 4, 2010

Sheet: 3 Page 2 of 3 Revision: Four

· · · · · · · · · · · · · · · · · · ·		
DD14	Off-Site Meter Reading (OMR) Equipment Installation – Outside Normal Business Hours Charge Applicable to requests for Company's standard OMR equipment designed to transmit information via radio frequency to a hand-held meter reading device carried by a meter reader. This allows for the provision of a meter reading without visual contact with the meter. The Company maintains ownership of this equipment. This service is limited to self-contained single phase meters.	
	A. Outside Regular Hours – Non-Holiday B. Outside Regular Hours – Holiday	\$ 164.95 \$ 185.00
DD15	Denial of Access Disconnection/Reconnection Charge Applicable each time Retail Customer is disconnected for Denial of Access and each time the Retail Customer is reconnected after Company and Retail Customer have made arrangements for access to Company facilities.	
	A. Disconnection B. Reconnection	\$ 32.55 \$ 37.00
DD16	Meter Investigation Charge Applicable to requests for investigation of a damaged meter when determined by Company no damage exists. In the case of actual meter damage, no charge will be assessed.	\$ 16.70
DD17	Meter Non-Standard Programming Service Fee Applicable to requests to install non-standard meter programs on Meter.	
	A. Programming Prior to Installation B. Field Programming on Previously Installed Meter	\$ 21.70 \$ 53.35
DD18	Meter Communication Service Fee Applicable to testing of 3 rd party communication equipment necessary to obtain interval data from Meter. This charge is assessed to Retail Customers that have interval data recorder meters that are not required by ERCOT.	\$ 106.10
DD19	Electrical Pulse Equipment Installation/Replacement Charge Applicable to requests for the installation/replacement of electrical pulse device equipment.	
	 A. Installation Charge B. Replacement Charges 1. Isolation relay 2. Pulse initiator 3. Isolation relay & pulse initiator 4. Enclosure box 	\$ 529.15 \$ 271.25 \$ 108.30 \$ 236.20 \$ 148.60
DD20	Electrical Pulse Equipment Maintenance Charge Applicable to requests for the maintenance of electrical pulse devices. This is an optional service that covers repair/replacement of electric pulse equipment. If Retail Customer does not choose this service, Retail Customer is responsible for replacement charges according to discretionary service charge DD19.	\$ 10.00
DD21	Customer Premise Information Research Service Charge Applicable to requests for or identification of, previously provided data related to Retail Customer.	As Calculated
DD22	Power Factor Correction Equipment Installation Charge Applicable to requests for the installation of the equipment on Company's Delivery System necessary to correct the Retail Customer's power factor to the level specified in the Tariff. The Retail Customer will be given the opportunity to correct problem on Retail Customer's premises prior to Company taking this action. Failure of Retail Customer to correct its power factor problem constitutes a request for Company to install the necessary equipment as described above.	As Calculated
DD23	Non-Standard Service Equipment Inspection/Testing Charge Applicable to periodic inspection/testing of non-standard Delivery System equipment installed at the request of the Retail Customer. This charge is applied each month.	\$ 77.40
DD24	Inadvertent Gain Charge Applicable to Retail Electric Providers that have selected an incorrect premise from the ERCOT portal for a switch or move-in and Company is required to correct the inadventent gain.	\$ 25.00

6.1.2 Discretionary Charges Applicable: Entire Certified Service Area Effective Date: October 4, 2010

••

÷; ,-

:

.*

Sheet: 3 Page 3 of 3 Revision: Four

DD25	Retail Delivery Service Switchover Charge Applicable to request to switch electric service of a consuming facility from Company to another utility that has the right of a service of a consuming facility from Company to another	
	utility that has the right to serve the consuming facility. Switchovers shall be handled pursuant to Substantive Rule §25.27, a copy of which will be provided upon request.	
	Self Contained A. Base Charge	
	B. Base Charge Adder	\$ 514.60 \$ 147.45
	Instrument Rated C. Base Charge	\$ 754.25
	D. Base Charge Adder E. Facilities Recovery Charge	\$ 320.20
DD26	Miscellaneous Discretionary Service Charge	As Calculated
	Applicable to requests for discretionary services not covered by the standard conditions above and are provided in accordance with Commission Substantive Rules and are charged on the basis of an estimate for the work or the Company's cost plus appropriate adders,	As Calculated
DD27	Street Light Painting Service Charge Applicable to requests to paint Company-owned street light poles and fixtures.	As Calculated
DD28	Street Light and Other Pole Straightening Service Charge Applicable to requests to straighten Company-owned street light poles and other Company-owned poles.	As Calculated
DD29	Street Light Patrolling Service Charge Applicable to requests from a governmental entity for Company to provide additional street light patrolling within a specific geographic area.	As Calculated
DD30	Street Light Numbering Service Charge Applicable to requests from a governmental entity for Company to number Company-owned lighting facilities.	As Calculated
DD31	Street Light Circuit Bulb and Photocell Replacement Service Charge Applicable to requests from a governmental entity for bulb and photocell replacement of an entire street light circuit on a predetermined schedule.	As Calculated
DD32	Advanced Metering Pre-pay Customer Connect/Disconnect Charge is made for disconnection or reconnection of a pre-pay Retail Customer's distribution service at a premise where a provisioned AMS meter with remote disconnect/reconnect capability is installed and when the Competitive Retailer uses Oncor's prescribed process for disconnection/reconnection for a pre-paid customer with a provisioned AMS meter.	\$ 0.00
DD33	Advanced Metering Time of Use Programming Charge is made for requests to program a provisioned AMS meter to collect metered data in the manner necessary to bill under time of use profiles existing on August 8, 2008.	\$ 0.00
DD34	Evaluation of Retail Electric Provider Requests for Non-Standard Advanced Meters, Additional Metering Technology, or Advanced Features not Specifically Offered by Company Applicable to requests in accordance with Subst. Rule §26.130(g)(2)(C) for a study evaluating the costs of providing non-standard advanced meters, additional metering technology, or	As Calculated
DD25	advanced realures not specifically offered by Company.	
DD35	Cost Differential for Non-Standard Advanced Meters or Features Pursuant to Requests Received Pursuant to DD34 Applicable to requests in accordance with Subst. Rule §25.130(g)(2)(A) and (B) for the differential costs of providing non-standard advanced meters, additional metering technology, or advanced features not specifically offered by Company that are in excess of the Company's standard advanced meters and features	As Calculated

• • •