

Control Number: 42962



Item Number: 64

Addendum StartPage: 0

DOCKET NO. 42962

RECEIVED
2017 MAY -5 AM 10: 51

APPLICATION OF THE CITY OF	§	PUBLIC UTILITY COMMISSION CLERK
LYFORD FOR A SEWER CERTIFICATE OF CONVENIENCE	§	OF TEXAS
AND NECESSITY IN WILLACY COUNTY (33791-C)	§ §	

ORDER NO. 11 REQUIRING CLARIFICATION

This Order requires the City of Lyford to clarify how this docket should be processed. On February 6, 2017, Commission Staff filed a motion to dismiss the City of Lyford's application, in this proceeding and the related Docket No. 42963, for failure to sufficiently amend the application to cure the deficiencies with the mapping documentation. Commission Staff stated that Lyford and North Alamo Water Supply Corporation did not consent to the final proposed maps and that it is unclear which sets of maps and digital data that have been filed are accurate.

On March 21, 2017, Lyford filed a response in Docket No. 42963 concurring with the map submitted by Staff as it pertains to that docket. Lyford requested that Docket No. 42936 not be dismissed. Lyford did not make a similar filing in this docket. It is not clear if Lyford agrees that dismissal is appropriate in this docket.

On or before May 19, 2017, Lyford shall either file a response to Commission's Staff's Motion to Dismiss or request that the application be withdrawn under 16 Texas Administrative Code § 22.181(g)(1).

Signed at Austin, Texas the _____ day of May 2017.

PUBLIC UTILITY COMMISSION OF TEXAS

ADMINISTRATIVE LAW JUDGE

q:\cadm\docket management\water\ccn\42xxx\42962-11clarifications docx

64