

Required: iPhone®, iPad®, Android™ phone or Android tablet

Read our [Audio Checklist](#) for tips on using your computer's microphone and speakers with GoToWebinar.

[Add to your Outlook calendar](#)

You are receiving this email because you registered for this Webinar.  
Please [cancel your registration](#) if you cannot attend. You can also [opt-out](#) from receiving further emails from this Webinar's organizers.

This event is powered by GoToWebinar, Webinars Made Easy™. View the [GoToWebinar Privacy Policy](#).  
GoToWebinar is a service provided by: Citrix Online | 7414 Hollister Avenue | Goleta, CA 93117

AVALON001021

**From:** [Calvin Phillips](#)  
**To:** [AWSSC76623@YAHOO.COM](mailto:AWSSC76623@YAHOO.COM)  
**Subject:** Customer letter  
**Date:** Friday, August 14, 2015 11:29:27 AM  
**Attachments:** [Notice of Violation.docx](#)

---

See attached

Sent from Windows Mail

AVALON001022

**From:** [John Goodwyn](#)  
**To:** [awssc76623@yahoo.com](mailto:awssc76623@yahoo.com)  
**Subject:** Easement for Sewer Drain to Creek  
**Date:** Tuesday, October 8, 2013 9:11:34 PM  
**Attachments:** [Legal Documents - Hettinger.doc](#)

---

Hi, Ed,  
Good to see you again.

My notes indicate that the easement across the Gillespie land to the creek is found in **Volume 545**, starting on **Page 723** (of the County records). I think it is only ten feet wide, so it might be a bit dicey working with a tractor within that width. No doubt, if the tractor strays outside the boundaries, you will be charged with trespassing.

I have attached a document that contains info on other legal documents, some of which are easements, some of which are deeds. Probably some of the documents towards the end of the list are just easements to run the water mains, so they will not be of interest.

AVALON001023

**From:** [DSHS T2Sdatafiles](#)  
**To:** [Avalon Water Sewer Service Cor Avalon](#)  
**Subject:** Email has been received  
**Date:** Tuesday, April 15, 2014 10:28:56 AM

---

The Texas Tier II Reporting Program has received your email. If you have any questions, please contact us at the phone number or email below. Thank you.

**Tier II Reporting Program**

**Chemical & Product Safety Licensing Group**

**Division for Regulatory Services**

**Texas Department of State Health Services**

**Phone: 512-834-6603, ext. 2432 or**

**Phone: 800-452-2791, ext. 2432 (toll-free in Texas)**

**Fax: 512-834-6779; [tiertwohelp@dshs.state.tx.us](mailto:tiertwohelp@dshs.state.tx.us)**

**Website: [www.texastiertwo.com](http://www.texastiertwo.com)**

**NOTE:** [T2Sdatafiles@dshs.state.tx.us](mailto:T2Sdatafiles@dshs.state.tx.us) is reserved for submission of data files only

AVALON001024

**From:** [Calvin Phillips](#)  
**To:** [AWSSC76623@YAHOO.COM](mailto:AWSSC76623@YAHOO.COM)  
**Subject:** Employee Hand Book  
**Date:** Wednesday, January 6, 2016 4:57:57 PM  
**Attachments:** [Employee Handbook Rev.doc](#)

---

Final Update. Need to add Logo and possibly remove a blank page.

Sent from Windows Mail

AVALON001025

**From:** [Calvin Phillips](#)  
**To:** [AWSSC76623@YAHOO.COM](mailto:AWSSC76623@YAHOO.COM)  
**Subject:** Employee Handbook  
**Date:** Wednesday, November 18, 2015 9:22:09 AM  
**Attachments:** [Employee Handbook Template.doc](#)

---

For review

Sent from Windows Mail

AVALON001026

**From:** [Calvin Phillips](#)  
**To:** [AWSSC76623@YAHOO.COM](mailto:AWSSC76623@YAHOO.COM)  
**Subject:** Employee Policy  
**Date:** Wednesday, December 30, 2015 9:25:36 AM  
**Attachments:** [Employee Handbook Rev.doc](#)

---

Heather , Here is the final for you to look over, correct, add logo and print. Thanks

Sent from Windows Mail

AVALON001027

**From:** [Calvin Phillips](#)  
**To:** [AWSSC76623@YAHOO.COM](mailto:AWSSC76623@YAHOO.COM)  
**Subject:** Final  
**Date:** Thursday, December 3, 2015 9:23:08 AM  
**Attachments:** [Copy of Business Budget.xlsx](#)

---

Budget sheet

Sent from Windows Mail

AVALON001028



**From:** [Calvin Phillips](#)  
**To:** [AWSSC76623@YAHOO.COM](mailto:AWSSC76623@YAHOO.COM)  
**Subject:** Final  
**Date:** Wednesday, December 9, 2015 10:11:51 AM  
**Attachments:** [Copy of 2016 Budget final.xlsx](#)

---

Sent from Windows Mail

AVALON001029

**From:** [Gregg Rodriguez](#)  
**To:** [awssc76623@yahoo.com](mailto:awssc76623@yahoo.com)  
**Subject:** Fw:  
**Date:** Thursday, August 21, 2014 10:18:49 AM

---

On Thursday, August 21, 2014 9:39 AM, Ray Loveless <[secwsc@sbcglobal.net](mailto:secwsc@sbcglobal.net)> wrote:

<http://www.rurdev.usda.gov/SupportDocuments/TX442-9%20ROW%20easement.pdf>

Greg, this is the one I used. If you need more give me a holler.  
I will also try to find the people to move tanks.

Need anything else let me know.

Ray Loveless  
Manager- South Ellis WSC  
972-483-6885

AVALON001030

**From:** [Fred Bednarski](#)  
**To:** ["awssc76623@yahoo.com"](mailto:awssc76623@yahoo.com)  
**Cc:** [Fred Bednarski](#)  
**Subject:** FW: Agenda & Minutes  
**Date:** Friday, May 23, 2014 11:15:03 AM  
**Attachments:** [Scan0043.pdf](#)

---

Mr. Hettinger will you please forward me the minutes are for April 2014 please Sir?

Fred

**From:** Avalon Water Sewer Service Cor Avalon [mailto:[awssc76623@yahoo.com](mailto:awssc76623@yahoo.com)]  
**Sent:** Saturday, April 12, 2014 9:21 AM  
**To:** Fred Bednarski  
**Subject:** Agenda & Minutes

Hi Fred,

We had our annual membership meeting and election of directors Thursday, April 10. Attached is the agenda for that meeting and minutes of last year's membership meeting and last month's director's meeting.

When this started a few months ago, either you or the lady that was working with you said this would only have to go on until our election. Do we have to continue send these to you after each meeting, or have we convinced TCEQ we are operating properly? Sending them is not really a problem, it's just something else to remember and do.

Thanks and have a good day.

Ed Hettinger  
General Manager  
Avalon Water Supply And Sewer  
Service Corporation

AVALON001031

**From:** [Avalon Water](#)  
**To:** ["avalonwater@yahoo.com"](mailto:avalonwater@yahoo.com)  
**Subject:** FW: Aid Agreement  
**Date:** Thursday, August 28, 2014 11:37:00 AM  
**Attachments:** [Mutual Aid Agreement.docx](#)

---

**From:** Gary [mailto:garylowsmusic@sbcglobal.net]  
**Sent:** Wednesday, August 27, 2014 4:03 PM  
**To:** Avalon Water Sewer Service Cor Avalon  
**Subject:** Aid Agreement

Heather and Gregg look this over and see if it will work.

Gary

AVALON001032

**From:** [Avalon Water](#)  
**To:** [Gregg Rodriguez](#)  
**Subject:** FW: Aid Agreement  
**Date:** Monday, September 15, 2014 8:53:00 AM  
**Attachments:** [Mutual Aid Agreement.docx](#)

---

**From:** Gary [mailto:garylowsmusic@sbcglobal.net]  
**Sent:** Wednesday, August 27, 2014 4:03 PM  
**To:** Avalon Water Sewer Service Cor Avalon  
**Subject:** Aid Agreement

Heather and Gregg look this over and see if it will work.

Gary

AVALON001033

**From:** [Gregg Rodriguez](mailto:Gregg.Rodriguez)  
**To:** [awssc76623@yahoo.com](mailto:awssc76623@yahoo.com)  
**Subject:** Fw: Budgetary Quote to Dismantle the Bolted Water Storage Tank and Re-erect it in a New Location in Dallas/Fortworth, TX  
**Date:** Wednesday, August 27, 2014 10:34:14 AM  
**Attachments:** [Avalon Water - Greg Rodriguez - Dismantle and Reerect - Dalles Fortworth, TX - 8-27-14.docx](#)

---

On Wednesday, August 27, 2014 9:29 AM, ASI <[asi@ameristruc.com](mailto:asi@ameristruc.com)> wrote:



August 27, 2014

Mr. Greg Rodriguez  
Avalon, TX 76623  
Email: [avalonwater@yahoo.com](mailto:avalonwater@yahoo.com)

Avalon Water  
Phone: 972-351-7784

RE: Budgetary Quote to Dismantle the Bolted Water Storage Tank and Re-erect it in a New Location in Dallas/Fortworth, TX

Dear Mr. Rodriguez:

Please review the attached budgetary quote that you requested. Should you have any questions or concerns regarding the information contained therein, please feel free to contact me via telephone or email at your earliest convenience.

Sincerely,

Earl W. Wildenberg  
President

EWV/jks

AVALON001034

**From:** [Calvin Phillips](#)  
**To:** [Avalon Water Sewer Service Cor Avalon](#)  
**Subject:** FW: Cintas - John E. Smith  
**Date:** Tuesday, March 8, 2016 8:24:50 AM  
**Attachments:** [Credit Reference Form.xls](#)

---

Sent from [Mail](#) for Windows 10

**From:** [Smith, John](#)  
**Sent:** Tuesday, March 8, 2016 6:13 AM  
**To:** [Calvin Phillips](#)  
**Subject:** Cintas - John E. Smith

Calvin,

Meant to drop this off yesterday. Please fill in for 3 business references. NO personal. Just who Avalon Water does business with in terms of buying parts, products, etc. Example—Most auto shops put down, O'Reilly's, Pep Boys, etc. Again, it is just business references.

Thanks and let me know if any questions.

**John E. Smith | Uniform Sales Representative**

Cell: 817.296.4575 | Fax: 469.375.6843

Cintas Corporation, 5280 Investment Drive, Dallas, 75236

[Smithj6@cintas.com](mailto:Smithj6@cintas.com) | [www.cintas.com](http://www.cintas.com)



This e-mail transmission contains information that is intended to be confidential and privileged. If you receive this e-mail and you are not a named addressee you are hereby notified that you are not authorized to read, print, retain, copy or disseminate this communication without the consent of the sender and that doing so is prohibited and may be unlawful. Please reply to the message immediately by informing the sender that the message was misdirected. After replying, please delete and otherwise erase it and any attachments from your computer system. Your assistance in correcting this error is appreciated.

AVALON001035

**From:** [Calvin Phillips](#)  
**To:** [AWSSC76623@YAHOO.COM](mailto:AWSSC76623@YAHOO.COM)  
**Subject:** FW: Credit Application - Phase Electric Motors  
**Date:** Monday, February 1, 2016 8:42:29 AM  
**Attachments:** [Phase Electric - credit application.tif](#)

---

Sent from [Mail](#) for Windows 10

**From:** [Accounting](#)  
**Sent:** Friday, January 29, 2016 10:43 AM  
**To:** [calvinphillipsavalonwater@outlook.com](mailto:calvinphillipsavalonwater@outlook.com)  
**Subject:** Credit Application - Phase Electric Motors

Please fill out credit app and return to [accounting@phaseelectric.com](mailto:accounting@phaseelectric.com)  
Also, send tax certificate (if applicable).

Thank you,

*Teresa Whitaker*

Phase Electric Motors Inc.  
972-291-9221  
972-293-6650 (Fax)  
[accounting@phaseelectric.com](mailto:accounting@phaseelectric.com)

AVALON001036



**From:** [Avalon Water](#)  
**To:** "[avalonwater@yahoo.com](mailto:avalonwater@yahoo.com)"  
**Subject:** FW: Fwd: Avalon Report II  
**Date:** Wednesday, August 27, 2014 12:03:00 PM  
**Attachments:** [Oxidor Labs.PDF](#)

---

**From:** ricky peel [mailto:[rick@h20steel.com](mailto:rick@h20steel.com)]  
**Sent:** Wednesday, August 27, 2014 11:28 AM  
**To:** Avalon Water Sewer Service Cor Avalon  
**Subject:** Fw: Fwd: Avalon Report II

## ***H2O Steel Contractors***

### ***Ricky Peel***

### ***972-938-2730***

----- Forwarded Message -----

**From:** 7744 Rep <[swrep7744@sherwin.com](mailto:swrep7744@sherwin.com)>  
**To:** Rick Peel <[rick@h20steel.com](mailto:rick@h20steel.com)>  
**Sent:** Wednesday, August 27, 2014 10:34 AM  
**Subject:** Fwd: Avalon Report II

Sent from my iPhone

Begin forwarded message:

**From:** "Philip C. Novy" <[pcnovy@sherwin.com](mailto:pcnovy@sherwin.com)>  
**To:** "7744 Rep" <[swrep7744@sherwin.com](mailto:swrep7744@sherwin.com)>  
**Cc:** "Dustin T. Klapka" <[dustin.t.klapka@sherwin.com](mailto:dustin.t.klapka@sherwin.com)>  
**Subject: Re: Fwd: Avalon Report II**

Steve,

I reviewed the attached analytical report. The following chemicals identified in the analytical report are used as ingredients in the MACROPOXY® 646 Fast Cure Epoxy Coating:

4-Methyl-2-pentanone  
Ethylbenzene  
m,p-Xylene  
o-Xylene

AVALON001037

The National Primary Drinking Water Regulations have established a Maximum Contaminant Level (MCL) for Ethylbenzene and Total Xylene (m-p-Xylene + o-Xylene). The results of the analytical report show Ethylbenzene and Total Xylene to be significantly below the MCLs of 700 ug/l and 10000 ug/l respectively. The results of the attached analytical report show that the water sample meets the requirements of the National Primary Drinking Water Regulations.

Phil

Philip Novy  
Manager, Regulatory Information  
The Sherwin-Williams Company  
(216) 566-1795

From:  
7744 Rep/Sherwin-Williams  
To:  
Philip C. Novy/CLE/Sherwin-Williams@swcbd  
Date:  
08/27/2014 08:56 AM  
Subject:  
Fwd: Avalon Report II

Sent from my iPhone

Begin forwarded message:

From: "ricky peel" <[rick@h2osteel.com](mailto:rick@h2osteel.com)>  
To: "Sherwin-williams Store Manager" <[sw7110@sherwin.com](mailto:sw7110@sherwin.com)>, "Stephen T. Williams" <[swrep7744@sherwin.com](mailto:swrep7744@sherwin.com)>  
Subject: Fw: Avalon Report II

H2O Steel Contractors  
Ricky Peel  
972-938-2730

----- Forwarded Message -----

From: Nichole Epperley <[epperleynichole@yahoo.com](mailto:epperleynichole@yahoo.com)>  
To: Ricky Peel <[rick@h2osteel.com](mailto:rick@h2osteel.com)>

AVALON001038

Sent: Wednesday, August 13, 2014 1:36 PM  
Subject: Avalon Report II

Rick,

Attached is the Avalon Lab report.

Nichole Epperley - Oxidor Labs.PDF

AVALON001039

**From:** Calvin Phillips  
**To:** AWSSC76623@YAHOO.COM  
**Subject:** FW: How to Access Today's TAWWA/TCEQ Total Coliform Rule Webcast  
**Date:** Thursday, February 4, 2016 8:30:22 AM

---

Sent from [Mail](#) for Windows 10

**From:** Texas AWWA  
**Sent:** Thursday, February 4, 2016 8:01 AM  
**To:** [calvinphillipsavalonwater@outlook.com](mailto:calvinphillipsavalonwater@outlook.com)  
**Subject:** How to Access Today's TAWWA/TCEQ Total Coliform Rule Webcast

Having trouble viewing this email? [Click here](#)



You are registered for our webcast on the Revised Total Coliform Rule scheduled for today, Thursday, February 4, beginning at 11 am (Central Time).

To access the webcast, click to:

**<http://www.ustream.tv/channel/texas-awwa>**

before 11 am (Central Time) today. Refresh your browser until you can see the broadcast and enter the password below in the password box (in all uppercase):

**TAWWARTCR**

Once you enter the password, you may need to click the Play arrow to join the streaming video.

Please see the technical help info at the bottom of this email if you don't see the stream. With the high number of registrants for this webcast, **we will not be able to help with technical issues the day of the webcast.** Please consult the technical help below or your IT department for assistance.

*The webcast - including audio - will be streamed through your computer (you do not need to call in to hear the webcast).*

AVALON001041

Anytime during the webcast, participants will be able to call in, fax in, text in or email in questions.

CALL: 512-251-8101  
TEXT: 512-750-1120  
FAX: 512-251-8152  
email: [webcast@tawwa.org](mailto:webcast@tawwa.org)

We will be recording the webcast and will send that link out next week for anyone who wants to watch it again or for the first time, though those who watch the recording are **not** able to receive TCEQ Operator hours (it must be watched live).

**As a reminder there will be no official breaks during the webcast so we advise having lunch available to you wherever you are watching.**

### **PRESENTATIONS**

Here are the webcast presentations (PDFs) and other information for you to download:

#### **Presenter Bios**

**Presentations:**

**Directed Assistance Module (DAM) 8: Nitrification Action Plans (NAPs)**

**EPA Federal Revised Total Coliform Rule (RTCR)**

**Guidance Documents:**

**Revised Total Coliform Rule (RTCR) Start-up Procedures and Certification for: Seasonal Public Water Systems**

**Public Water System Revised Total Coliform Rule Sample Siting Plan** (*Must save to desktop for file to fully open*)

### **IMPORTANT TECHNICAL INFORMATION:**

Please make sure you have the latest version of Flash installed on your computer.

You can download this free from here: <http://get.adobe.com/flashplayer/>

Also, if for some reason you are unable to pick up the stream through Internet Explorer, you might try another browser like Mozilla Firefox. You can get that download here: <http://www.mozilla.com/en-US/firefox/new/>

If you are unable to see our web stream channel, then you can troubleshoot issues as advised on this link:

**<https://support.ustream.tv/hc/en-us/articles/207851767-Viewing-troubleshooting-steps>**

Let us know if you have any questions at 512-251-8101 or [webcast@tawwa.org](mailto:webcast@tawwa.org).

TAWWA | [webcast@tawwa.org](mailto:webcast@tawwa.org) | [www.tawwa.org](http://www.tawwa.org)

GCP Association Services, LLC, P.O. Box 676, Pflugerville, TX 78691

[SafeUnsubscribe™ calvinphillipsavalonwater@outlook.com](#)

[Forward this email](#) | [Update Profile](#) | [About our service provider](#)

Sent by [texwater@texas.net](mailto:texwater@texas.net) in collaboration with

Constant Contact



AVALON001043

**From:** [Calvin Phillips](#)  
**To:** [AWSSC76623@YAHOO.COM](mailto:AWSSC76623@YAHOO.COM)  
**Subject:** Fw: Lap Top and Tablet 3G Drive-by Quotes  
**Date:** Friday, December 4, 2015 9:12:49 AM  
**Attachments:** [Copy of Avalon LapTop Project Pricing.pdf](#)  
[Copy of Avalon Tab WSC Project Pricing.pdf](#)  
[Mobile MasterLinx AUG 2013 1322721027 5789.pdf](#)  
[MM BLMJ RESIDENTIAL JAN2014 1322721027 2480.pdf](#)  
[image001.png](#)

---

Sent from Windows Mail

**From:** [Gabe Briscoe](#)  
**Sent:** Thursday, December 3, 2015 12:51 PM  
**To:** [Calvin Phillips](#)  
**Cc:** [Greg Broyles](#), [Maurice de Vries](#)


Hello Calvin,

I have attached the quotes we spoke about yesterday. Please don't hesitate to give me a call with any questions and I'll give you a call about a good time to visit. Thank you Sir and have a good day!

PS. I've also attached some literature on the 3G Drive-by system and meter.

Regards,

Gabe Briscoe  
HydroPro Solutions  
NorthTexas Account Manager  
Office (877)747-3656  
Mobile (682)219-4042



AVALON001044

**From:** [Calvin Phillips](#)  
**To:** [AWSSC76623@YAHOO.COM](mailto:AWSSC76623@YAHOO.COM)  
**Subject:** Fw: Moths  
**Date:** Monday, August 31, 2015 8:44:28 AM  
**Attachments:** [IMG\\_0128.JPG](#)  
[ATT00001.dat](#)

---

Sent from Windows Mail

**From:** [Calvin Phillips](#)  
**Sent:** Monday, August 31, 2015 7:52 AM  
**To:** [Calvin Phillips](#)

AVALON001045



**From:** [Jan Hettinger](mailto:Jan_Hettinger)  
**To:** [awssc76623@yahoo.com](mailto:awssc76623@yahoo.com)  
**Subject:** Fw: Need some help  
**Date:** Tuesday, October 15, 2013 4:25:50 PM

---

On Tuesday, October 15, 2013 7:32 AM, Karen Mathiowetz <[karenbrian1990@gmail.com](mailto:karenbrian1990@gmail.com)> wrote:  
That is ok. Let me see if Carol has it. I know you are swamped. If you don't hear from me, you know she had what I need.

I don't remember any agenda with eminent domain stated and that is what the law says is a legal requirement. I may not like having to write this one because I am not sure what that they were legal. As a journalist, I have to write the bad with the good.

Hope you and Ed had a good day.

On Tue, Oct 15, 2013 at 6:53 AM, Jan Hettinger <[jan\\_hettinger@yahoo.com](mailto:jan_hettinger@yahoo.com)> wrote:  
Just opened my e-mail now. Will have to get this information at the office. May take me a few days because I have to research it again. I will hurry. I'm sure Carol has all this but I will get it for you too.

Jan

On Sunday, October 13, 2013 8:18 PM, Karen Mathiowetz <[karenbrian1990@gmail.com](mailto:karenbrian1990@gmail.com)> wrote:

I am working on my article for the Thursday night meeting. I need clarification if you can help please. I need the agenda where the eminent domain was addressed. I don't remember ever seeing one where eminent domain was going to be discussed. If I need to do an open records request, please let me know. I appreciate any help you can give.

I also need any agenda or minutes where discussion with any adjacent landowners about purchasing their property before eminent domain came into play.

I know this was before you and Ed became involved.

Being a journalist is not easy so any help you can give would be appreciated.

I know I am gonna have more questions from the other night. Can you tell me what was reported about Dean - does he still have some of yalls stuff, etc. I know Waishes stated there were attorneys involved and want to report accurately what was said.

Again, I am so glad you and Ed are doing what you are doing. What a difference there is in the corp and even with Greg. Yall are lucky to have him.

AVALON001046



**From:** Calvin Phillips  
**To:** AWSSC76623@YAHOO.COM  
**Subject:** Fw: Our Meeting Today  
**Date:** Wednesday, November 11, 2015 8:49:13 AM

---

Sent from Windows Mail

**From:** [david.waishes@gmail.com](mailto:david.waishes@gmail.com)  
**Sent:** Wednesday, August 26, 2015 1:40 PM  
**To:** [Calvin Phillips](mailto:Calvin.Phillips)

Link to the site regarding a grant for our emergency generator ... we can discuss soon.

Thanks,

----- Forwarded message -----

**From:** **Stephanie Parker** <[stephanie.parker@co.ellis.tx.us](mailto:stephanie.parker@co.ellis.tx.us)>  
**Date:** Wed, Aug 26, 2015 at 1:01 PM  
**Subject:** RE: Our Meeting Today  
**To:** David Waishes <[david.waishes@gmail.com](mailto:david.waishes@gmail.com)>

Here is the information link to the grant available.

<http://www.nctcog.org/trans/onestop/funds/hmgrp.asp>

**From:** David Waishes [mailto:[david.waishes@gmail.com](mailto:david.waishes@gmail.com)]  
**Sent:** Friday, August 21, 2015 3:11 PM  
**To:** [Stephanie.Parker@co.ellis.tx.us](mailto:Stephanie.Parker@co.ellis.tx.us)  
**Subject:** Our Meeting Today

Hi Stephanie,

Also touching base from my personal email in regards to Avalon Water Supply & Sewer Service Corporation. As discussed today, I serve the community as the Board President and I'm very interested in better communications with the County regarding our ability to provide water and sewer in the event of a major power outage in Southern Ellis County. TCEQ has recently cited us for not having backup power.

Therefore, any assistance that you can provide in helping us determine how to satisfy this requirement is greatly appreciated.

AVALON001048

Thanks,

David

FYI, my mailing address is Blooming Grove because the Avalon Post Office does not deliver south of Chambers Creek. My residence is in Ellis County with a physical address (for 911 purposes, etc.) of 1957 FM 55, Avalon, TX 76623. It confuses some??

--

David C. Waishes  
1957 FM 55  
Blooming Grove, TX 76626

972-921-7113

--

David C. Waishes  
1957 FM 55  
Blooming Grove, TX 76626

972-921-7113

AVALON001049

**From:** [Calvin Phillips](#)  
**To:** [AWSSC76623@YAHOO.COM](mailto:AWSSC76623@YAHOO.COM)  
**Subject:** Fw: Pic five  
**Date:** Thursday, October 15, 2015 9:04:24 AM  
**Attachments:** [IMG\\_0077.JPG](#)  
[ATT00001.dat](#)  
[IMG\\_0076.JPG](#)  
[ATT00002.dat](#)  
[IMG\\_0075.JPG](#)  
[ATT00003.dat](#)

---

Sent from Windows Mail

**From:** [Calvin Phillips](#)  
**Sent:** Thursday, October 15, 2015 7:37 AM  
**To:** [Calvin Phillips](#)

AVALON001050

**From:** [Calvin Phillips](#)  
**To:** [AWSSC76623@YAHOO.COM](mailto:AWSSC76623@YAHOO.COM)  
**Subject:** Fw: Pic four  
**Date:** Thursday, October 15, 2015 9:02:22 AM  
**Attachments:** [IMG\\_0081.JPG](#)  
[ATT00001.dat](#)  
[IMG\\_0080.JPG](#)  
[ATT00002.dat](#)

---

Sent from Windows Mail

**From:** [Calvin Phillips](#)  
**Sent:** Thursday, October 15, 2015 7:35 AM  
**To:** [Calvin Phillips](#)

AVALON001051

**From:** [Calvin Phillips](#)  
**To:** [AWSSC76623@YAHOO.COM](mailto:AWSSC76623@YAHOO.COM)  
**Subject:** Fw: Pic nine  
**Date:** Thursday, October 15, 2015 9:16:12 AM  
**Attachments:** [IMG\\_0015.JPG](#)  
[ATT00001.dat](#)  
[IMG\\_0014.JPG](#)  
[ATT00002.dat](#)  
[IMG\\_0012.JPG](#)  
[ATT00003.dat](#)

---

Sent from Windows Mail

**From:** [Calvin Phillips](#)  
**Sent:** Thursday, October 15, 2015 7:42 AM  
**To:** [Calvin Phillips](#)

AVALON001052

**From:** [Calvin Phillips](#)  
**To:** [AWSSC76623@YAHOO.COM](mailto:AWSSC76623@YAHOO.COM)  
**Subject:** Fw: Pic seven  
**Date:** Thursday, October 15, 2015 9:09:58 AM  
**Attachments:** [IMG\\_0050.JPG](#)  
[ATT00001.dat](#)  
[IMG\\_0044.JPG](#)  
[ATT00002.dat](#)  
[IMG\\_0043.JPG](#)  
[ATT00003.dat](#)

---

Sent from Windows Mail

**From:** [Calvin Phillips](#)  
**Sent:** Thursday, October 15, 2015 7:48 AM  
**To:** [Calvin Phillips](#)

AVALON001053



**From:** [Calvin Phillips](#)  
**To:** [AWSSC76623@YAHOO.COM](mailto:AWSSC76623@YAHOO.COM)  
**Subject:** Fw: Pic six  
**Date:** Thursday, October 15, 2015 9:05:41 AM  
**Attachments:** [IMG\\_0057.JPG](#)  
[ATT00001.dat](#)

---

Sent from Windows Mail

**From:** [Calvin Phillips](#)  
**Sent:** Thursday, October 15, 2015 7:34 AM  
**To:** [Calvin Phillips](#)

AVALON001054

**From:** [Calvin Phillips](#)  
**To:** [AWSSC76623@YAHOO.COM](mailto:AWSSC76623@YAHOO.COM)  
**Subject:** Fw: Pic three  
**Date:** Thursday, October 15, 2015 9:01:35 AM  
**Attachments:** [IMG\\_0183.JPG](#)  
[ATT00001.dat](#)  
[IMG\\_0182.JPG](#)  
[ATT00002.dat](#)

---

Sent from Windows Mail

**From:** [Calvin Phillips](#)  
**Sent:** Thursday, October 15, 2015 7:33 AM  
**To:** [Calvin Phillips](#)

AVALON001055

**From:** [Calvin Phillips](#)  
**To:** [AWSSC76623@YAHOO.COM](mailto:AWSSC76623@YAHOO.COM)  
**Subject:** Fw: Pic two  
**Date:** Thursday, October 15, 2015 8:58:15 AM  
**Attachments:** [IMG\\_0213.JPG](#)  
[ATT00001.dat](#)  
[IMG\\_0214.JPG](#)  
[ATT00002.dat](#)

---

Sent from Windows Mail

**From:** [Calvin Phillips](#)  
**Sent:** Thursday, October 15, 2015 7:31 AM  
**To:** [Calvin Phillips](#)

AVALON001056

**From:** [Calvin Phillips](#)  
**To:** [AWSSC76623@YAHOO.COM](mailto:AWSSC76623@YAHOO.COM)  
**Subject:** Fw: Pic two  
**Date:** Thursday, October 15, 2015 8:58:15 AM  
**Attachments:** [IMG\\_0213.JPG](#)  
[ATT00001.dat](#)  
[IMG\\_0214.JPG](#)  
[ATT00002.dat](#)

---

Sent from Windows Mail

**From:** [Calvin Phillips](#)  
**Sent:** Thursday, October 15, 2015 7:31 AM  
**To:** [Calvin Phillips](#)

AVALON001057

**From:** [Calvin Phillips](#)  
**To:** [AWSSC76623@YAHOO.COM](mailto:AWSSC76623@YAHOO.COM)  
**Subject:** Fw: Pic  
**Date:** Thursday, October 15, 2015 8:56:45 AM  
**Attachments:** [IMG\\_0221.JPG](#)  
[ATT00001.dat](#)  
[IMG\\_0220.JPG](#)  
[ATT00002.dat](#)

---

Sent from Windows Mail

**From:** [Calvin Phillips](#)  
**Sent:** Thursday, October 15, 2015 7:29 AM  
**To:** [Calvin Phillips](#)

AVALON001058

**From:** [Calvin Phillips](#)  
**To:** [AWSSC76623@YAHOO.COM](mailto:AWSSC76623@YAHOO.COM)  
**Subject:** Fw: Pic  
**Date:** Thursday, October 15, 2015 8:56:45 AM  
**Attachments:** [IMG\\_0221.JPG](#)  
[ATT00001.dat](#)  
[IMG\\_0220.JPG](#)  
[ATT00002.dat](#)

---

Sent from Windows Mail

**From:** [Calvin Phillips](#)  
**Sent:** Thursday, October 15, 2015 7:29 AM  
**To:** [Calvin Phillips](#)

AVALON001059

**From:** [Gregg Rodriguez](#)  
**To:** [awssc76623@yahoo.com](mailto:awssc76623@yahoo.com)  
**Subject:** Fw: Plans Adequate, Cartwright Rd. & West Rd. Off-System Bridges, March 2014 Letting  
**Date:** Friday, January 10, 2014 2:36:59 PM  
**Attachments:** [Cartwright West X-Sections.PDF](#)  
[Cartwright West Plans.PDF](#)  
[Cartwright Avalon.PDF](#)

---

On Thursday, January 2, 2014 3:26 PM, John Kiser <[John.Kiser@txdot.gov](mailto:John.Kiser@txdot.gov)> wrote:  
Mr. Rodriguez,

Please see attached. Your prompt reply would be appreciated.

Thank you,  
John

John K. Kiser, P.E.  
Construction Engineer  
Ellis County Area Office  
124 FM 876  
Waxahachie, Texas 75167  
(972) 938-1570

Texas Transportation Forum: Jan. 6-8, 2014



AVALON001060

**From:** Calvin Phillips  
**To:** AWSSC76623@YAHOO.COM  
**Subject:** Fw: quote to install transfer switch  
**Date:** Tuesday, September 1, 2015 2:43:53 PM

---

Tax Questions

Sent from Windows Mail

**From:** 'Jennifer Shirey'  
**Sent:** Tuesday, September 1, 2015 12:51 PM  
**To:** Calvin Phillips

Good Afternoon Calvin,

While paying our sales tax, we realized that we charged your company the wrong rate.

Can you please set me up with someone in your accounting department so I can get it cleared up?

Thanks so much.

Jennifer Shirey  
Angiel Electrical Construction Corp.  
9030 Directors Row  
Dallas, Tx 75247  
P 214.824.6369 F 214.821.9185  
[jshirey@angielecc.com](mailto:jshirey@angielecc.com)  
[www.angielecc.com](http://www.angielecc.com)

---

**From:** Calvin Phillips [mailto:calvinphillipsavalonwater@outlook.com]  
**Sent:** Wednesday, July 08, 2015 9:00 AM  
**To:** jpustejovsky@angielecc.com  
**Cc:** 'Wendy Pustejovsky'; 'Jennifer Shirey'  
**Subject:** Re: quote to install transfer switch

Thanks Jimmy. We have our board meeting tomorrow night, so hopefully they will give us approval to proceed. I will let you know on Friday morning what the status is. Thanks again.

Sent from Windows Mail

**From:** [jpustejovsky@angielecc.com](mailto:jpustejovsky@angielecc.com)  
**Sent:** Wednesday, July 8, 2015 7:55 AM  
**To:** Calvin Phillips  
**Cc:** 'Wendy Pustejovsky', 'Jennifer Shirey'

AVALON001061



Calvin, here is the quote to incorporate a manual transfer switch into the service at the pump station on FM 55 in Avalon. If Angiel is awarded this project we would install some of the equipment a day prior to the shutdown day to keep the loss of power to a minimum.

Let me know if you have any questions.

Thanks and have a great day.



*Jimmy Pustejovsky*

*Angiel Electric*

*Project Manager*

*office: 972-878-6474*

*cell: 469-576-8073*

*[jpustejovsky@angielecc.com](mailto:jpustejovsky@angielecc.com)*

**From:** [Calvin Phillips](#)  
**To:** [AWSSC76623@YAHOO.COM](mailto:AWSSC76623@YAHOO.COM)  
**Subject:** FW: TAWWA/TCEQ Total Coliform Rule Webcast: Presentations Preview  
**Date:** Wednesday, February 3, 2016 10:36:56 AM

---

Sent from [Mail](#) for Windows 10

**From:** [Texas AWWA](#)  
**Sent:** Wednesday, February 3, 2016 10:13 AM  
**To:** [calvinphillipsavalonwater@outlook.com](mailto:calvinphillipsavalonwater@outlook.com)  
**Subject:** TAWWA/TCEQ Total Coliform Rule Webcast: Presentations Preview

Having trouble viewing this email? [Click here](#)

You are registered for our webcast on the Revised Total Coliform Rule scheduled for Thursday, February 4, 2016, beginning at 11 am (Central Time). Please read this entire email for important information regarding the webcast.

**We will send you the login password for the program on Thursday morning.**

Here are the webcast presentations (PDFs) and other information for you to download ahead of time:

**Presenter Bios**

**Presentations:**

**Directed Assistance Module (DAM) 8: Nitrification Action Plans (NAPs)**

**EPA Federal Revised Total Coliform Rule (RTCR)**

**Guidance Documents:**

**Revised Total Coliform Rule (RTCR) Start-up Procedures and Certification for: Seasonal Public Water Systems**

**Public Water System Revised Total Coliform Rule Sample Siting Plan** *(Must save to desktop for file to fully open)*

**As a reminder there will be no official breaks during the webcast so we advise having lunch available to you wherever you are watching.**

**Please Test the Stream Ahead of Time**

As this program will be web streamed to your computer, **it is extremely important that you test your ability to receive this program in advance.**

AVALON001063

Below is a an open link to our Texas AWWA web stream channel. When you click on this link you should see various logos and other information including our Texas AWWA logo, our TXWARN logo and other information. These images will change periodically. There is no sound at this time. If you are able to see these images, then you should have no problems in viewing Thursday's training.

**However, if you do not see the images, then you need to investigate why or check with your IT department. IT IS IMPORTANT TO RESOLVE ANY ISSUES IN ADVANCE AS THURSDAY WILL BE TOO LATE and we are unable to provide assistance on the day of the training.**

The link to test the actual web stream is directly below. Again, if you can see the changing images of logos, then you should not experience any problems on Thursday.

**<http://www.ustream.tv/channel/texas-awwa>**

If you are unable to see our web stream channel, then you can troubleshoot issues as advised on this link:

**<https://support.ustream.tv/hc/en-us/articles/207851767-Viewing-troubleshooting-steps>**

**WE RECOMMEND TESTING THIS STREAMING LINK TODAY.**

*A reminder:* This test stream is currently open without a password.

Watch your email inbox for information and let us know if you have any questions at **[webcast@tawwa.org](mailto:webcast@tawwa.org)**.

***A reminder:*** We anticipate TCEQ will provide a final approval of Operator continuing education hours for Thursday's training.

Every person who wishes TCEQ hours **will need to be separately registered**. This means if you are viewing the program in a group setting, each person who is viewing and wishing to receive TCEQ hours **MUST be separately registered using their own name and their own email address**. Failing to do so will void their opportunity receive hours for the training. If you need to add additional names and emails, go to our registration link at **<http://www.tawwa.org/event/feb2016webcast>** and complete the information no later than noon Wednesday.

---

TAWWA | **[webcast@tawwa.org](mailto:webcast@tawwa.org)** | **[www.tawwa.org](http://www.tawwa.org)**

GCP Association Servicess, LLC, P.O. Box 676, Pflugerville, TX 78691

[SafeUnsubscribe™\\_calvinphillipsavalonwater@outlook.com](mailto:SafeUnsubscribe™_calvinphillipsavalonwater@outlook.com)

AVALON001064

[Forward this email](#) | [Update Profile](#) | [About our service provider](#)  
Sent by [texwater@texas.net](mailto:texwater@texas.net) in collaboration with

AVALON001065

**From:** [Avalon Water Sewer Service Cor Avalon](#)  
**To:** [awssc76623@yahoo.com](mailto:awssc76623@yahoo.com)  
**Subject:** Fw: TCEQ Lead and Copper Samples TX0700019  
**Date:** Friday, September 12, 2014 3:58:27 PM

---

On Thursday, September 11, 2014 8:48 PM, Avalon Water Sewer Service Cor Avalon <[awssc76623@yahoo.com](mailto:awssc76623@yahoo.com)> wrote:

Did you get this? What is going on with it?

On Thursday, September 11, 2014 12:39 PM, Andrew Nidoh <[Andrew.Nidoh@tceq.texas.gov](mailto:Andrew.Nidoh@tceq.texas.gov)> wrote:

Hello,

We recently received lead and copper samples for the Avalon WSC water system and after review we could not accept what was sent in. Three of the locations that were sampled and reported do not match the sample locations that are currently in our database. If the sample locations were the same locations that were sampled they may be jumbled around according to their LCR number and would have to resubmit a corrected Tap Sample Submission Form with the correct listing, the analytical lab report received from the lab, and a letter on the system's letterhead signed by the highest level of management with the system explaining what happened. If the locations sampled are not a part of the system's sampling pool the system will have to resample each time this is the case. The compliance period for reduced sampling ends September 30 so you have until then to physically take the resamples and the data needs to be in our database no later than 10 days after. The system was supposed to check their sampling sites via Drinking Water Watch and send in an updated Site Selection Form before the system was able to sample. This was in the instructions for lead and copper this year but would need to be done now if it hasn't been done yet this year. This form would have to include any and all sites already in the database (Drinking Water Watch) in the exact same order as they appear even if the system does not sample a site anymore. We cannot simply change LCR numbers because that would change the system's history of sampling so any new site you wish to change to will have to be added to the bottom of the sampling pool. The biggest thing to keep in mind with the sample sites is that no matter what the LCR numbers and addresses have to match. If a sample location is no longer there or will never be sampled again you can choose to inactive a site by filling out the Address Change / Inactivation form that lets us know that the site will never be sampled from again for some reason. There is a link to Drinking Water Watch below in my signature and if you need any help navigating the site to get to your sites you can certainly call or email me and I would be glad to be of further assistance.

Kind Regards,

Andrew Nidoh

AVALON001066

Natural Resource Specialist  
Drinking Water Quality Team  
Texas Commission on Environmental Quality  
University of Texas-Arlington Contractor  
Phone: (512) 239-4611  
Fax: (512) 239-6050  
E-Mail: [Andrew.Nidoh@tceq.texas.gov](mailto:Andrew.Nidoh@tceq.texas.gov)  
Drinking Water Watch: <http://dww.tceq.state.tx.us/DWW/>

AVALON001067

**From:** [Avalon Water](#)  
**To:** [Gregg Rodriguez](#)  
**Subject:** FW: TCEQ Lead and Copper Samples TX0700019  
**Date:** Monday, September 15, 2014 8:55:00 AM

---

**From:** Avalon Water Sewer Service Cor Avalon [mailto:[awssc76623@yahoo.com](mailto:awssc76623@yahoo.com)]  
**Sent:** Friday, September 12, 2014 3:49 PM  
**To:** [awssc76623@yahoo.com](mailto:awssc76623@yahoo.com)  
**Subject:** Fw: TCEQ Lead and Copper Samples TX0700019

On Thursday, September 11, 2014 8:48 PM, Avalon Water Sewer Service Cor Avalon <[awssc76623@yahoo.com](mailto:awssc76623@yahoo.com)> wrote:

Did you get this? What is going on with it?

On Thursday, September 11, 2014 12:39 PM, Andrew Nidoh <[Andrew.Nidoh@tceq.texas.gov](mailto:Andrew.Nidoh@tceq.texas.gov)> wrote:

Hello,

We recently received lead and copper samples for the Avalon WSC water system and after review we could not accept what was sent in. Three of the locations that were sampled and reported do not match the sample locations that are currently in our database. If the sample locations were the same locations that were sampled they may be jumbled around according to their LCR number and would have to resubmit a corrected Tap Sample Submission Form with the correct listing, the analytical lab report received from the lab, and a letter on the system's letterhead signed by the highest level of management with the system explaining what happened. If the locations sampled are not a part of the system's sampling pool the system will have to resample each time this is the case. The compliance period for reduced sampling ends September 30 so you have until then to physically take the resamples and the data needs to be in our database no later than 10 days after. The system was supposed to check their sampling sites via Drinking Water Watch and send in an updated Site Selection Form before the system was able to sample. This was in the instructions for lead and copper this year but would need to be done now if it hasn't been done yet this year. This form would have to include any and all sites already in the database (Drinking Water Watch) in the exact same order as they appear even if the system does not sample a site anymore. We cannot simply change LCR numbers because that would change the system's history of sampling so any new site you wish to change to will have to be added to the bottom of the sampling pool. The biggest thing to keep in mind with the sample sites is that no matter what the LCR numbers and addresses have to match. If a sample location is no longer there or will never be sampled again you can choose to inactive a site by filling out the Address Change / Inactivation form that lets us know that the site will never be

AVALON001068

sampled from again for some reason. There is a link to Drinking Water Watch below in my signature and if you need any help navigating the site to get to your sites you can certainly call or email me and I would be glad to be of further assistance.

Kind Regards,

Andrew Nidoh  
Natural Resource Specialist  
Drinking Water Quality Team  
Texas Commission on Environmental Quality  
University of Texas-Arlington Contractor  
Phone: (512) 239-4611  
Fax: (512) 239-6050  
E-Mail: [Andrew.Nidoh@tceq.texas.gov](mailto:Andrew.Nidoh@tceq.texas.gov)  
Drinking Water Watch: <http://dww.tceq.state.tx.us/DWW/>

AVALON001069



AVALON001073

**From:** [Gregg](#)  
**To:** [awssc76623@yahoo.com](mailto:awssc76623@yahoo.com)  
**Subject:** Fwd: Avalon Sludge Analysis  
**Date:** Thursday, April 24, 2014 11:09:07 AM  
**Attachments:** [RCL Avalon\\_042414.pdf](#)  
[Untitled attachment 00413.htm](#)  
[14040165 Avalon.pdf](#)  
[Untitled attachment 00416.htm](#)  
[AVA\\_041214.pdf](#)  
[Untitled attachment 00419.htm](#)

---

Sent from my iPhone

Begin forwarded message:

**From:** [biochemarj@aol.com](mailto:biochemarj@aol.com)  
**Date:** April 24, 2014 at 10:04:45 AM CDT  
**To:** [avalonwater@yahoo.com](mailto:avalonwater@yahoo.com)  
**Cc:** [smvacuumandwaste@hot.rr.com](mailto:smvacuumandwaste@hot.rr.com)  
**Subject:** Avalon Sludge Analysis

Gentlemen,

Attached for you review is the sludge / bio-solids material analysis. Please let us know if you have any questions / concerns, etc.

Thanks so much!

Andrew Janek, Technical Director  
Bio Chem Lab, Inc.

AVALON001074