


Control Number: 43175



Item Number: 68

Addendum StartPage: 0

COMMISSION ADVISING & DOCKET MANAGEMENT
OUTGOING COMMISSION-SIGNED ORDER
MAIL LOG

2016 MAR 30 PM 2:33

PUBLIC UTILITY COMMISSION
FILING CLERK

OPEN MEETING DATE: MARCH 24, 2016

DOCKET NO.	STAFF	NO. OF PAGES	DATE ORDER SIGNED
43175	J. KRAMER	9	3/30/16

TYPE OF ORDER: FINAL ORDER

FILE STAMP DATE: 3/30/16 FILE STAMP TIME 2:33 A.M. P.M.

**NOTE: IF THE ORDER IS PLACED IN THE MAIL AFTER 2:00 PM, ENTER THE NEXT BUSINESS DAY AS THE DATE THE ORDER WAS MAILED
FIRST CLASS MAIL ONLY -- NO FED EX, AIRBORNE, UPS**

CADM OUTGOING MAILBOX

DATE: _____ TIME _____ A.M. _____ P.M.

MAILROOM OUTGOING MAILBOX

DATE: 3/30/16 TIME 9:00 A.M. _____ P.M.

Mariana Ojeda 3/30/16
SIGNATURE DATE

SERVICE LIST

DOCKET NO: 43175

APPLICATION OF COMMUNITY WATER SERVICE, INC. AND WALTER J. CARROLL WATER COMPANY, INC. FOR SALE, TRANSFER, OR MERGER OF FACILITIES AND CERTIFICATE RIGHTS IN ELLIS COUNTY (37981-S)

PARTIES	REPRESENTATIVE/ADDRESS
PUBLIC UTILITY COMMISSION	LEGAL DIVISION PUBLIC UTILITY COMMISSION 1701 N CONGRESS AVE STE 8-110 AUSTIN TX 78711 512-936-7260 512-936-7268 FAX
STATE OFFICE OF ADMINISTRATIVE HEARINGS	STATE OFFICE OF ADMINISTRATIVE HEARINGS 300 W 15 TH ST STE 504 AUSTIN TX 78701-1649 512-475-4993 512-475-4994 FAX
WALTER J CARROLL WATER CO INC	WALTER CARROLL WALTER J CARROLL WATER CO INC 513 WINDING CREEK TRAIL RED OAK TX 75154 972-617-0817 NO FAX
COMMUNITY WATER SERVICE, INC.	BONNIE FRAME COMMUNITY WATER SERVICE INC P O BOX 850155 MESQUITE TX 75185 972-286-8051 NO FAX Email: bonnie1015@aol.com DUSTAN DEWINNE CONSULTING ENVIRONMENTAL ENGINEERS INC 150 N HARBIN DR STE 408 STEPHENVILLE TX 76401 254-968-8130 254-968-8134 FAX Email: ceeinc@ceeinc.org

PARTIES	REPRESENTATIVE/ADDRESS
CITY OF RED OAK	ALBERT E LAWRENCE JR CITY OF RED OAK 200 LAKEVIEW PARKWAY RED OAK TX 75154 972-617-3638 469-218-1249 FAX

Verified: 9/19/14 rdh; 10/3/14 as; 10/31/14 as; 12/4/14 as; 2/4/15 krw; 2/5/15 krw; 3/10/15 MRW; 2/17/16 krw;
 3/30/16 ggo

INTERVENTION DEADLINE 1/19/15