


Control Number: 43586



Item Number: 16

Addendum StartPage: 0

DOCKET NO. 43586



APPLICATION OF TRINITY SO PTN, LP TO OBTAIN WATER AND SEWER CERTIFICATES OF CONVENIENCE AND NECESSITY IN HARRIS COUNTY	3	PUBLIC UTILITY COMMISSION 2: 38 PUBLIC UTILITY COMMISSION PUBLIC UTILITY COMMISSION OF TEXAS
--	---	---

ORDER NO. 7 THIRD NOTICE FINDING APPLICATION INCOMPLETE AND DEFICIENT

On April 9, 2015, in response to Order No. 5,¹ Trinity SO PTN, LP (Trinity SO or Company) submitted supplemental mapping information in an attempt to cure the deficiencies previously identified by Public Utility Commission of Texas (Commission) Staff.

On June 5, 2015, Commission Staff commented that the application of Trinity SO is still deficient and not administratively complete as specifically described in the filing and the attached memorandum of Elisabeth English, Engineering Specialist, and Tracy Harbor, GIS attached memorandum of Elisabeth English, Engineering Specialist, and Tracy Harbor, GIS attached memorandum of Elisabeth English, Engineering Specialist, and Tracy Harbor, GIS attached memorandum of Elisabeth English, Engineering Specialist, and Tracy Harbor, GIS attached memorandum of Elisabeth English, Engineering Specialist, and Tracy Harbor, GIS attached memorandum of Elisabeth English, Engineering Specialist, and Tracy Harbor, GIS attached memorandum of Elisabeth English, Engineering Specialist, and Tracy Harbor, GIS attached memorandum of Elisabeth English, Engineering Specialist, and Tracy Harbor, GIS attached memorandum of Elisabeth English, Engineering Specialist, and Tracy Harbor, GIS attached memorandum of Elisabeth English, Engineering Specialist, and Tracy Harbor, GIS attached memorandum of Elisabeth English, Engineering Specialist, and Tracy Harbor, GIS attached memorandum of Elisabeth English, Engineering Specialist, and Tracy Harbor, GIS attached memorandum of Elisabeth English, Engineering Specialist, and Tracy Harbor, GIS attached memorandum of Elisabeth English, Engineering Specialist, and Tracy Harbor, GIS attached memorandum of Elisabeth English, Engineering Specialist, and Tracy Harbor, GIS attached memorandum of Elisabeth English, Engineering Specialist, and Tracy Harbor, GIS attached memorandum of Elisabeth English, Engineering Specialist, and Tracy Harbor, GIS attached memorandum of Elisabeth English, Engineering Specialist, and Tracy Harbor, GIS attached memorandum of Elisabeth English, Engineering Specialist, and Tracy Harbor, GIS attached memorandum of Elisabeth English, Engineering Specialist, and Tracy Harbor, GIS attached memorandum of Elisabeth English, Engineering Specialist, and Tracy Harbor, GIS attached memorandu

In addition, Commission Staff noted that there were fifteen active violations outstanding with the Texas Commission on Environmental Quality (TCEQ) associated with the Company's waste water permit (WQ0012650001). Commission Staff recommends that the Company resolve these violations prior to the final determination of this application.

Consistent with Commission Staff's recommendation, Trinity SO's application remains administratively incomplete and deficient. On or before **July 6, 2015**, Trinity SO shall amend its application to cure the deficiencies noted by Staff, and provide an update on violations active with the TCEQ. Processing of the application cannot proceed until the requested items are

16

¹ Order No. 5, Second Notice Finding Application Incomplete and Deficient, Establishing Deadlines and Opportunity to Cure (Mar. 10, 2015).

received and reviewed. Trinity SO should not send out notice to affected parties until these discrepancies are corrected.

On or before August 6, 2015, Commission Staff shall file a supplemental recommendation regarding administrative completeness of the amended application and notice along with a proposed procedural schedule.

SIGNED AT AUSTIN, TEXAS the ____

Q day of June 2015.

PUBLIC UTILITY COMMISSION OF TEXAS

ADMINISTRATIVE LAW JUDGE

Q:\CADM\Docket Management\Water\CCN\43xxx\43586-7 Third Deficiency cure.docx