



Control Number: 44523



Item Number: 14

Addendum StartPage: 0

CMA Engineering, Inc.

Firm No. F-3053

RECEIVED

Robert P. Callegari, P.E.
Felix J. Manka, P.E.

September 3, 2015

2015 SEP -8 AM 11:14

Filing Clerk

Public Utility Commission of Texas PUBLIC UTILITY COMMISSION
1701 North Congress Avenue FILING CLERK

P.O. Box 13326

Austin, Texas 78711

Re: City of Dripping Springs
TCEQ Application to Amend Water Certificate of Convenience and Necessity No. 13030
Public Utility Commission Docket No. 44523
Response to Orders No. 3 and 4
CMA Job Number 1644-001

Dear Review Team:

This letter is in response to the Public Utility Commission's (PUC's) Order No. 3 dated June 12, 2015, PUC Interoffice Memorandum dated June 5, 2015, and Order No. 4 dated August 10, 2015 for the above referenced application.

Comment 1: Submit digital data only including the proposed service area in a drawing (DWG) file format on a data disk (CD). The digital data should correspond to the same proposed service area as shown on all hard copy maps submitted with the application.

- a. The proposed digital data must be a single, continuous polyline or polygon record, which is clearly labeled as the proposed service area.*
- b. The proposed digital data must include the coordinate system used to create the digital data.*

Response 1: We concur with Staff's evaluation of the boundary location provided informally to us by Tracy Montes on August 20, 2015 as 44523_2500 scale.pdf. Enclosed are ten (10) copies of the drawing.

Comment 2: Amend notice documents to include the nearby roads, streets, or highways located to the north, east, south, and west of the proposed service area. The notice document only provides the general boundary located outside of the proposed service area, rather than defining the exact boundary of the proposed service area.

Response 2: Enclosed are ten (10) copies of the revised Attachment 5 – General Location Map forwarded to the PUC on July 6, and resent on July 16, 2015.

Comment 3: Submit a detailed list of the entities who must receive notice. The Applicant provided an incomplete list of neighboring utilities, districts, cities and any other entities providing the same type of service within the 2-mile buffer of the proposed service area. The Applicant must also provide a list of the county and groundwater conservation districts that the proposed area falls within.

235 Ledge Stone Dr.
Phone: (512) 432-1000

Austin, Texas 78737
Fax: (512) 432-1015

14

Response 3: Enclosed are ten (10) copies of the revised list of entities that will be receiving notices.

If you have any questions concerning this application please contact me at 512-432-1000.

Sincerely,



Robert P. Callegari, P.E.
Principal

Enclosures: 44523_2500 scale.pdf Map
Revised Attachment 5
List of Entities Receiving Notice


Xc: Ginger Faught, City of Deputy City Administrator
David Tuckfield, Special Projects Counsel for the City


Docket 44523

Proposed
Boundary

10315

0 125 250 500 Feet





LIST ENTITIES RECEIVING NOTICES

West Travis County Public Utility Agency

Dripping Springs Water Supply Corporation

Headwaters Municipal Utility District

Hays County Development District No. 1

Hays Trinity Groundwater Conservation District

Lower Colorado River Authority

Hays County