



Control Number: 44816



Item Number: 35

Addendum StartPage: 0

DOCKET NO. 44816

RECEIVED

2016 OCT 14 PM 2:58

APPLICATION OF SHARON §  
WATER SUPPLY CORPORATION §  
TO AMEND ITS CERTIFICATE OF §  
CONVENIENCE AND NECESSITY IN §  
UPSHUR AND WOOD COUNTIES §

PUBLIC UTILITY COMMISSION  
FILING CLERK  
OF TEXAS

**ORDER NO. 11**  
**DEEMING APPLICATION ADMINISTRATIVELY COMPLETE,**  
**ADDRESSING NOTICE, AND ESTABLISHING PROCEDURAL SCHEDULE**

This Order addresses Commission Staff's recommendation regarding administrative completeness of the application of Sharon Water Supply Corporation and proposed procedural schedule. Commission Staff recommended that the application be deemed administratively complete and that the applicant be required to provide notice and submit signed affidavits indicating that notice was given, along with a copy of the actual notices issued, within 30 days of the date of notice and last publication date.

Consistent with Commission Staff's recommendation, the application is deemed sufficient and administratively complete. Additionally, the applicant shall provide notice consistent with Commission Staff's October 13, 2016 pleading and as specified in the attached memorandum of Debbie Reyes Tamayo, Tracy Montes, Fred Bednarski, and Jolie Mathis of the Commission's Water Utility Regulation Division, using the forms attached to Commission Staff's memorandum.

The following procedural schedule shall apply:

Event	Date
Deadline for applicant to file with the Commission signed affidavits that the notice was given along with a copy of the notice sent to the affected parties and published in a newspaper of general circulation	November 28, 2016
Deadline for Commission Staff to file a recommendation regarding the sufficiency of the notice	December 8, 2016
Deadline to intervene	30 days after mailing or publication of notice, whichever occurs later

35

SIGNED AT AUSTIN, TEXAS the 14<sup>th</sup> day of October 2016.

PUBLIC UTILITY COMMISSION OF TEXAS

  
STEPHANIE FRAZZELL  
ADMINISTRATIVE LAW JUDGE.