

RESPONSIVE TO RATEPAYERS 1-10

Service Code	Billing Period	Resident Count	Address Count	Number Of Units	Average Consumption	Total Consumption	Total Demand Consumption
WT	10/2014	81	81	81	156,704	12,693,000	0
	11/2014	82	82	82	81,268	6,664,000	0
	12/2014	82	82	82	73,622	6,037,000	0
	01/2015	82	82	82	29,354	2,407,000	0
	02/2015	82	82	82	34,341	2,816,000	0
	03/2015	82	82	82	30,651	2,544,000	0
	04/2015	82	82	82	42,341	3,472,000	0
	05/2015	82	82	82	26,581	2,286,000	0
	06/2015	82	82	82	62,146	5,531,000	0
	07/2015	82	82	82	128,390	10,528,000	0
	08/2015	82	82	82	211,573	17,349,000	0
	09/2015	82	82	82	217,183	17,809,000	0
Service WT Totals:							0
Grand Totals:							0

*** End of Report ***

Service Code	Billing Period	Resident Count	Address Count	Number Of Units	Average Consumption	Total Consumption	Total Demand Consumption
WT	10/2015	82	82	82	198,232	16,255,000	0
	11/2015	82	82	82	43,415	3,560,000	0
	12/2015	82	82	82	21,707	1,780,000	0
	01/2016	82	82	82	17,463	1,432,000	0
	02/2016	82	82	82	39,500	3,318,000	0
	03/2016	83	83	83	57,169	4,745,000	0
	04/2016	83	83	83	57,614	4,782,000	0
Service WT Totals:				576	62,062	35,872,000	0
Grand Totals:				576	62,062	35,872,000	0

*** End of Report ***

Account Number	S Name	Service Address Description	City	Class	Service Code	Rate Code	Meter Size	Number	Cycle	Billing Period	Total Consumption	Total Demand
021-1600119-100	I MAGUIRE THOMAS PARTNERS	CAFE BLDG/2'S END OF COOLERS	I	C	WT	CM	D	1	1	10/2014	907,000	0
021-1600120-100	I MAGUIRE THOMAS PARTNERS	2"MIDDLE OF COOLERS	I	C	WT	CM	A	1	1	10/2014	0	0
021-1600121-100	I MAGUIRE THOMAS PARTNERS	2"NORTH OF COOLERS	I	C	WT	CM	A	1	1	10/2014	0	0
021-1600122-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #1	I	C	WT	CM	D	1	1	10/2014	0	0
021-1600123-100	I MAGUIRE THOMAS PARTNERS	BLDG 3-DUCT METER	I	C	WT	CM	E	1	1	10/2014	244,000	0
021-1600124-100	I MAGUIRE THOMAS PARTNERS	BLDG 4 DEDUCT METER	I	C	WT	CM	D	1	1	10/2014	0	0
021-1600125-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #2	I	C	WT	CM	D	1	1	10/2014	671,000	0
021-1600135-100	I MAGUIRE THOMAS PARTNERS	MASTER/3RD FLOOR/ELEVATOR	I	C	WT	CM	D	1	1	10/2014	259,000	0
021-1600136-100	I MAGUIRE THOMAS PARTNERS	5/8"MASTER/FIRE PUMP ROOM/WEST	I	C	WT	CM	A	1	1	10/2014	0	0
Totals: Billing Period 10/2014											231,222	2,081,000
Resident Count: 9											Average	
Address Count: 9												
021-1600119-100	I MAGUIRE THOMAS PARTNERS	CAFE BLDG/2'S END OF COOLERS	I	C	WT	CM	D	1	1	11/2014	428,000	0
021-1600120-100	I MAGUIRE THOMAS PARTNERS	2"MIDDLE OF COOLERS	I	C	WT	CM	A	1	1	11/2014	0	0
021-1600121-100	I MAGUIRE THOMAS PARTNERS	2"NORTH OF COOLERS	I	C	WT	CM	A	1	1	11/2014	0	0
021-1600122-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #1	I	C	WT	CM	D	1	1	11/2014	0	0
021-1600123-100	I MAGUIRE THOMAS PARTNERS	BLDG 3-DUCT METER	I	C	WT	CM	E	1	1	11/2014	434,000	0
021-1600124-100	I MAGUIRE THOMAS PARTNERS	BLDG 4 DEDUCT METER	I	C	WT	CM	D	1	1	11/2014	0	0
021-1600125-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #2	I	C	WT	CM	D	1	1	11/2014	243,000	0
021-1600135-100	I MAGUIRE THOMAS PARTNERS	MASTER/3RD FLOOR/ELEVATOR	I	C	WT	CM	D	1	1	11/2014	106,000	0
021-1600136-100	I MAGUIRE THOMAS PARTNERS	5/8"MASTER/FIRE PUMP ROOM/WEST	I	C	WT	CM	A	1	1	11/2014	0	0
Totals: Billing Period 11/2014											134,556	1,211,000
Resident Count: 9											Average	
Address Count: 9												
021-1600119-100	I MAGUIRE THOMAS PARTNERS	CAFE BLDG/2'S END OF COOLERS	I	C	WT	CM	D	1	1	12/2014	361,000	0
021-1600120-100	I MAGUIRE THOMAS PARTNERS	2"MIDDLE OF COOLERS	I	C	WT	CM	A	1	1	12/2014	0	0
021-1600121-100	I MAGUIRE THOMAS PARTNERS	2"NORTH OF COOLERS	I	C	WT	CM	A	1	1	12/2014	0	0
021-1600122-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #1	I	C	WT	CM	D	1	1	12/2014	0	0
021-1600123-100	I MAGUIRE THOMAS PARTNERS	BLDG 3-DUCT METER	I	C	WT	CM	E	1	1	12/2014	202,000	0
021-1600124-100	I MAGUIRE THOMAS PARTNERS	BLDG 4 DEDUCT METER	I	C	WT	CM	D	1	1	12/2014	0	0
021-1600125-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #2	I	C	WT	CM	D	1	1	12/2014	172,000	0
021-1600135-100	I MAGUIRE THOMAS PARTNERS	MASTER/3RD FLOOR/ELEVATOR	I	C	WT	CM	D	1	1	12/2014	95,000	0
021-1600136-100	I MAGUIRE THOMAS PARTNERS	5/8"MASTER/FIRE PUMP ROOM/WEST	I	C	WT	CM	A	1	1	12/2014	0	0
Totals: Billing Period 12/2014											92,222	830,000
Resident Count: 9											Average	
Address Count: 9												
021-1600119-100	I MAGUIRE THOMAS PARTNERS	CAFE BLDG/2'S END OF COOLERS	I	C	WT	CM	D	1	1	01/2015	0	0
021-1600120-100	I MAGUIRE THOMAS PARTNERS	2"MIDDLE OF COOLERS	I	C	WT	CM	A	1	1	01/2015	0	0
021-1600121-100	I MAGUIRE THOMAS PARTNERS	2"NORTH OF COOLERS	I	C	WT	CM	A	1	1	01/2015	0	0
021-1600122-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #1	I	C	WT	CM	D	1	1	01/2015	0	0
021-1600123-100	I MAGUIRE THOMAS PARTNERS	BLDG 3-DUCT METER	I	C	WT	CM	E	1	1	01/2015	27,000	0
021-1600124-100	I MAGUIRE THOMAS PARTNERS	BLDG 4 DEDUCT METER	I	C	WT	CM	D	1	1	01/2015	0	0
021-1600125-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #2	I	C	WT	CM	D	1	1	01/2015	155,000	0

Account Number	S Name	Service Address Description	City Limit Code	Class Code	Service Code	Rate Code	Meter Size Code	Number Of Units	Cycle Number	Billing Period	Total Consumption	Total Demand Consumption
021-1600135-100	I MAGUIRE THOMAS PARTNERS	MASTER/3RD FLOOR/ELEVATOR	I	C	WT	CM	D	1	1	01/2015	33,000	0
021-1600136-100	I MAGUIRE THOMAS PARTNERS	5/8"MASTER/FIRE PUMP ROOM/WEST	I	C	WT	CM	A	1	1	01/2015	0	0
Billing Period 01/2015 Totals:											23,889	0
Resident Count: 9 Address Count: 9											215,000	0
021-1600119-100	I MAGUIRE THOMAS PARTNERS	CAFE BLDG/2'S END OF COOLERS	I	C	WT	CM	D	1	1	02/2015	0	0
021-1600120-100	I MAGUIRE THOMAS PARTNERS	2" MIDDLE OF COOLERS	I	C	WT	CM	A	1	1	02/2015	0	0
021-1600121-100	I MAGUIRE THOMAS PARTNERS	2" NORTH OF COOLERS	I	C	WT	CM	A	1	1	02/2015	0	0
021-1600122-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #1	I	C	WT	CM	D	1	1	02/2015	0	0
021-1600123-100	I MAGUIRE THOMAS PARTNERS	BLDG 3-DUCT METER	I	C	WT	CM	E	1	1	02/2015	24,000	0
021-1600124-100	I MAGUIRE THOMAS PARTNERS	BLDG 4 DEDUCT METER	I	C	WT	CM	D	1	1	02/2015	0	0
021-1600125-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #2	I	C	WT	CM	D	1	1	02/2015	165,000	0
021-1600135-100	I MAGUIRE THOMAS PARTNERS	MASTER/3RD FLOOR/ELEVATOR	I	C	WT	CM	D	1	1	02/2015	57,000	0
021-1600136-100	I MAGUIRE THOMAS PARTNERS	5/8"MASTER/FIRE PUMP ROOM/WEST	I	C	WT	CM	A	1	1	02/2015	0	0
Billing Period 02/2015 Totals:											27,333	0
Resident Count: 9 Address Count: 9											246,000	0
021-1600119-100	I MAGUIRE THOMAS PARTNERS	CAFE BLDG/2'S END OF COOLERS	I	C	WT	CM	D	1	1	03/2015	0	0
021-1600120-100	I MAGUIRE THOMAS PARTNERS	2" MIDDLE OF COOLERS	I	C	WT	CM	A	1	1	03/2015	0	0
021-1600121-100	I MAGUIRE THOMAS PARTNERS	2" NORTH OF COOLERS	I	C	WT	CM	A	1	1	03/2015	0	0
021-1600122-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #1	I	C	WT	CM	D	1	1	03/2015	5,000	0
021-1600123-100	I MAGUIRE THOMAS PARTNERS	BLDG 3-DUCT METER	I	C	WT	CM	E	1	1	03/2015	9,000	0
021-1600124-100	I MAGUIRE THOMAS PARTNERS	BLDG 4 DEDUCT METER	I	C	WT	CM	D	1	1	03/2015	0	0
021-1600125-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #2	I	C	WT	CM	D	1	1	03/2015	184,000	0
021-1600135-100	I MAGUIRE THOMAS PARTNERS	MASTER/3RD FLOOR/ELEVATOR	I	C	WT	CM	D	1	1	03/2015	67,000	0
021-1600136-100	I MAGUIRE THOMAS PARTNERS	5/8"MASTER/FIRE PUMP ROOM/WEST	I	C	WT	CM	A	1	1	03/2015	0	0
Billing Period 03/2015 Totals:											29,444	0
Resident Count: 9 Address Count: 9											265,000	0
021-1600119-100	I MAGUIRE THOMAS PARTNERS	CAFE BLDG/2'S END OF COOLERS	I	C	WT	CM	D	1	1	04/2015	0	0
021-1600120-100	I MAGUIRE THOMAS PARTNERS	2" MIDDLE OF COOLERS	I	C	WT	CM	A	1	1	04/2015	0	0
021-1600121-100	I MAGUIRE THOMAS PARTNERS	2" NORTH OF COOLERS	I	C	WT	CM	A	1	1	04/2015	0	0
021-1600122-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #1	I	C	WT	CM	D	1	1	04/2015	0	0
021-1600123-100	I MAGUIRE THOMAS PARTNERS	BLDG 3-DUCT METER	I	C	WT	CM	E	1	1	04/2015	14,000	0
021-1600124-100	I MAGUIRE THOMAS PARTNERS	BLDG 4 DEDUCT METER	I	C	WT	CM	D	1	1	04/2015	0	0
021-1600125-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #2	I	C	WT	CM	D	1	1	04/2015	290,000	0
021-1600135-100	I MAGUIRE THOMAS PARTNERS	MASTER/3RD FLOOR/ELEVATOR	I	C	WT	CM	D	1	1	04/2015	173,000	0
021-1600136-100	I MAGUIRE THOMAS PARTNERS	5/8"MASTER/FIRE PUMP ROOM/WEST	I	C	WT	CM	A	1	1	04/2015	0	0
Billing Period 04/2015 Totals:											53,000	0
Resident Count: 9 Address Count: 9											477,000	0
021-1600119-100	I MAGUIRE THOMAS PARTNERS	CAFE BLDG/2'S END OF COOLERS	I	C	WT	CM	D	1	1	05/2015	0	0

Account Number	S Name	Service Address Description	City	Class	Service Code	Rate Code	Meter Size	Number	Cycle	Billing Period	Total Consumption	Total Demand
			Limit				Code	Of Units	Number		Consumption	Consumption
021-1600120-100	I MAGUIRE THOMAS PARTNERS	2" MIDDLE OF COOLERS	I	C	WT	CM	A	1	1	05/2015	0	0
021-1600121-100	I MAGUIRE THOMAS PARTNERS	2" NORTH OF COOLERS	I	C	WT	CM	A	1	1	05/2015	0	0
021-1600122-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #1	I	C	WT	CM	D	1	1	05/2015	0	0
021-1600123-100	I MAGUIRE THOMAS PARTNERS	BLDG 3-DUCT METER	I	C	WT	CM	E	1	1	05/2015	0	0
021-1600124-100	I MAGUIRE THOMAS PARTNERS	BLDG 4 DEDUCT METER	I	C	WT	CM	D	1	1	05/2015	0	0
021-1600125-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #2	I	C	WT	CM	D	1	1	05/2015	307,000	0
021-1600135-100	I MAGUIRE THOMAS PARTNERS	MASTER/3RD FLOOR/ELEVATOR	I	C	WT	CM	D	1	1	05/2015	183,000	0
021-1600136-100	I MAGUIRE THOMAS PARTNERS	5/8" MASTER/FIRE PUMP ROOM/WEST	I	C	WT	CM	A	1	1	05/2015	0	0
Billing Period 05/2015 Totals:											54,444	0
Resident Count: 9												
Address Count: 9												
021-1600119-100	I MAGUIRE THOMAS PARTNERS	CAFE BLDG/2'S END OF COOLERS	I	C	WT	CM	D	1	1	06/2015	1,000	0
021-1600120-100	I MAGUIRE THOMAS PARTNERS	2" MIDDLE OF COOLERS	I	C	WT	CM	A	1	1	06/2015	0	0
021-1600121-100	I MAGUIRE THOMAS PARTNERS	2" NORTH OF COOLERS	I	C	WT	CM	A	1	1	06/2015	0	0
021-1600122-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #1	I	C	WT	CM	D	1	1	06/2015	0	0
021-1600123-100	I MAGUIRE THOMAS PARTNERS	BLDG 3-DUCT METER	I	C	WT	CM	E	1	1	06/2015	46,000	0
021-1600124-100	I MAGUIRE THOMAS PARTNERS	BLDG 4 DEDUCT METER	I	C	WT	CM	D	1	1	06/2015	0	0
021-1600125-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #2	I	C	WT	CM	D	1	1	06/2015	837,000	0
021-1600135-100	I MAGUIRE THOMAS PARTNERS	MASTER/3RD FLOOR/ELEVATOR	I	C	WT	CM	D	1	1	06/2015	411,000	0
021-1600136-100	I MAGUIRE THOMAS PARTNERS	5/8" MASTER/FIRE PUMP ROOM/WEST	I	C	WT	CM	A	1	1	06/2015	0	0
021-1600136-100	I MAGUIRE THOMAS PARTNERS	5/8" MASTER/FIRE PUMP ROOM/WEST	I	C	WT	CM	A	1	1	06/2015	0	0
Billing Period 06/2015 Totals:											1,295,000	0
Resident Count: 9												
Address Count: 9												
021-1600119-100	I MAGUIRE THOMAS PARTNERS	CAFE BLDG/2'S END OF COOLERS	I	C	WT	CM	D	1	1	07/2015	1,268,000	0
021-1600120-100	I MAGUIRE THOMAS PARTNERS	2" MIDDLE OF COOLERS	I	C	WT	CM	A	1	1	07/2015	0	0
021-1600121-100	I MAGUIRE THOMAS PARTNERS	2" NORTH OF COOLERS	I	C	WT	CM	A	1	1	07/2015	0	0
021-1600122-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #1	I	C	WT	CM	D	1	1	07/2015	413,000	0
021-1600123-100	I MAGUIRE THOMAS PARTNERS	BLDG 3-DUCT METER	I	C	WT	CM	E	1	1	07/2015	379,000	0
021-1600124-100	I MAGUIRE THOMAS PARTNERS	BLDG 4 DEDUCT METER	I	C	WT	CM	D	1	1	07/2015	0	0
021-1600125-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #2	I	C	WT	CM	D	1	1	07/2015	460,000	0
021-1600135-100	I MAGUIRE THOMAS PARTNERS	MASTER/3RD FLOOR/ELEVATOR	I	C	WT	CM	D	1	1	07/2015	575,000	0
021-1600136-100	I MAGUIRE THOMAS PARTNERS	5/8" MASTER/FIRE PUMP ROOM/WEST	I	C	WT	CM	A	1	1	07/2015	267,000	0
Billing Period 07/2015 Totals:											3,362,000	0
Resident Count: 9												
Address Count: 9												
021-1600119-100	I MAGUIRE THOMAS PARTNERS	CAFE BLDG/2'S END OF COOLERS	I	C	WT	CM	D	1	1	08/2015	959,000	0
021-1600120-100	I MAGUIRE THOMAS PARTNERS	2" MIDDLE OF COOLERS	I	C	WT	CM	A	1	1	08/2015	0	0
021-1600121-100	I MAGUIRE THOMAS PARTNERS	2" NORTH OF COOLERS	I	C	WT	CM	A	1	1	08/2015	0	0
021-1600122-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #1	I	C	WT	CM	D	1	1	08/2015	269,000	0
021-1600123-100	I MAGUIRE THOMAS PARTNERS	BLDG 3-DUCT METER	I	C	WT	CM	E	1	1	08/2015	300,000	0
021-1600124-100	I MAGUIRE THOMAS PARTNERS	BLDG 4 DEDUCT METER	I	C	WT	CM	D	1	1	08/2015	0	0
021-1600125-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #2	I	C	WT	CM	D	1	1	08/2015	156,000	0

Account Number	S Name	Service Address Description	City	Class	Service Code	Rate Code	Meter Size	Number	Cycle	Billing Period	Total Consumption	Total Demand Consumption
021-1600135-100	I MAGUIRE THOMAS PARTNERS	MASTER/3RD FLOOR/ELEVATOR	I	C	WT	CM	D	1	1	09/2015	543,000	0
021-1600136-100	I MAGUIRE THOMAS PARTNERS	5/8"MASTER/FIRE PUMP ROOM/WEST	I	C	WT	CM	A	1	1	09/2015	155,000	0
Billing Period 09/2015 Totals.												
		Resident Count:	9					9		Average	264,667	0
		Address Count:	9									
021-1600119-100	I MAGUIRE THOMAS PARTNERS	CAFE BLDG/2'S END OF COOLERS	I	C	WT	CM	D	1	1	09/2015	1,239,000	0
021-1600120-100	I MAGUIRE THOMAS PARTNERS	2"MIDDLE OF COOLERS	I	C	WT	CM	A	1	1	09/2015	0	0
021-1600121-100	I MAGUIRE THOMAS PARTNERS	2"NORTH OF COOLERS	I	C	WT	CM	A	1	1	09/2015	0	0
021-1600122-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #1	I	C	WT	CM	D	1	1	09/2015	548,000	0
021-1600123-100	I MAGUIRE THOMAS PARTNERS	BLDG 3-DUCT METER	I	C	WT	CM	E	1	1	09/2015	190,000	0
021-1600124-100	I MAGUIRE THOMAS PARTNERS	BLDG 4 DEDUCT METER	I	C	WT	CM	D	1	1	09/2015	0	0
021-1600125-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #2	I	C	WT	CM	D	1	1	09/2015	317,000	0
021-1600135-100	I MAGUIRE THOMAS PARTNERS	MASTER/3RD FLOOR/ELEVATOR	I	C	WT	CM	D	1	1	09/2015	431,000	0
021-1600136-100	I MAGUIRE THOMAS PARTNERS	5/8"MASTER/FIRE PUMP ROOM/WEST	I	C	WT	CM	A	1	1	09/2015	132,000	0
Billing Period 09/2015 Totals.												
		Resident Count:	9					9		Average	317,444	0
		Address Count:	9									
Service WT Totals												
		Resident Count:	108					108		Average	144,138	0
		Address Count:	108									
Grand Totals:												
		Resident Count:	108					108		Average	144,138	0
		Address Count:	108									

*** End of Report ***

Account Number	S Name	Service Address Description	City Limit Code	Class Code	Service Code	Rate Code	Meter Size Code	Number	Cycle	Billing Period	Total Consumption	Total Demand Consumption
021-1600119-100	I MAGUIRE THOMAS PARTNERS	CAFE BLDG/2'S END OF COOLERS	I	C	WT	CM	D	1	1	10/2015	1,093,000	0
021-1600120-100	I MAGUIRE THOMAS PARTNERS	2" MIDDLE OF COOLERS	I	C	WT	CM	A	1	1	10/2015	0	0
021-1600121-100	I MAGUIRE THOMAS PARTNERS	2" NORTH OF COOLERS	I	C	WT	CM	A	1	1	10/2015	0	0
021-1600122-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #1	I	C	WT	CM	D	1	1	10/2015	328,000	0
021-1600123-100	I MAGUIRE THOMAS PARTNERS	BLDG 3-DUCT METER	I	C	WT	CM	E	1	1	10/2015	204,000	0
021-1600124-100	I MAGUIRE THOMAS PARTNERS	BLDG 4 DEDUCT METER	I	C	WT	CM	D	1	1	10/2015	0	0
021-1600125-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #2	I	C	WT	CM	D	1	1	10/2015	190,000	0
021-1600135-100	I MAGUIRE THOMAS PARTNERS	MASTER/3RD FLOOR/ELEVATOR	I	C	WT	CM	D	1	1	10/2015	233,000	0
021-1600136-100	I MAGUIRE THOMAS PARTNERS	5/8" MASTER/FIRE PUMP ROOM/WEST	I	C	WT	CM	A	1	1	10/2015	44,000	0
021-1600136-100	I MAGUIRE THOMAS PARTNERS	5/8" MASTER/FIRE PUMP ROOM/WEST	I	C	WT	CM	A	1	1	10/2015	21,000	0
Totals:											211,300	2,113,000
Resident Count: 9											Average	
Address Count: 9												
021-1600119-100	I MAGUIRE THOMAS PARTNERS	CAFE BLDG/2'S END OF COOLERS	I	C	WT	CM	D	1	1	11/2015	927,000	0
021-1600120-100	I MAGUIRE THOMAS PARTNERS	2" MIDDLE OF COOLERS	I	C	WT	CM	A	1	1	11/2015	0	0
021-1600121-100	I MAGUIRE THOMAS PARTNERS	2" NORTH OF COOLERS	I	C	WT	CM	A	1	1	11/2015	0	0
021-1600122-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #1	I	C	WT	CM	D	1	1	11/2015	84,000	0
021-1600123-100	I MAGUIRE THOMAS PARTNERS	BLDG 3-DUCT METER	I	C	WT	CM	E	1	1	11/2015	0	0
021-1600124-100	I MAGUIRE THOMAS PARTNERS	BLDG 4 DEDUCT METER	I	C	WT	CM	D	1	1	11/2015	0	0
021-1600125-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #2	I	C	WT	CM	D	1	1	11/2015	51,000	0
021-1600135-100	I MAGUIRE THOMAS PARTNERS	MASTER/3RD FLOOR/ELEVATOR	I	C	WT	CM	D	1	1	11/2015	123,000	0
021-1600136-100	I MAGUIRE THOMAS PARTNERS	5/8" MASTER/FIRE PUMP ROOM/WEST	I	C	WT	CM	A	1	1	11/2015	23,000	0
Totals:											134,222	1,208,000
Resident Count: 9											Average	
Address Count: 9												
021-1600119-100	I MAGUIRE THOMAS PARTNERS	CAFE BLDG/2'S END OF COOLERS	I	C	WT	CM	D	1	1	12/2015	943,000	0
021-1600120-100	I MAGUIRE THOMAS PARTNERS	2" MIDDLE OF COOLERS	I	C	WT	CM	A	1	1	12/2015	0	0
021-1600121-100	I MAGUIRE THOMAS PARTNERS	2" NORTH OF COOLERS	I	C	WT	CM	A	1	1	12/2015	0	0
021-1600122-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #1	I	C	WT	CM	D	1	1	12/2015	20,000	0
021-1600123-100	I MAGUIRE THOMAS PARTNERS	BLDG 3-DUCT METER	I	C	WT	CM	E	1	1	12/2015	0	0
021-1600124-100	I MAGUIRE THOMAS PARTNERS	BLDG 4 DEDUCT METER	I	C	WT	CM	D	1	1	12/2015	0	0
021-1600125-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #2	I	C	WT	CM	D	1	1	12/2015	12,000	0
021-1600135-100	I MAGUIRE THOMAS PARTNERS	MASTER/3RD FLOOR/ELEVATOR	I	C	WT	CM	D	1	1	12/2015	87,000	0
021-1600136-100	I MAGUIRE THOMAS PARTNERS	5/8" MASTER/FIRE PUMP ROOM/WEST	I	C	WT	CM	A	1	1	12/2015	9,000	0
Totals:											119,009	1,071,000
Resident Count: 9											Average	
Address Count: 9												
021-1600119-100	I MAGUIRE THOMAS PARTNERS	CAFE BLDG/2'S END OF COOLERS	I	C	WT	CM	D	1	1	01/2016	758,000	0
021-1600120-100	I MAGUIRE THOMAS PARTNERS	2" MIDDLE OF COOLERS	I	C	WT	CM	A	1	1	01/2016	0	0
021-1600121-100	I MAGUIRE THOMAS PARTNERS	2" NORTH OF COOLERS	I	C	WT	CM	A	1	1	01/2016	0	0
021-1600122-100	I MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #1	I	C	WT	CM	D	1	1	01/2016	48,000	0
021-1600123-100	I MAGUIRE THOMAS PARTNERS	BLDG 3-DUCT METER	I	C	WT	CM	E	1	1	01/2016	0	0
021-1600124-100	I MAGUIRE THOMAS PARTNERS	BLDG 4 DEDUCT METER	I	C	WT	CM	D	1	1	01/2016	0	0

Account Number	S t	Name	Service Address Description	City	Class	Service	Rate	Code	Size	Meter	Number	Cycle	Billing Period	Total Consumption	Total Demand
021-1600125-100	I	MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #2	I	C	WT	CM	D			1	1	01/2016	27,000	0
021-1600135-100	I	MAGUIRE THOMAS PARTNERS	MASTER/3RD FLOOR/ELEVATOR	I	C	WT	CM	D			1	1	01/2016	59,000	0
021-1600136-100	I	MAGUIRE THOMAS PARTNERS	5/8"MASTER/FIRE PUMP ROOM/WEST	I	C	WT	CM	A			1	1	01/2016	6,000	0
Billing Period 01/2016 Totals:			Resident Count:	9							9	Average		898,000	0
			Address Count:	9											
021-1600119-100	I	MAGUIRE THOMAS PARTNERS	CAPE BLDG/2'S END OF COOLERS	I	C	WT	CM	D			1	1	02/2016	0	0
021-1600120-100	I	MAGUIRE THOMAS PARTNERS	2" MIDDLE OF COOLERS	I	C	WT	CM	A			1	1	02/2016	0	0
021-1600121-100	I	MAGUIRE THOMAS PARTNERS	2" NORTH OF COOLERS	I	C	WT	CM	A			1	1	02/2016	0	0
021-1600122-100	I	MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #1	I	C	WT	CM	D			1	1	02/2016	216,000	0
021-1600123-100	I	MAGUIRE THOMAS PARTNERS	BLDG 3-DUCT METER	I	C	WT	CM	E			1	1	02/2016	4,000	0
021-1600124-100	I	MAGUIRE THOMAS PARTNERS	BLDG 4 DEDUCT METER	I	C	WT	CM	D			1	1	02/2016	0	0
021-1600125-100	I	MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #2	I	C	WT	CM	D			1	1	02/2016	134,000	0
021-1600135-100	I	MAGUIRE THOMAS PARTNERS	MASTER/3RD FLOOR/ELEVATOR	I	C	WT	CM	D			1	1	02/2016	77,000	0
021-1600136-100	I	MAGUIRE THOMAS PARTNERS	5/8"MASTER/FIRE PUMP ROOM/WEST	I	C	WT	CM	A			1	1	02/2016	13,000	0
Billing Period 02/2016 Totals:			Resident Count:	9							9	Average		444,000	0
			Address Count:	9											
021-1600119-100	I	MAGUIRE THOMAS PARTNERS	CAPE BLDG/2'S END OF COOLERS	I	C	WT	CM	D			1	1	03/2016	0	0
021-1600120-100	I	MAGUIRE THOMAS PARTNERS	2" MIDDLE OF COOLERS	I	C	WT	CM	A			1	1	03/2016	0	0
021-1600121-100	I	MAGUIRE THOMAS PARTNERS	2" NORTH OF COOLERS	I	C	WT	CM	A			1	1	03/2016	0	0
021-1600122-100	I	MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #1	I	C	WT	CM	D			1	1	03/2016	223,000	0
021-1600123-100	I	MAGUIRE THOMAS PARTNERS	BLDG 3-DUCT METER	I	C	WT	CM	E			1	1	03/2016	3,000	0
021-1600124-100	I	MAGUIRE THOMAS PARTNERS	BLDG 4 DEDUCT METER	I	C	WT	CM	D			1	1	03/2016	0	0
021-1600125-100	I	MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #2	I	C	WT	CM	D			1	1	03/2016	141,000	0
021-1600135-100	I	MAGUIRE THOMAS PARTNERS	MASTER/3RD FLOOR/ELEVATOR	I	C	WT	CM	D			1	1	03/2016	119,000	0
021-1600136-100	I	MAGUIRE THOMAS PARTNERS	5/8"MASTER/FIRE PUMP ROOM/WEST	I	C	WT	CM	A			1	1	03/2016	23,000	0
Billing Period 03/2016 Totals:			Resident Count:	9							9	Average		509,000	0
			Address Count:	9											
021-1600119-100	I	MAGUIRE THOMAS PARTNERS	CAPE BLDG/2'S END OF COOLERS	I	C	WT	CM	D			1	1	04/2016	0	0
021-1600120-100	I	MAGUIRE THOMAS PARTNERS	2" MIDDLE OF COOLERS	I	C	WT	CM	A			1	1	04/2016	0	0
021-1600121-100	I	MAGUIRE THOMAS PARTNERS	2" NORTH OF COOLERS	I	C	WT	CM	A			1	1	04/2016	0	0
021-1600122-100	I	MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #1	I	C	WT	CM	D			1	1	04/2016	313,000	0
021-1600123-100	I	MAGUIRE THOMAS PARTNERS	BLDG 3-DUCT METER	I	C	WT	CM	E			1	1	04/2016	6,000	0
021-1600124-100	I	MAGUIRE THOMAS PARTNERS	BLDG 4 DEDUCT METER	I	C	WT	CM	D			1	1	04/2016	0	0
021-1600125-100	I	MAGUIRE THOMAS PARTNERS	2" CHILLER PLANT #2	I	C	WT	CM	D			1	1	04/2016	194,000	0
021-1600135-100	I	MAGUIRE THOMAS PARTNERS	MASTER/3RD FLOOR/ELEVATOR	I	C	WT	CM	D			1	1	04/2016	151,000	0
021-1600136-100	I	MAGUIRE THOMAS PARTNERS	5/8"MASTER/FIRE PUMP ROOM/WEST	I	C	WT	CM	A			1	1	04/2016	44,000	0
Billing Period 04/2016 Totals:			Resident Count:	9							9	Average		788,000	0
			Address Count:	9											

Account Number	S Name	Service Address Description	City Limit Code	Class Code	Service Code	Rate Code	Meter Size	Number Of Units	Cycle Number	Billing Period	Total Consumption	Total Demand Consumption
	Service WT Totals.	Resident Count: Address Count:	63 63					63		Average	108,609	6,951,000
	Grand Totals:	Resident Count: Address Count:	63 63					63		Average	108,609	6,951,000
*** End of Report ***												

RESPONSIVE TO RATEPAYERS 1-11

Service Code	Billing Period	Resident Count	Address Count	Number Of Units	Average Consumption	Total Consumption	Total Demand Consumption
WT	12/2014	4,172	4,135	4,135	8,366	34,919,000	0
	01/2015	4,169	4,133	4,133	6,420	26,777,000	0
	02/2015	4,179	4,162	4,162	6,965	29,115,000	0
Service WT Totals:		12,520	12,450	12,450	7,250	90,811,000	0
Grand Totals:		12,520	12,450	12,450	7,250	90,811,000	0
*** End of Report ***							

Service Code	Billing Period	Resident Count	Address Count	Number Of Units	Average Consumption	Total Consumption	Total Demand Consumption
WT	12/2015	4,327	4,294	4,294	6,294	27,442,000	0
	01/2016	4,331	4,306	4,306	6,485	28,147,000	0
	02/2016	4,349	4,332	4,332	7,462	32,700,000	0
Service WT Totals:		13,007	12,932	12,932	6,749	88,289,000	0
Grand Totals:		13,007	12,932	12,932	6,749	88,289,000	0
*** End of Report ***							

RESPONSIVE TO RATEPAYERS 1-12

Service Code	Billing Period	Resident Count	Address Count	Number Of Units	Average Consumption	Total Consumption	Total Demand Consumption
WT	12/2014	52	52	52	17,423	906,000	0
	01/2015	52	52	52	7,135	371,000	0
	02/2015	52	52	52	8,731	454,000	0
Service WT Totals:		156	156	156	11,096	1,731,000	0
Grand Totals:		156	156	156	11,096	1,731,000	0

*** End of Report ***

Service Code	Billing Period	Resident Count	Address Count	Number Of Units	Average Consumption	Total Consumption	Total Demand Consumption
WT	12/2015	56	56	56	11,518	645,000	0
	01/2016	56	56	56	12,036	674,000	0
	02/2016	56	56	56	10,196	571,000	0
Service WT Totals		168	168	168	11,250	1,890,000	0
Grand Totals		168	168	168	11,250	1,890,000	0

*** End of Report ***