

Control Number 46169



Item Number 6

Addendum StartPage 0

DOCKET NO. 46169

APPLICATION OF EL PINION	§	PUBLIC UTILITY COMMISSION
WATER SUPPLY AND SIMPLY	§	OF TEXAS
AQUATICS, INC. FOR SALE,	§	OF TEXAS
TRANSFER, OR MERGER OF	§	PUBLIC UTILITY COMMISSION FILING CLERK
FACILITIES AND CERTIFICATE	§	FILING CLERN
RIGHTS IN SAN AUGUSTINE	§	
COUNTY	§	

ORDER NO. 2 FINDING APPLICATION INCOMPLETE AND DEFICIENT, ESTABLISHING DEADLINES AND OPPORTUNITY TO CURE

This Order addresses Commission Staff's recommendation that El Pinion Water Supply's and Simply Aquatics, Inc.'s application is deficient. Commission Staff recommended that the application is not administratively complete because it contains material deficiencies, as specifically described in Commission Staff's August 15, 2016 pleading and the attached memorandum of Patricia Garcia and Tracy Montes in the Commission's Water Utilities Regulation Division.

Consistent with Commission Staff's recommendation, the application is found administratively incomplete and deficient. Pursuant to 16 Tex. Admin. Code § 24.8(a), applications are not considered filed until a determination of administrative completeness is made; thus, at this time the application is not considered filed with the Commission.

On or before September 15, 2016, applicants shall amend the application to cure the deficiencies noted by Commission Staff. Processing of the application cannot proceed until the requested items are received and reviewed.

On or before October 17, 2016 Commission Staff shall file additional comments regarding administrative completeness, along with a proposed procedural schedule if appropriate.

SIGNED AT AUSTIN, TEXAS the ____/6 day of August 2016.

PUBLIC UTILITY COMMISSION OF TEXAS

ADMINISTRATIVE LAW JUDGE

q:\cadm\docket management\water\stm\46xxx\46169-2 def and cure.docx