




Control Number: 46198



Item Number: 16

Addendum StartPage: 0

**DOCKET NO. 46198**

RECEIVED

**APPLICATION OF SWWC UTILITIES, §  
INC. DBA DIAMOND WATER §  
COMPANY AND SWWC UTILITIES, §  
INC. DBA WATER SERVICES, INC. §  
FOR SALE, TRANSFER, OR MERGER §  
OF FACILITIES AND CERTIFICATE §  
RIGHTS IN BANDERA, COMAL, AND §  
GILLESPIE COUNTIES §**

**PUBLIC UTILITY COMMISSION  
OF TEXAS**

COM REC 20 AM 10:32  
PUBLIC UTILITY COMMISSION  
FILING CLERK

**ORDER NO. 5  
FINDING CLOSING DOCUMENTS SUFFICIENT AND  
ESTABLISHING A PROCEDURAL SCHEDULE**

This Order addresses Commission Staff's recommendation that SWWC Utilities, Inc. d/b/a Diamond Water Company and SWWC Utilities, Inc. d/b/a Water Services, Inc. have provided sufficient documentation demonstrating that the Water Services has completed the purchase of Diamond Water's facilities and certificate rights and that Diamond Water's customer deposits have been properly and sufficiently addressed.

Consistent with Commission Staff's recommendation, the closing documents filed by the applicants on December 2, 2016 are deemed sufficient. The transfer of certificate rights requested in this application is not complete until final approval of the application is granted.

The following procedural schedule shall apply:

Deadline for Commission Staff to submit revised maps and blank consent forms to applicants for review and consent	January 20, 2017
Deadline for applicants to file completed and signed consent forms	February 3, 2017
Deadline for Commission Staff to file a final recommendation	February 10, 2017
If no disputed issues, deadline for parties to file a motion to admit evidence and a proposed notice of approval, including findings of fact, conclusion of law; and ordering paragraphs	February 17, 2017

Signed at Austin, Texas the 20<sup>th</sup> day of December 2016.

PUBLIC UTILITY COMMISSION OF TEXAS



JEFFREY J. HUHNS  
ADMINISTRATIVE LAW JUDGE

W2013

q:\cadm\doCKET management\water\stm\46xxx\46198-5 closing docs suff.docx