

Control Number: 46452



Item Number: 17

Addendum StartPage: 0

SOAH DOCKET NO. 473-17-2085.WS
PUC DOCKET NO. 46452

RECEIVED

2017 JAN 19 AM 11:20

APPLICATION OF ALTOGA WATER §
SUPPLY CORPORATION AND §
NORTH COLLIN SPECIAL UTILITY §
DISTRICT FOR SALE, TRANSFER, §
OR MERGER OF FACILITIES AND §
CERTIFICATE RIGHTS IN COLLIN §
COUNTY §

PUBLIC UTILITY COMMISSION
PUBLIC UTILITY COMMISSION
FILING CLERK

OF TEXAS

**APPLICANTS' REQUEST FOR CORRECTION OF FACTS
AND ATTACHMENT OF SERVICE LIST**

COMES NOW Altoga Water Supply Corporation ("Altoga") and North Collin Special Utility District ("North Collin"), collectively referred to as "Applicants," and files this Request for Correction of Facts, and would show the following:

I. BACKGROUND

On October 18, 2016, Applicants filed an application (the "Application") with the Public Utility Commission of Texas (the "Commission") for approval of the sale, transfer, or merger of facilities and certificate rights in Collin County. On November 22, 2016, the Commission deemed the Application administratively complete and deemed notice sufficient on January 10, 2017. On December 15, 2016, the City of Princeton filed a letter requesting public contested case hearing on the Application. On January 11, 2017, the Commission referred this docket to the State Office of Administrative Hearings ("SOAH") for assignment of an Administrative Law Judge ("ALJ") to conduct a hearing and issue a proposal for decision if necessary.

On January 17, 2017, SOAH Order No. 1 Case Description, Notice of Telephonic Prehearing Conference, Filing and Service Requirements, and Party Status (the "Order")

17

was filed, in which Paragraph V. of the Order stated the parties to this contested case were Oak Shore and Undine, as applicants, and a service list to be attached to the Order in Paragraph IV.B.

II. REQUEST FOR CORRECTION OF FACTS AND ATTACHMENT OF SERVICE LIST

Applicants found that there was a typographical error to Paragraph V. Party Status of the Order and request a correction of facts being that the only parties to this contested case are Altoga and North Collin, as Applicants, and the Staff of the Commission, pursuant to 16 Tex. Admin. Code § 22.102(a) (TAC). Additionally, Applicants request the referenced service list in Paragraph IV.B. Service of the Order be provided to the parties.

Dated: January 18, 2017

Respectfully Submitted,

By: 

Maria Huynh

State Bar No. 24086968

John Rapier

State Bar No. 16550500

GAY, MCCALL, ISAACKS & ROBERTS, P.C.

777 E. 15th Street

Plano, Texas 75074

Tel (972) 424-8501

Fax (972) 422-9322

mhuynh@gmigr.com

jrapier@gmigr.com

Attorney for Applicant,

North Collin Special Utility District

CERTIFICATE OF SERVICE

I certify that a copy of this document will be served on the following parties of record on January 18, 2017, in accordance with 16 TAC § 22.74.

Via electronic mail - jacob.lawler@puc.texas.gov

Jacob Lawler
Attorney-Legal Division
Public Utilities Commission of Texas
1701 N. Congress Avenue
P. O. Box 13326
Austin, Texas 78711-3326

Via electronic mail - stephen.mack@puc.texas.gov


Stephen Mack
Attorney-Legal Division
Public Utilities Commission of Texas
1701 N. Congress Avenue
P. O. Box 13326
Austin, Texas 78711-3326

Via regular and electronic mail - arodriguez@txadminlaw.com

Arturo D. Rodriguez Jr.
Attorney for the City of Princeton, Texas
Russell & Rodriguez, LLP
1633 Williams Drive, Suite 200
Georgetown, Texas 78628

Via regular mail and email - bpboone@sbcglobal.net

Billy Boone, President
Altoga Water Supply Corporation
4365 FM 75
P.O. Box 547
Princeton, Texas 75407



Maria Huynh

Control Number: 46452

Filing Party: John Rapier

Tracking Code: NEWISY3X

Type: PLEADINGS

Documents:

F: \...1 - Pleadings\20170118 Applicants' Request for Correction of Factakuykendall@gmigr.com

Total Number of Pages: 3

No Addendum:

Submission Method: FTP (472 KB)

Submitted By:

Gay, McCall, Isaacks, Gordon & roberts, PC

777 East 15th Street

Plano, TX 75074

972-424-8501

Version 4.07

1/18/2017 1:40:42 PM

Tracking Number

SUBMITTED

NEWISY3X