



Control Number: 46556



Item Number: 49

Addendum StartPage: 0

COMMISSION ADVISING & DOCKET MANAGEMENT
OUTGOING COMMISSION-SIGNED ORDER
MAIL LOG

RECEIVED

2018 JAN 25 PM 3:21

OPEN MEETING DATE: January 25, 2018

PUBLIC UTILITY COMMISSION
FILING CLERK

DOCKET NO.	STAFF	NO. OF PAGES	DATE ORDER SIGNED
46556	H. TURNER	8	1/25/18

TYPE OF ORDER: PRELIMINARY ORDER

FILE STAMP DATE: 1/25/18 FILE STAMP TIME 3:20 A.M. 3:20 P.M.

*NOTE: IF THE ORDER IS PLACED IN THE MAIL AFTER 2:00 PM, ENTER THE NEXT BUSINESS DAY
AS THE DATE THE ORDER WAS MAILED
FIRST CLASS MAIL ONLY -- NO FED EX, AIRBORNE, UPS*

CADM OUTGOING MAILBOX

DATE: _____ TIME _____ A.M. _____ P.M.

MAILROOM OUTGOING MAILBOX

DATE: 1/26/18 TIME 9:00 A.M. _____ P.M.

A. Ojeda 1/25/18
SIGNATURE DATE

SERVICE LIST

DOCKET NO. 46556

APPLICATION OF RIVERSIDE WASTEWATER TREATMENT PLANT FOR AUTHORITY TO CHANGE RATES

PARTIES	REPRESENTATIVE/ADDRESS
PUBLIC UTILITY COMMISSION	LEGAL DIVISION PUBLIC UTILITY COMMISSION 1701 N CONGRESS AVE STE 8-110 AUSTIN TX 78711 512-936-7260 512-936-7268 FAX
RIVER SIDE WASTEWATER TREATMENT PLANT	JACK COBLENZ PG SOURCE ENVIRONMENTAL SCIENCES INC 2060 NORTH LOOP WEST STE 140 HOUSTON TX 77018 713-621-4474 713-621-4588 FAX source@source-environmental.com

Verified: 11/10/2016 dg; 11/14/16 NSH; 12/12/16 NSH; 3/3/17 nsh, 05/01/2017 dg, 06/05/2017 dg, 06/23/2017
, 07/10/2017 dg, 08/02/2017 dg, 12/11/2017 dg; 1/18/18 krw; 1/25/18 ggo

