



Control Number: 46556



Item Number: 5

Addendum StartPage: 0

DOCKET NO. 46556

RECEIVED

APPLICATION OF RIVERSIDE
WASTE WATER TREATMENT
PLANT FOR AUTHORITY TO
CHANGE RATES

§
§
§
§

PUBLIC UTILITY COMMISSION

OF TEXAS

2016 DEC 12 AM 11:28
PUBLIC UTILITY COMMISSION
FILING CLERK

ORDER NO. 2

**FINDING APPLICATION REMAINS DEFICIENT AND INCOMPLETE,
SUSPENDING EFFECTIVE DATE AND ESTABLISHING DEADLINES**

This Order addresses Commission Staff's December 7, 2016, filing. Commission Staff identified numerous deficiencies in the application, which are specified in the filing and the attached memorandum of Patricia Garcia and Andrew Novak. Staff recommended that the application be dismissed or, alternatively, be deemed to not be administratively complete. Commission Staff recommended that if the application is not dismissed Riverside be given until January 31, 2017, to address the deficiencies and complete the application. Staff also recommended that the effective date of the proposed rates be suspended.

Consistent with Commission Staff's recommendation, the application is deemed deficient and incomplete. The effective date of the requested rate change is suspended. On or before **January 31, 2017**, Riverside shall amend the application to cure the deficiencies noted by Commission Staff. On or before **February 28, 2017**, Commission Staff shall file a supplemental recommendation regarding administrative completeness of the amended application, along with a proposed procedural schedule, if appropriate.

Signed at Austin, Texas the 12th day of December 2016.

PUBLIC UTILITY COMMISSION OF TEXAS


JEFFREY J. HUHN

ADMINISTRATIVE LAW JUDGE

5