

Control Number: 46600



Item Number: 3

Addendum StartPage: 0



consulting environmental engineers, inc.

150 n. harbin drive – suite 408 • stephenville, tx 76401 phone: (254) 968-8130 fax: (254) 968-8134 email: ceeinc@ceeinc.org registered firm: #F-2323

December 8, 2016

Public Utility Commission Central Records 1701 N. Congress Avenue P.O. Box 13326 Austin, Texas 78711-3326

PUBLIC. cr

RE: Tariff Control No. 46600 – Application of Crest Water Company for a Pass-Through Rate Change

To whom it may concern:

The letter is to confirm that Crest Water Company has provided written notice to all customers affected by the proposed Pass-Through Rate Change. The notice was mailed to customers on December 8, 2016 via United States Postal Service.

A copy of the notice provided to customers is included in this filing.

The effective date of this Pass-through rate provision increase is January 1, 2017.

Please let me know if you require any further information.

Sincerely,

Dollime P.E.

Dustan DeWinne, P.E. Project Engineer

Enclosure: Copy of Notice to Customers

NOTICE OF PASS THROUGH RATE PROVISION INCREASE

Crest Water Company	12037
Company Name	CCN Number

Hereby notifies you that it is implementing a pass-through rate provision as part of its water utility tariff on file with the Texas Public Utility Commission (PUC). There will be an increase in the gallonage rate by \$0.23 per 1000 gallons for your subdivision. This tariff revision is to recognize changes in water use pumping fees charged by the Prairielands Groundwater Conservation District in Ellis, Hill, Johnson and Somervell counties. This tariff change is being implemented in accordance with the minor tariff changes allowed by 16 Texas Administrative Code §24.21. The cost to you as a result of this change will not exceed the costs charged to your utility.

Buffalo Hills	Chisholm Trail Retreat	Cahill Country	Fisherman's Paradise
PWS #0700070	PVVS #1090042	PWS #1260073	PWS #1260056
Granda Vista	Mansfield South	Northcrest Addition	Oak Leaf Trail
PWS #1260120	PWS #1260066	PWS #1260034	PWS #1260104
Sunset Canyon	Oak River Ranch	Rolling Oaks Subdivision	Sunshine Country Acres
	PWS#2130031	FWS #1260064	PWS #1260069
Thomas Acres	Westover Hills	Woodland Oaks Estates	Oakridge Mobile Home Subdivision
PWS #1260058	PWS#1260128	PWS #1260070	FWS #1260124

Subdivisions or Systems Affected by Pass-through Provision

840 Old Betsy Road	Keene	TX.	76049	(817) 645-5493	
Company Address	City	State	Zip	Telephone	
December 8	, 2016	······································	5 ^m , 20 ^m and 30 ^m	of each month]
Date Customer N		Date Meters T	ypically Read	اليفيد المراجع	
EFFECTIVE DATE	OF THIS INCREAS	E:	January 1,	2017	¢

Calculation of Gallonage Rate Adjustment:

Adjusted Gallonage Rate (AG) = G + [B / (1 - L)], Where:

AG = adjusted gallonage charge, rounded to the nearest one cent;

G = approved gailonage charge, per 1,000 gallons;

B = change in fee (per 1,000 gallons):

L = water or sewer line loss for preceding 12 months, not to exceed 0.15 (15%)

AG = G + [(\$0.20 / (1 - 0.12)] AG = G + [\$0.20 / 0.88] AG = G + [\$0.23]

Tiered Rate Gallonage Charge Adjustment:

G	+	50.231		AG	
\$4.60	+	\$0.23	*	\$4.83	per 1,000 gallons for 0 - 10,000 gallons
\$4,85	4	\$0.25	=	\$5.08	per 1,000 gallons for 10,091 - 20,000 gallons
\$5.10	+	\$0.23	Ŧ	\$5.33	per 1,000 galions for 20,091 - 30,000 gallons
\$5.35	+ .	\$0.23	*	\$5.58	per 1,000 gallons for 30,001 - 40,000 gallons
\$5,60	+	\$0.23	=	\$5.83	per 1,000 gallons for 40,001 - 50,000 gallons
\$5.85	+	\$0.23	=	\$6.08	per 1,000 gallons for 50,001 - 50,000 gallons
\$6.10	+	\$0.23	3	\$6.33	per 1,060 gallons for 68,001 - 70,000 gallons
\$6.35	+	\$0.23	5	\$5. 58	per 1,090 gallons for 70,090+ gallons

Line Loss Calculation:

Line loss = (Gallons pumped - Gallons billed) / Gallons pumped

- =(78,653,800-69,214,000)/(78,653,800)
- = (9,439,800) / (78,653,800)
- = (0.120) or 12%

The proposed rates will apply to all service rendered after the effective date and will be reflected on the bill you receive approximately 30 to 45 days after the effective date.

f.q

1712-219-218

2