



Control Number: 46727



Item Number: 25

Addendum StartPage: 0

August 15, 2017

RECEIVED

2017 AUG 17 AM 9:47

Filing Clerk  
Public Utility Commission of Texas  
1701 N. Congress Avenue  
PO Box 13326  
Austin, Texas 78711-3326

PUBLIC UTILITY COMMISSION  
FILING CLERK

Re: Docket No. 46727 – Application of H-M-W SUD to Amend a Water CCN  
in Montgomery County  
Response to Commission Staff's First Request for Information Question Nos. Staff 1-1  
Through Staff 1-11

To Whom it Concerns,

Please find herewith the requested information related to the amendment to the H-M-W SUD Water CCN in Harris County. I, Rachel Musgrove attest to the truth of these answers. I will provide additional information as soon as it is available to me. It has been requested from the record keeper and will be filed as soon as possible as noted on each answer below.

Staff 1-1 : For PWS 1700565- Please provide the report from the 3/29/2016 CCI investigation, or letter from the TCEQ stating there were no alleged violations.

The requested letter is provided as an attachment to this letter.

Staff 1-2 : For PWS 1700228- Please provide the report from the 6/27/2016 CCI investigation. Please provide an explanation for how the applicant plans to address the alleged violation for a "failure to maintain all water storage facilities in a watertight condition.

The requested report as well as the Notice of Compliance with Notice of Violation dated June 5, 2017 are provided as an attachment to this letter. The tank in question was replaced.

Staff 1-3 : For PWS 1700156- Please provide the report from the 10/30/2014 CCI investigation, or letter from the TCEQ stating there were no alleged violations.

The requested letter is provided as an attachment to this letter.

Staff 1-4 : For PWS 1700410- Please provide the report from the 10/24/2014 CCI investigation, or letter from the TCEQ stating there were no alleged violations.

The requested letter will be provided as soon as it is available.

Staff 1-5 : For PWS 1700150- Please provide the report from the 2/2/2016 CCI investigation, or letter from the TCEQ stating there were no alleged violations.

The requested letter will be provided as soon as it is available.

Staff 1-6 : For PWS 1700245- Please provide the report from the 12/29/2014 CCI investigation, or letter from the TCEQ stating there were no alleged violations.

The requested letter is provided as an attachment to this letter.

Staff 1-7 : For PWS 1700083- Please provide the report from the 6/25/2015 CCI investigation, or letter from the TCEQ stating there were no alleged violations.

The requested letter will be provided as soon as it is available.

Staff 1-8 : For PWS 1700131- Please provide the report from the 6/25/2015 CCI investigation, or letter from the TCEQ stating there were no alleged violations.

The requested letter will be provided as soon as it is available.

Staff 1-9 : For PWS 1700318- Please provide the report from the 9/29/2014 CCI investigation, or letter from the TCEQ stating there were no alleged violations.

The requested letter will be provided as soon as it is available.

Staff 1-10 : For PWS 1700307- Please provide the report from the 12/29/2014 CCI investigation, or letter from the TCEQ stating there were no alleged violations.

The requested letter will be provided as soon as it is available.

Staff 1-11 : For PWS 1700317- Please provide the report from the 11/19/2014 CCI investigation, or letter from the TCEQ stating there were no alleged violations.

The requested letter is provided as an attachment to this letter.

If you have any questions, I can be contacted at 713-462-3242 or [rmusgrove@cobbfendley.com](mailto:rmusgrove@cobbfendley.com).

Sincerely,  
CobbFendley  
Texas Registration No. 274



Rachel Musgrove, EIT

cc: Kip Coe – General Manager, HMW Special Utility District  
Patrick Timmons – Counsel, HMW Special Utility District

## **TABLE OF CONTENTS**

### **ATTACHMENTS**

- 1) PWS 1700565 – Sendera Lakes – Letter stating no alleged violations
- 2) PWS 1700228 – Pinehurst Village
  - a. Investigation Report and Findings
  - b. Notice of Compliance with Notice of Violation
- 3) PWS 1700156 – Rimwick Forest – Letter stating no alleged violations
- 4) PWS 1700245 – Pleasant Forest – Letter stating no alleged violations
- 5) PWS 1700131 – Allenwood – Letter stating no alleged violations
- 6) PWS 1700317 – Towering Oaks – Letter stating no alleged violations

**ATTACHMENT 1**

**PWS 1700565 – Sendera Lakes  
Letter stating no alleged violations**

Bryan W. Shaw, Ph.D., P.E., *Chairman*  
Toby Baker, *Commissioner*  
Jon Niermann, *Commissioner*  
Richard A. Hyde, P.E., *Executive Director*



## TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

*Protecting Texas by Reducing and Preventing Pollution*

May 23, 2016

Mark Halk, Interim President  
H-M-W SUD  
PO Box 837  
Pinehurst, Texas 77362

Re: Comprehensive Compliance Investigation at:  
Sendera Lake Estates, 922 Diamante Street, Magnolia, Montgomery County, Texas  
Regulated Entity No.: 101175271  
TCEQ ID No.: 1700565


Investigation No.: 1331530

Dear Mr. Halk:

On March 29, 2016, Ms. Nicole Reed, of the Texas Commission on Environmental Quality (TCEQ) Houston Region Office conducted an investigation of the above-referenced facility to evaluate compliance with the applicable requirements for public water supply systems. No violations are being alleged as a result of the investigation. In addition, please be advised that a violation could be issued upon further review of your system's records or self-reported documentation.

The TCEQ appreciates your assistance in this matter and your compliance efforts to ensure protection of the State's environment. If you or members of your staff have any questions regarding these matters, please feel free to contact Ms. Reed, in the Houston Region Office at (713) 767-3650.

Sincerely,

  
Julia Thorp, Team Leader  
Public Water Supply  
Houston Region Office

JT/NR/mar

cc: Montgomery County Environmental Health Services

**ATTACHMENT 2**  
**PWS 1700228 – Pinehurst Village**  
**Investigation Report and Findings**  
**Notice of Compliance with Notice of Violation**

Bryan W. Shaw, Ph.D., P.E., *Chairman*  
Toby Baker, *Commissioner*  
Jon Niermann, *Commissioner*  
Richard A. Hyde, P.E., *Executive Director*



## TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

*Protecting Texas by Reducing and Preventing Pollution*

April 12, 2017

Mr. Douglas S. Miller, President  
H-M-W SUD  
PO Box 837  
Pinehurst, Texas 77362-0837

Re: Acceptance of a Compliance Plan for:  
Kipling Oaks 1, 34618 Bernice Drive, Pinehurst, Montgomery County, Texas  
Regulated Entity No.: 101219962, TCEQ ID No.: 1700228, Investigation No.: 1395550

Dear Mr. Miller:

The Texas Commission on Environmental Quality (TCEQ) Houston Region Office has completed a review of the compliance plan and any additional information that you submitted on January 31, 2017, to resolve the alleged violation #612494. This alleged violation was noted during the investigation of the above-referenced facility conducted on June 27, 2016. The compliance plan appears to identify the necessary corrective action for the alleged violation. We will monitor your progress in implementing the corrective action. Please submit to this office a written description of corrective action taken and the required documentation demonstrating that compliance has been achieved for each outstanding alleged violation by May 15, 2017, demonstrating that the alleged violation has been resolved. Please be advised that if we determine, during follow-up monitoring, that you are not working towards compliance or the problem has escalated, further enforcement action will be considered.

The Texas Commission on Environmental Quality appreciates your assistance in this matter and anticipates that you will resolve the alleged violation as required in order to protect the State's environment. If you or members of your staff have any questions, please feel free to contact Ms. Nicole Reed in the Houston Region Office at (713) 767-8970.

Sincerely,

A handwritten signature in black ink, appearing to read "Julia Thorp".

Julia Thorp, Team Leader  
Public Water Supply  
Houston Region Office

JT/NR/dp

cc: Montgomery County Environmental Health Services

Enclosure: Summary of Investigation Findings

APR 20 2017



COPY

PWS\_1700228\_CO\_20170223\_Review Report  
**Texas Commission on Environmental Quality**  
**Investigation Report**

The TCEQ is committed to accessibility. If you need assistance in accessing this document, please contact oce@tceq.texas.gov

**Customer: HMW Special Utility District**  
**Customer Number: CN600623375**

---

**Regulated Entity Name: KIPLING OAKS 1**  
**Regulated Entity Number: RN101219962**

<b>Investigation #</b> 1395550 <b>Investigator:</b> NICOLE REED <b>Conducted:</b> 02/23/2017 -- 02/23/2017 <b>Program(s):</b> PUBLIC WATER SYSTEM/SUPPLY <b>Investigation Type:</b> Compliance Invest File Review  <b>Additional ID(s):</b> 1700228  <b>Address:</b> , , ,	<b>Incident Numbers</b> <b>Site Classification</b> GW 251-1K CONNECTION <b>NAIC Code:</b> 221310 <b>SIC Code:</b> 4941  <b>Location:</b> W1 & W2 - PINE CIRCLE W3 W4 W5 - OBERNICE DRIVE KEY MAP 247F  <b>Local Unit:</b> REGION 12 - HOUSTON <b>Activity Type(s):</b> PWSFRR - PWS NOV Record Review
---	---

**Principal(s):**

Role	Name
RESPONDENT	H-M-W SUD

**Contact(s):**

Role	Title	Name	Phone
REGULATED ENTITY CONTACT	CONTROLLER	MRS TAMMIE KROMAR	Office (281) 766-1453 Fax (281) 356-7667 Work (281) 356-5060
REGULATED ENTITY MAIL CONTACT	PRESIDENT	MR DOUGLAS S MILLER	Fax (281) 356-7667 Work (281) 356-5060

**Other Staff Member(s):**

Role	Name
Supervisor	CHRISTINA BERNAL
QA Reviewer	KATHLEEN CAMPBELL
Supervisor	JULIA THORP

**Associated Check List**

<u>Checklist Name</u>	<u>Unit Name</u>
PWS GENERIC VIOLATIONS	GV

**Investigation Comments:**

Introduction

Signed Nicole Reed  
Environmental Investigator

Date 4/5/17

Signed Christina E. Bernal  
Supervisor

Date 04-05-2017

**Attachments: (in order of final report submittal)**

☐ Enforcement Action Request (EAR)

☐ Maps, Plans, Sketches

☒ Letter to Facility (specify type) : LOA

☐ Photographs

☐ Investigation Report

☒ Correspondence from the facility

☐ Sample Analysis Results

☐ Other (specify) :  
\_\_\_\_\_  
\_\_\_\_\_

☐ Manifests

☐ Notice of Registration

**Nicole Reed**

---

**From:** Nicole Reed  
**Sent:** Thursday, February 23, 2017 10:56 AM  
**To:** Nicole Reed  
**Subject:** FW: Pinehurst Village Violation

**From:** Rachel Musgrove [mailto: [REDACTED]]  
**Sent:** Wednesday, February 01, 2017 7:55 AM  
**To:** Nicole Reed <Nicole.Reed@Tceq.Texas.Gov>  
**Subject:** RE: Pinehurst Village Violation

Nicole,

I will let you know as soon as the new tank is in. Thank you for your help.

Rachel

RACHEL MUSGROVE, E.I.T.  
Project Engineer

**From:** Nicole Reed [mailto:Nicole.Reed@Tceq.Texas.Gov]  
**Sent:** Tuesday, January 31, 2017 10:41 AM  
**To:** Rachel Musgrove < [REDACTED] >  
**Subject:** RE: Pinehurst Village Violation

Rachel,

Thank you for sending me the information for the new GST. Can you please email or call me when construction is complete and we can discuss resolving the violation? In the meantime, I will assign a compliance due date based on the information you gave me. If you have any questions, please let me know.

Thank you,

**Nicole Reed**

Environmental Investigator  
Texas Commission on Environmental Quality (TCEQ)  
Region 12 - Houston  
5425 Polk Street, Houston, TX, 77023  
Office: (713) 767-3500  
Direct: (713) 422-8970

**From:** Rachel Musgrove [mailto: [REDACTED]]  
**Sent:** Tuesday, January 31, 2017 8:56 AM  
**To:** Nicole Reed <Nicole.Reed@Tceq.Texas.Gov>  
**Cc:** Amber Hurd < [REDACTED] >; Lori Gorski < [REDACTED] >; Joan Robertson < [REDACTED] >; Kip Coe < [REDACTED] >  
**Subject:** Pinehurst Village Violation

# Summary of Investigation Findings

COPY

KIPLING OAKS 1

Investigation #

1395550

Investigation Date: 02/23/2017

, MONTGOMERY COUNTY,

Additional ID(s): 1700228

Track No: 612494

Compliance Due Date: 05/15/2017

30 TAC Chapter 290.46(m)(4)

## Alleged Violation:

Investigation: 1343393

Comment Date: 08/01/2016

### Water Leakage

Failure to maintain all water storage facilities in a watertight condition and/or free of excessive solids. In this connection, the leaking ground storage tank located at Water Plant #2 at Pinehurst Village must be repaired or replaced as necessary.

At the time of the investigation, the ground storage tank was leaking down the side of the tank. It is noted that the water system is aware of the leak and has plans to rehabilitate the tank to come under compliance.

Investigation: 1395550


Comment Date: 04/05/2017

Failure to maintain all water storage facilities in a watertight condition. In this connection, the leaking ground storage tank located at Water Plant #2 at Pinehurst Village must be repaired or replaced as necessary.

On January 31, 2017, the regulated entity notified the TCEQ Region 12 Office that a new ground storage tank has been placed on order to replace the existing leaking ground storage tank and would be in service by the end of March. It is noted that the new ground storage tank will have the same capacity as the existing tank and does not need to go through approval for construction.

**Recommended Corrective Action:** Submit compliance documentation demonstrating corrective measures have been taken to resolve the alleged violation.

Bryan W. Shaw, Ph.D., P.E., *Chairman*  
Toby Baker, *Commissioner*  
Jon Niermann, *Commissioner*  
Richard A. Hyde, P.E., *Executive Director*



## TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

*Protecting Texas by Reducing and Preventing Pollution*

June 5, 2017

Mr. Douglas S. Miller, President  
H-M-W SUD  
PO Box 837  
Pinehurst, Texas 77362-0837

Re: Notice of Compliance with Notice of Violation (NOV) dated August 17, 2016:  
Kipling Oaks 1, 34618 Bernice Drive, Pinehurst, Montgomery County, Texas  
Regulated Entity No.: 101219962 TCEQ ID No.: 1700228 Investigation No.: 1415873

Dear Mr. Miller

On May 15, 2017, the Texas Commission on Environmental Quality (TCEQ) Houston Region Office received adequate compliance documentation to resolve the alleged violation documented during the investigation of the above-referenced regulated entity conducted on June 27, 2016. Based on the information submitted, no further action is required concerning this investigation.

The Texas Commission on Environmental Quality appreciates your assistance in this matter and your compliance efforts to ensure protection of the State's environment. If you or members of your staff have any questions, please feel free to contact Ms. Nicole Reed in the Houston Region Office at (713) 422-8970.

Sincerely,

A handwritten signature in cursive script, appearing to read "Julia Thorp".

Julia Thorp, Team Leader  
Public Water Supply  
Houston Region Office

JT/NR/db

Enclosure: *Summary of Investigation Findings*

cc: Montgomery County Environmental Health Services

## Summary of Investigation Findings

KIPLING OAKS 1	Investigation # 1415873
, MONTGOMERY COUNTY,	Investigation Date: 05/24/2017
Additional ID(s): 1700228	

### ALLEGED VIOLATION(S) NOTED AND RESOLVED

Track No: 612494

30 TAC Chapter 290.46(m)(4)

**Alleged Violation:**

Investigation: 1343393

Comment Date: 08/01/2016

**Water Leakage**

Failure to maintain all water storage facilities in a watertight condition and/or free of excessive solids. In this connection, the leaking ground storage tank located at Water Plant #2 at Pinehurst Village must be repaired or replaced as necessary.

At the time of the investigation, the ground storage tank was leaking down the side of the tank. It is noted that the water system is aware of the leak and has plans to rehabilitate the tank to come under compliance.

Investigation: 1395550

Comment Date: 04/05/2017

Failure to maintain all water storage facilities in a watertight condition. In this connection, the leaking ground storage tank located at Water Plant #2 at Pinehurst Village must be repaired or replaced as necessary.

On January 31, 2017, the regulated entity notified the TCEQ Region 12 Office that a new ground storage tank has been placed on order to replace the existing leaking ground storage tank and would be in service by the end of March. It is noted that the new ground storage tank will have the same capacity as the existing tank and does not need to go through approval for construction.

Investigation: 1415873

Comment Date: 05/24/2017

Failure to maintain all water storage facilities in a watertight condition. In this connection, the leaking ground storage tank located at Water Plant #2 at Pinehurst Village must be repaired or replaced as necessary.

**Recommended Corrective Action:** Submit compliance documentation demonstrating corrective measures have been taken to resolve the alleged violation.

**Resolution:** On May 15, 2017, the regulated entity emailed the TCEQ Houston Region Office photographs of the newly installed ground storage tank at Water Plant No. 2 to verify compliance. This violation is resolved.

**ATTACHMENT 3**

**PWS 1700156 – Rimwick Forest  
Letter stating no alleged violations**


Bryan W. Shaw, Ph.D., P.E., *Chairman*  
Toby Baker, *Commissioner*  
Zak Covar, *Commissioner*  
Richard A. Hyde, P.E., *Executive Director*



## TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

November 13, 2014

*Protecting Texas by Reducing and Preventing Pollution*



Mr. Mark Pinter, President  
H-M-W SUD  
PO Box 837  
Pinehurst, Texas 77362

Re: Comprehensive Compliance Investigation at:  
Rimwick Forest, 26000 Rimwick Forest Drive, Montgomery County, Texas  
Regulated Entity No.: 102687472, TCEQ ID No.: 1700156, Investigation No.: 1204799

Dear Mr. Pinter:

On October 30, 2014, Ms. Sharon Patry of the Texas Commission on Environmental Quality (TCEQ) Houston Region Office conducted an investigation of the above-referenced facility to evaluate compliance with the applicable requirements for public water supply systems. No violations are being alleged as a result of the investigation; however, please see the attached Additional Issue. In addition, please be advised that a violation could be issued upon further review of your system's records or self-reported documentation.

The TCEQ appreciates your assistance in this matter and your compliance efforts to ensure protection of the State's environment. If you or members of your staff have any questions regarding these matters, please feel free to contact Ms. Sharon Patry in the Houston Region Office at (713) 767-3650.

Sincerely,

A handwritten signature in black ink that reads "Leticia De Leon".

Leticia De Leon, Team Leader  
Public Water Supply  
Houston Region Office

LD/SJP/ra

cc: Montgomery County Environmental Health Services

Enclosure: Summary of Investigation Findings



## Summary of Investigation Findings

RIMWICK FOREST

Investigation #

1204799

Investigation Date: 10/30/2014

, MONTGOMERY COUNTY,

Additional ID(s): 1700156

No Violations Associated to this Investigation

### ADDITIONAL ISSUES

#### Description

Item 1

#### Additional Comments

Failure to maintain minimum acceptable operating practices for public drinking water systems. At the time of the investigation flushing reports were available but not completed or documented consistently. The regulated entity has addressed the issue and ensured that flushing reports will be completed and documented consistently. These reports shall be available for review.

**ATTACHEMENT 4**  
**PWS 1700245 – Pleasant Forest**  
**Letter stating no alleged violations**

Bryan W. Shaw, Ph.D., P.E., *Chairman*  
Toby Baker, *Commissioner*  
Zak Covar, *Commissioner*  
Richard A. Hyde, P.E., *Executive Director*




## TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

January 8, 2015

*Protecting Texas by Reducing and Preventing Pollution*

Mr. Mark Pinter, President  
HMW SUD  
PO Box 837  
Pinehurst, Texas 77362-0837




Re: Comprehensive Compliance Investigation at:  
Pleasant Forest Subdivision, 17705 Butera Rd., Magnolia, Montgomery County, Texas  
Regulated Entity No.: 102688322, TCEQ ID No.: 1700245, Investigation No.: 1216644

Dear Mr. Pinter:

On December 29, 2014, Ms. Sharon Patry of the Texas Commission on Environmental Quality (TCEQ) Houston Region Office conducted an investigation of the above-referenced facility to evaluate compliance with the applicable requirements for public water supply systems. No violations are being alleged as a result of the investigation; however, please see the attached Additional Issue. In addition, please be advised that a violation could be issued upon further review of your system's records or self-reported documentation.

The TCEQ appreciates your assistance in this matter and your compliance efforts to ensure protection of the State's environment. If you or members of your staff have any questions regarding these matters, please feel free to contact Ms. Patry in the Houston Region Office at (713) 767-3650.

Sincerely,

  
Leticia De Leon, Team Leader  
Public Water Supply  
Houston Region Office

LD/SJP/ra

cc: Montgomery County Environmental Health Services

Enclosure: Summary of Investigation Findings

## Summary of Investigation Findings

<b>PLEASANT FOREST SUBDIVISION</b>	<b>Investigation #</b>
<b>26600 SUNSET DRIVE</b>	<b>1216644</b>
<b>PINEHURST, MONTGOMERY COUNTY, TX 77362</b>	<b>Investigation Date: 12/29/2014</b>
<b>Additional ID(s): 1700245</b>	

No Violations Associated to this Investigation

### ADDITIONAL ISSUES

Description	Additional Comments
Item 1	During the inspection it was found that the sample sites for bacteriological monitoring were not being rotated in accordance with the monitoring plan. The monitoring plan sample sites should be updated and the bacteriological monitoring should be rotated according to the monitoring plan.

**ATTACHMENT 5**  
**PWS 1700131 – Allenwood**  
**Letter stating no alleged violations**


Bryan W. Shaw, Ph.D., P.E., *Chairman*  
Toby Baker, *Commissioner*  
Zak Covar, *Commissioner*  
Richard A. Hyde, P.E. *Executive Director*



## TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

*Protecting Texas by Reducing and Preventing Pollution*

November 18, 2014



Mr. Mark Pinter, President  
HMW SUD  
PO Box 837  
Pinehurst, Texas, 77362-0837

Re: Compliance Evaluation Investigation at:  
**Allenwood Subdivision**, 24819 Brautigam, Pinehurst, Montgomery County  
Regulated Entity No.101207876, TCEQ ID No.1700131, Investigation No.1192807

Dear Mr. Pinter:

On September 29, 2014, Ms. Mary Hopkins of the Texas Commission on Environmental Quality (TCEQ) Houston Region Office conducted an investigation of the above-referenced facility to evaluate compliance with the applicable requirements for public water supply systems. No violations are being alleged as a result of the investigation; however, please see the attached Area of Concern. In addition, please be advised that a violation could be issued upon further review of your system's records or self-reported documentation.

The TCEQ appreciates your assistance in this matter and your compliance efforts to ensure protection of the State's environment. If you or members of your staff have any questions regarding these matters, please feel free to contact Ms. Mary Hopkins in the Houston Region Office at (713) 767-3650.

Sincerely,

A handwritten signature in cursive script, appearing to read "Leticia De Leon".

Leticia De Leon, Team Leader  
Public Water Supply  
Houston Region Office

LD/MVH/ra

cc: Montgomery County Environmental Services

Enclosure: Summary of Investigation Findings

# Summary of Investigation Findings

ALLENWOOD SUBDIVISION	Investigation # 1192807
, MONTGOMERY COUNTY,	Investigation Date: 09/29/2014
Additional ID(s): 1700131	

## AREA OF CONCERN

Track No: 553444

30 TAC Chapter 290.41(c)(3)(J)

**Alleged Violation:**

Investigation: 1192807

Comment Date: 11/09/2014

Failure to cap or plug the open pipes penetrating concrete sealing block surrounding the well with a properly constructed cap or plug.

At the time of the investigation, an open pipe penetrated the well sealing block.

**Recommended Corrective Action:** Submit to the Region 12 Office documentation demonstrating that the well sealing block had been sealed.

**Resolution:** On October 13, 2014, the Region 12 Office received a photograph demonstrating compliance.

**ATTACHMENT 6**  
**PWS 1700317 – Towering Oaks**  
**Letter stating no alleged violations**



Bryan W. Shaw, Ph.D., P.E., *Chairman*  
Toby Baker, *Commissioner*  
Zak Covar, *Commissioner*  
Richard A. Hyde, P.E., *Executive Director*




## TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

*Protecting Texas by Reducing and Preventing Pollution*

December 1, 2014

Mr. Mark Pinter, President  
HMW SUD  
PO Box 837  
Pinehurst, Texas 77362-0837



Re: Comprehensive Compliance Investigation at:  
~~Towering Oaks Subdivision~~, 16103 Coe Loop, Magnolia, Montgomery C., Texas  
Regulated Entity No. 101258358, TCEQ ID No. 1700317, Investigation No. 1209590

Dear Mr. Pinter:

On November 19, 2014, Mr. Jacob Dupuis of the Texas Commission on Environmental Quality (TCEQ) Houston Region Office conducted an investigation of the above-referenced facility to evaluate compliance with the applicable requirements for public water supply systems. No violations are being alleged as a result of the investigation. In addition, please be advised that a violation could be issued upon further review of your system's records or self-reported documentation.

The TCEQ appreciates your assistance in this matter and your compliance efforts to ensure protection of the State's environment. If you or members of your staff have any questions regarding these matters, please feel free to contact Mr. Jacob Dupuis in the Houston Region Office at (713) 767-3650.

Sincerely,

A handwritten signature in cursive script, appearing to read "Leticia De Leon".

Leticia De Leon, Team Leader  
Public Water Supply  
Houston Region Office

LD/JD/ra

cc: Montgomery County Environmental Health Services