



Control Number: 46996



Item Number: 13

Addendum StartPage: 0

DOCKET NO. 46996

RECEIVED

MAY -1 PM 3:51

PUBLIC UTILITY COMMISSION
OF TEXAS
FILING CLERK

APPLICATION OF CHUCK BELL §
DBA CHUCK BELL WATER SYSTEM, §
LLC AND UNDINE TEXAS, LLC FOR §
SALE, TRANSFER, OR MERGER OF §
FACILITIES AND CERTIFICATE §
RIGHTS IN JOHNSON AND §
TARRANT COUNTIES §

PUBLIC UTILITY

**ORDER NO. 2
FINDING APPLICATION INCOMPLETE AND DEFICIENT,
ESTABLISHING DEADLINES AND OPPORTUNITY TO CURE**

This Order addresses Commission Staff's April 27, 2016 recommendation that the application of Chuck Bell d/b/a Chuck Bell Water System, LLC and Undine Texas, LLC for the sale, transfer, or merger of facilities and certificates rights in Johnson and Tarrant Counties is not administratively complete because it contains material deficiencies, as specifically described in Commission Staff's April 27, 2017 pleading and the attached memorandum of Sean Scaff in the Commission's Water Utilities Regulation Division. Commission Staff also proposed deadlines for applicants to complete the application and for a supplemental recommendation on sufficiency.

Consistent with Commission Staff's recommendation, the application is found administratively incomplete and deficient. Applications are not considered filed until a determination of administrative completeness is made;¹ thus, at this time this application is not considered filed with the Commission.

On or before **May 18, 2017**, applicants shall amend the application to cure the deficiencies noted by Commission Staff. Processing of the application cannot proceed until the requested items are received and reviewed.

On or before **June 1, 2017** Commission Staff shall file additional comments regarding administrative completeness, along with a proposed procedural schedule if appropriate.

¹ 16 Tex. Admin. Code § 24.8(a).

13

Signed at Austin, Texas on the 1ST day of May 2017.

PUBLIC UTILITY COMMISSION OF TEXAS

A handwritten signature in black ink, appearing to read "Susan E. Goodson", written over a horizontal line.

SUSAN E. GOODSON

ADMINISTRATIVE LAW JUDGE

W2013

q:\cadm\doCKET management\water\stm\46xxx\46996-2 def and cure.docx