




Control Number: 47265



Item Number: 7

Addendum StartPage: 0

DOCKET NO. 47265

RECEIVED

APPLICATION OF CITY OF §
MIDLOTHIAN AND CITY OF GRAND §
PRAIRIE FOR APPROVAL OF A §
SERVICE AREA CONTRACT UNDER §
TEXAS WATER CODE § 13.248 AND §
TO AMEND CERTIFICATES OF §
CONVENIENCE AND NECESSITY IN §
ELLIS COUNTY §

PUBLIC UTILITY COMMISSION
OF TEXAS

2017 JUL -7 PM 1:54
PUBLIC UTILITY COMMISSION
FILING CLERK

**ORDER NO. 2
DEEMING APPLICATION ADMINISTRATIVELY COMPLETE,
ADDRESSING NOTICE, AND ESTABLISHING PROCEDURAL SCHEDULE**

This Order addresses Commission Staff's recommendation regarding administrative completeness of the application and supplemental materials filed on June 28, 2017. Commission Staff recommended that the application be deemed administratively complete as detailed in the memorandum of Fred Bednarski of the Commission's Water Utility Regulation Division. Commission Staff further recommended that no further notice be required because there are no customers currently located in the area proposed for transfer. Accordingly, the application is administratively complete and no further notice of application need be provided.

Commission Staff also proposed a procedural schedule for continued processing of the application. Accordingly, the procedural schedule proposed by Commission Staff is adopted as set out below:

Event	Date
Deadline for intervention	August 7, 2017
Deadline for Commission Staff to provide final maps, certificates, and tariffs (if applicable), to applicants for review and consent	September 7, 2017
Deadline for applicants to file signed consent forms	September 21, 2017
If no hearing is requested, deadline for Commission Staff to file a final recommendation	September 28, 2017
Deadline for parties to file joint proposed findings of fact, conclusions of law, and ordering paragraphs	October 12, 2017

7

Signed at Austin, Texas the 7th day of July 2017.

PUBLIC UTILITY COMMISSION OF TEXAS



JEFFREY J. HUHN
ADMINISTRATIVE LAW JUDGE

q:\cadm\doCKET management\water\con\47xxx\47265-2complete.docx