

Control Number: 47472



Item Number: 63

Addendum StartPage: 0

DOCKET NO. 47472

COMMISSION STAFF'S PETITION TO DETERMINE REQUIREMENTS FOR SMART METER TEXAS

§ § §

PUBLIC UTILITY OF HIERAC COMMISSION

DIRECT TESTIMONY

OF

MICHAEL HAYS

ON BEHALF OF

MISSION:DATA COALITION

OCTOBER 19, 2017

MISSION:DATA COALITION DIRECT TESTIMONY OF MICHAEL HAYS, AWESOME POWER PUC DOCKET NO. 47472

TABLE OF CONTENTS

		Page
I.	INTRODUCTION	1
II.	AWESOME POWER'S EXPERIENCE WITH SMT	2
III.	RECOMMENDATIONS FOR SMT	6
IV.	CONCLUSION	9

EXHIBITS

EXHIBIT MH-1 COMMENTS ON THE COST AND DESIGN OF SMART METER TEXAS, PROJECT: 42786, BY: AWESOME POWER

1 I. INTRODUCTION

- 2 Q. PLEASE STATE YOUR NAME, TITLE AND BUSINESS ADDRESS.
- 3 A. My name is Michael Hays. I am a co-founder of Awesome Power Inc. My business address is
- 4 2215 Cedar Springs Rd APT 1814, Dallas, TX 75201.
- 5 Q. PLEASE BRIEFLY DESCRIBE YOUR EDUCATIONAL AND PROFESSIONAL BACKGROUND.
- 6 A. I have a Bachelor of Science from the University of Texas at Austin in Mechanical Engineering,
- 7 with highest honors. I am a programmer and web developer and have developed several
- 8 applications. I am a full stack developer (both front-end/user-facing and back-end/business
- 9 logic) and use both Python and JavaScript in my work.
- 10 Q. PLEASE DESCRIBE YOUR PROFESSIONAL QUALIFICATIONS FOR PROVIDING THIS TESTIMONY.
- 11 A. I am a co-founder and the full-time chief programmer and developer of Awesome Power Inc.
- 12 Awesome Power Inc. is a Texas startup who owns and operates the website "Awesome Power
- 13 Texas" (hereafter Awesome Power). Awesome Power has been using Smart Meter Texas
- 14 (hereafter SMT) since December of 2016. For more than 3,000 users, Awesome Power has
- both created accounts on SMT and entered into third party agreements with those new users.
- 16 Awesome Power has also entered into third party agreements with several hundred users
- 17 who already had accounts on SMT. In April of 2017, Awesome Power filed "Comments on the
- 18 Cost and Design of Smart Meter Texas" in PUCT Project 42786. Awesome Power also
- 19 participated in PUC Project 46204.
- 20 Q. WHO SPONSORS THIS TESTIMONY?
- 21 A. Mission:data Coalition is sponsoring my testimony.
- 22 Q. WHAT IS THE PURPOSE OF YOUR DIRECT TESTIMONY?

¹ See Exhibit 1

1 A. This testimony will serve two purposes: (1) we will describe our experience with SMT; (2) we will offer Awesome Power's recommendations, based on our experience.

3 II. AWESOME POWER'S EXPERIENCE WITH SMT

- 4 Q. HOW DOES AWESOME POWER USE SMT?
- A. Awesome Power accesses an end-use customer's smart meter data through SMT. Awesome

 Power uses an end-use-customer's smart meter electricity usage data to: (1) calculate an

 expected cost for every available electricity plan; and (2) recommend the retail electric plan

 available to them with the lowest expected cost. With this functionality, Awesome Power can

 save a customer hundreds of dollars per year.
- 10 Q. WHAT KIND OF ACCESS DOES AWESOME POWER HAVE TO SMT?
- A. Awesome Power is considered a "third party" or Competitive Service Provider (CSP) for the

 purposes of accessing SMT. Although we exclusively do business working through SMT, all our

 access is that which is currently afforded to a third party.
- 14 Q. WHAT PROBLEMS HAVE AWESOME POWER ENCOUNTERED WITH SMT USER-INTERFACE?
- 15 Error messages from SMT are not informative in solving a problem. Error messages are A. returned as an HTTP 200 response rather than a 4xx or 5xx error code. If a customer tries to 16 17 register their account but their account is already registered, the error message returned by 18 SMT reads "Smart Meter is unavailable. Please contact your Retail Electric Provider if you believe this is an error." This message does not inform the user that the meter is already 19 registered. Other unclear error messages that SMT returns include: "Your request could not 20 21 be processed. Contact us at 1-888-616-5859," which Awesome Power believes occurs when a 22 user provides a valid ESIID, meter number, and REP but the ESI ID and meter number do not 23 correspond to each other. A 4XX client error would better identify problems.

1	Q.	WHAT IS THE CURRENT PROCESS FOR A USER TO GIVE ACCESS TO A THIRD PARTY FOR THEIR		
2		SMT DATA?		
3	A.	The current process for an end-use customer to give access to a third party, like Awesome		
4		Power, is cumbersome and requires several steps:		
5		1. Customer must register with SMT. In order to do so they must have their ESI ID,		
6		meter number, and REP information. On the SMT drop down menu for a		
7		customer to choose its REP, many REPs are listed several times in slightly different		
8		ways so that in itself is confusing for a customer.		
9		2. Customer must log on to SMT and go to "manage account authorization" on their		
10		account on SMT to get an Account Authorization Code.		
11		3. Customer must provide their Account Authorization Code to the third party.		
12		4. Using the provided code, the third party sends an invite to a customer to initiate		
13		an energy data agreement.		
14		5. The customer receives an invite to an "Energy Data Agreement" with a third party		
15		by email.		
16		6. If the customer wants to accept the invite they must log back on to SMT and		
17		accept the agreement.		
18 19	Q.	ARE THERE PROBLEMS WITH THE THIRD-PARTY FUNCTIONALITY OF SMT?		
20	A.	Yes. When a party requests 15-minute interval data, this data is sent from SMT as a 2.7MB		
21		CSV file as attachment in an email. By industry standards, thousands of requests, each		

returning less than 3MB of data, should take a few minutes to process concurrently. See figure

below.



On February 20, 2017, the Houston Chronicle reported a story about Awesome Power that resulted in approximately 2,000 new users registering an account with the Awesome Power website. SMT slowed dramatically, taking hours to turn around usage reports. On February 21 around 6:00p.m. CST, SMT's third party agreement invite link began leading to an error page, rendering all third party invites useless. We had to take Awesome Power's registration process offline for over a day while SMT corrected the issue. While our registration process was offline, Awesome Power received approximately 200 new visitors that were turned away.

- SMT's system for third party access frequently fails entirely. For example, from January to

 March of 2017, the following SMT failures occurred, that Awesome Power noted:
 - January 17th, 2017: Third party agreement invites not sending
 - January 19th, 2017: Third party agreement invites not sending
 - January 24th, 2017: Third party agreement invites are not sending and continued two full days.
 - February 21st, 2017: Third party agreement invites are sending, but they contain broken links that do not work. This problem continued for two full days
 - March 1st, 2017: SMT completely fails for hours, and no one can log in
 - March 14th, 2017: SMT completely fails, and no one can log in
 - March 20th, 2017: like February 21st, third party agreement invites are sending with broken links
 - March 28th, 2017: Registration of new users stops working completely
 - March 30th, 2017: SMT completely fails for hours, and no one can log in

16 Q. WHAT ARE THE PROBLEMS ON SMT IN ACCESSING DATA?


- A. SMT does not use a REST API. SMT uses a SOAP API. A REST API is much more widely used and accessible. Awesome Power is not aware of any justification for the overhead cost and barrier to entry associated with a SOAP API. With a RESTful API, a third party-would be given a secret API key in order to be able to make a request to the API. This key would determine whether the third party has access to a particular resource. The API would utilize predictable, resource-oriented URLs. The API should be able to return the data in multiple formats, including JSON, XML, and CSV, at the client's requests. Further, SMT's API and FTP access only supports Windows users. This means you cannot use SMT on a MAC or using Linux as a third party, a significant limitation.
- Q. IS THERE A PROBLEM WITH THE DATA ACCESS TIMEFRAME?
- 27 A. Smart Meter Texas Business Requirement 37 BR-001 requires the "Ability to view 15-minute interval usage data, the daily meter reading, and the interval time stamp, up to a maximum of 13 months." In practice, an individual can access, through their own SMT account, up to 13 months of 15-minute interval data. However, a third-party can only access 12 months of 15-


minute interval data. When a third-party requests more than 12 months of 15-minute interval data, they receive and error message that "You can only view the last 12 months of data for the requested report." See figure below.

Usage / Customer Meters Search (3rd Party) / Customer Meters - Usage Report **Customer Meters - Usage Report Show Help**

			The second secon	
Address:	N/A.		ESIID.	
			Meter Multiplier:	
		2 You can only view the last 12 mor	nths of data for the request	ed report
Report Option				
Report Type	Daily Usage (15 min intervals) ▼			
Start Date.	101550017	End Date.	10/15/2017	1111
	10/15/2017		10/15/2017	*

Daily Usage (each 15 minutes) - Kilowatt Hours for 10/15/2017





4

III.

5

6

7

1

2

3

RECOMMENDATIONS FOR SMT

- PLEASE DESCRIBE YOUR PROPOSED SOLUTION FOR CUSTOMER REGISTRATION Q.
- A. This solution is just one proposal, based on the experience of Awesome Power. This solution 8 would replace the current customer registration process and work in conjunction with the 9 OAuth 2.0 Green Button Connect system in order to replace the current customer registration 10 and Energy Data Agreement. The current registration process identifies premises by an ESI ID 11 and meter number. These fields will stay the same throughout the lifetime of the premises. 12 Previous REPs and past premises owners may have the ability to create an account for that 13 address, as long as they can guess the current REP.

In order to properly manage energy data access, there must be some sort of dynamic premises-specific access code that changes when the premises owner changes. Awesome Power believes the best approach to the registration issue is to create a premises-specific code as the sole login field, prospectively called the Smart Meter Texas Login Code (SMTLC). In order to log in and access their data usage, a user would have to know only their SMTLC. The SMTLC would have the following characteristics:

- It would be a 10-character alphanumeric string of numbers and capital letters (excluding the ambiguous characters 0, 0, 1, and I)
- It would have a one-to-one relationship with ESI IDs (one distinct code per premises)
- It would be displayed on every electric bill
- It would be known only to the premises owner, and the REP of record
- The first time a user logs in using an SMTLC, Smart Meter Texas would have a very brief registration process that asks for only first name, last name, and email address
- Whenever the owner changes for a premises:
 - The associated SMTLC changes
 - The personal info (first name, last name, and email address) for an account would be reset

The benefits of an SMTLC are best conveyed with a demonstration. For example, a consumer, Bob, wants to use a CSP named Acme Energy, and Acme Energy needs access to Bob's usage data in order to provide energy-related services. Like most Texans, Bob has never used or heard of Smart Meter Texas. On Acme Energy's website, there is a button labeled Grant Energy Data Access. When Bob clicks this button, a new tab (or an <iframe>) opens for Smart Meter Texas. In this new tab is one simple text input asking for an SMTLC, and a dialogue that explains how to find this code, with further instructions if needed. Once Bob retrieves his SMTLC from his electric bill and enters it into the form, SMT would recognize that this is the first time that Bob is attempting to access his account, and the website would display one more form with text inputs for first name, last name, and email address. After Bob enters this information, the OAuth dialogue appears, asking Bob if he would like to grant Acme Energy

access to their energy usage. Once Bob clicks the button to accept this, the entire data access procedure is completed.

This process is the same if Bob had already registered his SMT account, with the exception

that he wouldn't have to enter his first name, last name, and email address again. In fact, if Bob is using the same browser on which he had previously logged in and his browser session is still active, the OAuth dialogue would display immediately after he clicked the initial Grant Energy Data Access button. In total, the process would take Bob just two mouse clicks to grant Acme Energy data access. Along these lines, it would be convenient for the user to have a session timeout of several weeks rather than the current length of 15 minutes, with a session refresh whenever the account is accessed. This way, Bob would hopefully only have to log in once. This is much like Facebook's session authentication system.

Using a 10-character alphanumeric string as the only login field is more than secure enough to minimize the chance of large-scale abuse to this system. There are $32^{10} = 1.126 \times 10^{15}$ possible strings of this design. Even with 10 million SMTLCs, it would expect to take over 100 million random guesses to have access to just one SMT account. With throttling and rate limiting, this kind of attempted abuse would never get off the ground.

Designing SMT originally to use the typical username/password archetype made sense in a lot of ways. It's very familiar to most consumers, and allowed users to access their data using the same process that they do for many other online services. However, the registration process ultimately proved to be a prohibitive barrier for consumers who wanted an easy way to provide parties access to their energy data — particularly through a website that they only access once or twice in their entire lives. For the majority of users who are much more interested in providing data access to CSPs than viewing their usage data themselves, the registration process as it is too bulky and intimidating to be worth completing. So, the best

- solution to this major issue is to get rid of the bulk of the registration process and allow
- 2 convenient data access with just one alphanumeric field, the SMTLC.
- 3 IV. CONCLUSION
- 4 Q. DOES THIS CONCLUDE YOUR DIRECT TESTIMONY?
- 5 A. Yes

Comments on the Cost and Design of Smart Meter Texas PUC Project: 42786

By: Awesome Power Inc.

2017 APR 25 PH 4: 3

- John 2

Table of Contents

Introduction

I. The State of SMT

A. User Interface: Registration

i. Choosing Your Provider

ii. Error Messages

iii. Temporary Passwords

B. User Interface: Accessing Usage Data

i. Requesting Data on the Web Portal

ii. Delivery Mechanism and Delays

iii. API and FTPS

C. Third Party Access

i. Authorization Process

ii. Lack of Use

D. Other Miscellaneous Issues

i. User Sessions

ii. Terminating Third Party Agreements

iii. Usage Graph

iv. Inconsistent Access Timeframe

v. Unique Emails

vi. Password Characters

II. Redesigning SMT

- A. Data Storage
- B. User Registration
- C. Third Party Access
- D. Providing Data Access

i. API

ii. Server Configuration

III. Conclusion

We are submitting these comments to make two points. First, Smart Meter Texas (SMT) is very poorly designed, has major flaws, and is badly broken. Second, the cost of SMT is egregious and unjustifiable.

The Joint TDUs estimate that the cost of SMT is \$9.8 million per year. The graphic user interface (GUI) alone costs \$3.65 million per year. There is no rational basis for these costs. Part I of this report highlights all of the clear problems with SMT, and compares this with the stated costs, to prove how unjustifiable these costs are. Part II of this report outlines a better design for SMT, one that would drastically improve functionality at a lower annual cost.

I. The State of SMT

According to "Overview of Smart Meter Texas 2014", SMT serves a number of purposes. The primary function, according to this document, is to provide customers, the customer's REP, and authorized third parties with access to the customer's smart meter data. To do so, SMT has to perform a number of intermediate roles. First, on a daily basis SMT receives interval data from the TDUs. Second, SMT must provide various user interfaces (the GUI, FTPS, and the API). Third, SMT must provide a process for third party access. Fourth, SMT must provide for HAN functionality (i.e. the ability to connect and disconnect in-home devices and transmit information to those devices).

In this section, we cover the second and third requirements that SMT has to satisfy so as to demonstrate that these functions are being performed very poorly. We return to the first and fourth point in the following section when discussing a better system for SMT.

A. User Interface: Registration

According to the cost breakdown given by the Joint TDUs, the GUI alone costs \$3.65 million per year. As such, it is important to see what people are getting for that amount of money.

i. Registration: Choosing Your Provider

In order to create an account on Smart Meter Texas, a user must have three pieces of information: his or her ESIID, meter number, and the name of his or her current REP. It should be noted from the outset that this is not an especially secure system. ESIIDs are public, meter numbers appear on your meter, often on the side of your house. As for your current REP, a user can simply guess multiple REPs: we have found no limit on the number of registration attempts allowed. In other words, if I want to spy on my neighbor's 15-minute usage data, I can easily do so provided my neighbor does not have an account on SMT.

There is also unnecessary confusion in the process. If your retail provider is Reliant, you are told that you can click the R and then you will see Reliant. However, you actually are given five "Reliants" to choose from, and only one will work.

Type the full name or first few characters of your Retail Electric Provider as it appears on your Electric Bill

R*

Sec

Or

Select a letter to find Retail Electric Provider in the list

#ABCDEEGHIJKLMNOPQRSIUVWXYZ

Business Name	Address 1
Reach Energy LLC	P.O. Box 1008
Reliant Energy	P.O. Box 376!
RELIANT ENERGY RETAIL	300 W 6th St
RELIANT ENERGY RETAIL SERVICES LLC (LSE)	300 W 6th St
RELIANT ENERGY RETAIL SERVICES LLC DBA RELIANT ENERGY SOLUTIONS	300 W 6th St
RELIANT ENERGY SOLUTIONS	300 W 6th St
REP Entity	wilma dr

This is hardly a well-designed system worth \$3.65 million per year. It actually gets worse, however. If your provider is, say, Cirro Energy, then you actually have to select US Retailers LLC. Of course, Cirro does appear, so a user has no real way of knowing this:

Type the full name or first few characters of your Retail El

Cirro Search

Or

Select a letter to find Retail Electric Provider in the list

#ABCDEEGHIJKLMNOPQR:

Business Name	Address 1
Cirro Energy	2745 Dallas Parkwa
Page 1	

And, if you want to select US Retailers LLC, you still have to pick between these two:

		your Retail Electric Provider as it
p	Search	
Or	•	
Select a letter	to find Retail Electric Provide	r in the list
# A B	CDEEGHIJKLMI	N O P Q R S T U V W X Y Z
	CDEFGHIJKLM 1 ness Name	Address 1
Busi		•
Busi US	ness Name	Address 1

This is not especially hard to fix, but SMT has done nothing about it.

ii. Registration: Error Messages

When a client to server request results in an error, good web development practice is to return a 4XX client error with some useful information. SMT, in contrast, returns a 200 response (i.e. an OK response, which is what you get on a site when everything is functioning properly), along with no useful information.

By way of example, if you try to register an account but your meter is already registered, SMT returns the following error message (as a 200 OK response): "Smart Meter is unavailable. Please contact your Retail Electric Provider if you believe this is an error." That doesn't tell the user that the meter is already registered to an account, even though that is what the problem is.

There are other equally unhelpful error messages.

Your request could not be processed. Contact us at 1-888-616-5859

This, I believe, occurs when the user provides a valid ESIID, meter number, and REP, but the ESIID and meter number do not correspond to one another. This is different from the generic error, which is:

(a) Year registration request connect his correlated at this time due to some of the following resource:

- 7 Yes Issay ACC Native & String (Mathr yet. St. Otherwish writen yet will have a small higher fractional, reflect the Unitary websites.
 A Yes Issay Note have be supported by the Company that it all smaller fractions and harder translationally before advantage were Company that if Manager and American String and Ame
- TOU may time incorracy passes your Current reason means; provider, if you are many provider and incorrence passes extract your reason makes provider,
 Whe may have incorractly agreed to find the first to another provider may be readed to a find the first this before the provider and the passes of the first thinks the passes of the passes of the first thinks the passes of the passes
- A month with a cigate departy is not recommenty a treat sense. Eyou steep any protecting areas what make or money you prove, pursue comment your reasons through the diment bloom Tenus parter until on to 30 days when I would find the develop the diment bloom Tenus parter until on to 30 days when I would find the develop through the diment bloom Tenus parter until on to 30 days when I would be determined the develop through the diment bloom Tenus parter until the to 30 days when I would be determined the develop the difference of the diment bloom Tenus areas are a second to 30 days when I would be determined to 30 days wh

Your majoration is very important to us. For more information on this book, places refer to the FACE.

This does not make any sense. If a user types in the wrong meter number, but that meter happens to be a valid meter number for someone else, why does it not give the same error message that it would if the meter number was simply incorrect?

There are also some error messages that we still do not understand. Like this one, which is completely useless:

ORA-01403: no data found

Good web developers return 4XX errors, and they do not write error messages like this.

iii. Registration: Temporary Passwords

If a user does manage to submit a registration request, the user will then receive an email with a link to follow. That link uses a temporary password, and the user is then prompted to enter a new password along with a security question.


There is no reason for this. It is an unnecessary step, offers no security benefits, and is confusing. If you want to confirm that the person who registered the account has control of that email address, the proper way to do so is to send a "confirm email" email and keep the account restricted until the email is confirmed. The current system would allow a person who intercepts the email to access the Smart Meter Texas account, as the password and security question have not yet been set.


B. User Interface: Accessing Usage Data

The user interface is designed primarily to allow parties to access electricity usage data. SMT does a horrible job of providing convenient access to data, however.

i. Accessing Usage Data: Requesting Data on the Web Portal

SMT is not a particularly intuitive website. I just tried to access my monthly usage data, but the page got stuck loading for roughly two full minutes. Once the page did load, this is what was displayed:





What do these buttons do? If you click the green button, nothing happens. It seems the green button is meant to refer to the "Export Report in CSV" button to the left. This is fairly confusing. If you click "Export Report in CSV", a CSV is downloaded to your browser. It looks like this:

В	, ´` ċ ´``.	D
Start Date	End Date	Actual kWh
3/21/16	4/20/16	1006
4/20/16	5/19/16	1171
5/19/16	6/20/16	1648
6/20/16	7/20/16	~2837
7/20/16	8/19/16	2931
8/19/16	9/20/16	2535
9/20/16	10/20/16	NA
10/20/16	11/17/16	1043
11/17/16	12/19/16	1300
12/19/16	1/20/17	1222
1/20/17	2/17/17	1020
2/17/17	,3/20/17	1149

But the "Update Report" button actually does different things in different situations. If you are viewing your monthly usage, "Update Report" will update the page to show the date range requested. If you are viewing your 15-minute interval usage, however, "Update Report" will bring you to this page:

Export Usage Report Submission Successful

Your request to export a usage report has been received. Your order number is 4f77c7ee04cea9e9ee8854df.

The report will be available in approximately 24 hours. You will receive an email notification when the report is available. You can find the status of your reports by selecting 'Report Request Status'.

You will then receive an email (within 24 hours) with a CSV file containing the data requested. But remember, that button does not even request CSV data when viewing monthly usage. So why does the button return CSV data when viewing 15-minute usage? This makes no sense.

ii. Accessing Usage Data: Delivery Mechanism and Delays

Aside from the confusing interface, the core functionality of how the website delivers usage data to a user is bizarre. As explained above, if it is only monthly data being requested, the CSV is sent directly to the client making the request. For 15-minute interval data, however, the CSV is sent as an attachment in an email. This file is only 2.7MB, so there is no reason it could not be sent to the client making the request, as is done with monthly data.

The reason for this difference is probably that SMT's servers are slow, and get backlogged regularly. Roughly once per week, requests for usage data will be delayed for hours. Here are some recent examples of this (we notified PUC each time):

April 6th, 2017: Usage reports delayed for multiple hours.

April 12th, 2017: Usage reports delayed for multiple hours.

April 19th, 2017: Usage reports delayed for roughly one hour.

On the 6th of April, I received a call from Dave Hopkins, head of infrastructure at SMT, who told me that this is not a problem, because there is a queue that our requests must wait in. This, he said, is normal behavior. Of course, queuing is necessary if a server is handling more requests than can be processed concurrently. With that said, to cause an hour-long delay must mean that SMT was experiencing an ungodly high number of requests for data. We have not been given detailed information on the number of requests made on these days, but we have been told that making 600 requests in a single day would potentially cause a system-wide failure (i.e. more than simply a long delay).

This is unjustifiable. Ten thousand requests, each returning roughly 3MB of data, should not take more than a few minutes. In addition, handling these requests should not cost more than a few hundred dollars per month. Instead, SMT claims that access to usage data alone (not storing data, maintaining accounts, or anything else) costs \$620,000 per year.

iii. Accessing Usage Data: API and FTPS

Not everyone uses the web portal. Instead, most REPs and third parties use SMT's API with FTP connectivity to access a person's electricity usage data. However, the API leaves a lot to be desired.

First, SMT does not even have a REST API. The API is a SOAP API instead, which there is little justification for. The API has a fairly involved "onboarding process", and the documentation is badly out of date. In fact, a lot of the API documentation simply makes claims that aren't true. By way of example, here are the listed rate limits:

8) Limitations on the number of ESIIDs per ad-hoc usage request

Table 6 shows the ad-hoc Meter Usage Message Limitations.

Number of ESIIDs	Number of days	Number of requests per day	Max Estimated Response Time
1	365	20	24 hours
10	20 ,	20	*24 hours
50	4	20	24 hours
100 i	2	10	24 hours
200	1	10	24 hours

Table 6: Ad-hoc Meter Usage Message Limitations

We later found out, however, that this is not true. SMT does allow more than 20 requests for 12 months of 15-minute interval data per day. Of course, it is good that the documentation is incorrect. If the rate limit were 20 requests per day, it would be practically useless. At the same time, what is not incorrect is the estimated response time: according to SMT, the API is working properly provided the data is returned within 24 hours.

The instructions provided to get API and FTP connectivity are badly out of date, to the point of being useless. The instructions to generate a PGP Key start by saying:

Install the PGP software from the below link.

http://www.pgpi.org/products/pgp/versions/freeware/win32/6.5.8/

After installation on your windows machine

The URL provided does not link to a PGP software downloaded (or at least, it did not at the time of writing this). In addition, the instructions are only written for Windows users. This, it turns out, is a common theme. The FTP instructions read:

Make sure the private part of the certificate has been iristalled on your windows machine. You can verify that from your Internet explorer browser, Go to Tools --> Internet Options --> Content --> Certificates. You should be able to see your installed certificate under "personal" tab.

So, a user needs a "Windows machine" and "Internet Explorer".

But this is not merely a problem with the onboarding instructions and documentation. It turns out, API and FTP access only works on Windows. Here is an email I received from SMT confirming this to be the case:

H) Zack

Smart Meter Texas has not to date been requested to integrate the FTPS process for a MAC solution. Therefore, we are working on the modifications to the Smart Meter Texas FTPS interface in order to support MAC.

We are currently testing in a lower environment and should be ready to move the MAC supporting solution to production on April 15, 2017 during the regularly scheduled monthly maintenance window.

In case it is hard to read, the first two sentences say, "Smart Meter Texas has not to date been requested to integrate the FTPS process for a MAC solution. Therefore, we are working on the modifications to the Smart Meter Texas FTPS interface in order to support MAC." In other words, the entire FTP system at SMT is specific to Windows.

C. Third Party Data Access

In addition to providing a user interface, another necessary function of SMT is providing for third party data access. This is an area that has been discussed for a few years now, and yet it is still truly substandard. Most of the problems mentioned above have knock-on effects for third parties. This subsection focuses only on the problematic aspects of SMT unique to third parties

i. Third Party Access: Authorization Process

The process by which a user gives access to a third party (the "authorization process") is very poorly designed. Currently, a person who has an account on Smart Meter Texas must go to the "Account Profile" tab, and then click "Manage Account Authorization". After doing so, this appears:

Manage Account Authorization Account Authorization Account Authorization Code: ws10oWhd *Enter new Account Authorization Code: Save Change Cancel

In other words, the only place where a user can find his or her Account Authorization Code (AAC) is the place where he or she would change it. The user experience here is very poor.

After a user has his or her AAC, it is necessary to provide it to the third party. The third party can then send a third party agreement invite to the user by filling out a form on SMT. By inputting the AAC, the information is automatically filled out:

Initiate Energy Data Agreement			
*Indicate a required field	•		
* Is customer already registered with SMT?	• Yes No		
* Is customer Residential or Business?	• Residential Business		
	•		
Customer Information	- 1		
* Account Authorization Code:	ws1OoWhd		
Email Address:	ZAK@rhkinvestments.com		
First Name:	Robert		
Last Name:	Korman .		

At least, it is supposed to be automatically filled out. There have been cases, however, where this simply does not work. I have no idea why that is the case, but it has definitely happened before. Even having the user change the AAC does not fix the problem. In addition, SMT does not understand the problem either. Once I notified SMT of this, I received the following email:

Hello Zack,

We request you to check the AAC code from the Residential User again.

As per our records, the AAC mentioned in the ticket is not the valid AAC for ESIID

The problem with this explanation is that the AAC should fill in the relevant information, independent of whether the ESIID is entered correctly. In fact, this occurs before the form ever asks for the ESIID. In other words, this answer makes no sense. This problem still occurs from time to time, and as far as I can tell SMT is still equally oblivious to it.

But if an agreement is sent successfully, the user will then receive an email. The user can then click, "Accept" or "Decline" on the agreement. If the user clicks

accept, the user is then brought to SMT and is asked to log in. Once the user logs in, the agreement is accepted.

This is very poorly thought out. Once the user gives the third party the AAC, why does the user still have to receive an email and re-confirm that he or she wants to enter into the agreement? This is redundant, and in practice is a massive pain. A user visits a third party's website, then has to go to SMT to get an AAC, then goes back to the third party's site to provide the AAC, then goes to his or her email, then goes back to SMT again. This is horrible user experience.

However, the system for third party access is actually much worse, because frequently it just stops working entirely. Here is a list of such failures (we notified PUC each time):

- January 17th, 2017: Third party agreement invites are not sending.
- January 19th, 2017: Third party agreement invites are not sending, resolved six hours later, but then the problem occurs again and is not fixed for three to four more hours.
- January 24th, 2017: Third party agreement invites are not sending. This problem continued, more or less, for two full days.
- February 21st, 2017: Third party agreement invites are sending, but they
 contain broken links that do not work. This problem continued for two full
 days.
- March 1st, 2017: SMT completely crashes for hours, and no one can log in.
- March 14th, 2017: SMT completely crashes again, and no one can log in.
- March 20th, 2017: Just like February 21st, third party agreement invites are sending with broken links (rendering them useless).
- March 28th, 2017: Registration of new users stops working completely.
- March 30th, 2017: SMT completely crashes for hours, and no one can log in. As is apparent, SMT crashes a lot, and the third party authorization process is very buggy.

Remember, the primary function of SMT is to provide customers, the customer's REP, and authorized third parties with access to the customer's smart meter data. With such a horribly designed third party access system, along with such frequent crashes and failures, it is clear that SMT fails to provide this function effectively.

ii. Third Party Access: Lack of Use

Given the above information, it is no surprise that so few people actually use SMT. This is especially true when it comes to third parties. As of February 1st, there were fewer than 1,000 active third party agreements on SMT. Since that time, the number has increased by a few thousand, but that is only because of our website, https://www.awesomepowertexas.com/.

What is interesting about this, however, is that the Joint TDUs claim (before we even came around) that the cost of data warehousing third party agreements is \$615,000 annually, in addition to the \$766,000 annual cost of providing third party functionality. That is nearly \$1.4 million a year for third party agreements when there were fewer than 1,000 agreements in the entire state. This is a truly unjustifiable waste of money.

D. Other Miscellaneous Issues

The truth is that nothing on SMT could be described as "good". At best, it does its job, and in most cases it does not. This section discusses some of the usability problems with SMT.

i. Miscellaneous: User Sessions

One annoying aspect of SMT is that if you are logged in and press the back button, SMT logs you out. The documentation for SMT actually claims this is a security feature. It isn't. It's horrible web design, and a failure to manage user sessions properly. Notice, for example, that good websites, like Facebook, do not do this.

ii. Miscellaneous: Terminating Third Party Agreements

If a third party logs onto SMT, finds a third party agreement, and terminates it, the following error message appears:


A Smart Meter Texas website error has occurred. Please try again later.

If you believe you have received this message in error, please report this error to us at 1-888-616-5859.

This is, I assume, because it is now impossible to view the agreement that was terminated. However, any decent system would actually provide a message confirming the agreement has been terminated.


iii. Miscellaneous: Usage Graph

This is the graph that users see on Smart Meter Texas, which is intended to display usage information:



It isn't very good. It is too wide, and not tall enough. The time of day is blank unless the cursor is at a one-hour interval mark. There is no pointer that shows what point in the data is being displayed. If your mouse is over the data, rather than in the blue region, the data box does not appear. It just isn't very good. And, if you want to see your monthly usage, the graph changes to look like this:

Total Monthly Usage reported to your Retail Electric Provider - Kilowatt Hours



All of the data is suddenly compressed in the middle of the graph, but the x-axis remains all the way to the side.

iv. Miscellaneous: Inconsistent Access Timeframe

As an individual, you can access up to 13 months of 15-minute interval usage data. This means that a user can request a full year of data. However, as a third party it is only possible to get 12 months of data. This makes it impossible to get a full year of data. It is necessary to request 12 months of data minus one day. There is no reason for SMT to work like this, and it is very annoying.

v. Miscellaneous: Unique Emails

When creating an account, you cannot use the same email address if it is already used for a different account. You also cannot change your email to use an email that is already being used by a different account. There is no good reason for this.

vi. Miscellaneous: Password Characters

Passwords only can use alphanumeric characters, along with a few symbols I believe. Many symbol types are disallowed. This makes passwords less secure, and is completely unjustifiable.

II. Redesigning SMT

There are hundreds of problems with SMT, and the above information only scratches the surface. Hopefully, however, it is apparent that for millions of dollars per year SMT should be far better than it is. Recall that the primary function of SMT is to provide customers, the customer's REP, and authorized third parties secure

access to the customer's smart meter data. It is possible to perform this function far better than SMT currently does, and do so for a fraction of the cost.

In this section we present an outline of how we would redesign SMT to make it both better and cheaper. This section should not be read as a definitive proposal, but rather as an outline given what we know about the required functionality of SMT. With that said, this section is nonetheless meant to be taken seriously. We are confident that we could redesign SMT to make it radically better while reducing the cost.

A. Data Storage

The report from the Joint TDUs claims an estimated data warehousing cost of \$6.15 million per year. In informal discussions with PUC, it is clear that PUC believes this cost is somehow rationally related to the amount of data being stored. It quite clearly is not. If we are to take the Joint TDUs' cost breakdown seriously, the cost of storing fewer than 1,000 third party agreements is \$615,000 per year. That, however, is so obviously absurd that it presumably is not meant to be taken literally. As such, we will focus on providing a total cost figure for storing and handling all of the data SMT is required to maintain.

First and foremost is the storage of electricity usage data. Being conservative, there are roughly 7 million smart meters, and for each meter SMT is expected to store 7 years of data. Each year of data is roughly 3MB. In total, this means that SMT is storing roughly 150TB of data. How much should this cost? Amazon Redshift, "a fast, full managed data warehouse", costs roughly \$1,000 per TB per year. All data is stored in an encrypted manner, and Amazon Redshift supports SSL-enabled connections between the client application and the data warehouse. Backups are generated automatically on a daily basis. In short, Redshift is an excellent solution for SMT's data storage purposes, and would only cost \$150,000 per year. This includes the cost of the processing power needed to query the data.

In addition, by storing the data in an efficient manner, it seems likely that the size of the data can be reduced dramatically. By way of example, the 3MB figure above is simply the size of the CSV file returned from a request for 12 months of 15-minute usage data. By deleting the ESIID column (i.e. not storing the ESIID number 36,000 times per year of usage data), the file size is reduced by 50%. In other words, the cost above could be reduced to \$75,000 per year. There are likely more opportunities for file size reduction, and therefore cost savings.

B. User Registration

The current registration system is bulky and pseudo-secure. Anyone can create an account for an address by reading the smart meter directly from the physical meter (which resides on the exterior of the building) and guessing REP for that address

(with unlimited chances to guess). The ESI ID is publicly available, and all other required fields are not specific to that address.

Clearly, registration is a difficult issue to solve, as it requires the submission of private information to which only the owner of that address has access, apart from the REP of Record. As we see it, there is only one solution to make a truly secure registration process, which consequently is a much more convenient process than having to look up a meter number and a provider.

This alternate registration process would only require two address-specific fields:, the ESI ID, and a SMT Registration Code (SMTRC). The SMTRC would be a string of characters (much like the Account Authorization Code currently used on SMT) delivered privately to an address every month through the electric bill. In effect, this amounts to a non-private field (ESI ID) and a private field (SMTRC), which resembles the typical username/password archetype. The monthly electric bill is the best method for sending the SMTRC, as it is the most universal and secure method of delivery. In addition, it could be printed right next to the ESI ID to make the registration process even simpler for users.

In order to ensure that a person who previously resided at an address cannot create an account for that address using an old SMTRC, the code for an address would change whenever that resident moved out. Of course, even if a prior resident of an address could create an account for that address (which wouldn't be possible with SMTRC cycling), this is an improvement over the current process, as this is entirely possible with the ESI ID + meter number + provider approach.

The difficulty of this approach lies in the initial implementation; a system will need to be put in place to distribute SMTRCs to REPs and making sure that electric bills include SMTRCs. However, the benefits in terms of security and ease of registration are entirely worth it.


C. Third Party Authorization

The third party authorization system is currently cumbersome and difficult to use (as described in Part I, Section C above), but an even more concerning issue is that it inherently introduces a data security flaw, which especially impacts the third parties that use automation to collect and assign usage data to users. Particularly, there is no built-in method to ensure that a user created in a third party's system should have access to an ESI ID's usage, since the third party requests are performed by ESI ID rather than by SMT user account.

Consider this example: a user creates an account on a third party website and provides the third party with his ESI ID. After establishing an agreement with the user, that third party makes a request to SMT using the user's ESI ID, but no other identifying fields. If ESI IDs were statically assigned to SMT users, this would work perfectly, but since users can move premises, this is not the case. With the ability to

move, the onus of data security is on the third party. If that user moves out of their premises, they should no longer have access to the data associated with an ESI ID. This occurs on SMT by removing the meter from that SMT account. However, what if the person who moves into that same premises also creates an account with that third party? The third party will have to disallow the first user to make requests on behalf of that ESI ID. This is possible, but in a third party website with hundreds of thousands of users who can move at any moment, this can be difficult to maintain. Furthermore, this should not even be a requirement of the third party to manage in the first place.

The solution here is to associate usage data not with an ESI ID, but with a user. If this required building a protocol from the ground up, this would be a very difficult task. Fortunately, this has already been done and is used by a plethora of different websites in the form of OAuth 2.0. There are plenty of online descriptions of OAuth 2.0 that describe how it works in much better detail than we can afford here. However, in short OAuth 2.0 works by a user giving an authorization grant to an application, which that application uses to receive an access token from the service API (in this case, SMT). This logic is detailed in the graphic below:



OAuth 2.0 is a tried-and-tested method of providing data access to third parties, all while ensuring that the user is truly the resource owner. This is built into the protocol, so it does not rely on third parties to keep up with which users own which resources. OAuth is the protocol that is being used when an application allows users to "Use Facebook/Twitter/Google Login". This would be a similar implementation, providing user/premises information to the third party as well as usage data.

Using OAuth 2.0 in this manner would resolve the current security flaw in third party access, and would have huge benefits in terms of user experience. It is somewhat surprising SMT does not already use this approach.

D. Providing Data Access

SMT's main function is to provide data access to various parties, but it serves this function poorly. In this section, we outline how the API should function, and explain that SMT's servers should easily be able to handle requests for usage data with ease.

i. Providing Data Access: API

To be at all useful to third parties, the API should be entirely redesigned using REST architectural principles. Being based on an FTPS exchange, the current API comes with a plethora of security requirements for the third party, such as a client SSL certificate and PGP key. These security features are inherently included in a RESTful API, assuming the SMT system uses a valid SSL certificate for requests to the API.

A third party would be given a secret API key, which is the only thing the third party would need to make a request to the API. This secret API key would determine whether the third party has access to a particular resource. The API would utilize predictable, resource oriented URLs. Making API calls to predictable, resource oriented URLs should be the primary method of requesting usage. This meets all usage cases, as it allows for maximum flexibility so that clients can decide for themselves what they want to do with the response data. The API should be able to return the data in multiple formats, including JSON, XML, and CSV, at the client's request.

The current API is badly out of date, does not even work on a Mac, is slow and overly complex, and offers limited functionality. The API outlined above is none of these things, and would allow for more immediate responses when requesting usage data. Making requests to an endpoint ensures that the data will be returned predictably, rather than having to poll an FTPS endpoint, or wait several minutes on an email containing usage data. This is very important for automated third party apps, where a user expects instant feedback upon establishing an agreement. It also is simply the minimum that should be expected of a modern API.

ii. Providing Data Access: Server Configuration

The final issue we would like to mention is server capacity for handling requests for usage data. As discussed further above, if SMT receives a few hundred requests for usage data, these requests will go into a queue that will take hours. There is no reason for this whatsoever. Amazon Redshift can handle 500 concurrent requests, and each request will be lightning fast. Of course, there is still the issue of transferring the data from the SMT server to the client, but that is the easy part

because the correct data has already been returned from the database. This could be handled by a simple Heroku app and the cost would be trivial.

III. Conclusion

The purpose of this report was to bring awareness to the fact that SMT is an out of date system that is deeply flawed and not built for purpose, and that the cost of SMT is excessive. SMT is far below the standard of what is expected of a modern data access system. The ideal system would cost less than what the TDUs are currently paying for SMT. As such, there is no justification for allowing the TDUs to pass the cost of SMT on to Texas electricity customers.