



Control Number: 48161



Item Number: 20

Addendum StartPage: 0

COMMISSION ADVISING & DOCKET MANAGEMENT  
OUTGOING COMMISSION-SIGNED ORDER  
MAIL LOG

RECEIVED  
DEC 20 AM 11:27  
PUBLIC UTILITY COMMISSION  
FILING CLERK

OPEN MEETING DATE: N/A

| DOCKET<br>NO. | STAFF     | NO. OF<br>PAGES | DATE ORDER<br>SIGNED |
|---------------|-----------|-----------------|----------------------|
| 48161         | Hunter B. | 8               | 12/20/18             |

TYPE OF ORDER: NOTICE OF APPROVAL

FILE STAMP DATE: 12/20/18 FILE STAMP TIME: 11:26 A.M. \_\_\_\_ P.M.


NOTE: IF THE ORDER IS PLACED IN THE MAIL AFTER 2:00 PM, ENTER THE NEXT BUSINESS DAY  
AS THE DATE THE ORDER WAS MAILED  
FIRST CLASS MAIL ONLY -- NO FED EX, AIRBORNE, UPS

CADM OUTGOING MAILBOX

DATE: 12/20/18 TIME \_\_\_\_ A.M. 1:30 P.M.

SIGNATURE

DATE



12-20-18

## SERVICE LIST

DOCKET NO. 48161

**APPLICATION OF CITY OF LOS FRESNOS AND EAST RIO HONDO WATER SUPPLY CORPORATION FOR APPROVAL OF A SERVICE AREA CONTRACT UNDER TEXAS WATER CODE § 13.248 AND TO AMEND CERTIFICATES OF CONVENIENCE AND NECESSITY IN CAMERON COUNTY**

| PARTIES                                 | REPRESENTATIVE/ADDRESS   |
|---|--|
| PUBLIC UTILITY COMMISSION               | LEGAL DIVISION<br>PUBLIC UTILITY COMMISSION<br>1701 N CONGRESS AVE STE 8-110<br>AUSTIN TX 78711<br>512-936-7260<br>512-936-7268 FAX  |
| CITY OF LOS FRESNOS                     | EMILY W ROGERS<br>JOSHUA D KATZ<br>BICKERSTAFF HEATH DELGADO<br>ACOSTA LLP<br>3711 S MOPAC EXPWY BLDG I STE 300<br>AUSTIN TX 78746<br>512 472-8021<br>512 320-5638 FAX<br><a href="mailto:erogers@bickerstaff.com">erogers@bickerstaff.com</a><br><a href="mailto:jkatz@bickerstaff.com">jkatz@bickerstaff.com</a> |
| EAST RIO HONDO WATER SUPPLY CORPORATION | RICHARD W FRYER ESQ<br>FRYER AND HANSEN PLLC<br>1352 WEST PECAN BLVD<br>MCALLEN TX 78501<br>956 686-6606<br>956-686-6601 FAX   |

Verified: 03/14/2018 dg; 3/15/18 krw; 4/16/18 krw; 6/29/18 ggo; 7/26/18 tw; 12/20/18 RDH

**Deadline for intervention 8/17/18 tw**