



Control Number: 48299



Item Number: 6

Addendum StartPage: 0

DOCKET NO. 48299

**APPLICATION OF LEVI WATER
SUPPLY CORPORATION TO AMEND
A WATER CERTIFICATE OF
CONVENIENCE AND NECESSITY IN
MCLENNAN AND FALLS COUNTIES**

§
§
§
§
§

**PUBLIC UTILITY COMMISSION
OF TEXAS**

2:29

**ORDER NO. 2
FINDING APPLICATION ADMINISTRATIVE INCOMPLETE
AND ESTABLISHING AN OPPORTUNITY TO CURE**

This Order addresses Commission Staff's recommendation on administrative completeness of the application filed by Levi Water Supply Corporation (Levi). Commission Staff recommends that the administrative law judge find the application deficient and provide Levi an opportunity to cure the deficiencies listed in the recommendation.


The administrative law judge finds that the application is incomplete and deficient. Under 16 Texas Administrative Code § 24.8(d), the Commission does not consider applications filed until it makes a determination of administrative completeness; thus, at this time the application is not considered filed with the Commission.

On or before June 18, 2018, Levi shall supplement the application to cure the deficiencies described by Commission Staff. Until the Commission receives and reviews the supplemental information, the application cannot proceed. Levi shall not issue notice until the application is administratively complete.

On or before July 18, 2018, Commission Staff shall file a supplemental recommendation regarding administrative completeness, along with a proposed procedural schedule, if appropriate.

Signed at Austin, Texas the 22nd day of May 2018.

PUBLIC UTILITY COMMISSION OF TEXAS



**MAYSON PEARSON
ADMINISTRATIVE LAW JUDGE**