



Control Number: 48791



Item Number: 6

Addendum StartPage: 0

DOCKET NO. 48791

APPLICATION OF PENDLETON
HARBOR WATER SUPPLY
CORPORATION AND G-M WATER
SUPPLY CORPORATION FOR SALE,
TRANSFER, OR MERGER OF
FACILITIES AND CERTIFICATE
RIGHTS IN SABINE COUNTY

§
§
§
§
§
§

PUBLIC UTILITY COMMISSION
OF TEXAS

RECEIVED
2018 NOV 28 PM 4:31
PUBLIC UTILITY COMMISSION
FILING CLERK

**ORDER NO. 2
FINDING APPLICATION INCOMPLETE
AND ESTABLISHING AN OPPORTUNITY TO CURE**

This Order addresses Commission Staff's November 14, 2018, recommendation on the administrative completeness of Pendleton Harbor Water Supply Corporation and G-M Water Supply Corporation's (applicants) application and proposed procedural schedule. Commission Staff recommended that the administrative law judge (ALJ) find the application deficient and provide the applicants with an opportunity to cure the deficiencies described in the recommendation.


The ALJ finds the application incomplete and deficient. Under 16 Texas Administrative Code § 24.8(d), the Commission does not consider an application filed until it has made a determination that the application is administratively complete. Thus, at this time the application is not considered filed with the Commission.

On or before December 17, 2018, the applicants must supplement the application to cure the deficiencies described in Commission Staff's recommendation. Until the Commission receives and reviews the supplemental information, the application cannot proceed. Applicants must not issue notice until the application is administratively complete.

On or before January 17, 2019, Commission Staff must file a supplemental recommendation regarding the administrative completeness of the application, along with a proposed procedural schedule, if appropriate.

Signed at Austin, Texas the 28th day of November 2018.

PUBLIC UTILITY COMMISSION OF TEXAS



MEAGHAN BAILEY
ADMINISTRATIVE LAW JUDGE

Q:\CADM\Docket Management\Water\STM\48XXX\48791-2 Insuff.docx