

Filing Receipt

Received - 2022-03-28 03:12:57 PM Control Number - 50563 ItemNumber - 50

DOCKET NO. 50563

§

\$ \$ \$ \$

APPLICATION OF THE CITY OF ALTON TO AMEND ITS SEWER CERTIFICATE OF CONVENIENCE AND NECESSITY IN HIDALGO COUNTY

PUBLIC UTILITY COMMISSION OF TEXAS

ORDER NO. 19

FINDING MAPPING DEFICIENT AND ESTABLISHING OPPORTUNITY TO CURE

On February 16, 2022, Commission Staff filed a supplemental recommendation on the amended maps. The City of Alton filed revised maps on January 20, 2022.

In Order No. 18, filed on February 18, 2022, the administrative law judge continued to find the supplemental mapping information deficient as detailed in the memorandum of Patricia Garcia attached to the supplemental recommendation. The ALJ set a deadline of March 18, 2022, for Alton to cure this deficiency. Alton has not done so, nor has it responded to Order No. 18. The ALJ adjusts the procedural schedule as follows. Alton's continued failure to respond or cure the deficiency may lead to a dismissal of this matter. The following procedural schedule applies:

Event	Date
Deadline for Alton to file amended maps in accordance with	April 11, 2022
Ms. Garcia's memorandum	
Deadline for Commission Staff to file a recommendation on	April 25, 2022
the amended maps, or file a final recommendation on the	
application if Alton does not either file amended maps or	
respond to order No. 19.	
Deadline for Commission Staff to provide final maps,	May 23, 2022
certificates, and tariffs (if applicable), to applicant for review	
and consent	
Deadline for Alton to file signed consent forms with the	June 6, 2022
Commission	
If no hearing is requested, deadline for Commission Staff to	June 20, 2022
file a final recommendation on the application	
If no hearing is requested, deadline for parties to file joint	July 11, 2022
proposed findings of fact and conclusions of law	

Signed at Austin, Texas the 28th day of March 2022.

PUBLIC UTILITY COMMISSION OF TEXAS

S-1.

GREGORY R. SIEMANKOWSKI ADMINISTRATIVE LAW JUDGE

 $\label{eq:CADM} Q:\CADM\Docket\ Management\Water\CCN\50xxx\50563-19\ def\ mapping_cure.docx$