

Control Number: 50596

Item Number: 32

Addendum StartPage: 0



Public Utility Commission of Texas

Annual Report
Required by 16 Texas Admin. Code § 25.97(f)

Required by 16 Texas Admin. Code § 25.

PROJECT NO. 49827-50596

AFFECTED ENTITY: Floresville Electric Light & Power System

General Information

Pursuant to 16 Texas Admin. Code § 25.97(f)(1), not later than May 1 of each year, each affected entity must submit this report for the preceding calendar year. The first report must be submitted not later than May 1, 2020.

Instructions

Answer all questions, fill-in all blanks, and have the report notarized in the affidavit. If you check no in part 1.a, leave parts 1.b-d blank.

Violations resulting from, and incidents, fatalities, or injuries attributable to a violation resulting from, a natural disaster, weather event, or man-made act or force outside of an affected entity's control are not required to be reported.

Affidavit

A representative of the affected entity must swear to and affirm the truthfulness, correctness, and completeness of the information provided by attaching a signed and notarized copy of the Affidavit provided with this form.

Filing Instructions

Submit four copies (an original and three copies) of the completed form and signed and notarized Affidavit to:

Central Records Filing Clerk Public Utility Commission of Texas 1701 N. Congress Avenue P.O. Box 13326 Austin, Texas 78711-3326 Telephone: (512) 936-7180

40

Page 1 of 6

1. This part applies only to an affected entity that owns or operates overhead transmission facilities greater than 60 kilovolts.
a) Does this part 1 apply to you? Yes 🔽 No 🔙
b) Provide the number of identified occurrences of noncompliance with Public Utility Regulatory Act (PURA) § 38.004 regarding vertical clearance requirements of the National Electrical Safety Code (NESC) for overhead transmission facilities.
Floresville Electric Light & Power System has identified no occurrences of noncompliance with Public Utility Regulatory Act (PURA) § 38.004 regarding vertical clearance requirements of the National Electrical Safety Code (NESC) for overhead transmission facilities in CY2019

	c)) Do you have actual knowledge that any portion of your transmission syst								system	1 15
		not in	compliance	with	PURA	§	38.004	regarding	vertical	clearar	ıce
		requirer	ments of the N	NESC 1	for overl	neac	l transmi	ssion facilit	ties?		
loresvil	lle E	Electric Li	ght & Power S	ystem ((FELPS)	has	no knowl	edge that ar	y portion c	f the	

Floresville Electric Light & Power System (FELPS) has no knowledge that any portion of the FELPS transmission system is not in compliance with PURA § 38.004 regarding vertical clearance requirements of the NESC for overhead transmission facilities

d) Do you have actual knowledge of any violations of easement agreements with the United States Army Corps of Engineers relating to PURA § 38.004 regarding vertical clearance requirements of the NESC for overhead transmission facilities?

Floresville Electric Light & Power System has no knowledge of any violations of easement agreements with the United States Army Corps of Engineers relating to PURA § 38.004 regarding vertical clearance requirements of the NESC for overhead transmission facilities.

Annual Report Form Last Updated in Project No. 49827

- 2. This part applies to an affected entity that owns or operates overhead transmission facilities greater than 60 kilovolts or distribution facilities greater than 1 kilovolt.
 - a) Provide the number of fatalities or injuries of individuals other than employees, contractors, or other persons qualified to work in proximity to overhead high voltage lines involving transmission or distribution assets related to noncompliance with the requirements of PURA § 38.004.

There were "zero" fatalities or injuries of individuals other than employees, contractors, or other persons qualified to work in proximity to overhead high voltage lines involving transmission or distribution assets related to noncompliance with the requirements of PURA § 38 004

Annual Report Form Last Updated in Project No. 49827

reoccurrence of fatalities	es or injuries described in subpart a), immediately above.
Not Applicable (N/A).	

b) Provide a description of corrective actions taken or planned to prevent the

AFFIDAVIT

I swear or affirm that I have personal knowledge of the facts stated in this report or am relying on people with personal knowledge, that I am competent to testify to them, and that I have the authority to submit this report on behalf of the affected entity. I further swear or affirm that all statements made in this report are true, correct, and complete.

Winston G. Low
Printed Name

Chief Executive Officer
Job Title

Floresville Electric Light & Power System

Name of Affected Entity

Sworn and subscribed before me this 20th day of 4pn/ , 2020

Month Yea

Month Yea

Notary Public in and For the State of 1exas .

My commission expires on 06/01/21 .

