



## **Filing Receipt**

**Filing Date - 2024-07-16 08:25:54 AM**

**Control Number - 51764**

**Item Number - 45**

**DOCKET NO. 51764**

<b>COMPLIANCE FILING FOR</b>	<b>§</b>	<b>PUBLIC UTILITY COMMISSION</b>
<b>DOCKET 49758 (APPLICATION OF</b>	<b>§</b>	
<b>MARK PATTERSON FOR</b>	<b>§</b>	<b>OF TEXAS</b>
<b>TEMPORARY RATES FOR A</b>	<b>§</b>	
<b>NONFUNCTIONING UTILITY)</b>	<b>§</b>	

**COMMISSION STAFF'S RESPONSE TO ORDER NO. 22**

**I. BACKGROUND**

On January 26, 2021, the Office of Policy and Docket Management (OPDM) opened a compliance filing for Docket No. 49758. In Docket No. 49758,<sup>1</sup> Mark Patterson requested temporary rates under Texas Water Code (TWC) § 13.046 and 16 Texas Administrative Code (TAC) § 24.363 for Oak Shores Water System (Oak Shores). On February 12, 2021, the Commission entered an order and approved modified rates that allowed recovery of compensation for the temporary manager through a separate rate and not as part of the minimum monthly charge or volumetric charge. According to the final order dated February 12, 2021, reconciliation of the temporary rates will begin following the filing of the final report, upon the request of the Staff (Staff) of the Public Utility Commission, or as directed by the Commission.

On June 28, 2024, the administrative law judge (ALJ) filed Order No. 22, requiring Staff to file by July 16, 2024 a recommendation regarding the authority under which the Commission can authorize the temporary rates and tap fees without a base rate proceeding. Therefore, this pleading is timely filed.

**II. RECOMMENDATION**

Following a review of the relevant Commission rules, governing statutes, and case law, Staff concludes that there exists no authority under which the Commission can approve the temporary rates and tap fees to continue absent a base rate proceeding. Accordingly, Staff attached the tariff approved by the Texas Commission on Environmental Quality on February 5, 2013 as the most recent approved tariff.

---

<sup>1</sup> *Application of Mark Patterson for Temporary Rates for Temporary Rates for a Nonfunctioning Utility*, Docket No. 49758, Order (Feb. 12, 2021).

### **III. CONCLUSION**

For the reasons discussed above, Staff respectfully recommends that the foregoing information be taken into consideration.

Dated: July 16, 2024

Respectfully submitted,

#### **PUBLIC UTILITY COMMISSION OF TEXAS LEGAL DIVISION**

Marisa Lopez-Wagley  
Division Director

/s/ John York Harrison  
John York Harrison  
Senior Managing Attorney  
State Bar No. 24097806  
1701 N. Congress Avenue  
P.O. Box 13326  
Austin, Texas 78711-3326  
(512) 936-7277  
(512) 936-7268 (facsimile)  
John.Harrison@puc.texas.gov

**DOCKET NO. 51764**

#### **CERTIFICATE OF SERVICE**

I certify that, unless otherwise ordered by the presiding officer, notice of the filing of this document was provided to all parties of record via electronic mail on July 16, 2024, in accordance with the Second Order Suspending Rules, filed in Project No. 50664.

/s/ John York Harrison  
John York Harrison

## **WATER UTILITY TARIFF FOR**

David A. Fenoglio aka Oak Shores Water System  
dba Montague Water Systems  
(Utility Name)

P.O. Box 418  
(Business Address)

Montague, Texas 76251  
(City, State, Zip Code)

(940) 894-3381  
(Area Code/Telephone)

This tariff is effective for utility operations under the following Certificate of Convenience and Necessity:

11779

This tariff is effective in the following county (ies):

Montague

This tariff is effective in the following cities or unincorporated towns (if any):

None

This tariff is effective for the following subdivisions or systems:

Sunset Water System: PWS #1690007

The above utility lists the following sections of its tariff (if additional pages are needed for a section, all pages should be numbered consecutively):

### **TABLE OF CONTENTS**

SECTION 1.0 – RATE SCHEDULE.....	2
SECTION 2.0 – SERVICE RULES AND POLICIES.....	3
SECTION 3.0 – EXTENSION POLICY.....	8
SECTION 4.0 – DROUGHT CONTINGENCY PLAN.....	10
APPENDIX A – SAMPLE SERVICE AGREEMENT	
APPENDIX B – APPLICATION FOR SERVICE	

TEXAS COMM. ON ENVIRONMENTAL QUALITY  
37046-S, CCN 11779, FEBRUARY 5, 2013  
APPROVED TARIFF BY SPDL

SECTION 1.0--RATE SCHEDULE

Section 1.01--Rates

METER SIZE	Monthly Minimum Charge	Gallonage Charge
5/8" or 3/4"	\$ <u>20.00</u> (INCLUDING 1,000 GALLONS)	\$ <u>2.00</u>
1"	\$ <u>25.00</u> (INCLUDING 0 GALLONS)	PER 1000 GALLONS
1 1/2"	\$ <u>30.00</u> (INCLUDING 0 GALLONS)	
2"	\$ <u>40.00</u> (INCLUDING 0 GALLONS)	
3"	\$ <u>45.00</u> (INCLUDING 0 GALLONS)	
4"	\$ <u>60.00</u> (INCLUDING 0 GALLONS)	
6"	\$ <u>100.00</u> (INCLUDING 0 GALLONS)	

Section 1.02--Miscellaneous Fees

TAP FEE.....\$ 250.00

TAP FEE IS BASED ON THE AVERAGE OF THE UTILITY'S ACTUAL COST FOR MATERIALS AND LABOR FOR STANDARD RESIDENTIAL CONNECTION OF 5/8" or 3/4" METER. TAP FEE FOR SERVICE CONNECTIONS REQUIRING METERS LARGER THAN 3/4" SHALL BE LIMITED TO THE ACTUAL COST OF MAKING THE INDIVIDUAL SERVICE CONNECTION.

RECONNECTION FEE

THE RECONNECT FEE WILL BE CHARGED BEFORE SERVICE CAN BE RESTORED TO A CUSTOMER WHO HAS BEEN DISCONNECTED FOR THE FOLLOWING REASONS:

- a) Non payment of bill (Maximum \$25.00).....\$ 25.00
- b) Customer's request  
OR OTHER REASONS LISTED UNDER SECTION 2.0 OF THIS TARIFF
  - 1) Standard reconnect fee.....\$ 35.00
  - 2) After hours or weekend reconnect fee.....\$ 50.00

LATE CHARGE \$ 2.00 OR 5%

A ONE TIME PENALTY MAY BE MADE ON DELINQUENT BILLS BUT MAY NOT BE APPLIED TO ANY BALANCE TO WHICH THE PENALTY WAS APPLIED IN A PREVIOUS BILLING.

RETURNED CHECK CHARGE.....\$ 15.00  
TRANSFER FEE.....\$ 25.00  
CUSTOMER DEPOSIT (Maximum \$50).....\$ 50.00  
METER TEST FEE (actual cost of testing the meter up to).....\$ 25.00

THIS FEE MAY BE CHARGED IF A CUSTOMER REQUESTS A SECOND METER TEST WITHIN A TWO YEAR PERIOD AND THE TEST INDICATES THAT THE METER IS RECORDING ACCURATELY.

RATES LISTED ARE EFFECTIVE ONLY IF  
THIS PAGE HAS TWC APPROVAL STAMP

TEXAS WATER COMMISSION	
<b>APPROVED</b>	
DATE <u>11-6-89</u>	DOCKET <u>8050-R</u>
FILE <u>11779</u>	BY <u>DH</u>
TARIFF CLERK	

FEB 28 1991

**Model Drought Contingency Plan**

**DROUGHT CONTINGENCY PLAN  
FOR THE  
INVESTOR OWNED UTILITY**

SUNSET WATER SYSTEM

(Name of utility)

P.O. Box 418 MONTAGUE TX 76251  
(Address, City, Zip Code)

11779

(CCN#)

1690007

(PWS #s)

1 MARCH 2002

(Date)

**Section 1 Declaration of Policy, Purpose, and Intent**

In cases of extreme drought, periods of abnormally high usage, system contamination, or extended reduction in ability to supply water due to equipment failure, temporary restrictions may be instituted to limit non-essential water usage. The purpose of the Drought Contingency Plan is to encourage customer conservation in order to maintain supply, storage, or pressure or to comply with the requirements of a court, government agency or other authority.

**Please note:** Water restriction is not a legitimate alternative if water system does not meet the Texas Natural Resource Conservation Commission's (TNRCC) capacity requirements under normal conditions or if the utility fails to take all immediate and necessary steps to replace or repair malfunctioning equipment.

I DAVID A. FENOGLIO (Please print name), being the responsible official  
for SUNSET WATER SYSTEM (Name of utility), request a minor tariff  
amendment to include the enclosed Drought Contingency Plan.

David A. Fenoglio\*  
(Signature)

03-03-02  
(Date)

RECEIVED

TEXAS NATURAL RESOURCE CONSERVATION COMMISSION  
Model Drought Contingency Plan for IOUs - 6/25/01

CCN 11779 JUN 05 '02

APPROVED TARIFF BY lmf/ed

MAR 12 2002  
WATER RIGHTS PERMITTING

## Section 2 Public Involvement

Opportunity for the public to provide input into the preparation of the Plan was provided by:  
(check at least one of the following)

☐ *scheduling and providing public notice of a public meeting to accept input on the Plan.*

The meeting took place at:

Date: \_\_\_\_\_ Time: \_\_\_\_\_ Location: \_\_\_\_\_

☐ *mailed survey with summary of results. (attach survey and results)*

☐ *bill insert inviting comment. (attach bill insert)*

☒ *other method* Notice by mail

## Section 3 Public Education

The \_\_\_\_\_ (*name of utility*) will periodically provide the public with information about the Plan, including information about the conditions under which each stage of the Plan is to be initiated or terminated and the drought response measures to be implemented in each stage.

Drought plan information will be provided by:

(check at least one of the following)

☐ *public meeting*

☐ *press releases*

☒ *utility bill inserts*

☐ *other* \_\_\_\_\_

## Section 4 Coordination with Regional Water Planning Groups

The service area of the SUNSET WATER System (*name of your utility*) is located within:

Regional Water Planning Group (RWPG) B

SUNSET WATER System (*name of your utility*) has mailed a copy of this Plan to the RWPG.

## **Section 5 Notice Requirements**

Written notice will be provided to each customer prior to implementation or termination of each stage of the water restriction program. Mailed notice must be given to each customer 72 hours prior to the start of water restriction. If notice is hand delivered, the utility cannot enforce the provisions of the plan for 24 hours after notice is provided. The written notice to customers will contain the following information:

1. the date restrictions will begin,
2. the circumstances that triggered the restrictions,
3. the stages of response and explanation of the restrictions to be implemented, and,
4. an explanation of the consequences for violations.

The utility must notify the TNRCC by telephone at (512) 239- 6020, or electronic mail at [watermon@tnrcc.state.tx.us](mailto:watermon@tnrcc.state.tx.us) prior to implementing Stage III and must notify in writing the Public Drinking Water Section at MC - 155, P.O. Box 13087, Austin, Texas 78711-3087 within five (5) working days of implementation including a copy of the utility's restriction notice. The utility must file a status report of its restriction program with the TNRCC at the initiation and termination of mandatory water use restrictions (i.e. Stages III and IV).

## **Section 6 Violations**

1. First violation - The customer will be notified by written notice of their specific violation.
2. Subsequent violations:
  - a. After written notice, the utility may install a flow restricting device in the line to limit the amount of water which will pass through the meter in a 24 hour period. The utility may charge the customer for the actual cost of installing and removing the flow restricting device, not to exceed \$50.00.
  - b. After written notice, the utility may discontinue service at the meter for a period of seven (7) days, or until the end of the calendar month, whichever is LESS. The normal reconnect fee of the utility will apply for restoration of service.

## **Section 7 Exemptions or Variances**

The utility may grant any customer an exemption or variance from the drought contingency plan for good cause upon written request. A customer who is refused an exemption or variance may appeal such action of the utility in writing to the Texas Natural Resource Conservation Commission. The utility will treat all customers equally concerning exemptions and variances, and shall not discriminate in granting exemptions and variances. No exemption or variance shall be retroactive or otherwise justify any violation of this Plan occurring prior to the issuance of the variance.

## Section 8 Response Stages

Unless there is an immediate and extreme reduction in water production, or other absolute necessity to declare an emergency or severe condition, the utility will initially declare Stage I restrictions. If, after a reasonable period of time, demand is not reduced enough to alleviate outages, reduce the risk of outages, or comply with restrictions required by a court, government agency or other authority, Stage II may be implemented with Stage III to follow if necessary.

### STAGE I - CUSTOMER AWARENESS

Stage 1 will begin:

**Every April 1<sup>st</sup>, the utility will mail a public announcement to its customers.**

**No notice to TNRCC required.**

Stage 1 will end:

**Every September 30<sup>th</sup>, the utility will mail a public announcement to its customers.**

**No notice to TNRCC required.**

#### Utility Measures:

This announcement will be designed to increase customer awareness of water conservation and encourage the most efficient use of water. A copy of the current public announcement on water conservation awareness shall be kept on file available for inspection by the TNRCC.

#### Voluntary Water Use Restrictions:

Water customers are requested to voluntarily limit the use of water for non-essential purposes and to practice water conservation.

### STAGE II - VOLUNTARY WATER CONSERVATION:

The water utility will implement Stage 2 when any one of the selected triggers is reached:

Supply-Based Triggers (check at least one and fill in the appropriate value)

- ☐ Well level reaches \_\_\_\_\_ ft. mean sea level (m.s.l.)
- ☐ Overnight recovery rate reaches \_\_\_\_\_ ft.
- ☐ Reservoir elevation reaches \_\_\_\_\_ ft. (m.s.l.)
- ☐ Stream flow reaches \_\_\_\_\_ cfs at USGS gage # \_\_\_\_\_
- ☐ Wholesale supplier's drought Stage 2 \_\_\_\_\_
- ☐ Annual water use equals \_\_\_\_\_ % of well permit/Water Right/purchased water contract amount.
- ☒ Other PRODUCTION LIMITATIONS

Demand- or Capacity-Based Triggers (check at least one and fill in the appropriate value)

- ☐ Drinking water treatment as % of capacity \_\_\_\_\_ %
- ☐ Total daily demand as % of pumping capacity \_\_\_\_\_ %
- ☐ Total daily demand as % of storage capacity \_\_\_\_\_ %
- ☐ Pump hours per day \_\_\_\_\_ hrs.
- ☒ Production or distribution limitations.
- ☐ Other \_\_\_\_\_

**Upon initiation and termination of Stage 2, the utility will mail a public announcement to its customers. No notice to TNRCC required.**

Requirements for termination

Stage 2 of the Plan may end when all of the conditions listed as triggering events have ceased to exist for a period of three (3) consecutive days. Upon termination of Stage 2, Stage 1 becomes operative.

Utility Measures:

Visually inspect lines and repair leaks on a daily basis. Monthly review of customer use records and follow-up on any that have unusually high usage.

*Describe additional measures, if any, to be implemented directly by the utility to manage limited water supplies and/or reduce water demand. Examples include: reduced or discontinued flushing of water mains, activation and use of an alternative supply source(s); use of reclaimed water for non-potable purposes.*

The second water source for SUNSET Water System (name of utility) is:  
(check one)

- ☐ Other well
- ☐ Inter-connection with other system
- ☒ Purchased water
- ☒ Other HAVIL Water

Voluntary Water Use Restrictions:

1. Restricted Hours: Outside watering is allowed daily, but only during periods specifically described in the customer notice; between 10:00 PM and 5:00 AM for example; **OR**
2. Restricted Days/Hours: Water customers are requested to voluntarily limit the irrigation of landscaped areas with hose-end sprinklers or automatic irrigation systems. Customers are requested to limit outdoor water use to **Mondays for water customers with a street address ending with the numbers 1, 2, or 3, Wednesdays for water customers with a street address ending with the numbers 4, 5, or 6, and Fridays for water customers with a street address ending with the numbers 7, 8, 9, or 0.** Irrigation of

3. Other uses that waste water such as water running down the gutter.

**The water utility will implement Stage 3 when any one of the selected triggers is reached:**

☐ Well level reaches \_\_\_\_\_ ft. (m.s.l.)  
☐ Overnight recovery rate reaches \_\_\_\_\_ ft.  
☐ Reservoir elevation reaches \_\_\_\_\_ ft. (m.s.l.)  
☐ Stream flow reaches \_\_\_\_\_ cfs at USGS gage # \_\_\_\_\_  
☐ Wholesale supplier's drought Stage 3 \_\_\_\_\_  
☐ Annual water use equals \_\_\_\_\_ % of well permit/Water Right/purchased water contract amount.  
☒ Other Production Limitations

- ☐ Drinking water treatment as % of capacity \_\_\_\_\_ %
- ☐ Total daily demand as % of pumping capacity \_\_\_\_\_ %
- ☐ Total daily demand as % of storage capacity \_\_\_\_\_ %
- ☐ Pump hours per day \_\_\_\_\_ hrs.
- ☒ Production or distribution limitations.
- ☐ Other \_\_\_\_\_

Stage 3 of the Plan may end when all of the conditions listed as triggering events have ceased to exist for a period of three (3) consecutive days. Upon termination of Stage 3, Stage 2 becomes operative.

Visually inspect lines and repair leaks on a regular basis. Flushing is prohibited except for dead end mains.

*Describe additional measures, if any, to be implemented directly by the utility to manage limited water supplies and/or reduce water demand. Examples include: activation and use of an alternative supply source(s); use of reclaimed water for non-potable purposes; offering low-flow fixtures and water restrictors.*

**Mandatory Water Use Restrictions:** The following water use restrictions shall apply to all customers.

1. Irrigation of landscaped areas with hose-end sprinklers or automatic irrigation systems shall be limited to Mondays for water customers with a street address ending with the numbers 1, 2, or 3, Wednesdays for water customers with a street address ending with the numbers 4, 5, or 6, and Fridays for water customers with a street address ending with the numbers 7, 8, 9, or 0. Irrigation of landscaped areas is further limited to the hours of 12:00 midnight until 10:00 a.m. and between 8:00 p.m. and 12:00 midnight on designated watering days. However, irrigation of landscaped areas is permitted at anytime if it is by means of a hand-held hose, a faucet filled bucket or watering can of five (5) gallons or less, or drip irrigation system.
2. Use of water to wash any motor vehicle, motorbike, boat, trailer, airplane or other vehicle is prohibited except on designated watering days between the hours of 12:00 midnight and 10:00 a.m. and between 8:00 p.m. and 12:00 midnight. Such washing, when allowed, shall be done with a hand-held bucket or a hand-held hose equipped with a positive shutoff nozzle for quick rinses. Vehicle washing may be done at any time on the immediate premises of a commercial car wash or commercial service station. Further, such washing may be exempted from these regulations if the health, safety, and welfare of the public is contingent upon frequent vehicle cleansing, such as garbage trucks and vehicles used to transport food and perishables.
3. Use of water to fill, refill, or add to any indoor or outdoor swimming pools, wading pools, or "jacuzzi" type pools is prohibited except on designated watering days between the hours of 12:00 midnight and 10:00 a.m. and between 8 p.m. and 12:00 midnight.
4. Operation of any ornamental fountain or pond for aesthetic or scenic purposes is prohibited except where necessary to support aquatic life or where such fountains or ponds are equipped with a recirculation system.
5. Use of water from hydrants or flush valves shall be limited to maintaining public health, safety, and welfare.
6. Use of water for the irrigation of golf courses, parks, and green belt areas is prohibited except by hand held hose and only on designated watering days between the hours 12:00 midnight and 10:00 a.m. and between 8:00 p.m. and 12:00 midnight.
7. The following uses of water are defined as non-essential and are prohibited:

- a. wash down of any sidewalks, walkways, driveways, parking lots, tennis courts, or other hard-surfaced areas;
- b. use of water to wash down buildings or structures for purposes other than immediate fire protection;
- c. use of water for dust control;
- d. flushing gutters or permitting water to run or accumulate in any gutter or street;
- e. failure to repair a controllable leak(s) within a reasonable period after having been given notice directing the repair of such leak(s); and
- f. Any waste of water.

#### **STAGE IV - CRITICAL WATER USE RESTRICTIONS:**

The water utility will implement Stage 4 when any one of the selected triggers is reached:

Supply-Based Triggers (check at least one and fill in the appropriate value)

- ☐ Well level reaches \_\_\_\_\_ ft. (m.s.l.)
- ☐ Overnight recovery rate reaches \_\_\_\_\_ ft.
- ☐ Reservoir elevation reaches \_\_\_\_\_ ft. (m.s.l.)
- ☐ Stream flow reaches \_\_\_\_\_ cfs at USGS gage # \_\_\_\_\_
- ☐ Wholesale supplier's drought Stage 4 \_\_\_\_\_
- ☐ Annual water use equals \_\_\_\_\_ % of well permit/Water Right/purchased water contract amount.
- ☒ Supply contamination (see page 9).
- ☐ Other \_\_\_\_\_

Demand- or Capacity-Based Triggers (check at least one and fill in the appropriate value)

- ☐ Drinking water treatment as % of capacity \_\_\_\_\_ %
- ☐ Total daily demand as % of pumping capacity \_\_\_\_\_ %
- ☐ Total daily demand as % of storage capacity \_\_\_\_\_ %
- ☐ Pump hours per day \_\_\_\_\_ hrs.
- ☒ Production or distribution limitations.
- ☐ System outage (see page 9).
- ☐ Other \_\_\_\_\_

**Upon initiation and termination of Stage 4, the utility will mail a public announcement to its customers. Notice to TNRCC required.**

#### **Requirements for termination :**

Stage 4 of the Plan may be rescinded when all of the conditions listed as triggering events have ceased to exist for a period of three (3) consecutive days. Upon termination of Stage 4, Stage 3 becomes operative.

#### **Operational Measures:**

11/11/01 10:00 AM  
 [Signature]

The utility shall visually inspect lines and repair leaks on a daily basis. Flushing is prohibited except for dead end mains and only between the hours of 9:00 p.m. and 3:00 a.m.. Emergency interconnects or alternative supply arrangements shall be initiated. All meters shall be read as often as necessary to insure compliance with this program for the benefit of all the customers. *Describe additional measures, if any, to be implemented directly to manage limited water supplies and/or reduce water demand.*

**Mandatory Water Use Restrictions:** All outdoor use of water is prohibited.

1. Irrigation of landscaped areas is absolutely prohibited.
2. Use of water to wash any motor vehicle, motorbike, boat, trailer, airplane or other vehicle is absolutely prohibited.

**SYSTEM OUTAGE or SUPPLY CONTAMINATION**

Notify TNRCC Regional Office immediately.

APPROVED: \_\_\_\_\_  
DATE: 12/15/05  
BY: [Signature]

Kathleen Hartnett White, *Chairman*  
 R. B. "Ralph" Marquez, *Commissioner*  
 Larry R. Soward, *Commissioner*  
 Margaret Hoffman, *Executive Director*



## TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

*Protecting Texas by Reducing and Preventing Pollution*  
 January 15, 2004

Montague Water Systems  
 PO Box 418  
 Montague, TX 76251

Re: Montague Water Systems, CCN No. 11779 CN:600642011 RN:101196525  
 Oak Shores Development Company, CCN No. 11535 CN:600686604 RN:101251692

Dear Sir or Madam:

Based on a review of Texas Commission on Environmental Quality (TCEQ) records we have updated our information on the referenced Certificates of Convenience and Necessity (CCN) as follows:

### CCN No. 11779:

Revised	From	To	See Order Dated
Utility Name	Sunset Water System	Montague Water Systems	July 18, 1984
CCN Holder	Sunset Water System	Oak Shores Water System	
Status	Active	(No change.)	
Utility Type	Investor	(No change.)	

### CCN No. 11535:

Revised	From	To	See Order Dated
Utility Name	Oak Shores Water System	Oak Shores Development Company	May 15, 1979
CCN Holder	Oak Shores Water System	[Deleted]	July 18, 1984
Status	Inactive	Cancelled	
Utility Type	Misc/Unknown	Investor	May 15, 1979

No action is required on your part unless you have questions or amendments on any of the changes noted above or on any of the information shown on the enclosed "Utility Summary Reports". If you do have questions or additional changes, please call me at 512/239-6112.

Sincerely,

Kate Wilkins  
 Utilities Financial Review Team  
 Water Supply Division

### Enclosures


P.O. Box 13087 • Austin, Texas 75711-3057 • 512/239-1000 • Internet address: [www.tceq.state.tx.us](http://www.tceq.state.tx.us)

CCN 11779 W-38-3

Any customer dissatisfied with the utility's resolution of a complaint may file a complaint with: The Public Utility Commission of Texas, 7800 Shoal Creek Blvd., Suite 450N, Austin, Texas 78757.

The operation of a water system including service standards and billing practices must comply with the Commission's Substantive Rules, a copy of which may be secured for a nominal printing cost.

UTILITY EMPLOYEES SHALL LEND ASSISTANCE TO ANYONE INQUIRING OR SEEKING INFORMATION AND AFFORD TO THEM AN OPPORTUNITY TO EXAMINE THIS TARIFF.



# WATER UTILITY TARIFF

for

MONTAGUE WATER SYSTEMS Box 416  
(Utility Name) (Business Address)

MONTAGUE TEXAS 76251 817-894-3172  
(City) (State) (Zip) (Area Code) Phone

The above utility operates a water system in the following counties: MONTAGUE


and the following cities, unincorporated towns and subdivisions (if any):

SUNSET MONTAGUE

## TABLE OF CONTENTS

The above utility lists the following sections of its tariff (if additional pages are needed for a section, all pages should be numbered consecutively):

Section	Page
A Rate Schedule	2
B Service Rules and Regulations	
C Extension Policy	
Appendix	



FILMED  
DEC 12 1986  
SYSTEM 200

The Appendix contains a sample of each service agreement form used by the above utility and a condensation of Substantive Rules of the Commission.

CCN pending # 4966