



Filing Receipt

Received - 2022-07-07 02:51:39 PM
Control Number - 52299
ItemNumber - 1511

SMITH, MURDAUGH, LITTLE & BONHAM, L.L.P.

JAMES D. BONHAM
LORI G. AYLETT
WM. SCOTT SMITH
G. TAYLOR GOODALL, JR.
J. DAVIS BONHAM, JR.
JENNIFER B. SEIPEL
MELISSA J. PARKS
DOUGLAS C. McNIEL

ATTORNEYS AT LAW
2727 ALLEN PARKWAY
SUITE 1100
HOUSTON, TEXAS 77019
713/652-6500
TELECOPIER 713/652-6515

CYRIL J. SMITH
(1904-1982)
HERMAN I. LITTLE, JR.
(1944-2012)
W. JAMES MURDAUGH, JR.
(Retired)
PAUL S. RADICH
OF COUNSEL

July 7, 2022

CenterPoint Energy
P. O. Box 4567
Houston, TX 77210-45467

Mr. Clinton Ladd
Intelligence and Counterterrorism Division
Texas Department of Public Safety
Clinton.ladd@dps.texas.gov

The Honorable Lina Hidalgo
Harris County Office of Homeland Security and
Emergency Management
6922 Old Katy Road
Houston, TX 77024

MP2 Energy LLC
21 Waterway Ave., #450
The Woodlands, Texas 77380
Attn: General Counsel

Public Utility Commission of Texas
(filed electronically via PUC Interchange)

Re: Timber Lane Utility District - Annual Update – Critical Load Status

Dear Sirs,

By letters dated January 13, 2012, November 13, 2012, November 15, 2013, December 2, 2014, July 10, 2015, June 9, 2016, December 15, 2017, September 10, 2018, August 9, 2019, June 30, 2020 and July 12, 2021 we submitted certain emergency operations information, pursuant to Section 13.1396, Texas Water Code, for the facilities noted below. **THIS IS THE DISTRICT'S ANNUAL UPDATE. The changes from last year's submission are highlighted below.**

District Facilities Qualifying for Critical Load Status Include:

1.

ESI-ID: 1008901016900125760107

Description: Wastewater Treatment Plant

Location/Service Address: 22801 ½ Grand Rapids Ln A., Spring, Texas 77373

July 7, 2022

Page 2

2.

ESI-ID: 1008901018548101195100

Description: Water Plant #1

Location/Service Address: 2611-1/2 Ciderwood Dr., Spring, TX 77373

3.

ESI-ID: 1008901019548180515100

Description: Water Plant #2

Location/Service Address: 2519 Peaceful Valley, Spring, Texas 77373

4.

ESI-ID: 1008901019548405199100

Description: Water Plant #3

Location/Service Address: 23702 Pebworth, Spring, Texas 77373

5.

ESI-ID: 1008901020900103500107

Description: Water Plant #4

Location/Service Address: 21670 ½ Aldine Westfield Rd., Humble, TX 77338

6.

ESI-ID: 1008901023806984690100

Description: Lift Station #1

Location/Service Address: 3106 ½ Running River Dr., Spring, TX 77373

7.

ESI-ID: 1008901023806984310100

Description: Lift Station #2

Location/Service Address: 22930 Whitaker Way, Spring, TX 77373

8.

ESI-ID: 1008901023814352850103

Description: Lift Station #3

Location/Service Address: 2223 ½ Prairie Forest Tr., Spring, TX 77373

9.

ESI-ID: 1008901023814941030104

Description: Lift Station #4

Location/Service Address: 1904 ½ NapleCHASE Crest Drive, Spring, TX 77373

July 7, 2022

Page 3

10.

ESI-ID: 1008901023814854950104

Description: Lift Station #5

Location/Service Address: 22011 ½ Aldine Westfield Rd., Spring, TX 77373

11.

ESI-ID: 1008901023815617310104

Description: Lift Station #6

Location/Service Address: 23115 ½ W. Hardy Rd., Spring, TX 77373

12.

ESI-ID: 1008901023815542220104

Description: Lift Station #7

Location/Service Address: 2721 ½ Trailing Vine, Spring, TX 77373

13.

ESI-ID: 1008901023815384790104

Description: Lift Station #8

Location/Service Address: 2955 ½ Mesquite Ridge Dr., Houston, TX 77073

14.

ESI-ID: 1008901023816122340105

Description: Storm Water Pump Station

Location/Service Address: 2721 ½ Trailing Vine Rd., Spring, TX 77373

15.

ESI-ID: 1008901020900797850114

Description: Lift Station #9 (Werrington)

Location/Service Address: 21922 ½ Werrington Way, Spring, TX 77373

16.

ESI-ID: 1008901023806399110100

Description: Lift Station #10

Location/Service Address: 21246½ Aldine Westfield Road, Humble, Texas 77338

17.

ESI-ID: 1008901025000126060120

Description: Lift Station #12

Location/Service Address: 3134-½ Hirschfield Road, Spring, Texas 77373

July 7, 2022

Page 4

District Primary Emergency Contact

Name: Mark Ivy

Work Number: 281-651-1618

Home Number: 713-829-3288 (cell)

Fax Number: 281-651-9933

District Secondary Emergency Contact

Name: Josh Maas

Work Number: 281-651-1618

Home Number: 713-302-2429 (cell)

Fax Number: 281-651-9933

Mailing Address:


Marlon Ivy & Associates, Inc.

P. O. Box 9

Spring, TX 77383

Telephone: 281-651-1618

Fax: 281-651-9933



Dede Wyatt, Office Administrator

Attachment: Critical Load Public Safety Customer Eligibility Determination Form(s)

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

To Be Completed By Retail Electric Provider

ESI-ID: 1008901016900125760107

Customer Name Associated with ESI-ID: Timber Lane Utility District

Service Address: WWTP, 22801 Grand Rapids Lane A, Spring, TX 77373

Mailing Address: (if different than Service Address): P. O. Box 9, Spring, TX 77383

Date Form Sent to Customer: N/A

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

“Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment.”

Primary Contact:

Name: Mark Ivy

Work Number: 281-651-1618

Home Number: 713-829-3288 cell

Fax Number: 281-651-9933

Secondary Contact:

Name: Josh Maas

Work Number: 281-651-1618

Home Number: 713-302-2429 (cell)

Fax Number: 281-651-9933

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical wastewater facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes X No

What is the capacity (size) of this generation resource? 600 kW

How long will this generation resource operate without refueling? 48 Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

We are a retail public utility providing large scale sewer service. The above described facility is a wastewater treatment plant, the operation of which is critical to the proper treatment and disposal of untreated sewage. An interruption of electric service may create a public health hazard by resulting in the discharge of untreated sewage into the waters of the State of Texas.

On Behalf of:

Timber Lane Utility District

(Name of District)

By: Smith, Murdaugh, Little & Bonham, L.L.P.
2727 Allen Parkway, Suite 1100
Houston, Texas 77019

(713)652-6500 (Applicant Telephone Number)
(713)652-6515 (Applicant Facsimile)

July 7, 2022

(Date of Application)

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

To Be Completed By Retail Electric Provider

ESI-ID: 1008901018548101195100

Customer Name Associated with ESI-ID: Timber Lane Utility District

Service Address: Water Plant #1, 2611 ½ Ciderwood, Spring, TX 77373

Mailing Address: (if different than Service Address): P. O. Box 9, Spring, TX 77383

Date Form Sent to Customer: N/A

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

“Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment.”

Primary Contact:

Name: Mark Ivy

Work Number: 281-651-1618

Home Number: 713-829-3288 (cell)

Fax Number: 281-651-9933

Secondary Contact:

Name: Josh Maas

Work Number: 281-651-1618

Home Number: 713-302-2429 (Cell)

Fax Number: 281-651-9933

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical water facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes X No

What is the capacity (size) of this generation resource? 350 kW

How long will this generation resource operate without refueling? 48 Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

We are a retail public utility providing large scale water service. This facility is a water plant, the operation of which is critical to the provision of potable water to our customers. An interruption of electric service may result in the loss of adequate system pressure, the issuance of boil water notices and the failure of the utility to deliver its public water supply.

On Behalf of:

Timber Lane Utility District

(Name of District)

By: Smith, Murdaugh, Little & Bonham, L.L.P.
2727 Allen Parkway, Suite 1100
Houston, Texas 77019

(713)652-6500 (Applicant Telephone Number)
(713)652-6515 (Applicant Facsimile)

July 7, 2022

(Date of Application)

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

To Be Completed By Retail Electric Provider

ESI-ID: 1008901019548180515100

Customer Name Associated with ESI-ID: Timber Lane Utility District

Service Address: Water Plant #2, 2519 Peaceful Valley, Spring, TX 77373

Mailing Address: (if different than Service Address): P. O. Box 9, Spring, TX 77383

Date Form Sent to Customer: N/A

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

“Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment.”

Primary Contact:

Name: Mark Ivy

Work Number: 281-651-1618

Home Number: 713-829-3288 (cell)

Fax Number: 281-651-9933

Secondary Contact:

Name: Josh Maas

Work Number: 281-651-1618

Home Number: 713-302-2429 (Cell)

Fax Number: 281-651-9933

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical water facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes X No

What is the capacity (size) of this generation resource? 250 kW

How long will this generation resource operate without refueling? 48 Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

We are a retail public utility providing large scale water service. This facility is a water plant, the operation of which is critical to the provision of potable water to our customers. An interruption of electric service may result in the loss of adequate system pressure, the issuance of boil water notices and the failure of the utility to deliver its public water supply.

On Behalf of:

Timber Lane Utility District

(Name of District)

By: Smith, Murdaugh, Little & Bonham, L.L.P.
2727 Allen Parkway, Suite 1100
Houston, Texas 77019

(713)652-6500 (Applicant Telephone Number)
(713)652-6515 (Applicant Facsimile)

July 7, 2022

(Date of Application)

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

To Be Completed By Retail Electric Provider

ESI-ID: 1008901023814352850103

Customer Name Associated with ESI-ID: Timber Lane Utility District

Service Address: Lift Station #3, 2223 ½ Prairie Forest Tr., Spring, TX 77373

Mailing Address: (if different than Service Address): P. O. Box 9, Spring, TX 77383-1209

Date Form Sent to Customer: N/A

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

“Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment.”

Primary Contact:

Name: Mark Ivy

Work Number: 281-651-1618

Home Number: 713-829-3288 (cell)

Fax Number: 281-651-9933

Secondary Contact:

Name: Josh Maas

Work Number: 281-651-1618

Home Number: 713-302-2429 (cell)

Fax Number: 281-651-9933

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical wastewater facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes _____ No X

What is the capacity (size) of this generation resource? _____ kW

How long will this generation resource operate without refueling? _____ Hours

We are a retail public utility providing large scale sewer service. The above described facility is a wastewater facility, the operation of which is critical to the transmission and disposal of untreated sewage. An interruption of electric service may create a public health hazard by resulting in the discharge of untreated sewage into the waters of the State of Texas.

On Behalf of:

Timber Lane Utility District

(Name of District)

By: Smith, Murdaugh, Little & Bonham, L.L.P.
2727 Allen Parkway, Suite 1100
Houston, Texas 77019

(713)652-6500 (Applicant Telephone Number)
(713)652-6515 (Applicant Facsimile)

July 7, 2022

(Date of Application)

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

To Be Completed By Retail Electric Provider

ESI-ID: 1008901023814941030104

Customer Name Associated with ESI-ID: Timber Lane Utility District

Service Address: Lift Station #4, 1904 ½ NapleCHASE Crest Drive, Spring, TX 77373

Mailing Address: (if different than Service Address): P. O. Box 9, Spring, TX 77383

Date Form Sent to Customer: N/A

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

“Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment.”

Primary Contact:

Name: Mark Ivy

Work Number: 281-651-1618

Home Number: 713-829-3288 (cell)

Fax Number: 281-651-9933

Secondary Contact:

Name: Josh Maas

Work Number: 281-651-1618

Home Number: 713-302-2429 (cell)

Fax Number: 281-651-9933

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical wastewater facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes _____ No X

What is the capacity (size) of this generation resource? _____ kW

How long will this generation resource operate without refueling? _____ Hours

We are a retail public utility providing large scale sewer service. The above described facility is a wastewater facility, the operation of which is critical to the transmission and disposal of untreated sewage. An interruption of electric service may create a public health hazard by resulting in the discharge of untreated sewage into the waters of the State of Texas.

On Behalf of:

Timber Lane Utility District

(Name of District)

By: Smith, Murdaugh, Little & Bonham, L.L.P.
2727 Allen Parkway, Suite 1100
Houston, Texas 77019

(713)652-6500 (Applicant Telephone Number)
(713)652-6515 (Applicant Facsimile)

July 7, 2022

(Date of Application)

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

To Be Completed By Retail Electric Provider

ESI-ID: 1008901023814854950104

Customer Name Associated with ESI-ID: Timber Lane Utility District

Service Address: Lift Station #5, 22011 ½ Aldine Westfield Rd., Spring, TX 77373

Mailing Address: (if different than Service Address): P. O. Box 9, Spring, TX 77383

Date Form Sent to Customer: N/A

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

“Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment.”

Primary Contact:

Name: Mark Ivy

Work Number: 281-651-1618

Home Number: 713-829-3288 (cell)

Fax Number: 281-651-9933

Secondary Contact:

Name: Josh Maas

Work Number: 281-651-1618

Home Number: 713-302-2429 (cell)

Fax Number: 281-651-9933

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical wastewater facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes _____ No X

What is the capacity (size) of this generation resource? _____ kW

How long will this generation resource operate without refueling? _____ Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

We are a retail public utility providing large scale sewer service. The above described facility is a wastewater facility, the operation of which is critical to the transmission and disposal of untreated sewage. An interruption of electric service may create a public health hazard by resulting in the discharge of untreated sewage into the waters of the State of Texas.

On Behalf of:

Timber Lane Utility District

(Name of District)

By: Smith, Murdaugh, Little & Bonham, L.L.P.
2727 Allen Parkway, Suite 1100
Houston, Texas 77019

(713)652-6500 (Applicant Telephone Number)
(713)652-6515 (Applicant Facsimile)

July 7, 2022

(Date of Application)

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

To Be Completed By Retail Electric Provider

ESI-ID: 1008901023815617310104

Customer Name Associated with ESI-ID: Timber Lane Utility District

Service Address: Lift Station #6, 23115 ½ Hardy Rd., Spring, TX 77373

Mailing Address: (if different than Service Address): P. O. Box 9, Spring, TX 77383

Date Form Sent to Customer: N/A

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

“Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment.”

Primary Contact:

Name: Mark Ivy

Work Number: 281-651-1618

Home Number: 713-829-3288 (cell)

Fax Number: 281-651-9933

Secondary Contact:

Name: Josh Maas

Work Number: 281-651-1618

Home Number: 713-302-2429 (cell)

Fax Number: 281-651-9933

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical wastewater facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes _____ No X

What is the capacity (size) of this generation resource? _____ kW

How long will this generation resource operate without refueling? _____ Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

We are a retail public utility providing large scale sewer service. The above described facility is a wastewater facility, the operation of which is critical to the transmission and disposal of untreated sewage. An interruption of electric service may create a public health hazard by resulting in the discharge of untreated sewage into the waters of the State of Texas.

On Behalf of:

Timber Lane Utility District

(Name of District)

By: Smith, Murdaugh, Little & Bonham, L.L.P.
2727 Allen Parkway, Suite 1100
Houston, Texas 77019

(713)652-6500 (Applicant Telephone Number)
(713)652-6515 (Applicant Facsimile)

July 7, 2022

(Date of Application)

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

To Be Completed By Retail Electric Provider

ESI-ID: 1008901023815542220104

Customer Name Associated with ESI-ID: Timber Lane Utility District

Service Address: Lift Station #7, 2721 ½ Trailing Vine Rd., Spring, TX 77373

Mailing Address: (if different than Service Address): P. O. Box 9, Spring, TX 77383

Date Form Sent to Customer: N/A

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

“Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment.”

Primary Contact:

Name: Mark Ivy

Work Number: 281-651-1618

Home Number: 713-829-3288 (cell)

Fax Number: 281-651-9933

Secondary Contact:

Name: Josh Maas

Work Number: 281-651-1618

Home Number: 713-302-2429 (cell)

Fax Number: 281-651-9933

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical wastewater facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes X No

What is the capacity (size) of this generation resource? 33.5 kW

How long will this generation resource operate without refueling? 48 Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

We are a retail public utility providing large scale sewer service. The above described facility is a wastewater facility, the operation of which is critical to the transmission and disposal of untreated sewage. An interruption of electric service may create a public health hazard by resulting in the discharge of untreated sewage into the waters of the State of Texas.

On Behalf of:

Timber Lane Utility District

(Name of District)

By: Smith, Murdaugh, Little & Bonham, L.L.P.
2727 Allen Parkway, Suite 1100
Houston, Texas 77019

(713)652-6500 (Applicant Telephone Number)
(713)652-6515 (Applicant Facsimile)

July 7, 2022

(Date of Application)

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

To Be Completed By Retail Electric Provider

ESI-ID: 1008901023815384790104

Customer Name Associated with ESI-ID: Timber Lane Utility District

Service Address: Lift Station #8, 2955 ½ Mesquite Ridge Dr., Houston, TX 77073

Mailing Address: (if different than Service Address): P. O. Box 9, Spring, TX 77383

Date Form Sent to Customer: N/A

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

“Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment.”

Primary Contact:

Name: Mark Ivy

Work Number: 281-651-1618

Home Number: 713-829-3288 (cell)

Fax Number: 281-651-9933

Secondary Contact:

Name: Josh Maas

Work Number: 281-651-1618

Home Number: 713-302-2429 (cell)

Fax Number: 281-651-9933

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical wastewater facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes X No

What is the capacity (size) of this generation resource? 23.5 kW

How long will this generation resource operate without refueling? 48 Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

We are a retail public utility providing large scale sewer service. The above described facility is a wastewater facility, the operation of which is critical to the transmission and disposal of untreated sewage. An interruption of electric service may create a public health hazard by resulting in the discharge of untreated sewage into the waters of the State of Texas.

On Behalf of:

Timber Lane Utility District

(Name of District)

By: Smith, Murdaugh, Little & Bonham, L.L.P.
2727 Allen Parkway, Suite 1100
Houston, Texas 77019

(713)652-6500 (Applicant Telephone Number)
(713)652-6515 (Applicant Facsimile)

July 7, 2022

(Date of Application)

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

To Be Completed By Retail Electric Provider

ESI-ID: 1008901020900797850114

Customer Name Associated with ESI-ID: Timber Lane Utility District

Service Address: Lift Station #9 (Werrington), 21922 ½ N. Werrington Way, Spring, TX 77373

Mailing Address: (if different than Service Address): P. O. Box 9, Spring, TX 77383

Date Form Sent to Customer: N/A

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

“Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment.”

Primary Contact:

Name: Mark Ivy

Work Number: 281-651-1618

Home Number: 713-829-3288 (cell)

Fax Number: 281-651-9933

Secondary Contact:

Name: Josh Maas

Work Number: 281-651-1618

Home Number: 713-302-2429 (cell)

Fax Number: 281-651-9933

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical wastewater facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes _____ No X

What is the capacity (size) of this generation resource? _____ kW

How long will this generation resource operate without refueling? _____ Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

We are a retail public utility providing large scale sewer service. The above described facility is a wastewater facility, the operation of which is critical to the transmission and disposal of untreated sewage. An interruption of electric service may create a public health hazard by resulting in the discharge of untreated sewage into the waters of the State of Texas.

On Behalf of:

Timber Lane Utility District

(Name of District)

By: Smith, Murdaugh, Little & Bonham, L.L.P.
2727 Allen Parkway, Suite 1100
Houston, Texas 77019

(713)652-6500 (Applicant Telephone Number)
(713)652-6515 (Applicant Facsimile)

July 7, 2022

(Date of Application)

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

To Be Completed By Retail Electric Provider

ESI-ID: 1008901023806399110100

Customer Name Associated with ESI-ID: Timber Lane Utility District

Service Address: Lift Station #10, 21246 ½ Aldine Westfield Road, Humble, Texas 77338

Mailing Address: (if different than Service Address): P. O. Box 9, Spring, TX 77383

Date Form Sent to Customer: N/A

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

“Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment.”

Primary Contact:

Name: Mark Ivy

Work Number: 281-651-1618

Home Number: 713-829-3288 (cell)

Fax Number: 281-651-9933

Secondary Contact:

Name: Josh Maas

Work Number: 281-651-1618

Home Number: 713-302-2429 (cell)

Fax Number: 281-651-9933

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical wastewater facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes _____ No X

What is the capacity (size) of this generation resource? _____ kW

How long will this generation resource operate without refueling? _____ Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

We are a retail public utility providing large scale sewer service. The above described facility is a wastewater facility, the operation of which is critical to the transmission and disposal of untreated sewage. An interruption of electric service may create a public health hazard by resulting in the discharge of untreated sewage into the waters of the State of Texas.

On Behalf of:

Timber Lane Utility District

(Name of District)

By: Smith, Murdaugh, Little & Bonham, L.L.P.
2727 Allen Parkway, Suite 1100
Houston, Texas 77019

(713)652-6500 (Applicant Telephone Number)
(713)652-6515 (Applicant Facsimile)

July 7, 2022

(Date of Application)

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

To Be Completed By Retail Electric Provider

ESI-ID: 1008901023816122340105

Customer Name Associated with ESI-ID: Timber Lane Utility District

Service Address: Storm Water Pump Station, 2721 ½ Trailing Vine Rd., Spring, TX 77373

Mailing Address: (if different than Service Address): P. O. Box 9, Spring, TX 77383

Date Form Sent to Customer: N/A

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

“Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment.”

Primary Contact:

Name: Mark Ivy

Work Number: 281-651-1618

Home Number: 713-829-3288 (cell)

Fax Number: 281-651-9933

Secondary Contact:

Name: Josh Maas

Work Number: 281-651-1618

Home Number: 713-302-2429 (cell)

Fax Number: 281-651-9933

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical wastewater facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes X No

What is the capacity (size) of this generation resource? 20 kW

How long will this generation resource operate without refueling? 48 Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

We are a retail public utility providing large scale sewer service. The above described facility is a wastewater facility, the operation of which is critical to the transmission and disposal of untreated sewage. An interruption of electric service may create a public health hazard by resulting in the discharge of untreated sewage into the waters of the State of Texas.

On Behalf of:

Timber Lane Utility District

(Name of District)

By: Smith, Murdaugh, Little & Bonham, L.L.P.
2727 Allen Parkway, Suite 1100
Houston, Texas 77019

(713)652-6500 (Applicant Telephone Number)
(713)652-6515 (Applicant Facsimile)

July 7, 2022

(Date of Application)

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

To Be Completed By Retail Electric Provider

ESI-ID: 1008901025000126060120

Customer Name Associated with ESI-ID: Timber Lane Utility District

Service Address: Lift Station #12, 3134-½ Hirschfield, Spring, TX 77373

Mailing Address: (if different than Service Address): P. O. Box 9, Spring, TX 77383

Date Form Sent to Customer: N/A

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

“Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment.”

Primary Contact:

Name: Mark Ivy

Work Number: 281-651-1618

Home Number: 713-829-3288 (cell)

Fax Number: 281-651-9933

Secondary Contact:

Name: Josh Maas

Work Number: 281-651-1618

Home Number: 713-302-2429 (cell)

Fax Number: 281-651-9933

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical wastewater facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes _____ No X

What is the capacity (size) of this generation resource? _____ kW

How long will this generation resource operate without refueling? _____ Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

We are a retail public utility providing large scale sewer service. The above described facility is a wastewater facility, the operation of which is critical to the transmission and disposal of untreated sewage. An interruption of electric service may create a public health hazard by resulting in the discharge of untreated sewage into the waters of the State of Texas.

On Behalf of:

Timber Lane Utility District

(Name of District)

By: Smith, Murdaugh, Little & Bonham, L.L.P.
2727 Allen Parkway, Suite 1100
Houston, Texas 77019

(713)652-6500 (Applicant Telephone Number)
(713)652-6515 (Applicant Facsimile)

July 7, 2022

(Date of Application)

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.