



Filing Receipt

Received - 2021-10-21 11:12:37 AM

Control Number - 52299

ItemNumber - 257



140 East Tyler Street, Suite 600
Longview, TX 75601
903.236.7700

October 18, 2021

Public Utility Commission of Texas (PUCT)
1701 N. Congress Avenue
P.O. Box 13326
Austin, TX 78711-3326

**RE: *Senate Bill 3 Electric Provider Notification Requirements
City of Winnsboro, Texas
PWS No. TX2500004 (Wood County)***

Dear Team Member:

Pursuant to Senate Bill 3, 87th Legislature, Regular Session, Compliance Guidance – Texas Water Code (TWC) §13.1396, City of Winnsboro, is submitting the required critical infrastructure facilities information. Please see the attached critical infrastructure facilities spreadsheet. This same information has been submitted both the transmission and distribution service providers for the affected utility, as well as, to the Wood County Emergency Management, and Texas Division of Emergency Management, as required.

Contact Information and mailing address for City of Winnsboro:

Joey LaCaze, Public Works Director O/ 903.342.3654
Ronny Knight, Interim City Administrator O/ 903.342.3654

City of Winnsboro
501 S Main St.
P.O. Box 179
Winnsboro, Texas 75494

Please contact me, Blake Powell, P.E., Project Engineer at (903) 581-8141, or via email at bpowell@ksaeng.com if you require any other information.

Sincerely,

KSA

Blake Powell
Project Engineer

Enclosures: Winnsboro Critical Infrastructure Facilities

cc:

City of Winnsboro

501 S Main St., Winnsboro, TX 75494

Joey LaCaze, Public Works Director	O 903.342.3654		Email:	jlacaze@winnsborotexas.com
Ronny Knight, Interim City Administrator	O 903.342.3654		PWS No. TX2500004	TPDES No.: WWTP- WQ0010319002

Wood County					
--------------------	--	--	--	--	--

Facility	Address	GPS Location	Meter No.	ESI No.	Facility Type
Surface Water Treatment Plant	600 Apple St., Winnsboro	32°57'34.9"N 95°16'44.5"W	435 826 664	1017-6989-6893-3703-0	Surface Water Treatment Plant, HS Pump Station
Intake #1	100 Country Club Rd., Winnsboro	33°02'47.2"N 95°13'08.5"W	428 173 345	1017-6989-6941-1768-0	Raw Water Intake
N Main Booster Plant	1006 N Main St., Winnsboro	32°57'57.0"N 95°17'07.0"W	436 130 887	1017-6989-6830-7963-0	HS Pump Station, 500,000 Gal GST, Abandoned Water Well
Elevated Storage Tank (EST)	100 S Post Oak	32°57'32.9"N 95°17'49.2"W	532-674-691	1017-6989-6416-3326-0	350,000 gal EST
City of Winnsboro Wastewater Treatment Facility	720 County Road 4700, Winnsboro	32°55'51.8"N 95°17'58.7"W	428 978 702	1017-6989-6560-9177-1	Wastewater Treatment Plant (TPDES No. WQ0010319002)
Hwy 11 Lift Station	900 Block Hwy 11, Winnsboro	32°58'10"N 95°18'7"W	436 158 121	1017-6989-6964-2595-0	Sewer Lift Station
CR 3170 Lift station	600 Block CR 3170, Winnsboro	32°58'20"N 95°17'48"W	552 448 670	1017-6989-6828-3185-6	Sewer Lift Station
All Star Drive Lift Station	500 Block All Star Drive, Winnsboro	32°57'1"N 95°15'50"W	436 321 965	1017-6989-6673-6928-0	Sewer Lift Station



140 East Tyler Street, Suite 600
Longview, TX 75601
903.236.7700

October 18, 2021

Mr. Mark Robinson
Southwestern Electric Power Company (SWEPCO)
4421 W Loop 281
Longview, TX 75604

via email

**RE: *Senate Bill 3 Electric Provider Notification Requirements
City of Winnsboro, Texas
PWS No. TX2500004 (Wood County)***

Dear Mr. Robinson:

Pursuant to Senate Bill 3, 87th Legislature, Regular Session, Compliance Guidance – Texas Water Code (TWC) §13.1396, City of Winnsboro, is submitting the required critical infrastructure facilities information. Please see the attached critical infrastructure facilities spreadsheet. This same information has been submitted to the Texas Division of Emergency Management, Wood County Emergency Management, and Public Utility Commission of Texas, as required.

Contact Information and mailing address for City of Winnsboro:

Joey LaCaze, Public Works Director O/ 903.342.3654
Ronny Knight, Interim City Administrator O/ 903.342.3654

City of Winnsboro
501 S Main St.
P.O. Box 179
Winnsboro, Texas 75494

Please contact me, Blake Powell, P.E., Project Engineer at (903) 581-8141, or via email at bpowell@ksaeng.com if you require any other information.

Sincerely,

KSA

Blake Powell
Project Engineer

Enclosures: Winnsboro Critical Infrastructure Facilities

cc:

City of Winnsboro

501 S Main St., Winnsboro, TX 75494

Joey LaCaze, Public Works Director	O 903.342.3654		Email:	jlacaze@winnsborotexas.com
Ronny Knight, Interim City Administrator	O 903.342.3654		PWS No. TX2500004	TPDES No.: WWTP- WQ0010319002

Wood County					
--------------------	--	--	--	--	--

Facility	Address	GPS Location	Meter No.	ESI No.	Facility Type
Surface Water Treatment Plant	600 Apple St., Winnsboro	32°57'34.9"N 95°16'44.5"W	435 826 664	1017-6989-6893-3703-0	Surface Water Treatment Plant, HS Pump Station
Intake #1	100 Country Club Rd., Winnsboro	33°02'47.2"N 95°13'08.5"W	428 173 345	1017-6989-6941-1768-0	Raw Water Intake
N Main Booster Plant	1006 N Main St., Winnsboro	32°57'57.0"N 95°17'07.0"W	436 130 887	1017-6989-6830-7963-0	HS Pump Station, 500,000 Gal GST, Abandoned Water Well
Elevated Storage Tank (EST)	100 S Post Oak	32°57'32.9"N 95°17'49.2"W	532-674-691	1017-6989-6416-3326-0	350,000 gal EST
City of Winnsboro Wastewater Treatment Facility	720 County Road 4700, Winnsboro	32°55'51.8"N 95°17'58.7"W	428 978 702	1017-6989-6560-9177-1	Wastewater Treatment Plant (TPDES No. WQ0010319002)
Hwy 11 Lift Station	900 Block Hwy 11, Winnsboro	32°58'10"N 95°18'7"W	436 158 121	1017-6989-6964-2595-0	Sewer Lift Station
CR 3170 Lift station	600 Block CR 3170, Winnsboro	32°58'20"N 95°17'48"W	552 448 670	1017-6989-6828-3185-6	Sewer Lift Station
All Star Drive Lift Station	500 Block All Star Drive, Winnsboro	32°57'1"N 95°15'50"W	436 321 965	1017-6989-6673-6928-0	Sewer Lift Station



140 East Tyler Street, Suite 600
Longview, TX 75601
903.236.7700

October 18, 2021

Texas Division of Emergency Management (TDEM)
1033 La Posada Dr., Suite 300
Austin, TX 78752

**RE: *Senate Bill 3 Electric Provider Notification Requirements
City of Winnsboro, Texas
PWS No. TX2500004 (Wood County)***

Dear Team Member:

Pursuant to Senate Bill 3, 87th Legislature, Regular Session, Compliance Guidance – Texas Water Code (TWC) §13.1396, City of Winnsboro, is submitting the required critical infrastructure facilities information. Please see the attached critical infrastructure facilities spreadsheet. This same information has been submitted both the transmission and distribution service providers for the affected utility, as well as, to the Wood County Emergency Management, and Public Utility Commission of Texas, as required.

Contact Information and mailing address for City of Winnsboro:

Joey LaCaze, Public Works Director O/ 903.342.3654
Ronny Knight, Interim City Administrator O/ 903.342.3654

City of Winnsboro
501 S Main St.
P.O. Box 179
Winnsboro, Texas 75494

Please contact me, Blake Powell, P.E., Project Engineer at (903) 581-8141, or via email at bpowell@ksaeng.com if you require any other information.

Sincerely,

KSA

Blake Powell
Project Engineer

Enclosures: Winnsboro Critical Infrastructure Facilities

cc:

City of Winnsboro

501 S Main St., Winnsboro, TX 75494

Joey LaCaze, Public Works Director	O 903.342.3654		Email:	jlacaze@winnsborotexas.com
Ronny Knight, Interim City Administrator	O 903.342.3654		PWS No. TX2500004	TPDES No.: WWTP- WQ0010319002

Wood County					
--------------------	--	--	--	--	--

Facility	Address	GPS Location	Meter No.	ESI No.	Facility Type
Surface Water Treatment Plant	600 Apple St., Winnsboro	32°57'34.9"N 95°16'44.5"W	435 826 664	1017-6989-6893-3703-0	Surface Water Treatment Plant, HS Pump Station
Intake #1	100 Country Club Rd., Winnsboro	33°02'47.2"N 95°13'08.5"W	428 173 345	1017-6989-6941-1768-0	Raw Water Intake
N Main Booster Plant	1006 N Main St., Winnsboro	32°57'57.0"N 95°17'07.0"W	436 130 887	1017-6989-6830-7963-0	HS Pump Station, 500,000 Gal GST, Abandoned Water Well
Elevated Storage Tank (EST)	100 S Post Oak	32°57'32.9"N 95°17'49.2"W	532-674-691	1017-6989-6416-3326-0	350,000 gal EST
City of Winnsboro Wastewater Treatment Facility	720 County Road 4700, Winnsboro	32°55'51.8"N 95°17'58.7"W	428 978 702	1017-6989-6560-9177-1	Wastewater Treatment Plant (TPDES No. WQ0010319002)
Hwy 11 Lift Station	900 Block Hwy 11, Winnsboro	32°58'10"N 95°18'7"W	436 158 121	1017-6989-6964-2595-0	Sewer Lift Station
CR 3170 Lift station	600 Block CR 3170, Winnsboro	32°58'20"N 95°17'48"W	552 448 670	1017-6989-6828-3185-6	Sewer Lift Station
All Star Drive Lift Station	500 Block All Star Drive, Winnsboro	32°57'1"N 95°15'50"W	436 321 965	1017-6989-6673-6928-0	Sewer Lift Station



140 East Tyler Street, Suite 600
Longview, TX 75601
903.236.7700

October 18, 2021

Mr. Tully Davidson
Wood County- Emergency Management
P.O. Box 938
Quitman, TX 75783

**RE: *Senate Bill 3 Electric Provider Notification Requirements
City of Winnsboro, Texas
PWS No. TX2500004 (Wood County)***

Dear Mr. Davidson:

Pursuant to Senate Bill 3, 87th Legislature, Regular Session, Compliance Guidance – Texas Water Code (TWC) §13.1396, City of Winnsboro, is submitting the required critical infrastructure facilities information. Please see the attached critical infrastructure facilities spreadsheet. This same information has been submitted both the transmission and distribution service providers for the affected utility, as well as, to the Texas Division of Emergency Management, and Public Utility Commission of Texas, as required.

Contact Information and mailing address for City of Winnsboro:

Joey LaCaze, Public Works Director O/ 903.342.3654
Ronny Knight, Interim City Administrator O/ 903.342.3654

City of Winnsboro
501 S Main St.
P.O. Box 179
Winnsboro, Texas 75494

Please contact me, Blake Powell, P.E., Project Engineer at (903) 581-8141, or via email at bpowell@ksaeng.com if you require any other information.

Sincerely,

KSA

Blake Powell
Project Engineer

Enclosures: Winnsboro Critical Infrastructure Facilities

cc:

City of Winnsboro

501 S Main St., Winnsboro, TX 75494

Joey LaCaze, Public Works Director	O 903.342.3654		Email:	jlacaze@winnsborotexas.com	
Ronny Knight, Interim City Administrator	O 903.342.3654		PWS No. TX2500004	TPDES No.: WWTP- WQ0010319002	
Wood County					
Facility	Address	GPS Location	Meter No.	ESI No.	Facility Type
Surface Water Treatment Plant	600 Apple St., Winnsboro	32°57'34.9"N 95°16'44.5"W	435 826 664	1017-6989-6893-3703-0	Surface Water Treatment Plant, HS Pump Station
Intake #1	100 Country Club Rd., Winnsboro	33°02'47.2"N 95°13'08.5"W	428 173 345	1017-6989-6941-1768-0	Raw Water Intake
N Main Booster Plant	1006 N Main St., Winnsboro	32°57'57.0"N 95°17'07.0"W	436 130 887	1017-6989-6830-7963-0	HS Pump Station, 500,000 Gal GST, Abandoned Water Well
Elevated Storage Tank (EST)	100 S Post Oak	32°57'32.9"N 95°17'49.2"W	532-674-691	1017-6989-6416-3326-0	350,000 gal EST
City of Winnsboro Wastewater Treatment Facility	720 County Road 4700, Winnsboro	32°55'51.8"N 95°17'58.7"W	428 978 702	1017-6989-6560-9177-1	Wastewater Treatment Plant (TPDES No. WQ0010319002)
Hwy 11 Lift Station	900 Block Hwy 11, Winnsboro	32°58'10"N 95°18'7"W	436 158 121	1017-6989-6964-2595-0	Sewer Lift Station
CR 3170 Lift station	600 Block CR 3170, Winnsboro	32°58'20"N 95°17'48"W	552 448 670	1017-6989-6828-3185-6	Sewer Lift Station
All Star Drive Lift Station	500 Block All Star Drive, Winnsboro	32°57'1"N 95°15'50"W	436 321 965	1017-6989-6673-6928-0	Sewer Lift Station