



## Filing Receipt

**Received - 2021-10-27 11:08:48 AM**

**Control Number - 52299**

**ItemNumber - 472**



# EDOM WATER

## SUPPLY CORPORATION

P.O. Box 245 Brownsboro, Texas 75756  
(903)852-5055 Office - (903)852-5058 Fax  
www.edomwsc.com

**RE: PROJECT 52299, Senate Bill 3, 87<sup>th</sup> Legislature, Regular Session Compliance Guidance – Texas Water Code (TWC) §13.1396**

### To Whom It May Concern:

Edom Water Supply Corporation (Edom WSC), PWS ID: 2340009, being defined as an affected utility under Texas Water Code (TWC) §13.1394, submits the following information in accordance with Public Utility Commission of Texas (PUCT) Project 52299.

### Edom WSC water facilities that qualify for Critical Load Status Locations are as follows:

- **North Treatment Plant**

8399 FM 314  
Ben Wheeler, Texas 75754  
Latitude: 32.391921  
Longitude: -95.595711

- **South Treatment Plant – Well #4**

164 VZ CR 4801  
Brownsboro, Texas 75756  
Latitude: 32.362680  
Longitude: -95.606274

- **Well #3**

154 VZ CR 4800  
Ben Wheeler, Texas 75754  
Latitude: 32.375845  
Longitude: -95.604515

- **Well #5**

10735 FM 314  
Brownsboro, Texas 75756  
Latitude: 32.359236  
Longitude: -95.606627

- **Well #6**

299 VZ CR 4801  
Brownsboro, Texas 75756  
Latitude: 32.362632  
Longitude: -95.603596

### Edom Water Supply Corporation Emergency Contacts:

Point of Contact: John Pipes – Water Operator  
(903) 385-2455 (cell)

Alternate Contacts: Lindsey Moore - Manager  
(903) 852-5055 (office)  
James Hutchins – Water Operator  
(903) 676-9645 (cell)

### Mailing Address:

Edom Water Supply Corporation  
P.O. Box 245  
Brownsboro, Texas 75756

### Physical Address:

Edom Water Supply Corporation  
8179 FM 279  
Edom, Texas 75754

**Edom WSC email:** [edomwater@embarqmail.com](mailto:edomwater@embarqmail.com)

### This notice is being provided to the following entities:

Public Utility Commission of Texas  
Oncor  
TXU Energy  
Van Zandt County and Henderson County Emergency Management  
Texas Division of Emergency Management