



Filing Receipt

Received - 2021-10-28 08:53:37 AM
Control Number - 52299
ItemNumber - 545

October 28, 2021

CenterPoint Energy, Inc.
P.O. Box 4567
Houston, Texas 77210-4567

Texas Division of Emergency Management
Technological Hazards Unit
1033 La Posada, Suite 300
Austin, Texas 78752
techhaz@tdem.texas.gov

Mr. Clinton Ladd
Intelligence and Counterterrorism Division

Texas Department on Public Safety
Clinton.ladd@dps.texas.gov
Public Utility Commission of Texas
1701 N. Congress Avenue
P.O. Box 13326
Austin, Texas 78711-3326
Centralrecords@puc.texas.gov

Montgomery County Office of Homeland
Security & Emergency Management
9472 Airport Rd,
Conroe, TX 77303
eoc@mctx.org

Re: Rayford Road MUD (the “District”)

Ladies and Gentlemen:

This is to submit the District’s for Critical Load status to the Public Utility Commission of Texas in compliance with the requirements of Senate Bill 3 of the 87th legislature. Please note that the District’s primary and secondary emergency contact information is indicated below:

District’s Primary Emergency Contact:

Name:	<u>Mike Williams</u>
Work Number:	<u>832-642-7384</u>
Home Number:	<u>281-367-5511</u>
Fax Number:	<u>281-367-5517</u>

District’s Secondary Emergency Contact:

Name:	<u>Henry Journey</u>
Work Number:	<u>281-850-5162</u>
Home Number:	<u>281-367-5511</u>
Fax Number:	<u>281-367-5517</u>

See attached for addresses and ESI ID

Any questions regarding this matter please contact compliance@municipalops.com

Sincerely,



Julie Huerta
Municipal Operations and Consulting, Inc.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

~~To Be Completed By Retail Electric Provider~~

ESI-ID:

1008901023812545010102

Customer Name Associated with ESI-ID:

Rayford Road Municipal Utility District (DD #10 LS)

Service Address:

31334 1/2 Aldine Westfield Rd Spring TX 77386

Mailing Address: (if different than Service Address):

3401 Louisiana St, Ste 400, Houston TX 77002

Date Form Sent to Customer:

10/22/2021

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

"Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life-sustaining equipment."

Primary Contact:

Name:

Mike Williams

Work Number:

832-642-7384

Home Number:

281-367-5511

Fax Number:

Secondary Contact:

Henry Journey

Name:

281.850.5162

Work Number:

281.367.5511

Home Number:

281-367-5517

Fax Number:

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC

ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

~~Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status~~

Review PUCT Substantive Rules § 25.497(a)(1) and § 25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and § 25.52(c)(1) for the following reason(s).

Is there an alternate generation resource serving this facility? Yes ☒ No

What is the capacity (size) of this generation resource? kW

How long will this generation resource operate without refueling? _____ Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

John T. Montgomery

(Applicant Name-Printed)

Compliance Coordinator

(Applicant Title)

27316 Spectructm Way Oak Ridge, TX. 7

(Applicant Mailing Address)

281.217.1031

(Applicant Telephone Number)

10/22/2021

(Date of Application)

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

~~To Be Completed By Retail Electric Provider~~

ESI-ID:

1008901021549405276100

Customer Name Associated with ESI-ID:

Rayford Road Municipal Utility District (LS 2)

Service Address:

1710 W. Welsford Drive Spring TX 77386

Mailing Address: (if different than Service Address):

3401 Louisiana St, Ste 400, Houston TX 77002

Date Form Sent to Customer:

10/22/2021

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

"Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life-sustaining equipment."

Primary Contact:

Name:

Mike Williams

Work Number:

832-642-7384

Home Number:

281-367-5511

Fax Number:

Secondary Contact:

Henry Journey

Name:

281.850.5162

Work Number:

281.367.5511

Home Number:

281-367-5517

Fax Number:

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC

ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

~~Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status~~

Review PUCT Substantive Rules § 25.497(a)(1) and § 25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and § 25.52(c)(1) for the following reason(s).

Is there an alternate generation resource serving this facility? Yes ☒ No

What is the capacity (size) of this generation resource? kW

How long will this generation resource operate without refueling? _____ Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

John T. Montgomery
(Applicant Name-Printed)
Compliance Coordinator
(Applicant Title)
27316 Spectructm Way Oak Ridge, TX. 7
(Applicant Mailing Address)
281.271.1031
(Applicant Telephone Number)
10/22/2021
(Date of Application)

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

~~To Be Completed By Retail Electric Provider~~

ESI-ID:

1008901023814270080103

Customer Name Associated with ESI-ID:

Rayford Road Municipal Utility District (LS 3)

Service Address:

32102 Willow Creek Park, Spring TX 77386

Mailing Address: (if different than Service Address):

3401 Louisiana St, Ste 400, Houston TX 77002

Date Form Sent to Customer:

10/22/2021

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

"Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life-sustaining equipment."

Primary Contact:

Name:

Mike Williams

Work Number:

832-642-7384

Home Number:

281-367-5511

Fax Number:

Secondary Contact:

Henry Journey

Name:

281.850.5162

Work Number:

281.367.5511

Home Number:

281-367-5517

Fax Number:

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC

ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

~~Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status~~

Review PUCT Substantive Rules § 25.497(a)(1) and § 25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and § 25.52(c)(1) for the following reason(s).

Is there an alternate generation resource serving this facility? Yes ☒ No

What is the capacity (size) of this generation resource? kW

How long will this generation resource operate without refueling? _____ Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

John T. Montgomery
(Applicant Name-Printed)
Compliance Coordinator
(Applicant Title)
27316 Spectructm Way Oak Ridge, TX. 7
(Applicant Mailing Address)
281.217.1031
(Applicant Telephone Number)
10/22/2021
(Date of Application)

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

~~To Be Completed By Retail Electric Provider~~

ESI-ID:

1008901023814270080100

Customer Name Associated with ESI-ID:

Rayford Road Municipal Utility District (LS 4)

Service Address:

31335 1/2 Aldine Westfield Rd Spring TX 77386

Mailing Address: (if different than Service Address):

3401 Louisiana St, Ste 400, Houston TX 77002

Date Form Sent to Customer:

10/22/2021

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

"Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life-sustaining equipment."

Primary Contact:

Name:

Mike Williams

Work Number:

832-642-7384

Home Number:

281-367-5511

Fax Number:

Secondary Contact:

Henry Journey

Name:

281.850.5162

Work Number:

281.367.5511

Home Number:

281-367-5517

Fax Number:

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC

ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

~~Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status~~

Review PUCT Substantive Rules § 25.497(a)(1) and § 25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and § 25.52(c)(1) for the following reason(s).

Is there an alternate generation resource serving this facility? Yes ☒ No

What is the capacity (size) of this generation resource? kW

How long will this generation resource operate without refueling? _____ Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

John T. Montgomery
(Applicant Name-Printed)
Compliance Coordinator
(Applicant Title)
27316 Spectructm Way Oak Ridge, TX. 7
(Applicant Mailing Address)
281.217.1031
(Applicant Telephone Number)
10/22/2021
(Date of Application)

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

~~To Be Completed By Retail Electric Provider~~

ESI-ID:

1008901021549406242100

Customer Name Associated with ESI-ID:

Rayford Road Municipal Utility District (WTP 1)

Service Address:

1903 Haven House Spring TX 77386

Mailing Address: (if different than Service Address):

Date Form Sent to Customer:

10/22/2021

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a "critical load public safety customer" are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

"Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life-sustaining equipment."

Primary Contact:

Name:

John Montgomery

Work Number:

281-217-1031

Home Number:

281-367-5511

Fax Number:

Secondary Contact:

Henry Journey

Name:

281.850.5162

Work Number:

281.367.5511

Home Number:

281-367-5517

Fax Number:

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC

ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

~~Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status~~

Review PUCT Substantive Rules § 25.497(a)(1) and § 25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and § 25.52(c)(1) for the following reason(s).

Is there an alternate generation resource serving this facility? Yes ☒ No

What is the capacity (size) of this generation resource? kW

How long will this generation resource operate without refueling? _____ Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

We are a retail public utility providing large scale water service. This facility is a water plant, the operation of which is critical to the provision of potable water to our customers.

An interruption of electric service may result in the loss of adequate system pressure, the issuance of boil water notices and the failure of the utility to deliver its public water supply.

John T. Montgomery

(Applicant Name-Printed)

Compliance Coordinator

(Applicant Title)

27316 Spectructm Way Oak Ridge, TX. 7

(Applicant Mailing Address)

281.217.1031

(Applicant Telephone Number)

10/22/2021

(Date of Application)

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

~~To Be Completed By Retail Electric Provider~~

ESI-ID:

1008901023806915310100

Customer Name Associated with ESI-ID:

Rayford Road Municipal Utility District (WTP 2)

Service Address:

1825 Ashton Village, Spring TX 77386

Mailing Address: (if different than Service Address):

3401 Louisiana St, Ste 400, Houston TX 77002

Date Form Sent to Customer:

10/22/2021

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a "critical load public safety customer" are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

"Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life-sustaining equipment."

Primary Contact:

Name:

Mike Williams

Work Number:

832-642-7384

Home Number:

281-367-5511

Fax Number:

Secondary Contact:

Henry Journey

Name:

281.850.5162

Work Number:

281.367.5511

Home Number:

281-367-5517

Fax Number:

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC

ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

~~Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status~~

Review PUCT Substantive Rules § 25.497(a)(1) and § 25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and § 25.52(c)(1) for the following reason(s).

Is there an alternate generation resource serving this facility? Yes x No

What is the capacity (size) of this generation resource? kW

How long will this generation resource operate without refueling? _____ Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

John T. Montgomery
(Applicant Name-Printed)
Compliance Coordinator
(Applicant Title)
27316 Spectructm Way Oak Ridge, TX. 7
(Applicant Mailing Address)
281.217.1031
(Applicant Telephone Number)
10/22/2021
(Date of Application)

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

~~To Be Completed By Retail Electric Provider~~

ESI-ID:

1008901022900598010112

Customer Name Associated with ESI-ID:

Rayford Road Municipal Utility District (WTP 3)

Service Address:

2502 Hidden Park Ln Spring TX 77386

Mailing Address: (if different than Service Address):

3401 Louisiana St, Ste 400, Houston TX 77002

Date Form Sent to Customer:

10/22/2021

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a "critical load public safety customer" are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

"Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life-sustaining equipment."

Primary Contact:

Name:

Mike Williams

Work Number:

832-642-7384

Home Number:

281-367-5511

Fax Number:

Secondary Contact:

Henry Journey

Name:

281.850.5162

Work Number:

281.367.5511

Home Number:

281-367-5517

Fax Number:

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC

ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

~~Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status~~

Review PUCT Substantive Rules § 25.497(a)(1) and § 25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and § 25.52(c)(1) for the following reason(s).

Is there an alternate generation resource serving this facility? Yes ☒ No

What is the capacity (size) of this generation resource? kW

How long will this generation resource operate without refueling? _____ Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

John T. Montgomery
(Applicant Name-Printed)
Compliance Coordinator
(Applicant Title)
27316 Spectructm Way Oak Ridge, TX. 7
(Applicant Mailing Address)
281.271.1031
(Applicant Telephone Number)
10/22/2021
(Date of Application)

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

~~To Be Completed By Retail Electric Provider~~

ESI-ID:

1008901023805169600100

Customer Name Associated with ESI-ID:

Rayford Road Municipal Utility District (WWTP & LS 1)

Service Address:

30110 Thorsby Spring TX 77386

Mailing Address: (if different than Service Address):

3401 Louisiana St, Ste 400, Houston TX 77002

Date Form Sent to Customer:

10/22/2021

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

"Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life-sustaining equipment."

Primary Contact:

Name:

Mike Williams

Work Number:

832-642-7384

Home Number:

281-367-5511

Fax Number:

Secondary Contact:

Henry Journey

Name:

281.850.5162

Work Number:

281.367.5511

Home Number:

281-367-5517

Fax Number:

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC

ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

~~Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status~~

Review PUCT Substantive Rules § 25.497(a)(1) and § 25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and § 25.52(c)(1) for the following reason(s).

Is there an alternate generation resource serving this facility? Yes ☒ No

What is the capacity (size) of this generation resource? kW

How long will this generation resource operate without refueling? Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

John T. Montgomery
(Applicant Name-Printed)
Compliance Coordinator
(Applicant Title)
27316 Spectructm Way Oak Ridge, TX. 7
(Applicant Mailing Address)
281.271.1031
(Applicant Telephone Number)
04/11/2020
(Date of Application)

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.