




## Filing Receipt

**Received - 2021-11-01 09:22:30 AM**  
**Control Number - 52299**  
**ItemNumber - 885**



# Southern Montgomery County Municipal Utility District

25212 Interstate 45  
Spring, Texas 77386  
Phone: 281-367-5383  
[www.smcmud.com](http://www.smcmud.com)

October 26, 2021

Dimas A. Reyes  
CenterPoint Energy, Inc.  
P. O. Box 4567  
Houston, Texas 77210-4567  
[dimas.a.reyes@centerpointenergy.com](mailto:dimas.a.reyes@centerpointenergy.com)

*Submit 4 copies to:*  
Public Utility Commission of Texas  
1701 North Congress Avenue  
P. O. Box 13326  
Austin, Texas 78711-3326

Clinton Ladd  
Texas Division of Emergency Management  
[Clinton.ladd@dps.texas.gov](mailto:Clinton.ladd@dps.texas.gov)  
Texas Dept. of Public Safety  
6100 Guadalupe St., Bldg. E  
Austin, Texas 78752

Judge Mark Keough  
Montgomery County Office of  
Emergency Management  
9472 Airport Road  
Conroe, Texas 77303

Re: Southern Montgomery County Municipal Utility District - Critical Load Status Per Water Code §13.1396

---

Ladies and Gentlemen:

Pursuant to Water Code §13.1396 please find Southern Montgomery County Municipal Utility District's submission to provide the required information for the District's water and wastewater facilities that qualify for critical load status.

District Facilities Qualifying for Critical Load Status Include:

1.

ESI-ID: 1008901023804686650100

Description: ***SMCMUD District Office***

Location/Service Address:

25212 Interstate 45  
Spring, Texas 77386

October 26, 2021

Page 2

2.

ESI-ID: 1008901011900441600110

Description: ***Wastewater Treatment Plant***

Location/Service Address:

852 Rayford Road #1

Spring, Texas 77386

3.

ESI-ID: 1008901020549022036100

Description: ***Lift Station - SOMO***

Location/Service Address:

856 Rayford Road

Spring, Texas 77386

4.

ESI-ID: 1008901011901156010116

Description: ***Lift Station – Cathedral Lakes***

Location/Service Address:

24826 Cathedral Lakes Parkway

Spring, Texas 77386

5.

ESI-ID: 1008901023805552740100

Description: ***Lift Station – Oak Ridge Forest***

Location/Service Address:

606 Gamewood Drive

Spring, Texas 77386

6.

ESI-ID: 1008901036550648115100

Description: ***Lift Station - Vicksburg***

Location/Service Address:

611 Cannon Ball Drive

Spring, Texas 77380

7.

ESI-ID: 1008901006900529530111

Description: ***Lift Station – Aaron's Place***

Location/Service Address:

703 Aulia Lane

Spring, Texas

October 26, 2021

Page 3

8.

ESI-ID: 1008901021549579853100

Description: ***Water Plant No. 1***

Location/Service Address:

25216 Interstate 45

Spring, Texas 77386

9.

ESI-ID: 1008901023809540730100

Description: ***Water Plant No. 2***

Location/Service Address:

24810 South Park Drive

Spring, Texas 77380

10.

ESI-ID: 1008901024900131130107

Description: ***Water Well No. 4***

Location/Service Address:

24810 ½ South Park Drive

Spring, Texas 77380

11.

ESI-ID: 1008901020900441920110

Description: ***Water Plant No. 3***

Location/Service Address:

406 Oak Ridge Grove Drive

Spring, Texas 77386

12.

ESI-ID: 1008901011901650960120

Description: ***Elevated Storage Tank No. 2***

Location/Service Address:

26365 Hanna Road

Spring, Texas 77385

13.

ESI-ID: 1008901022900819700114

Description: ***Reclaimed Water Plant***

Location/Service Address:

852 ½ Rayford Road

Spring, Texas 77386

***(See next page for contact information.)***

October 26, 2021

Page 4

**District Primary Emergency Contact**

Name: Kimberly Wright

Work Number: 281-367-5383 ext. 121

Home Number: 832-428-2647 (Cell)

Fax Number: 281-298-1657

**District Secondary Emergency Contact**

Name: Tim Gordy

Work Number: 281-367-5383 ext. 111

Home Number: 832-771-6748 (Cell)

Fax Number: 281-298-1657

**Mailing Address:**

Southern Montgomery County M.U.D.

25212 Interstate 45


Spring, TX 77386

Telephone: 281-367-5383

Fax: 281-298-1657

Sincerely,

SOUTHERN MONTGOMERY COUNTY M.U.D.



Stefanie Miller

Compliance and Safety Coordinator

Enclosures: Eligibility Determination Forms for Designation as a Critical Load Public Safety Customer

cc: Lori Aylett; Smith, Murdaugh, Little & Bonham, LP

Kimberly Wright; General Manager

Tim Gordy; O&M Manager

**CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC**

**ELIGIBILITY DETERMINATION FORM FOR DESIGNATION  
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER**

**SECTION A**

**To Be Completed By Retail Electric Provider**

ESI-ID: 1008901023804686650100

Customer Name Associated with ESI-ID: Southern Montgomery County Municipal Utility District

Service Address: *SMCMUD District Office*, 25212 Interstate 45, Spring, Texas 77386

Mailing Address: (if different than Service Address): [Same]

Date Form Sent to Customer: N/A

**SECTION B**

**To Be Completed By Retail Customer**

**The criteria for qualification as a "critical load public safety customer" are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:**

"Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment."

**Primary Contact:**

Name: Kimberly Wright

Work Number: 281-367-5383 ext. 121

Home Number: 832-428-2647 (Cell)

Fax Number: 281-298-1657

**Secondary Contact:**

Name: Tim Gordy

Work Number: 281-367-5383 ext. 111

Home Number: 281-771-6748 (Cell)

Fax Number: 281-298-1657

*Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.*

**CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC**  
**ELIGIBILITY DETERMINATION FORM FOR DESIGNATION**  
**AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER**

**SECTION C**  
**Required Certification Information To Be Completed By Retail Customer Applying For Critical**  
**Load Public Safety Customer Status**

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical water facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes   X   No       

What is the capacity (size) of this generation resource?   24   kW

How long will this generation resource operate without refueling?   Unlimited   Hours

**DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)**

We are a retail public utility providing large scale water service. This facility is the main office for operations and customer service.

**Southern Montgomery County**  
**Municipal Utility District**  
25212 Interstate 45  
Spring, Texas 77386

281-367-5383 – District Office Phone  
281-298-1657 – District Fax

October 26, 2021 – Date of Application

*Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.*

**CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC**  
**ELIGIBILITY DETERMINATION FORM FOR DESIGNATION**  
**AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER**

**SECTION A**

**To Be Completed By Retail Electric Provider**

ESI-ID: 1008901011900441600110

Customer Name Associated with ESI-ID: Southern Montgomery County Municipal Utility District

Service Address: *Wastewater Treatment Plant*, 852 Rayford Road #1, Spring, Texas 77386

Mailing Address: (if different than Service Address): 25212 Interstate 45, Spring, Texas 77386

Date Form Sent to Customer: N/A

**SECTION B**

**To Be Completed By Retail Customer**

**The criteria for qualification as a "critical load public safety customer" are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:**

"Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment."

**Primary Contact:**

Name: Kimberly Wright

Work Number: 281-367-5383 ext. 121

Home Number: 832-428-2647 (Cell)

Fax Number: 281-298-1657

**Secondary Contact:**

Name: Tim Gordy

Work Number: 281-367-5383 ext. 111

Home Number: 281-771-6748 (Cell)

Fax Number: 281-298-1657

*Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.*



**CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC**  
**ELIGIBILITY DETERMINATION FORM FOR DESIGNATION**  
**AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER**

**SECTION C**  
**Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status**

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical wastewater facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes   X   No       

What is the capacity (size) of this generation resource?   1000   kW

How long will this generation resource operate without refueling?   72   Hours

**DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)**

We are a retail public utility providing large scale sewer service. The above described facility is a wastewater treatment plant, the operation of which is critical to the proper treatment and disposal of untreated sewage. An interruption of electric service may create a public health hazard by resulting in the discharge of untreated sewage into the waters of the State of Texas.

**Southern Montgomery County**  
**Municipal Utility District**  
25212 Interstate 45  
Spring, Texas 77386

281-367-5383 – District Office Phone  
281-298-1657 – District Fax

October 26, 2021 – Date of Application

*Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.*

**CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC**

**ELIGIBILITY DETERMINATION FORM FOR DESIGNATION  
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER**

**SECTION A**

**To Be Completed By Retail Electric Provider**

ESI-ID: 1008901020549022036100

Customer Name Associated with ESI-ID: Southern Montgomery County Municipal Utility District

Service Address: *Lift Station – SOMO*, 856 Rayford Road, Spring, Texas 77386

Mailing Address: (if different than Service Address): 25212 Interstate 45, Spring, Texas 77386

Date Form Sent to Customer: N/A

**SECTION B**

**To Be Completed By Retail Customer**

The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1).

Generally, these are:

“Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment.”

**Primary Contact:**

Name: Kimberly Wright

Work Number: 281-367-5383 ext. 121

Home Number: 832-428-2657 (Cell)

Fax Number: 281-298-1657

**Secondary Contact:**

Name: Tim Gordy

Work Number: 281-367-5383 ext. 111

Home Number: 281-771-6748 (Cell)

Fax Number: 281-298-1657

*Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.*

**CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC**

**ELIGIBILITY DETERMINATION FORM FOR DESIGNATION  
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER**

**SECTION C**

**Required Certification Information To Be Completed By Retail Customer Applying For Critical  
Load Public Safety Customer Status**

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical wastewater facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes   X   No   

What is the capacity (size) of this generation resource?   100   kW

How long will this generation resource operate without refueling?   72   Hours

**DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN  
EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)**

We are a retail public utility providing large scale sewer service. The above described facility is a wastewater facility, the operation of which is critical to the transmission and disposal of untreated sewage. An interruption of electric service may create a public health hazard by resulting in the discharge of untreated sewage into the waters of the State of Texas.

**Southern Montgomery County  
Municipal Utility District**  
25212 Interstate 45  
Spring, Texas 77386

281-367-5383 – District Office Phone  
281-298-1657 – District Fax

October 26, 2021 – Date of Application

**CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC**

**ELIGIBILITY DETERMINATION FORM FOR DESIGNATION  
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER**

**SECTION A**

**To Be Completed By Retail Electric Provider**

ESI-ID: 1008901011901156010116

Customer Name Associated with ESI-ID: Southern Montgomery County Municipal Utility District

Service Address: *Lift Station -- Cathedral Lakes*, 24826 Cathedral Lakes Parkway, Spring, Texas 77386

Mailing Address: (if different than Service Address): 25212 Interstate 45, Spring, Texas 77386

Date Form Sent to Customer: N/A

**SECTION B**

**To Be Completed By Retail Customer**

The criteria for qualification as a "critical load public safety customer" are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1).

Generally, these are:

"Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment."

**Primary Contact:**

Name: Kimberly Wright

Work Number: 281-367-5383 ext. 121

Home Number: 832-428-2657 (Cell)

Fax Number: 281-298-1657

**Secondary Contact:**

Name: Tim Gordy

Work Number: 281-367-5383 ext. 111

Home Number: 281-771-6748 (Cell)

Fax Number: 281-298-1657

*Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.*

**CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC**  
**ELIGIBILITY DETERMINATION FORM FOR DESIGNATION**  
**AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER**

**SECTION C**  
**Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status**

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical wastewater facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes   X   No       

What is the capacity (size) of this generation resource?   100   kW

How long will this generation resource operate without refueling?   72   Hours

**DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)**

We are a retail public utility providing large scale sewer service. The above described facility is a wastewater facility, the operation of which is critical to the transmission and disposal of untreated sewage. An interruption of electric service may create a public health hazard by resulting in the discharge of untreated sewage into the waters of the State of Texas.

**Southern Montgomery County**  
**Municipal Utility District**  
25212 Interstate 45  
Spring, Texas 77386

281-367-5383 – District Office Phone  
281-298-1657 – District Fax

October 26, 2021 – Date of Application

*Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.*

**CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC**

**ELIGIBILITY DETERMINATION FORM FOR DESIGNATION  
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER**

**SECTION A**

**To Be Completed By Retail Electric Provider**

ESI-ID: 1008901023805552740100

Customer Name Associated with ESI-ID: Southern Montgomery County Municipal Utility District

Service Address: *Lift Station – Oak Ridge Forest*, 606 Gamewood Drive, Spring, Texas 77386

Mailing Address: (if different than Service Address): 25212 Interstate 45, Spring, Texas 77386

Date Form Sent to Customer: N/A

**SECTION B**

**To Be Completed By Retail Customer**

The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

“Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment.”

**Primary Contact:**

Name: Kimberly Wright

Work Number: 281-367-5383 ext. 121

Home Number: 832-428-2657 (Cell)

Fax Number: 281-298-1657

**Secondary Contact:**

Name: Tim Gordy

Work Number: 281-367-5383 ext. 111

Home Number: 281-771-6748 (Cell)

Fax Number: 281-298-1657

*Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.*

**CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC**

**ELIGIBILITY DETERMINATION FORM FOR DESIGNATION  
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER**

**SECTION C**

**Required Certification Information To Be Completed By Retail Customer Applying For Critical  
Load Public Safety Customer Status**

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical wastewater facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes   X   No       

What is the capacity (size) of this generation resource?   100   kW

How long will this generation resource operate without refueling?   72   Hours

**DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN  
EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)**

We are a retail public utility providing large scale sewer service. The above described facility is a wastewater facility, the operation of which is critical to the transmission and disposal of untreated sewage. An interruption of electric service may create a public health hazard by resulting in the discharge of untreated sewage into the waters of the State of Texas.

**Southern Montgomery County  
Municipal Utility District**  
25212 Interstate 45  
Spring, Texas 77386

281-367-5383 – District Office Phone  
281-298-1657 – District Fax

October 26, 2021 – Date of Application

*Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.*

**CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC**

**ELIGIBILITY DETERMINATION FORM FOR DESIGNATION  
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER**

**SECTION A**

**To Be Completed By Retail Electric Provider**

ESI-ID: 1008901036550648115100

Customer Name Associated with ESI-ID: Southern Montgomery County Municipal Utility District

Service Address: *Lift Station – Vicksburg*, 611 Cannon Ball Drive, Spring, Texas 77386

Mailing Address: (if different than Service Address): 25212 Interstate 45, Spring, Texas 77386

Date Form Sent to Customer: N/A

**SECTION B**

**To Be Completed By Retail Customer**

**The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:**

“Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment.”

**Primary Contact:**

Name: Kimberly Wright

Work Number: 281-367-5383 ext. 121

Home Number: 832-428-2657 (Cell)

Fax Number: 281-298-1657

**Secondary Contact:**

Name: Tim Gordy

Work Number: 281-367-5383 ext. 111

Home Number: 281-771-6748 (Cell)

Fax Number: 281-298-1657

*Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.*



**CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC**

**ELIGIBILITY DETERMINATION FORM FOR DESIGNATION  
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER**

**SECTION C**

**Required Certification Information To Be Completed By Retail Customer Applying For Critical  
Load Public Safety Customer Status**

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical wastewater facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes   X   No   

What is the capacity (size) of this generation resource?   100   kW

How long will this generation resource operate without refueling?   72   Hours

**DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN  
EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)**

We are a retail public utility providing large scale sewer service. The above described facility is a wastewater facility, the operation of which is critical to the transmission and disposal of untreated sewage. An interruption of electric service may create a public health hazard by resulting in the discharge of untreated sewage into the waters of the State of Texas.

**Southern Montgomery County  
Municipal Utility District**  
25212 Interstate 45  
Spring, Texas 77386

281-367-5383 – District Office Phone  
281-298-1657 – District Fax

October 26, 2021 – Date of Application

*Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.*

**CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC**

**ELIGIBILITY DETERMINATION FORM FOR DESIGNATION  
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER**

**SECTION A**

**To Be Completed By Retail Electric Provider**

ESI-ID: 1008901006900529530111

Customer Name Associated with ESI-ID: Southern Montgomery County Municipal Utility District

Service Address: *Lift Station – Aaron’s Place*, 703 Aulia Lane, Spring, Texas 77386

Mailing Address: (if different than Service Address): 25212 Interstate 45, Spring, Texas 77386

Date Form Sent to Customer: N/A

**SECTION B**

**To Be Completed By Retail Customer**

**The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:**

“Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment.”

**Primary Contact:**

Name: Kimberly Wright

Work Number: 281-367-5383 ext. 121

Home Number: 832-428-2657 (Cell)

Fax Number: 281-298-1657

**Secondary Contact:**

Name: Tim Gordy

Work Number: 281-367-5383 ext. 111

Home Number: 281-771-6748 (Cell)

Fax Number: 281-298-1657

*Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.*

**CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC**  
**ELIGIBILITY DETERMINATION FORM FOR DESIGNATION**  
**AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER**

**SECTION C**  
**Required Certification Information To Be Completed By Retail Customer Applying For Critical**  
**Load Public Safety Customer Status**

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical wastewater facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes   X   No       

What is the capacity (size) of this generation resource?   100   kW

How long will this generation resource operate without refueling?   72   Hours

**DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)**

We are a retail public utility providing large scale sewer service. The above described facility is a wastewater facility, the operation of which is critical to the transmission and disposal of untreated sewage. An interruption of electric service may create a public health hazard by resulting in the discharge of untreated sewage into the waters of the State of Texas.

**Southern Montgomery County**  
**Municipal Utility District**  
25212 Interstate 45  
Spring, Texas 77386

281-367-5383 – District Office Phone  
281-298-1657 – District Fax

October 26, 2021 – Date of Application

*Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.*

**CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC**

**ELIGIBILITY DETERMINATION FORM FOR DESIGNATION  
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER**

**SECTION A**

**To Be Completed By Retail Electric Provider**

ESI-ID: 1008901021549579853100

Customer Name Associated with ESI-ID: Southern Montgomery County Municipal Utility District

Service Address: *Water Plant No. 1*, 25216 Interstate 45, Spring, Texas 77386

Mailing Address: (if different than Service Address): 25212 Interstate 45, Spring, Texas 77386

Date Form Sent to Customer: N/A

**SECTION B**

**To Be Completed By Retail Customer**

**The criteria for qualification as a "critical load public safety customer" are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:**

"Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment."

**Primary Contact:**

Name: Kimberly Wright

Work Number: 281-367-5383 ext. 121

Home Number: 832-428-2657 (Cell)

Fax Number: 281-298-1657

**Secondary Contact:**

Name: Tim Gordy

Work Number: 281-367-5383 ext. 111

Home Number: 281-771-6748 (Cell)

Fax Number: 281-298-1657

*Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.*

**CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC**  
**ELIGIBILITY DETERMINATION FORM FOR DESIGNATION**  
**AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER**

**SECTION C**  
**Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status**

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical water facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes \_\_\_\_\_ No X

What is the capacity (size) of this generation resource? \_\_\_\_\_ kW

How long will this generation resource operate without refueling? \_\_\_\_\_ Hours

**DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)**

We are a retail public utility providing large scale water service. This facility is a water plant, the operation of which is critical to the provision of potable water to our customers. An interruption of electric service may result in the loss of adequate system pressure, the issuance of boil water notices and the failure of the utility to deliver its public water supply.

**Southern Montgomery County**  
**Municipal Utility District**  
25212 Interstate 45  
Spring, Texas 77386

281-367-5383 – District Office Phone  
281-298-1657 – District Fax

October 26, 2021 – Date of Application

*Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.*

**CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC**

**ELIGIBILITY DETERMINATION FORM FOR DESIGNATION  
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER**

**SECTION A**

**To Be Completed By Retail Electric Provider**

ESI-ID: 1008901023809540730100

Customer Name Associated with ESI-ID: Southern Montgomery County Municipal Utility District

Service Address: *Water Plant No. 2*, 25216 Interstate 45, Spring, Texas 77386

Mailing Address: (if different than Service Address): 25212 Interstate 45, Spring, Texas 77386

Date Form Sent to Customer: N/A

**SECTION B**

**To Be Completed By Retail Customer**

The criteria for qualification as a "critical load public safety customer" are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

"Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment."

**Primary Contact:**

Name: Kimberly Wright

Work Number: 281-367-5383 ext. 121

Home Number: 832-428-2657 (Cell)

Fax Number: 281-298-1657

**Secondary Contact:**

Name: Tim Gordy

Work Number: 281-367-5383 ext. 111

Home Number: 281-771-6748 (Cell)

Fax Number: 281-298-1657

*Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.*

**CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC**  
**ELIGIBILITY DETERMINATION FORM FOR DESIGNATION**  
**AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER**

**SECTION C**  
**Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status**

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical water facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes ☒ No ☐

What is the capacity (size) of this generation resource? 350 kW

How long will this generation resource operate without refueling? 72 Hours

**DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)**

We are a retail public utility providing large scale water service. This facility is a water plant, the operation of which is critical to the provision of potable water to our customers. An interruption of electric service may result in the loss of adequate system pressure, the issuance of boil water notices and the failure of the utility to deliver its public water supply.

**Southern Montgomery County**  
**Municipal Utility District**  
25212 Interstate 45  
Spring, Texas 77386

281-367-5383 – District Office Phone  
281-298-1657 – District Fax

October 26, 2021 – Date of Application

*Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.*

**CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC**

**ELIGIBILITY DETERMINATION FORM FOR DESIGNATION  
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER**

**SECTION A**

**To Be Completed By Retail Electric Provider**

ESI-ID: 1008901023809540730100

Customer Name Associated with ESI-ID: Southern Montgomery County Municipal Utility District

Service Address: *Water Well No. 4*, 24810 ½ South Park Drive, Spring, Texas 77380

Mailing Address: (if different than Service Address): 25212 Interstate 45, Spring, Texas 77386

Date Form Sent to Customer: N/A

**SECTION B**

**To Be Completed By Retail Customer**

**The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:**

“Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment.”

**Primary Contact:**

Name: Kimberly Wright

Work Number: 281-367-5383 ext. 121

Home Number: 832-428-2657 (Cell)

Fax Number: 281-298-1657

**Secondary Contact:**

Name: Tim Gordy

Work Number: 281-367-5383 ext. 111

Home Number: 281-771-6748 (Cell)

Fax Number: 281-298-1657

*Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.*



**CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC**  
**ELIGIBILITY DETERMINATION FORM FOR DESIGNATION**  
**AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER**

**SECTION C**  
**Required Certification Information To Be Completed By Retail Customer Applying For Critical**  
**Load Public Safety Customer Status**

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical water facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes ☒ No ☐

What is the capacity (size) of this generation resource? 350 kW

How long will this generation resource operate without refueling? 72 Hours

**DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)**

We are a retail public utility providing large scale water service. This facility is a water plant, the operation of which is critical to the provision of potable water to our customers. An interruption of electric service may result in the loss of adequate system pressure, the issuance of boil water notices and the failure of the utility to deliver its public water supply.

**Southern Montgomery County**  
**Municipal Utility District**  
25212 Interstate 45  
Spring, Texas 77386

281-367-5383 – District Office Phone  
281-298-1657 – District Fax

October 26, 2021 – Date of Application

*Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.*

**CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC**

**ELIGIBILITY DETERMINATION FORM FOR DESIGNATION  
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER**

**SECTION A**

**To Be Completed By Retail Electric Provider**

ESI-ID: 1008901020900441920110

Customer Name Associated with ESI-ID: Southern Montgomery County Municipal Utility District

Service Address: *Water Plant No. 3*, 406 Oak Ridge Grove Drive, Spring, Texas 77386

Mailing Address: (if different than Service Address): 25212 Interstate 45, Spring, Texas 77386

Date Form Sent to Customer: N/A

**SECTION B**

**To Be Completed By Retail Customer**

**The criteria for qualification as a "critical load public safety customer" are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:**

"Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment."

**Primary Contact:**

Name: Kimberly Wright

Work Number: 281-367-5383 ext. 121

Home Number: 832-428-2657 (Cell)

Fax Number: 281-298-1657

**Secondary Contact:**

Name: Tim Gordy

Work Number: 281-367-5383 ext. 111

Home Number: 281-771-6748 (Cell)

Fax Number: 281-298-1657

*Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.*

**CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC**  
**ELIGIBILITY DETERMINATION FORM FOR DESIGNATION**  
**AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER**

**SECTION C**  
**Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status**

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical water facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes ☒ No ☐

What is the capacity (size) of this generation resource? 750 kW

How long will this generation resource operate without refueling? 72 Hours

**DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)**

We are a retail public utility providing large scale water service. This facility is a water plant, the operation of which is critical to the provision of potable water to our customers. An interruption of electric service may result in the loss of adequate system pressure, the issuance of boil water notices and the failure of the utility to deliver its public water supply.

**Southern Montgomery County**  
**Municipal Utility District**  
25212 Interstate 45  
Spring, Texas 77386

281-367-5383 – District Office Phone  
281-298-1657 – District Fax

October 26, 2021 – Date of Application

**CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC**

**ELIGIBILITY DETERMINATION FORM FOR DESIGNATION  
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER**

**SECTION A**

**To Be Completed By Retail Electric Provider**

ESI-ID: 1008901011901650960120

Customer Name Associated with ESI-ID: Southern Montgomery County Municipal Utility District

Service Address: *Elevated Storage Tank No. 2*, 26365 Hanna Road, Spring, Texas 77385

Mailing Address: (if different than Service Address): 25212 Interstate 45, Spring, Texas 77386

Date Form Sent to Customer: N/A

**SECTION B**

**To Be Completed By Retail Customer**

The criteria for qualification as a "critical load public safety customer" are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

"Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment."

**Primary Contact:**

Name: Kimberly Wright

Work Number: 281-367-5383 ext. 121

Home Number: 832-428-2657 (Cell)

Fax Number: 281-298-1657

**Secondary Contact:**

Name: Tim Gordy

Work Number: 281-367-5383 ext. 111

Home Number: 281-771-6748 (Cell)

Fax Number: 281-298-1657

*Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.*

**CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC**

**ELIGIBILITY DETERMINATION FORM FOR DESIGNATION  
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER**

**SECTION C**

**Required Certification Information To Be Completed By Retail Customer Applying For Critical  
Load Public Safety Customer Status**

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical water facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes \_\_\_ No X

What is the capacity (size) of this generation resource? \_\_\_\_\_kW

How long will this generation resource operate without refueling? \_\_\_\_\_ Hours

**DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN  
EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)**

We are a retail public utility providing large scale water service. This facility is a water plant, the operation of which is critical to the provision of potable water to our customers. An interruption of electric service may result in the loss of adequate system pressure, the issuance of boil water notices and the failure of the utility to deliver its public water supply.

**Southern Montgomery County  
Municipal Utility District**  
25212 Interstate 45  
Spring, Texas 77386

281-367-5383 – District Office Phone  
281-298-1657 – District Fax

October 26, 2021 – Date of Application

*Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.*

**CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC**

**ELIGIBILITY DETERMINATION FORM FOR DESIGNATION  
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER**

**SECTION A**

**To Be Completed By Retail Electric Provider**

ESI-ID: 1008901022900819700114

Customer Name Associated with ESI-ID: Southern Montgomery County Municipal Utility District

Service Address: *Reclaimed Water Plant*, 852 ½ Rayford Road, Spring, Texas 77386

Mailing Address: (if different than Service Address): 25212 Interstate 45, Spring, Texas 77386

Date Form Sent to Customer: N/A

**SECTION B**

**To Be Completed By Retail Customer**

**The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:**

“Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment.”

**Primary Contact:**

Name: Kimberly Wright

Work Number: 281-367-5383 ext. 121

Home Number: 832-428-2647 (Cell)

Fax Number: 281-298-1657

**Secondary Contact:**

Name: Tim Gordy

Work Number: 281-367-5383 ext. 111

Home Number: 281-771-6748 (Cell)

Fax Number: 281-298-1657

*Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.*

**CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC**  
**ELIGIBILITY DETERMINATION FORM FOR DESIGNATION**  
**AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER**

**SECTION C**  
**Required Certification Information To Be Completed By Retail Customer Applying For Critical**  
**Load Public Safety Customer Status**

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical wastewater facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes ☒ No ☐

What is the capacity (size) of this generation resource? 350 kW

How long will this generation resource operate without refueling? 72 Hours

**DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)**

We are a retail public utility providing large scale sewer service. The above described facility is a wastewater treatment plant, the operation of which is critical to the proper treatment and disposal of untreated sewage. An interruption of electric service may create a public health hazard by resulting in the discharge of untreated sewage into the waters of the State of Texas.

**Southern Montgomery County**  
**Municipal Utility District**  
25212 Interstate 45  
Spring, Texas 77386

281-367-5383 – District Office Phone  
281-298-1657 – District Fax

October 26, 2021 – Date of Application