



Filing Receipt

Received - 2022-03-10 01:45:24 PM

Control Number - 52497

ItemNumber - 23

COATS | ROSE

A PROFESSIONAL CORPORATION

NATALIE SCOTT
DIRECTOR

NSCOTT@COATSROSE.COM
DIRECT: (512) 541-3846
FAX: (512) 469-9408

March 10, 2021

Public Utilities Commission
P.O. Box 13326
Austin, Texas 78711-3326

Via Electronic Filing

Re: PUC Docket No. 52497; *Petition of HC Celina 414, LLC for Expedited Release from Water CCN No. 10150 Held by Marilee Special Utility District in Collin County*

Dear Sir or Madam:

Per the Office of Policy and Docket Management's request, Petitioner, in support of its amended petition, files that attached mapping, which reflects the one story house (the "House") that remains in service, is located outside the boundary of the area requested for decertification (the "Requested Area"). In addition, water meter number 521, marked as "WM⊗," which serves the House, is located outside the Requested Area. Water meter number 521 does not serve any other structures within the Requested Area. These structures are abandoned or uninhabitable

In sum, the meter and the house it serves are outside the Requested Area. There is no service to any structures within the Requested Area.

Very truly yours,




Natalie B. Scott

NBS:mzp
Enclosure

Cc (w/encl.):
All counsel of record

TERRACE 2, 2700 VIA FORTUNA, SUITE 350, AUSTIN, TEXAS 78746
PHONE: (512) 469-7987 FAX: (512) 469-9408
coatsrose.com



House remains in service

pond

1 Story Frame Residence

barn

1/2" Ref. IRF (15.00')

Railroad

1,476.44'

rd 132

(10.k) TeTej Vol. 57 Kavet.

CC 20 PK Nail N31°48'4"

380.56'

S00°52'38"E

S88°49'57"W 948.30'

RCIRF