

Filing Receipt

Received - 2022-06-17 01:54:08 PM Control Number - 52942 ItemNumber - 718



Registration of Submetered OR Allocated Utility Service NOTE: Please <u>DO NOT</u> include any person or protected information on

Date:				
By:				
Docket No				
(this number to be assigned by the				
DIIC - ((:- (-1 - 1)				

this form (ex: tax identification #'s, social security #'s, etc.)		PUC after your form is filed)					
PROPERTY OWNER: Do <u>not</u> enter the name of the owner's contract manager, management company, or billing							
company.							
Name MAKAAN 500 FLATS SPE, LLC							
Mailing Address: 505 N Sam Houston Pkwy E, Suite 682 City Houston		State	TX	Zip	~~		
Telephone # ((832) 264-6340 Fax # (if applicable) ()		E-mail	msh	aik@coı	mpqsoft.com		
NAME, ADDRESS, AND TYPE OF PROPERTY WHERE UTILITY SERVICE IS PROVIDED							
Name 500 Flats							
Mailing Address: 500 Northeast Loop 820 City Fort Worth		State TX		Zip	76106		
Telephone # (\$17))654-4788 Fax # (if applicable) ()		E-mail matt.strom@		.strom@	assetliving.com		
X Apartment Complex Condominium Manufactured Home R	Rental Co	mmuni	.ty	Mul	tiple-Use Facility		
If applicable, describe the "multiple-use facility" here:							
INFORMATION ON UTILITY SEI	RVICE						
Tenants are billed for X Water X Wastewater	Subn	netered	<u>OR</u>	X A	llocated ★★★		
Name of utility providing water/wastewater							
Date submetered or allocated billing begins (or began) 03/01/2022 Required							
METHOD USED TO OFFSET CHARGES FOR COMMON AREAS Check one line only.							
Not applicable, because Bills are based on the tenant's actual submetered consumption							
There are <u>neither</u> common areas <u>nor</u> an installed irrigation system							
All common areas and the irrigation system(s) are metered or submetered:							
We deduct the actual utility charges for water and wastewater to these areas then allocate the remaining charges among							
our tenants.							
This property has an installed irrigation system that is <u>not</u> separately metered or submetered:							
We deduct 25 percent (we deduct at least 25 percent) of the utility's total charges for water and wastewater							
consumption, then allocate the remaining charges among our tenants.							
This property has an installed irrigation system(s) that <u>is/are</u> separately metered or submetered:							
We deduct the actual utility charges associated with the irrigation system(s), then deduct at least 5 percent of the utility's							
total charges for water and wastewater consumption, then allocate the remaining charges among our tenants.							
This property does <u>not</u> have an installed irrigation system:							
We deduct at least 5 percent of the retail public utility's total charges for water and wastewater consumption, and then							
allocate the remaining charges among our tenants.							
★★★IF UTILITY SERVICES ARE ALLOCATED, YOU MUST ALSO COMPLETE PAGE TWO OF THIS FORM ★★★							
Send this form by mail to:							
Filing Clerk, Public Utility Commission of Texas							
1701 North Congress Avenue P.O. Box 13326							
P.O. Box 13326							
Austin, Texas 78711-3326							

METHOD USED TO ALLOCATE UTILITY CHARGES

Occupancy method: The number of occupants in the tenant's dwelling unit is divided by the total number of occupants in all dwelling units at the beginning of the month for which bills are being rendered. X	Check the box or boxes that describe the alle	ocation method used to bi	ll tenants.						
Number of Occupants for Billing Purposes 1.0	Occupancy method: The number of occupants in the tenant's dwelling unit is divided by the total number of								
The number of occupants in the tenant's dwelling unit is adjusted as shown in the table to the right. This adjusted value is divided by the total of these values for all dwelling units occupied at the beginning of the retail public utility's billing period. Setimated occupancy method: Number of Number of Occupants for Bedrooms Billing Purposes	occupants in all dwelling units at the beginning of the month for which bills are being rendered.								
The number of occupants in the tenant's dwelling unit is adjusted as shown in the table to the right. This adjusted value is divided by the total of these values for all dwelling units occupied at the beginning of the retail public utility's billing period. Setimated occupancy method: Number of Number of Occupants for Bedrooms Billing Purposes									
The number of occupants in the tenant's dwelling unit is adjusted as shown in the table to the right. This adjusted value is divided by the total of these values for all dwelling units occupied at the beginning of the retail public utility's billing period. Setimated occupancy method: Number of Number of Occupants for Bedrooms Billing Purposes	X Ratio occupancy method:		Number of Occupants for						
is adjusted as shown in the table to the right. This adjusted value is divided by the total of these values for all dwelling units occupied at the beginning of the retail public utility's billing period. Setimated occupancy method: Number of Bedrooms Billing Purposes		Number of Occupants	Billing Purposes						
adjusted value is divided by the total of these values for all dwelling units occupied at the beginning of the retail public utility's billing period. Setimated occupancy method: Number of Number of Bedrooms Billing Purposes	The number of occupants in the tenant's dwelling unit	1	1.0						
Submetered cold water is used to allocate charges for hot water provided through a central system: Submetered cold water used in the tenant's dwelling units solutional occupant	is adjusted as shown in the table to the right. This	2	1.6						
Estimated occupancy method: Number of Bedrooms Billing Purposes	adjusted value is divided by the total of these values	3	2.2						
Estimated occupancy method: Number of Number of Occupants for Bedrooms Billing Purposes	for all dwelling units occupied at the beginning of the	>3	2.2 + 0.4 for each additional occupant						
Bedrooms Billing Purposes The estimated occupancy for each unit is based on the number of bedrooms as shown in the table to the right. The estimated occupancy in the tenant's dwelling unit is divided by the total estimated occupancy in all dwelling units regardless of the actual number of occupants or occupied units. Occupancy and size of rental unit	retail public utility's billing period.		_						
Bedrooms Billing Purposes The estimated occupancy for each unit is based on the number of bedrooms as shown in the table to the right. The estimated occupancy in the tenant's dwelling unit is divided by the total estimated occupancy in all dwelling units regardless of the actual number of occupants or occupied units. Occupancy and size of rental unit									
The estimated occupancy for each unit is based on the number of bedrooms as shown in the table to the right. The estimated occupancy in the tenant's dwelling unit is divided by the total estimated occupancy in all dwelling units regardless of the actual number of occupants or occupied units. Occupancy and size of rental unit	Estimated occupancy method:		Number of Occupants for						
number of bedrooms as shown in the table to the right. The estimated occupancy in the tenant's dwelling unit is divided by the total estimated occupancy in all dwelling units regardless of the actual number of occupants or occupied units. Occupancy and size of rental unit		Bedrooms	Billing Purposes						
right. The estimated occupancy in the tenant's dwelling unit is divided by the total estimated occupancy in all dwelling units regardless of the actual number of occupants or occupied units. Occupancy and size of rental unit	The estimated occupancy for each unit is based on the	0 (Efficiency)	1						
dwelling unit is divided by the total estimated occupancy in all dwelling units regardless of the actual number of occupants or occupied units. Occupancy and size of rental unit percent (in which no more than 50%) of the utility bill for water/wastewater consumption is allocated using the occupancy method checked above. The remainder is allocated according to either:		1	1.6						
occupancy in all dwelling units regardless of the actual number of occupants or occupied units. Occupancy and size of rental unit		2	2.8						
number of occupants or occupied units. Occupancy and size of rental unit percent (in which no more than 50%) of the utility bill for water/wastewater consumption is allocated using the occupancy method checked above. The remainder is allocated according to either: • the size of the tenant's dwelling unit divided by the total size of all dwelling units, OR • the size of the space rented by the tenant of a manufactured home divided by the size of all rental spaces. Submetered hot water: The individually submetered hot water used in the tenant's dwelling unit is divided by all submetered hot water used in all dwelling units. Submetered cold water is used to allocate charges for hot water provided through a central system: The individually submetered cold water used in the tenant's dwelling unit is divided by all submetered cold water used in	,	3	4.0						
Occupancy and size of rental unit percent (in which no more than 50%) of the utility bill for water/wastewater consumption is allocated using the occupancy method checked above. The remainder is allocated according to either: • the size of the tenant's dwelling unit divided by the total size of all dwelling units, OR • the size of the space rented by the tenant of a manufactured home divided by the size of all rental spaces. Submetered hot water: The individually submetered hot water used in the tenant's dwelling unit is divided by all submetered hot water used in all dwelling units. Submetered cold water is used to allocate charges for hot water provided through a central system: The individually submetered cold water used in the tenant's dwelling unit is divided by all submetered cold water used in		>3	4.0 + 1.2 for each additional bedroom						
water/wastewater consumption is allocated using the occupancy method checked above. The remainder is allocated according to either: • the size of the tenant's dwelling unit divided by the total size of all dwelling units, OR • the size of the space rented by the tenant of a manufactured home divided by the size of all rental spaces. Submetered hot water: The individually submetered hot water used in the tenant's dwelling unit is divided by all submetered hot water used in all dwelling units. Submetered cold water is used to allocate charges for hot water provided through a central system: The individually submetered cold water used in the tenant's dwelling unit is divided by all submetered cold water used in	number of occupants or occupied units.								
water/wastewater consumption is allocated using the occupancy method checked above. The remainder is allocated according to either: • the size of the tenant's dwelling unit divided by the total size of all dwelling units, OR • the size of the space rented by the tenant of a manufactured home divided by the size of all rental spaces. Submetered hot water: The individually submetered hot water used in the tenant's dwelling unit is divided by all submetered hot water used in all dwelling units. Submetered cold water is used to allocate charges for hot water provided through a central system: The individually submetered cold water used in the tenant's dwelling unit is divided by all submetered cold water used in									
 according to either: the size of the tenant's dwelling unit divided by the total size of all dwelling units, OR the size of the space rented by the tenant of a manufactured home divided by the size of all rental spaces. Submetered hot water: The individually submetered hot water used in the tenant's dwelling unit is divided by all submetered hot water used in all dwelling units. Submetered cold water is used to allocate charges for hot water provided through a central system: The individually submetered cold water used in the tenant's dwelling unit is divided by all submetered cold water used in 									
 the size of the tenant's dwelling unit divided by the total size of all dwelling units, OR the size of the space rented by the tenant of a manufactured home divided by the size of all rental spaces. Submetered hot water: The individually submetered hot water used in the tenant's dwelling unit is divided by all submetered hot water used in all dwelling units. Submetered cold water is used to allocate charges for hot water provided through a central system: The individually submetered cold water used in the tenant's dwelling unit is divided by all submetered cold water used in 									
• the size of the space rented by the tenant of a manufactured home divided by the size of all rental spaces. Submetered hot water: The individually submetered hot water used in the tenant's dwelling unit is divided by all submetered hot water used in all dwelling units. Submetered cold water is used to allocate charges for hot water provided through a central system: The individually submetered cold water used in the tenant's dwelling unit is divided by all submetered cold water used in									
Submetered hot water: The individually submetered hot water used in the tenant's dwelling unit is divided by all submetered hot water used in all dwelling units. Submetered cold water is used to allocate charges for hot water provided through a central system: The individually submetered cold water used in the tenant's dwelling unit is divided by all submetered cold water used in	ı								
The individually submetered hot water used in the tenant's dwelling unit is divided by all submetered hot water used in all dwelling units. Submetered cold water is used to allocate charges for hot water provided through a central system: The individually submetered cold water used in the tenant's dwelling unit is divided by all submetered cold water used in	• the size of the space rented by the tenant of a manufactured home divided by the size of all rental spaces.								
The individually submetered hot water used in the tenant's dwelling unit is divided by all submetered hot water used in all dwelling units. Submetered cold water is used to allocate charges for hot water provided through a central system: The individually submetered cold water used in the tenant's dwelling unit is divided by all submetered cold water used in									
all dwelling units. Submetered cold water is used to allocate charges for hot water provided through a central system: The individually submetered cold water used in the tenant's dwelling unit is divided by all submetered cold water used in									
Submetered cold water is used to allocate charges for hot water provided through a central system: The individually submetered cold water used in the tenant's dwelling unit is divided by all submetered cold water used in	<u> </u>								
The individually submetered cold water used in the tenant's dwelling unit is divided by all submetered cold water used in	all dwelling units.								
The individually submetered cold water used in the tenant's dwelling unit is divided by all submetered cold water used in									
· · · · · · · · · · · · · · · · · · ·									
all dwelling units.	· · · · · · · · · · · · · · · · · · ·								

Size of the rented space in a multi-use facility: The square footage of the space rented by the tenant divided by the total square footage of all rental spaces.

The size of the area rented by the tenant divided by the total area of all the size of rental spaces.

As outlined in the condominium contract. Describe:

Size of manufactured home rental space: