



Filing Receipt

Received - 2022-07-27 12:13:59 PM

Control Number - 53075

ItemNumber - 634

**WATER UTILITY TARIFF
FOR**

Lake Tanglewood, Inc.
(Utility Name)
Address)

1000 Tanglewood Dr.
(Business

Amarillo, Texas 79118
(City, State, Zip Code)

(806) 622-1702
(Area Code/Telephone)

This tariff is effective for utility operations under the following Certificate(s) of Convenience and Necessity:

12422

This tariff is effective in the following county:

Randall

This tariff is effective in the following cities or unincorporated towns (if any):

Village of Lake Tanglewood

This tariff is effective in the following subdivisions or systems:

Village of Lake Tanglewood
PWS #1910013

TABLE OF CONTENTS

The above utility lists the following sections of its tariff (if additional pages are needed for a section, all pages should be numbered consecutively):

SECTION	PAGE
1.0 RATE SCHEDULE	2
2.0 SERVICE RULES	3
3.0 EXTENSION POLICY	9
4.0 DROUGHT CONTINGENCY PLAN	10
APPENDIX A SERVICE AGREEMENTS	

TEXAS COMM. ON ENVIRONMENTAL QUALITY

CCN 12422 MB 23 '05

APPROVED TARIFF BY SP/SP

SECTION 1.0--RATE SCHEDULE

Section 1.01--Rates

METER SIZE	Monthly Minimum Charge including <u>3,000</u> gallons	Gallonge Charge
5/8" or 3/4"	\$ <u>14.00</u> per month	
Gallonge charge for each additional 1,000 gallons:		
3,001-10,000	\$1.10	
10,001-20,000	\$1.20	
20,001-30,000	\$1.30	
30,001-40,000	\$1.40	
OVER 40,001	\$1.50	

Section 1.2--Miscellaneous Fees

TAP FEE.....\$ 350.00
Tap fee is based on the average of the Utility's actual costs for materials and labor for standard residential connections of 5/8" or 3/4" meter.

RECONNECTION FEE

The reconnect fee will be charged before service can be restored to a customer who has been disconnected for the following reasons:

- a) Non payment of bill (Maximum \$25.00).....\$ 25.00
- b) Customer's request, or other reasons listed under Section 2.0 of this tariff, except for nonpayment.....\$ 25.00

LATE CHARGE

A one-time penalty of either \$2.00 or 5.0% may be made on delinquent bills. The penalty on delinquent bills may not be applied to any balance to which the penalty was applied in a previous billing.

RETURNED CHECK CHARGE.....\$ 15.00

METER TEST FEE.....\$ 25.00

After the first customer requested meter test, a meter test fee will be charged to the customer for each additional requested meter test within a two year period when the meter is not found to be defective.

TO BECOME EFFECTIVE, THIS PAGE MUST BE STAMPED APPROVED BY THE TEXAS WATER COMMISSION

TWC-WUT 7/90

TEXAS WATER COMMISSION
APPROVED
DATE 1-20-91 DOCKET 8876-6
FILE 12422 BY JA
TARIFF CLERK *ah*

page 2 of 14
FILMED

JUN 7 1991

SECTION 2.0--SERVICE RULES AND REGULATIONS

Section 2.01--Texas Water Commission Rules

The utility will have the most current Texas Water Commission Rules, Chapter 291, Water Rates, available at its office for reference purposes. The Rules and this tariff shall be available for public inspection and reproduction at a reasonable cost. The latest Rules or Commission approved changes to the Rules supersede any rules or requirements in this tariff.

Section 2.02--Application for and Provision of Water Service

All applications for service will be made on the utility's standard application or contract form (attached in the Appendix to this tariff) and will be signed by the applicant before water service is provided by the utility. A separate application or contract will be made for each service at each separate location.

After the applicant has met all the requirements, conditions and regulations for service, the utility will install tap, meter and utility cut-off valve and/or take all necessary actions to initiate service. The utility will serve each qualified applicant for service within 5 working days unless line extensions or new facilities are required. If construction is required to fill the order and if it cannot be completed within 30 days, the utility will provide the applicant with a written explanation of the construction required and an expected date of service.

Where service has previously been provided, the utility will reconnect the service within one working day after the applicant has met the requirements for reconnection.

The customer will be responsible for furnishing and laying the necessary customer service pipe from the meter location to the place of consumption. Customers may be required to install a customer owned cut-off valve on the customer's side of the meter or connection.

Section 2.03--Refusal of Service

The utility may decline to serve an applicant until the applicant has complied with the regulations of the regulatory agencies (state and municipal regulations) and for the reasons outlined in the TWC Rules. In the event that the utility refuses to serve an applicant, the utility will inform the applicant in writing of the basis of its refusal. The utility is also required to inform the applicant that he may file a complaint with the Commission.

Section 2.04--Customer Deposits

If a residential applicant cannot establish credit to the satisfaction of the utility, the applicant will be required to pay a deposit as provided for in Section 1.02 of this tariff. The utility will keep records of the deposit and credit interest in accordance with TWC Rules.

Texas Water Commission

0 1 - 100N 17
D.A. APPROVED TARIFF BY *[Signature]*

SECTION 2.0--SERVICE RULES AND REGULATIONS (CONT.)

Residential applicants 65 years of age or older may not be required to pay deposits unless the applicant has an outstanding account balance with the utility or another water or sewer utility which accrued within the last two years.

Nonresidential applicants who cannot establish credit to the satisfaction of the utility may be required to make a deposit that does not exceed an amount equivalent to one-sixth of the estimated annual billings.

Refund of deposit - If service is not connected, or after disconnection of service, the utility will promptly refund the customer's deposit plus accrued interest or the balance, if any, in excess of the unpaid bills for service furnished. The utility may refund the deposit at any time prior to termination of utility service but must refund the deposit plus interest for any customer who has paid 18 consecutive billings without being delinquent.

Section 2.05--Meter Requirements, Readings, and Testing

All water sold by the utility will be billed based on meter measurements. The utility will provide, install, own and maintain meters to measure amounts of water consumed by its customers. One meter is required for each residential, commercial or industrial facility in accordance with the TWC Rules.

Service meters will be read at monthly intervals and as nearly as possible on the corresponding day of each monthly meter reading period unless otherwise authorized by the Commission.

Meter tests. The utility will, upon the request of a customer, and, if the customer so desires, in his presence or in that of his authorized representative, make without charge a test of the accuracy of the customer's meter. The test will be made during the utility's normal working hours at a time convenient to the customer if he desires to observe the test. The test will be made preferably on the customer's premises, but may, at the utility's discretion, be made at the utility's test laboratory. If within a period of two years the customer requests a new test, the utility will make the test, but if the meter is found to be within the accuracy standards established by the American Water Works Association, the utility will charge the customer a fee which reflects the cost to test the meter up to a maximum \$25 for a residential customer. Following the completion of any requested test, the utility will promptly advise the customer of the date of removal of the meter, the date of the test, the result of the test, and who made the test.

Section 2.06--Billing

Bills from the utility will be mailed monthly unless otherwise authorized by the Commission. Payment is considered late if not received by 5:00 PM at the utility's office or postal address within sixteen (16) days of the billing date. The postmark on the envelope

6
D.H.

SECTION 2.0--SERVICE RULES AND REGULATIONS (CONT.)

of the bill or the recorded date of mailing by the utility, if there is no postmark on the envelope, will constitute proof of the date of issuance. If the due date falls on a holiday or weekend, the due date for payment purposes will be the next work day after the due date.

A late penalty of either \$2.00 or 5.0% will be charged on bills received after the due date. The penalty on delinquent bills will not be applied to any balance to which the penalty was applied in a previous billing. The utility must maintain a record of the date of mailing to charge the late penalty.

Each bill will provide all information required by the TWC Rules. The utility will maintain and note on the monthly billing a telephone number (or numbers) which may be reached by a local call by customers of each of the systems it operates. At the utility's option, a toll-free telephone number or the equivalent may be provided.

In the event of a dispute between a customer and a utility regarding any bill for utility service, the utility will conduct an investigation and report the results to the customer. If the dispute is not resolved, the utility will inform the customer that a complaint may be filed with the Commission.

Section 2.07--Service Disconnection

Utility service may be disconnected if the bill has not been paid in full by the date listed on the termination notice. The termination date must be at least 10 days after the notice is mailed or hand delivered.

The utility is encouraged to offer a deferred payment plan to a customer who cannot pay an outstanding bill in full and is willing to pay the balance in reasonable installments. However, a customer's utility service may be disconnected if a bill has not been paid or a deferred payment agreement entered into within 26 days from the date of issuance of a bill and if proper notice of termination has been given.

Notice of termination must be a separate mailing or hand delivery in accordance with the TWC Rules.

Utility service may also be disconnected without notice for reasons as described in the TWC Rules.

Utility personnel must be available to collect payments and to reconnect service on the day of and the day after any disconnection of service unless service was disconnected at the customer's request or because of a hazardous condition.

TEXAS WATER COMMISSION
D. J. ...
D.A. ... *DA*

SECTION 2.0--SERVICE RULES AND REGULATIONS (CONT.)

Section 2.08--Reconnection of Service

Service will be reconnected within 24 hours after the past due bill and any other outstanding charges are paid or correction of the conditions which caused service to be disconnected.

Section 2.09--Service Interruptions

The utility will make all reasonable efforts to prevent interruptions of service. If interruptions occur, the utility will re-establish service within the shortest possible time. Except for momentary interruptions due to automatic equipment operations, the utility will keep a complete record of all interruptions, both emergency and scheduled and will notify the Commission in writing of any service interruptions affecting the entire system or any major division of the system lasting more than four hours. The notice will explain the cause of the interruptions.

Prorated Bills - If service is interrupted or seriously impaired for 24 consecutive hours or more, the utility will prorate the monthly base bill in proportion to the time service was not available to reflect this loss of service.

Section 2.10--Quality of Service

The utility will plan, furnish, and maintain production, treatment, storage, transmission, and distribution facilities of sufficient size and capacity to provide a continuous and adequate supply of water for all reasonable consumer uses. Unless otherwise authorized by the Commission, the utility will maintain facilities as described in the TWC Rules or in the Texas Department of Health's "Rules and Regulations for Public Water Systems."

Section 2.11--Customer Complaints and Disputes

If a customer or applicant for service lodges a complaint, the utility will promptly make a suitable investigation and advise the complainant of the results. Service will not be disconnected pending completion of the investigation. If the complainant is dissatisfied with the utility's response, the utility must advise the complainant that he has recourse through the Texas Water Commission complaint process. Pending resolution of a complaint, the commission may require continuation or restoration of service.

The utility will maintain a record of all complaints which shows the name and address of the complainant, the date and nature of the complaint and the adjustment or disposition thereof, for a period of two years after the final settlement of the complaint.

APPROVED AND FILED
TWC
DATE 9/11/90
BY [Signature]

SECTION 3.0--EXTENSION POLICY

Section 3.01--Standard Extension Requirements

LINE EXTENSION AND CONSTRUCTION CHARGES. No contribution in aid of construction may be required of any customer except as provided for in this approved extension policy.

The customer will be given an itemized statement of the costs, options such as rebates to the customer, sharing of construction costs between the utility and the customer, or sharing of costs between the customer and other applicants prior to beginning construction.

The utility will bear the full cost of any oversizing of water mains necessary to serve other customers in the immediate area. The individual residential customer shall not be charged for any additional production, storage, or treatment facilities. Contributions in aid of construction may not be required of individual residential customers for production, storage, treatment or transmission facilities unless otherwise approved by the Commission under this specific extension policy.

COST UTILITIES SHALL BEAR. Within its certificate area, the utility will pay the cost of the first 200 feet of any water main or sewer collection line necessary to extend service to an individual residential customer within a platted subdivision. However, if the residential customer requesting service purchased the property after the developer was notified of the need to provide facilities to the utility, the utility may charge for the first 200 feet. The utility must also be able to document that the developer of the subdivision refused to provide facilities compatible with the utility's facilities in accordance with the utility's approved extension policy after receiving a written request from the utility.

Developers may be required to provide contributions in aid of construction in amounts to furnish the system with all facilities necessary to comply with the Texas Department of Health's "Rules and Regulations for Public Water Systems."

TANGLEWOOD WATER

3.01-1000-1000
alt

SECTION 3.20--SPECIFIC UTILITY EXTENSION POLICY

This section contains the utility's specific extension policy which complies with the requirements already stated under Section 3.01. The approval stamp of the Commission indicates that it is in compliance with the TWC Rules and is effective after the date on the stamp.

Residential customers not covered under Section 3.01 will be charged the equivalent of the costs of extending service to their property from the nearest transmission or distribution line even if that line does not have adequate capacity to serve the customer. However, if the customer places unique, non-standard service demands upon the system, the customer may be charged the full cost of extending service to and throughout their property, including the cost of all necessary transmission and storage facilities necessary to meet the service demands anticipated to be created by that property.

Developers will be required to provide contributions in aid of construction in amounts sufficient to furnish the development with all facilities necessary to provide for reasonable local demand requirements and to comply with Texas Department of Health minimum design criteria for facilities used in the production, transmission, pumping, or treatment of water or Texas Water Commission minimum requirements. For purposes of this subsection, a developer is one who subdivides or requests more than two meters on a piece of property. Commercial, industrial, and wholesale customers will be treated as developers.

Texas Water Commission
800 North F Street
D.A. [Signature]

SECTION 4.0 -- DROUGHT CONTINGENCY PLAN
(Utility must attach copy of TCEQ approved Drought Contingency Plan)

Model Drought Contingency Plan for the Investor Owned Utility

~~September 2004~~

JANUARY 2005

**Texas Commission on
Environmental Quality**

TEXAS COMM. ON ENVIRONMENTAL QUALITY

CCN 12422-8325 RECEIVED

APPROVED TARIFF BY SP/SP

JAN 21 2005

WATER RIGHTS PERMITTING

**DROUGHT CONTINGENCY PLAN
FOR**

LAKE TANGLEWOOD INC.
(Name of Utility)

1000 TANGLEWOODS DR., AMARILLO, TX. 79118
(Address, City, Zip Code)

12422
(CCN#)

1910013
(PWS #s)


1/17/05
(Date)

Section 1 Declaration of Policy, Purpose, and Intent

In cases of extreme drought, periods of abnormally high usage, system contamination, or extended reduction in ability to supply water due to equipment failure, temporary restrictions may be instituted to limit non-essential water usage. The purpose of the Drought Contingency Plan is to encourage customer conservation in order to maintain supply, storage, or pressure or to comply with the requirements of a court, government agency or other authority.

Please note: Water restriction is not a legitimate alternative if a water system does not meet the Texas Commission on Environmental Quality's (TCEQ) capacity requirements under normal conditions or if the utility fails to take all immediate and necessary steps to replace or repair malfunctioning equipment.

I JEFFREY L. BAKER (print name), being the responsible official for LAKE TANGLEWOOD INC. (Name of utility), request a **minor tariff amendment** to include the enclosed Drought Contingency Plan.


(Signature)

1/17/05
(Date)

TEXAS COMM. ON ENVIRONMENTAL QUALITY

CCN 12422 882300

APPROVED TARIFF BY SP/SP

Section 2 Public Involvement

Opportunity for the public to provide input into the preparation of the Plan was provided by:
(check at least one of the following)

scheduling and providing public notice of a public meeting to accept input on the Plan.

The meeting took place at:

Date: NA Time: _____ Location: _____

mailed survey with summary of results (attach survey and results)

bill insert inviting comment (attach bill insert)

other method PROVIDED IN NEWSLETTER AND ANNUAL MEETING

Section 3 Public Education

The LAKE TANGLEWOOD INC. (name of utility) will periodically provide the public with information about the Plan, including information about the conditions under which each stage of the Plan is to be initiated or terminated and the drought response measures to be implemented in each stage.

Drought plan information will be provided by:
(check at least one of the following)

public meeting

press releases

utility bill inserts

other NEWSLETTER + SIGN

Section 4 Coordination with Regional Water Planning Groups

The service area of the LAKE TANGLEWOOD INC. (name of your utility) is located within Regional Water Planning Group (RWPG) PANHANDLE REGION "A"
LAKE TANGLEWOOD INC. (name of your utility) has mailed a copy of this Plan to the RWPG.

TEXAS COMM. ON ENVIRONMENTAL QUALITY

CCN 12422-2400

APPROVED TARIFF BY SP/SP

Section 5 Notice Requirements

Written notice will be provided to each customer **prior to implementation or termination of each stage of the water restriction program**. Mailed notice must be given to each customer 72 hours prior to the start of water restriction. If notice is hand delivered, the utility cannot enforce the provisions of the plan for 24 hours after notice is provided. The written notice to customers will contain the following information:

1. the date restrictions will begin,
2. the circumstances that triggered the restrictions,
3. the stages of response and explanation of the restrictions to be implemented, and,
4. an explanation of the consequences for violations.

The utility must notify the TCEQ by telephone at (512) 239-4691, or electronic mail at watermon@tceq.state.tx.us prior to implementing Stage III and must notify in writing the Public Drinking Water Section at MC - 155, P.O. Box 13087, Austin, Texas 78711-3087 within five (5) working days of implementation including a copy of the utility's restriction notice. The utility must file a status report of its restriction program with the TCEQ at the initiation and termination of mandatory water use restrictions (i.e., Stages III and IV).

Section 6 Violations

1. First violation - The customer will be notified by written notice of their specific violation.
2. Subsequent violations:
 - a. After written notice, the utility may install a flow restricting device in the line to limit the amount of water which will pass through the meter in a 24-hour period. The utility may charge the customer for the actual cost of installing and removing the flow restricting device, not to exceed \$50.00.
 - b. After written notice, the utility may discontinue service at the meter for a period of seven (7) days, or until the end of the calendar month, whichever is LESS. The normal reconnect fee of the utility will apply for restoration of service.

Section 7 Exemptions or Variances

The utility may grant any customer an exemption or variance from the drought contingency plan for good cause **upon written request**. A customer who is refused an exemption or variance may appeal such action of the utility in writing to the Texas Commission on Environmental Quality. The utility will treat all customers equally concerning exemptions and variances, and shall not discriminate in granting exemptions and variances. No exemption or variance shall be retroactive or otherwise justify any violation of this Plan occurring prior to the issuance of the variance.

TEXAS COMM. ON ENVIRONMENTAL QUALITY

CCN 1 24 22 833 23 '05

APPROVED TARIFF BY SP/SP

- Wholesale supplier's drought Stage 2
- Annual water use equals _____ % of well permit/Water Right/purchased water contract amount
- Other TOTAL WATER DEMAND EQUALS OR EXCEEDS 85% OF OPERATING CAPACITY.

Demand- or Capacity-Based Triggers: (check at least one and fill in the appropriate value)

- Drinking water treatment as % of capacity _____ %
- Total daily demand as % of pumping capacity _____ %
- Total daily demand as % of storage capacity _____ %
- Pump hours per day _____ hrs.
- Production or distribution limitations.
- Other _____

Upon initiation and termination of Stage II, the utility will mail a public announcement to its customers. No notice to TCEQ required.

Requirements for Termination:

Stage II of the Plan may end when all of the conditions listed as triggering events have ceased to exist for a period of three (3) consecutive days. Upon termination of Stage II, Stage I becomes operative.

Utility Measures:

Visually inspect lines and repair leaks on a daily basis. Monthly review of customer use records and follow-up on any that have unusually high usage.

Describe additional measures, if any, to be implemented directly by the utility to manage limited water supplies and/or reduce water demand. Examples include: reduced or discontinued flushing of water mains, activation and use of an alternative supply source(s); use of reclaimed water for non-potable purposes.

The second water source for LAKE TANGLEWOOD INC. (name of utility) is: (check one)

- Other well
- Interconnection with other system
- Purchased water
- Other

Voluntary Water Use Restrictions:

TEXAS COMM. ON ENVIRONMENTAL QUALITY

CCN 12422-0323'05

APPROVED TARIFF BY SP/SP

Section 8 Response Stages

Unless there is an immediate and extreme reduction in water production, or other absolute necessity to declare an emergency or severe condition, the utility will initially declare Stage I restrictions. If, after a reasonable period of time, demand is not reduced enough to alleviate outages, reduce the risk of outages, or comply with restrictions required by a court, government agency or other authority, Stage II may be implemented with Stage III to follow if necessary.

STAGE I - CUSTOMER AWARENESS

Stage I will begin:

Every April 1st, the utility will mail a public announcement to its customers. No notice to TCEQ required.

Stage I will end:

Every September 30th, the utility will mail a public announcement to it's customers. No notice to TCEQ required.

Utility Measures:

This announcement will be designed to increase customer awareness of water conservation and encourage the most efficient use of water. A copy of the current public announcement on water conservation awareness shall be kept on file available for inspection by the TCEQ.

Voluntary Water Use Restrictions:

Water customers are requested to voluntarily limit the use of water for non-essential purposes and to practice water conservation.

STAGE II - VOLUNTARY WATER CONSERVATION:

Target: Achieve a 15 percent reduction in DAILY DEMAND (example: total water use, daily water demand, etc.)

The water utility will implement Stage 2 when any one of the selected triggers is reached:

Supply-Based Triggers: (check at least one and fill in the appropriate value)

- Well level reaches _____ ft. mean sea level (m.s.l.)
- Overnight recovery rate reaches _____ ft.
- Reservoir elevation reaches _____ ft. (m.s.l.)
- Stream flow reaches _____ cfs at USGS gage # _____

TEXAS COMM. ON ENVIRONMENTAL QUALITY

CCN 12322 2003 23 '05

APPROVED TARIFF BY SP/SP

1. Restricted Hours: Outside watering is allowed daily, but only during periods specifically described in the customer notice; between 10:00 p.m. and 5:00 a.m. for example; or
2. Restricted Days/Hours: Water customers are requested to voluntarily limit the irrigation of landscaped areas with hose-end sprinklers or automatic irrigation systems. Customers are requested to limit outdoor water use to **Mondays for water customers with a street address ending with the numbers 1, 2, or 3, Wednesdays for water customers with a street address ending with the numbers 4, 5, or 6, and Fridays for water customers with a street address ending with the numbers 7, 8, 9, or 0.** Irrigation of landscaped areas is further limited to the hours of 12:00 midnight until 10:00 a.m. and between 8:00 p.m. and 12:00 midnight on designated watering days. However, irrigation of landscaped areas is permitted at anytime if it is by means of a hand-held hose, a faucet-filled bucket or watering can of five (5) gallons or less, or drip irrigation system; or
3. Other uses that waste water such as water running down the gutter.

STAGE III - MANDATORY WATER USE RESTRICTIONS:

Target: Achieve a 30 percent reduction in DAILY DEMAND (example: total water use, daily water demand, etc.)

The water utility will implement Stage III when any one of the selected triggers is reached:

Supply-Based Triggers (check at least one and fill in the appropriate value)

- Well level reaches _____ ft. (m.s.l.)
- Overnight recovery rate reaches _____ ft.
- Reservoir elevation reaches _____ ft. (m.s.l.)
- Stream flow reaches _____ cfs at USGS gage # _____
- Wholesale supplier's drought Stage III
- Annual water use equals _____ % of well permit/Water Right/purchased water contract amount.
- Other TOTAL DEMAND EQUALS OR EXCEEDS 90% OF PRODUCTION CAPACITY

Demand- or Capacity-Based Triggers (check at least one and fill in the appropriate value)

- Drinking water treatment as % of capacity _____ %
- Total daily demand as % of pumping capacity _____ %
- Total daily demand as % of storage capacity _____ %
- Pump hours per day _____ hrs.
- Production or distribution limitations.
- Other _____

TEXAS COMM. ON ENVIRONMENTAL QUALITY

CCN 12422-0323 '05

APPROVED TARIFF BY SP/SP

Upon initiation and termination of Stage III, the utility will mail a public announcement to its customers. Notice to TCEQ required.

Requirements for Termination:

Stage III of the Plan may end when all of the conditions listed as triggering events have ceased to exist for a period of three (3) consecutive days. Upon termination of Stage III, Stage II becomes operative.

Utility Measures:

Visually inspect lines and repair leaks on a regular basis. Flushing is prohibited except for dead end mains.

Describe additional measures, if any, to be implemented directly by the utility to manage limited water supplies and/or reduce water demand. Examples include: activation and use of an alternative supply source(s); use of reclaimed water for non-potable purposes; offering low-flow fixtures and water restrictors.

Mandatory Water Use Restrictions:

The following water use restrictions shall apply to all customers.

1. Irrigation of landscaped areas with hose-end sprinklers or automatic irrigation systems **shall be limited to Mondays for water customers with a street address ending with the numbers 1, 2, or 3, Wednesdays for water customers with a street address ending with the numbers 4, 5, or 6, and Fridays for water customers with a street address ending with the numbers 7, 8, 9, or 0.** Irrigation of landscaped areas is further limited to the hours of 12:00 midnight until 10:00 a.m. and between 8:00 p.m. and 12:00 midnight on designated watering days. However, irrigation of landscaped areas is permitted at anytime if it is by means of a hand-held hose, a faucet-filled bucket or watering can of five (5) gallons or less, or drip irrigation system.
2. Use of water to wash any motor vehicle, motorbike, boat, trailer, airplane or other vehicle is prohibited except on designated watering days between the hours of 12:00 midnight and 10:00 a.m. and between 8:00 p.m. and 12:00 midnight. Such washing, when allowed, shall be done with a hand-held bucket or a hand-held hose equipped with a positive shutoff nozzle for quick rinses. Vehicle washing may be done at any time on the immediate premises of a commercial car wash or commercial service station. Further, such washing may be exempted from these regulations if the health, safety, and welfare of the public are contingent upon frequent vehicle cleansing, such as garbage trucks and vehicles used to transport food and perishables.

TEXAS COMM. ON ENVIRONMENTAL QUALITY

CCN 12422-0023 '05

APPROVED TARIFF BY SP/SP

3. Use of water to fill, refill, or add to any indoor or outdoor swimming pools, wading pools, or "jacuzzi" type pool are prohibited except on designated watering days between the hours of 12:00 midnight and 10:00 a.m. and between 8:00 p.m. and 12:00 midnight.
4. Operation of any ornamental fountain or pond for aesthetic or scenic purposes is prohibited except where necessary to support aquatic life or where such fountains or ponds are equipped with a recirculation system.
5. Use of water from hydrants or flush valves shall be limited to maintaining public health, safety, and welfare.
6. Use of water for the irrigation of golf courses, parks, and green belt areas are prohibited except by hand-held hose and only on designated watering days between the hours 12:00 midnight and 10:00 a.m. and between 8:00 p.m. and 12:00 midnight.
7. The following uses of water are defined as non-essential and are prohibited:
 - a. wash down of any sidewalks, walkways, driveways, parking lots, tennis courts, or other hard-surfaced areas;
 - b. use of water to wash down buildings or structures for purposes other than immediate fire protection;
 - c. use of water for dust control;
 - d. flushing gutters or permitting water to run or accumulate in any gutter or street;
 - e. failure to repair a controllable leak(s) within a reasonable period after having been given notice directing the repair of such leak(s); and
 - f. any waste of water.

STAGE IV - CRITICAL WATER USE RESTRICTIONS:

Target: Achieve a 30 percent reduction in DAILY DEMAND (example: total water use, daily water demand, etc.)

The water utility will implement Stage IV when any one of the selected triggers is reached:

Supply-Based Triggers: (check at least one and fill in the appropriate value)

- Well level reaches _____ ft. (m.s.l.)
- Overnight recovery rate reaches _____ ft.
- Reservoir elevation reaches _____ ft. (m.s.l.)
- Stream flow reaches _____ cfs at USGS gage # _____
- Wholesale supplier's drought Stage IV

✓

TEXAS COMM. ON ENVIRONMENTAL QUALITY

CCN 124220323 '05

APPROVED TARIFF BY SP/SP

- Annual water use equals _____ % of well permit/Water Right/purchased water contract amount
- Supply contamination
- Other DEMAND EQUALS OR EXCEEDS 100% OF PRODUCTION CAPACITY FOR THREE CONSECUTIVE DAYS

Demand- or Capacity-Based Triggers: (check at least one and fill in the appropriate value)

- Drinking water treatment as % of capacity _____ %
- Total daily demand as % of pumping capacity _____ %
- Total daily demand as % of storage capacity _____ %
- Pump hours per day _____ hrs
- Production or distribution limitations
- System outage
- Other _____

Upon initiation and termination of Stage IV, the utility will mail a public announcement to its customers. Notice to TCEQ required.

Requirements for Termination:

Stage IV of the Plan may be rescinded when all of the conditions listed as triggering events have ceased to exist for a period of three (3) consecutive days. Upon termination of Stage IV, Stage III becomes operative.

Operational Measures:

The utility shall visually inspect lines and repair leaks on a daily basis. Flushing is prohibited except for dead end mains and only between the hours of 9:00 p.m. and 3:00 a.m. Emergency interconnects or alternative supply arrangements shall be initiated. All meters shall be read as often as necessary to insure compliance with this program for the benefit of all the customers. *Describe additional measures, if any, to be implemented directly to manage limited water supplies and/or reduce water demand.*

Mandatory Water Use Restrictions: (all outdoor use of water is prohibited)

1. Irrigation of landscaped areas is absolutely prohibited.
2. Use of water to wash any motor vehicle, motorbike, boat, trailer, airplane or other vehicle is absolutely prohibited.

SYSTEM OUTAGE or SUPPLY CONTAMINATION

Notify TCEQ Regional Office immediately.

TEXAS COMM. ON ENVIRONMENTAL QUALITY

CCN 12422-0323 '05

APPROVED TARIFF BY SP/SP