

Filing Receipt

Received - 2022-05-11 11:44:11 AM Control Number - 53299 ItemNumber - 11

PETITION OF CRYSTAL BLUFF	§	PUBLIC UTILITY COMMISSION
GOAT RANCHES, LLC'S APPEAL	§	
OF THE COST OF OBTAINING	§	OF TEXAS
SERVICE FROM POSSUM KINGDOM	§	
WATER SUPPLY CORPORATION	§	

# COMMISSION STAFF'S SECOND REQUEST FOR INFORMATION TO POSSUM KINGDOM WATER SUPPLY CORPORATION OUESTION NOS. STAFF 2-1 THROUGH 2-2

Pursuant to 16 Texas Administrative Code (TAC) § 22.144, the Staff (Staff) of the Public Utility Commission of Texas (Commission) requests that Possum Kingdom Water Supply Corporation, by and through its representative of record, provide the following information and answer the following questions under oath. The questions shall be answered in sufficient detail to fully present all of the relevant facts, within the time limit provided by the Presiding Officer or within 20 days if the Presiding Officer has not provided a time limit. Please copy the question immediately above the answer to each question. These questions are continuing in nature, and if there is a relevant change in circumstances, submit an amended answer, under oath, as a supplement to your original answer. State the name of the witness in this cause who will sponsor the answer to the question and can youch for the truth of the answer.

Provide responses to the Requests for Information by filing with the Commission solely through the Interchange on the Commission's website and provide notice, by email, to all other parties that the pleading or document has been filed with the Commission, unless otherwise ordered by the presiding officer pursuant to the Order Suspending Rules in Project No. 50664.

Dated: May 11, 2022

Respectfully submitted,

# PUBLIC UTILITY COMMISSION OF TEXAS LEGAL DIVISION

Keith Rogas Division Director

Robert Dakota Parish Managing Attorney

/s/ Merritt Lander

Merritt Lander
State Bar No. 24106183
Bradley Reynolds
State Bar No. 24125839
1701 N. Congress Avenue
P.O. Box 13326
Austin, Texas 78711-3326
(512) 936-7290
(512) 936-7268 (facsimile)
Merritt.Lander@puc.texas.gov

# **DOCKET NO. 53299**

## **CERTIFICATE OF SERVICE**

I certify that, unless otherwise ordered by the presiding officer, notice of the filing of this document was provided to all parties of record on May 11, 2022 in accordance with the Order Suspending Rules filed in Project No. 50664.

/s/ Merritt Lander
Merritt Lander

# COMMISSION STAFF'S SECOND REQUEST FOR INFORMATION TO POSSUM KINGDOM WATER SUPPLY CORPORATION QUESTION NOS. STAFF 2-1 THROUGH 2-2

# **DEFINITIONS**

- 1) "Possum Kingdom WSC" refers to Possum Kingdom Water Supply Corporation and any person acting or purporting to act on their behalf, including without limitation, attorneys, agents, advisors, investigators, representatives, employees, or other persons.
- 2) "Document" includes any written, recorded, or graphic matter, however produced or reproduced, including but not limited to correspondence, telegrams, contracts, agreements, notes in any form, memoranda, diaries, voice recording tapes, microfilms, pictures, computer media, work papers, calendars, minutes of meetings or other writings or graphic matter, including copies containing marginal notes or variations of any of the foregoing, now or previously in your possession. In the event any documents requested by this Request for Information have been transferred beyond Possum Kingdom WSC's control, describe the circumstances under which the document was destroyed or transferred and provide an exact citation to the subject document. In the event that documents containing the exact information do not exist, but documents do exist which contain portions of the required information or which contain substantially similar information, then the definition of "documents" shall include the documents which do exist and these documents will be provided.

# COMMISSION STAFF'S SECOND REQUEST FOR INFORMATION TO POSSUM KINGDOM WATER SUPPLY CORPORATION QUESTION NOS. STAFF 2-1 THROUGH 2-2

## **INSTRUCTIONS**

- 1) Pursuant to 16 TAC § 22.144(c)(2), Staff requests that answers to the requests for information be made under oath.
- 2) Please copy the question immediately above the answer to each question. State the name of the witness in this cause who will sponsor the answer to the question and can vouch for the truth of the answer.
- 3) These questions are continuing in nature, and if there is a relevant change in circumstances, submit an amended answer, under oath, as a supplement to your original answer.
- 4) Words used in the plural shall also be taken to mean and include the singular. Words used in the singular shall also be taken to mean and include the plural.
- 5) The present tense shall be construed to include the past tense, and the past tense shall be construed to include the present tense.
- 6) If any document is withheld under any claim of privilege, please furnish a list identifying each document for which a privilege is claimed, together with the following information: date, sender, recipients or copies, subject matter of the document, and the basis upon which such privilege is claimed.
- 7) Pursuant to 16 TAC § 22.144(h)(4), if the response to any request is voluminous, please provide a detailed index of the voluminous material.
- 8) Staff requests that each item of information be made available as it is completed, rather than upon completion of all information requested.

# COMMISSION STAFF'S SECOND REQUEST FOR INFORMATION TO POSSUM KINGDOM WATER SUPPLY CORPORATION QUESTION NOS. STAFF 2-1 THROUGH 2-2

- Please provide an explanation for the use of the 0.5 Million Gallons per Day (MGD) Water Treatment Plant (WTP) expansion in calculating the amount of contribution in aid of construction (CIAC). Please explain why a developer having 12 meters would pay a CIAC amount of \$13,385 per meter for a WTP expansion that can serve 777 meters?
- In the past, have all the developers paid the CIAC amount based on the 0.5 MGD WTP expansion? If your answer is "No," please explain why not. If your answer is "Yes," please provide the list of all the developers that have paid CIAC based on the 0.5 MGD WTP expansion and the number of meters in each of their respective developments.