



## Filing Receipt

**Received - 2022-06-13 10:50:20 AM**

**Control Number - 53331**

**ItemNumber - 12**

**DOCKET NO. 53331**

**APPLICATION OF STONEBRIDGE § PUBLIC UTILITY COMMISSION  
WATER SUPPLY CORPORATION AND §  
CROSS TIMBERS WATER SUPPLY § OF TEXAS  
CORPORATION FOR SALE, §  
TRANSFER, OR MERGER OF §  
FACILITIES AND CERTIFICATE §  
RIGHTS IN DENTON COUNTY §**

**ORDER NO. 3  
FINDING APPLICATION, AS SUPPLEMENTED, ADMINISTRATIVELY COMPLETE,  
REQUIRING NOTICE, AND ESTABLISHING PROCEDURAL SCHEDULE**

This Order addresses the sufficiency of the March 10, 2022 application of Stonebridge Water Supply Corporation and Cross Timbers Water Supply Corporation for sale, transfer, or merger of facilities and certificate rights in Denton County. On March 17, April 5, 11, and 27, and June 1, 2022, the applicants filed supplements to the application.

On June 8, 2022, Commission Staff filed a supplemental recommendation regarding completeness of the application and notice.

The administrative law judge (ALJ) finds the application, as supplemented, administratively complete and directs the applicants to provide notice of the application and proof of notice in the manner described in and attached to James Harville’s memorandum, attached to Commission Staff’s recommendation, using the included forms.

The ALJ adopts the following procedural schedule:

<b>Event</b>	<b>Date</b>
Deadline for the applicants to file with the Commission signed affidavits that the notice was given along with copies of the notices sent to the affected parties	July 5, 2022
Deadline for Commission Staff to file a recommendation on sufficiency of notice	July 20, 2022
Deadline to intervene	30 days after notice is issued

Signed at Austin, Texas the 13th day of June 2022.

**PUBLIC UTILITY COMMISSION OF TEXAS**

A handwritten signature in black ink, appearing to read "Christina Denmark", written in a cursive style.

---

**CHRISTINA DENMARK  
ADMINISTRATIVE LAW JUDGE**

q:\cadm\doCKET management\water\stm\53xxx\53331-3 complete\_notice\_sched.docx