

Filing Receipt

Received - 2022-04-18 12:09:38 PM Control Number - 53385 ItemNumber - 280

PROJECT NO. 53385

PROJECT TO SUBMIT EMERGENCY OPERATIONS PLANS AND RELATED DOCUMENTS UNDER 16 TAC § 25.53 PUBLIC UTILITY COMMISSION
§
§

OF TEXAS

CHAPMAN RANCH WIND I LLC AND KEECHI WIND LLC EMERGENCY OPERATIONS PLANS <u>EXECUTIVE SUMMARY</u>

δ

Pursuant to 16 Texas Administrative Code ("TAC") § 25.53, Chapman Ranch Wind I LLC ("CRW") and Keechi Wind LLC ("Keechi") hereby file an executive summary of their emergency operations plans known as the Emergency Response Plan (the "ERP" or "Plan"), which describes the contents and policies contained in the Plan, includes references to specific sections of the Plan that correspond with the requirements of 16 TAC § 25.53, includes the Plan's record of distribution, and attaches the required affidavit and a redacted copy of the Plan and supporting documents. CRW and Keechi are registered power generation companies and wholly owned subsidiaries of Enbridge, Inc.

A. <u>Contents and Policies (16 TAC § 25.53(c)(1)(A)(i)(I) and referenced sections)</u>

Attachment A to this Executive Summary is each project's Plan. The purpose of the Plan is to provide instructions in the event of an emergency at a Power Operations site, including CRW and Keechi. The following table describes the Plan's contents and references the applicable rule requirements. The table also indicates where a power generation company requirement in the rule does not apply to CRW or Keechi. The CRW and Keechi wind projects have their own Plan, which in some cases, incorporates the same document by reference, as indicated below.

Торіс	Rule Reference	Plan Reference	Description
Scope and	§ 25.53(d)(1)(A)	Keechi and CRW	Introduces Plan and outlines its
applicability		ERPs, Sections 1 & 2	applicability.
		(Attachment A page	
		3)	
Roles and	§ 25.53(d)(1)(B)	Keechi and CRW	Outlines roles and responsibilities
Responsibilities		ERPs, Section 3,	under the Plan, who owns the plan,
		"Document Control	who can change it, and who holds
		and Maintenance"	approval authority.
		Section, and	
		"Approval" Section	

		(Attachment A	
		pages 3,4, 21, 26)	
Version control	§ 25.53(d)(1)(C),	Keechi and CRW	Provides a version control
	(D), and (E)	ERPs, "Version	summary, a statement that the
		History" Section and	current version supersedes earlier
		footer (Attachment	versions, and the most recent
		A pages 21, 22, 26)	approval date.
Communications	§ 25.53(d)(2)(B)	Enbridge Power	Emergency Communications Plan
Plan		Operations	identifies the key team members,
		Emergency	instances when the Plan would be
		Communications	activated, procedures for
		Plan	communicating with the media,
			PUCT, OPUC, local and state
			government officials, entities, and
			emergency response agencies, as
			appropriate.
Maintain supplies	§ 25.53(d)(3)	Keechi and CRW	As a wind energy generator, Keechi
		ERPs, Section 4	and CRW's key supplies are at-
		(Attachment A,	heights safety equipment, which
		page 6)	this section details and sets out
			how to keep the equipment current
			and safe to use.
Maintain staffing	§ 25.53(d)(4)	Not applicable	Keechi and CRW projects can be
			operated remotely during
			emergency events. The site would
			be accessed as needed, dependent
			on the need, by on-call staff.
Common	§ 25.53(d)	Keechi and CRW	Outlines key roles in Emergency
Operational		ERPs, Section 4	Response, and each role's
Functions		(Attachment A,	responsibilities
		pages 4-6)	
General	§ 25.53(d)	Keechi and CRW	Outlines general emergency
Emergency		ERPs, Section 5	response and evacuation
Response		(Attachment A,	procedures across emergency types
		pages 6-10)	
Weather	§ 25.53(d)(5)	Keechi and CRW	Outlines Severe Weather
emergency	§ 25.53(e)(2)(A)	ERPs, Section 6	Monitoring and Response
identification plan	§ 25.53(e)(2)(A)(i)		Procedures, including strong winds,

	§ 25.53(e)(2)(A)(iii)	(Attachment A,	hot/cold conditions, lightning,
		pages 10-16)	storms, icing, hail, tornadoes, and
			in the case of CRW, hurricanes.
Weather annex	§ 25.53 (e)(2)(A)	Keechi and CRW	As outlined above. Note, fuel
		ERPs, Section 6	switching does not apply to the
		(Attachment A,	Keechi or CRW projects as they are
		pages 10-16)	wind projects. Keechi, CRW, and
			the remote operations centre do
			not typically use separate checklists
			for emergency events, instead the
			emergency procedures outlined in
			Section 6 of the ERPs serve as a
			checklist for appropriate
			response/action and incorporate
			previous lessons learned.
Water shortage	§ 25.53 (e)(2)(B)	Not applicable	Keechi and CRW projects are not
annex			reliant on water sources for
			operation beyond that required for
			facility personnel consumption.
Restoration of	§ 25.53 (e)(2)(C)	Keechi and CRW	This process would vary based on
service annex		ERPs, Sections 4, 5,	type of trip. In all cases, Plant
		and 6 (Attachment	Manager would work with
		A, pages 4-16)	Engineering and Remote
			Operations Centre, in keeping
			applicable ERP procedures, to
			perform safety and equipment
			checks necessary.
Pandemic Annex	§ 25.53 (e)(2)(D)	Power BCP in	This document outlines critical and
		Response to	essential functions, defines six
		Pandemics	phases of pandemic threat level,
			identifies work modifications and
			safety practices to be put in place
			at each level, and includes specific
			protocols for CRW and Keechi.
Hurricane annex	§ 25.53 (e)(2)(E)	CRW ERP, Section	CRW's ERP includes a hurricane
		6.8 (Attachment A,	emergency response plan with
		pages 14-16)	evacuation and re-entry
			procedures. Keechi's ERP does not

			contain a hurricane annex because
			it is not located within a hurricane
			evacuation zone.
Cybersecurity	§ 25.53 (e)(2)(F)	KW-4000 - Cyber	These documents together
annex		Security Policy for	represent CRW and Keechi's
		Low Impact BCS	compliance with NERC Standard
		CRW-4000 - Cyber	CIP-003 and related cybersecurity
		Security Policy for	matters. Because they are
		Low Impact BCS	confidential and highly sensitive in
			their entirety, CRW and Keechi
		KW-4060 - Cyber	have not included the plans in
		Security Incident	Attachment A. Copies may be
		Response Plan for	viewed in person by Commission
		Low Impact BCS	Staff upon request.
		CRW-4060 - Cyber	
		Security Incident	
		Response Plan for	
		Low Impact BCS	
		KW-4070 - Cyber	
		Security Awareness	
		Plan for Low Impact	
		BCS	
		CRW-4070 - Cyber	
		Security Awareness	
		Plan for Low Impact	
		BCS	
Physical security	§ 25.53 (e)(2)(G)	KW-4040 - Physical	These documents together
annex		Security Plan for	represent Keechi and CRW's
		Low Impact BCS	compliance with NERC Standard
		CRW-4040 - Physical	CIP-003 and related physical
		Security Plan for	security matters. Because they are
		Low Impact BCS	confidential and highly sensitive in
			their entirety. CRW and Keechi
			have not included the plans in
			Attachment A. Copies may be
			viewed in person by Commission
			Staff upon request.
			julian upon request.

Fire annex	§ 25.53 (e)(2)(H)	Keechi and CRW	This section outlines emergency
		ERPs, Section 5.1	procedures for dealing with
		(Attachment A,	forest/brush fires, turbine fires, or
		pages 6-9)	fires in the O&M buildings.

B. Record of Distribution (16 TAC §§ 25.53(c)(1)(A)(i)(III) and 25.53(c)(4)(A))

Each Plan's record of distribution required by 16 TAC § 25.53(c)(4)(A) is included at Appendix C of the Plan (Attachment A pages 1-26). An unredacted copy may be viewed in person by Commission Staff upon request.

A. Affidavit (16 TAC §§ 25.53(c)(1)(A)(i)(IV) and 25.53(c)(4)(C))

Attachment B to this Executive Summary is the affidavit required by 16 TAC § 25.53(c)(4)(C).

B. Emergency Contact List (16 TAC § 25.53(c)(4)(B))

General Emergency Contacts

24/7 Emergency contact for CRW and Keechi that can immediately address urgent requests and questions from the Commission during an emergency: 1-888-992-0997

A more detailed contact list is included in the Enbridge Power Operations Emergency Communications Plan in Appendix A (pages 6-9 of the ECP), and can be viewed in-person by commission staff upon request.

An unredacted version of the emergency contact list for CRW and Keechi may be viewed in person by Commission Staff upon request.

Respectfully Submitted,

/s/ Robert Jozwiak

President Chapman Ranch Wind I LLC Keechi Wind LLC

April 18, 2022

ATTACHMENT A

Chapman Ranch -Emergency Response Plan

GTP-TSR-ERP-320

March 30, 2022





Company: Enbridge Inc. Owned by: Plant Manager, Chapman Ranch Wind Approved by: Control Centre Supervisor



Table of Contents

1 Purpose	3
2 Scope	3
3 Responsibilities (Roles)	3
4 Procedure and Requirements	4
5 Emergency Type Specific Procedures	6
6 Severe Weather Monitoring and Response Procedures	10
7 Spill Response	16



1 Purpose

- 2 Scope
- 3 Responsibilities (Roles)



4 Procedure and Requirements





5 Emergency Type Specific Procedures









6 Severe Weather Monitoring and Response Procedures













7 Spill Response



Appendix A: Site Specific Information

Site Name:	Chapman Ranch
Plant Manager:	
Inside Assembly Area:	
Outside Assembly Area:	
Evacuation Area:	
Kingsville Fire Department:	PHONE NUMBER: 911 or 361-592-6445
Hospital (first aid): Christus Spohn Hospital	HOSPITAL PHONE NUMBER: 911 or 361-902-4000 ADDRESS: 2606 Hospital Blvd, Corpus Christi TX
Hospital (burn unit): Christus Spohn Hospital	HOSPITAL PHONE NUMBER: 911 or 361-902-4000 ADDRESS: 2606 Hospital Blvd, Corpus Christi TX
Hospital (trauma center): Christus Spohn Hospital	HOSPITAL PHONE NUMBER: 911 or 361-902-4000 ADDRESS: 2606 Hospital Blvd, Corpus Christi TX
Bishop Police Dept:	911 or 361-592-6445
Power Emergencies APEX ROCC:	
EH&S (contact):	

Enbridge General Manager:

Enbridge Power Operations Director or VP:



Appendix B: Asset Locations

Point Name Northing

Easting

Elevation

Description





Suspension Trauma Guidance



SYMPTOMS:

- Hot flushes, sweating, anxiety, numbness
- Rapid pulse and breathing
- Sudden loss of consciousness (fainting)
- Death within 10-30 minutes if not rescued



SUSPENSION

Suspension trauma can start within 5 minutes. A fallen climber can become unconscious within 10 minutes and can die within 15. Also, anyone hanging vertically for more than 10 mins can die if they are allowed to lie down after rescue, due to the stale blood returning from their legs and stopping the heart. Suspension trauma will affect anyone hanging motionless with his or her legs dangling. No injury is needed and the harness does not need to be constrictive. It is sudden, unpredictable and always kills. It is caused by blood pooling in the legs due to gravity. Without the pump effect from leg muscles as they contract, the brain is starved of oxygen and begins to die. The only way to stop the progress is to raise the legs immediately after the fall or continually use the leg muscles. Rapid rescue is essential.

ACTIONS AFTER A FALL:

- If at all possible, recover the climber within 5-10 minutes
- If recovery is delayed, raise the knees into a sitting position within 5 minutes
 → If this is not possible, only raise the legs very gradually and carefully.
- If the climber is unconscious they must be reached and the airway protected
- If recovery is impossible, go for help after raising the knees
- During recovery, never allow the body to lay flat
- Keep the climber in a sitting position for at least 30 minutes.
- Anyone who has fainted or been suspended for over 10 minutes must go to hospital.
 → Hand this card to the ambulance personnel when they arrive



Prevention:

- Always keep legs active. Use a workseat if hanging for long periods.
- Keep hydrated and avoid smoking or alcohol
- · Carry an emergency knee sling at all times
- Avoid rear-attachment if there's a risk of free-hanging after a fall
- · Rescue should always be possible within 10 minutes
- · Your risk assessments must plan for suspension trauma & rescue

This guidance is based on research published by the HSE and other agencies. TAG accept no liability for consequence caused by failure to comply with extant legislation and working practices.

www.tagsafety.com



SUSPENSION TRAUMA

Orthostatic incompetence from harness suspension

EMERGENCY MEDICAL TREATMENT



The patient is likely to have suffered a period of significantly restricted venous return from the lower extremities leading to localised hypoxemia and symptoms of distributative shock. Postural syncope may have occurred, however with fixed vertical positioning in a harness this fails to correct the eirculatory insufficiency and a carotid hypobaric response will result. Loss of life in suspension is subsequent from cerebral hypoxia. Constrictive harnesses and venous stasis may have caused limited erush injury in some cases. Hypothermia is likely and can increase cardiac fragility during rescue.

Under no circumstances must the patient be placed in a horizontal position

Venous reflow from the legs must be prevented post-rescue, or there is a likelihood of acute cardiac arrest and renal failure from localised hypoxemia and right ventricular overload. After 10 minutes of vertical immobile suspension blood in the lower extremities may be significantly chemotoxic.

The legs should be considered as for crush injury release. Even in cases reporting minor symptoms but no LOC there is a requirement for post-rescue postural management and transfer for renal monitoring. Post-recovery the patient should be maintained in a sitting position for a minimum of 30 minutes. This should override non-critical trauma management.

Prior to recovery from the harness, immediate leg-raising or muscular activity will delay onset. Beyond 5 minutes of suspension, leg-raising is counterproductive unless conducted gradually. Prior to release provide 100% oxygen and secure airway only. Do not provide fluids except to manage associated trauma. There is usually no pain so analgesia is not required however if requested avoid opiates as bradycardia is likely before or during rescue.

Immediate Treatment at Scene

- Provide 100% oxygen and secure airway for seated transport
- Minimise initial fluid therapy to that required for haemostasis
- Monitor blood glucose and correct hypoglycaemia as required
- · Stabilise unrelated trauma without inducing vascular reflow
- · Preserve patient in sitting position with legs maintained below the cardiac altitude
- Do not permit the patient to self-ambulate if suspension time exceeds 10 minutes
- Monitor ECG and expect sudden bradycardia or symptoms of RVF. Tachycardia is NOT indicative of haemorrhage and is to be expected, as are PVCs.

A+E Admission

- Maintain in sitting position on arrival. Minimise active lower limb exercise.
- · Gradual reduction to supine position only with immediate cardiac support. Monitor for RVF.
- Catheterise and increase fluid therapy with adjuvant diuresis. Renal damage is probable for suspension times exceeding 20 minutes and dialysis should be a consideration.
- In cases where suspension times are excessive and/or harness webbing has been constrictive
- there is an associated issue of primary crush damage to tissues of the thighs and pelvic girdle.

This information is presented as guidance only and specific treatment protocols must be adapted for the patient and local policies. The authors base this guidance on published research and developed rescue protocols and accept no liability for application or resultant pathology. Specialist advice should be sought as required. Rescue and treatment of suspension trauma requires advanced medical skills and equipment. This is NOT First Aid. In remote areas the priority is to recover to ground, then keep the legs lowered and summon advanced aid with all possible speed.



Appendix C: ERP Distribution

NAME	TITLE	DATE
		April 12, 2022



April 12, 2022	
April 12, 2022	



Document Control and Maintenance

For document control and maintenance purposes, the following table captures important information related to this document.

Owned by	Chapman Ranch Plant Manager
Authorized to Revise	Senior Advisor
Approver	
Review	Annually
Distribution	Enbridge employees and contractors
Criteria	TBD
Related Documents	• TBD

Version History

Changes made to this document are tracked in the following table. The most recent version supersedes all previous versions.

REVISION	VERSION. SUMMARY	PREPARED BY
DATE		

Approval

Changes made to this document are tracked in the following table.

REVISION APPROVED BY DATE	SIGNATURE	
------------------------------	-----------	--

Keechi Wind - Emergency Response Plan

GTP-TSR-ERP-321

March 31, 2022





Company: Enbridge Inc. Owned by: Plant Manager, Keechi Wind Approved by: Control Centre Supervisor



Table of Contents

1 Purpose	3
2 Scope	3
3 Responsibilities (Roles)	3
4 Procedure and Requirements	4
5 Emergency Type Specific Procedures	6
6 Severe Weather Monitoring and Response Procedures	10
7 Spill Response	14



1 Purpose

- 2 Scope
- 3 Responsibilities (Roles)



4 Procedure and Requirements




5 Emergency Type Specific Procedures









6 Severe Weather Monitoring and Response Procedures









7 Spill Response



Appendix A: Site Specific Information

Site Name:

Keechi Wind LLC 3601 FM 4 Jacksboro, TX 76458

Plant Manager:

Inside Assembly Area:

Outside Assembly Area:

Evacuation Area:

Fire Department:	112 West Belknap Street, Jacksboro, TX 76458 (940) 567-2883
Faith Community Hospital (first aid):	215 Chisholm Trail, Jacksboro, TX 76458 Phone:(940) 567-6633
Hospital (burn unit):	Parkland Hospital 214-590-8000 5201 Harry Hines Blvd Dallas, Texas 75235
Faith Community Hospital (trauma center):	215 Chisholm Trail, Jacksboro, TX 76458 Phone:(940) 567-6633
Jack County Sheriff Office	(940) 567-2161 1432 Farm to Market Road 3344, Jacksboro, TX 76458
EH&S Manager	

Enbridge Power Operations US, Director

Keechi Wind - Emergency Response Plan GTP-TSR-ERP-321



Appendix B: Asset Map



First Aid at O&M

Roads

Transmission Line



Primary Emergency

Assembly Point



SYMPTOMS:

- Hot flushes, sweating, anxiety, numbness
- Rapid pulse and breathing
- Sudden loss of consciousness (fainting)
- Death within 10-30 minutes if not rescued



SUSPENSION

Suspension trauma can start within 5 minutes. A fallen climber can become unconscious within 10 minutes and can die within 15. Also, anyone hanging vertically for more than 10 mins can die if they are allowed to lie down after rescue, due to the stale blood returning from their legs and stopping the heart. Suspension trauma will affect anyone hanging motionless with his or her legs dangling. No injury is needed and the harness does not need to be constrictive. It is sudden, unpredictable and always kills. It is caused by blood pooling in the legs due to gravity. Without the pump effect from leg muscles as they contract, the brain is starved of oxygen and begins to die. The only way to stop the progress is to raise the legs immediately after the fall or continually use the leg muscles. Rapid rescue is essential.

ACTIONS AFTER A FALL:

- If at all possible, recover the climber within 5-10 minutes
- If recovery is delayed, raise the knees into a sitting position within 5 minutes
 → If this is not possible, only raise the legs very gradually and carefully.
- If the climber is unconscious they must be reached and the airway protected
- If recovery is impossible, go for help after raising the knees
- During recovery, never allow the body to lay flat
- Keep the climber in a sitting position for at least 30 minutes.
- Anyone who has fainted or been suspended for over 10 minutes must go to hospital.
 → Hand this card to the ambulance personnel when they arrive



Prevention:

- Always keep legs active. Use a workseat if hanging for long periods.
- Keep hydrated and avoid smoking or alcohol
- Carry an emergency knee sling at all times
- Avoid rear-attachment if there's a risk of free-hanging after a fall
- Rescue should always be possible within 10 minutes
- · Your risk assessments must plan for suspension trauma & rescue

based on research published by the HSE and other agencies. TAG accept no liability for consequence caused by failure to compty with extant legislation and working practices.

This guidance is

www.tagsafety.com



SUSPENSION TRAUMA

Orthostatic incompetence from harness suspension

EMERGENCY MEDICAL TREATMENT



The patient is likely to have suffered a period of significantly restricted venous return from the lower extremities leading to localised hypoxemia and symptoms of distributative shock. Postural syncope may have occurred, however with fixed vertical positioning in a harness this fails to correct the circulatory insufficiency and a carotid hypobaric response will result. Loss of life in suspension is subsequent from cerebral hypoxia. Constrictive harnesses and venous stasis may have caused limited erush injury in some cases. Hypothermia is likely and can increase cardiac fragility during rescue.

Under no circumstances must the patient be placed in a horizontal position

Venous reflow from the legs must be prevented post-rescue, or there is a likelihood of acute cardiac arrest and renal failure from localised hypoxemia and right ventricular overload. After 10 minutes of vertical immobile suspension blood in the lower extremities may be significantly chemotoxic.

The legs should be considered as for crush injury release. Even in cases reporting minor symptoms but no LOC there is a requirement for post-rescue postural management and transfer for renal monitoring. Post-recovery the patient should be maintained in a sitting position for a minimum of 30 minutes. This should override non-critical trauma management.

Prior to recovery from the harness, immediate leg-raising or muscular activity will delay onset. Beyond 5 minutes of suspension, leg-raising is counterproductive unless conducted gradually. Prior to release provide 100% oxygen and secure airway only. Do not provide fluids except to manage associated trauma. There is usually no pain so analgesia is not required however if requested avoid opiates as bradycardia is likely before or during rescue.

Immediate Treatment at Scene

- Provide 100% oxygen and secure airway for seated transport
- Minimise initial fluid therapy to that required for haemostasis
- Monitor blood glucose and correct hypoglycaemia as required
- Stabilise unrelated trauma without inducing vascular reflow
- · Preserve patient in sitting position with legs maintained below the cardiac altitude
- Do not permit the patient to self-ambulate if suspension time exceeds 10 minutes
- Monitor ECG and expect sudden bradycardia or symptoms of RVF. Tachycardia is NOT indicative of haemorrhage and is to be expected, as are PVCs.

A+E Admission

- Maintain in sitting position on arrival. Minimise active lower limb exercise.
- Gradual reduction to supine position only with immediate cardiac support. Monitor for RVF.
- Catheterise and increase fluid therapy with adjuvant diuresis. Renal damage is probable for suspension times exceeding 20 minutes and dialysis should be a consideration.
- In cases where suspension times are excessive and/or harness webbing has been constrictive
- there is an associated issue of primary crush damage to tissues of the thighs and pelvic girdle.

This information is presented as guidance only and specific treatment protocols must be adapted for the patient and local policies. The authors base this guidance on published research and developed rescue protocols and accept no liability for application or resultant pathology. Specialist advice should be sought as required. Rescue and treatment of suspension trauma requires advanced medical skills and equipment. This is NOT First Aid. In remote areas the priority is to recover to ground, then keep the legs lowered and summon advanced aid with all possible speed.



Appendix C: ERP Distribution

NAME	TITLE	DATE
		April 12, 2022



April 12, 2022	
April 12, 2022	
April 12, 2022	
April 12, 2022	

Document Control and Maintenance

For document control and maintenance purposes, the following table captures important information related to this document.

Owned by	Keechi Wind Plant Manager		
Authorized to Revise	Senior Advisor		
Approver	Control Centre Supervisor		
Review	Annually		
Distribution	Enbridge employees and contractors		
Criteria	TBD		
Related Documents	• TBD		

Version History

Changes made to this document are tracked in the following table. The most recent version supercedes all previous versions.

REVISION DATE

VERSION. SUMMARY

PREPARED BY



Approval

Changes made to this document are tracked in the following table.

REVISION DATE APPROVED BY SIGNATURE

Business Continuity Plan (BCP) for Pandemics Enbridge Power

- Health Threat Response
- Summary for Critical and Essential Functions
- Plant & ROC response plan
- BCP Critical Communication



Health Threat Response





Health Emergency – "Prudently Over-respond"





Power Ops Health Emergency Management Plan

Mandate for Power Operations Health Emergency Management Plan

Health Emergency Management Plan - Table of Contents



Planning Assumptions



Primary threats related include:

Health Services - HR - Before Work



Health Services - HR - At work



Summary for Critical and Essential Functions



Pandemic Planning



General BCP Definitions (BUs may define more specifically)





Completed By:	
Business Unit/Central Function:	
Function:	
Function Owner:	
Function Lead:	
Plan Administrator:	

Plan Summary - Essential Functions







Plan Summary - Essential Functions

Completed By:
Business Unit/Central Function:
Function:
Function Owner:
Function Lead:
Plan Administrator:





Plan Summary - Essential Functions

Completed By:
Business Unit/Central Function:
Function:
Function Owner:
Function Lead:
Plan Administrator:







Business Continuity Critical & Essential Functions

Critical Functions

Essential Functions

BCP: Power



Support for Critical & Essential Functions



Plant Response



Pandemic Alignment & Response Phases



Health Threat - Pandemic Alert Conditions



Phase	Description	Response
0		
1		
2		
3		
4		
5		
6		


Response Phases



	Phase 4	Phase 5	Phase 6
Staff Interactions			
Deliveries, Services, Maintenance			
Cleaning			
Security			

Response Phases



	Phase 4 Lite	
Staff Interactions		
Deliveries,		
Services, Maintenance		
Cleaning		
Security		

Phase 3 Planning for Plants



Phase 4 Lite Planning for Plants



Phase 4 Planning for Plants



Phase 5 Planning for Plants



Phase 6 Planning for Plants



Site-Specific Measures



April 2022

Keechi



Rank	Work Plan - Tasks	Level 3	Level 4	Level 5	Level 6	Comments
1	Υ					с А
2						
3	Υ · · ·					· · · ·
4						
5	بور					· ·
6			•			

Chapman Ranch



Rank	Work Plan - Tasks	Level 3	Level 4	Level 5	Level 6	Comments
1						
2				•		
3	i	:		, 		·
4				•	. ,	
5	,	-		ч 	H 1	·
6						· · · · · · · · · · · · · · · · · · ·

BCP Critical Communication



Power Ops BCP Communications Protocols - Phases *Centroper*

Phase	Description	Participants	Intent	Description of Meeting Intent
0				
1				
2				
3				
4				
5				
6				

Emergency Communications Plan

Emergency Management Team

Texas Region	
Director, US Power Operations	
Regional Manager, US Power Operations	
Plant Manager, Chapman Ranch Wind	
Plant Manager, Keechi Wind	
Supervisor, Remote Operations Centre	
Supervisor, Health and Safety	
Senior Safety Advisor	
Sr. Advisor, Communications	

Activation of any or all parts of the Emergency Communications Plan is based on the doc below.

The following communications tactics will be leveraged when the Emergency Communications Plan is activated to respond:

Tactic	Description
Internal Incident	
Notification	
Standby Statement	
Key Message Development	
Rey message bevelopment	
Response to Media	
Enquiries	
News Release	
Notification to Employees	
Notification to PUCT/ERCOT	
Notification to other	
regulatory agencies	
Emergency Response	
Agencies	
Notification to local and	
state government officials	

Guidance Questions / Incident Cheat Sheet for Gathering Information from the Field:

What is the location?	
Are there any injuries?	
Are there evacuations?	
Fire/Police on site?	
Media on site?	
Timeframe for repairs/status updates?	
Are there road closures? Traffic impacts?	
Short Description of damage:	
Potential Spokesperson	
Who else might need to know? (Councilors, ERCOT?)	

EMERGENCY COMMUNICATIONS PLAN CHECKLIST

Action	Channel	Assigned to, Status

Emergency Contacts

Primary Emergency Contact for reporting issues and/or operational questions -

Contact for general enquiries or the public – 1-888-992-0997

Chapman Ranch Wind Contacts

Contacts	Title	Office Number	Mobile Number	Email
Site Staff				
	Plant Manager	(361) 854-7701		
	Operations			
	Coordinator			
	Turbine			
	Technician			
	Turbine			
	Technician			
Off-Site Staff				
	Director Power			
	Operations US			
	Chief Security	(713) 627-4176		
	Officer			
	Strategic Security	(403) 767-3688		
	Advisor			
Control Desk		(780) 420-8831		
	ROC - Team Lead	(403) 367-2185		
Operating				
<u>Entities</u>				
American				
Electric Power		(877) 806-7968		<u>cctdc_coordinators@aep.com</u>
(AEP)				tdispatchccr@aep.com
(TO/TOP)				
National Field		(972) / 20-0157		
Services (NFS)		(372) 420-0137		
Tenaska	Energy Manager,	(817) 462 1500		tonackacomm@tack.com
Power	24/7 Desk	(017)402-1309		<u>tenaskacomm@thsk.com</u>

Services Co.		
(Chapman's		
QSE)		

FBI	Corpus Christi Office	(361) 883-8671	911	-
FBI	Houston Office	(713) 693-5000	911	houston.fbi.gov
Nueces County Sheriff	Office	(361) 887-2222	911	john.hooper@nuecesco.com
Corpus Christi Police Department	Office	(361) 886-2600	911	-
Nueces County Emergency Service District 2	Office	(361) 886-2600	911	-
Corpus Christi Fire Department	Office	(361) 826-3900	911	-
Annaville Fire Department	Office	(361) 241-1372	911	-
Nueces County Hospital District	Office	(361) 902-4855	911	
Electric Reliability Council of Texas				shiftsupv@ercot.com
ERCOT Client Services	Client Services General Contact	(512) 248-3900		<u>ClientServices@ercot.com</u>
Texas Reliability Entity, Inc.				rapa@texasre.org
North American Electric Reliability Corporation		(404) 446-9780	FAX: (404) 446- 9770	systemawareness@NERC.net operations@EISAC.com

Keechi Wind Contacts

Contacts	Title	Office Number	Mobile Number	Email
Site Staff				
	Plant Manager	(940) 567-2719		
	Operations			
	Coordinator			

Off-Site Staff				
	Director Power			
	Operations US			
	Chief Security	(713) 627-4176		
	Officer			
		(402) 767 2688		
	Strategic Security	(403) 767-3688		
	Advisor			
Control Desk		(780) 420-8831		
	ROC - Team Lead	(403) 367-2185		
Operating				
<u>Entities</u>				
Brazos Electric	Brazos	(254) 750-6260		
Cooperative	Operations			
(Keechi's TOP)	Control Center			
Tenaska	Energy Manager,	(817) 462-1509		tenaskacomm@tnsk.com
Power	24/7 Desk			
Services Co.				
(Keechi's QSE)				
			011	
FBI	FBI Dallas Office	(972) 559-5000	911	tbi.dallas@ic.tbi.gov
Jack County Sheriff	Office	(940)567-2161	911	mmayo@jackcountysheriff.com
Jacksboro	Office	(940) 567-2666	911	ljackson@cityofjacksboro.com
Police				
Department			011	
Jacksboro Fire	Office	(940) 567-2883	911	<u> ennings@cityofjacksboro.com</u>
Eaith	Office	(940) 567-6633	911	N/A
Community		(340) 307-0033	511	
Hospital				
•				_
Electric				shiftsupv@ercot.com
Reliability				
Council of				
Texas				
(Keechi's RC &				
BA)				
ERCOT Client	Client Services	(512) 248-3900		ClientServices@ercot.com
Services	General Contact			
1	1			

Texas			rapa@texasre.org
Reliability			
Entity, Inc.			
North	(404)-446-9780	FAX: (404)-446-	systemawareness@nerc.net
American		9770	
Electric			
Reliability			
Corporation			

ATTACHMENT B

AFFIDAVIT

THE STATE OF TEXAS	
COUNTY OF HARRIS	

BEFORE ME, the undersigned authority, on this day personally appeared Robert Jozwiak who swore an oath that the following facts are true:

\$ \$ \$

- 1. My name is Robert Jozwiak. I am the President of and highest-ranking representative, official, or officer with binding authority over Chapman Ranch Wind I LLC ("CRW") and Keechi Wind LLC ("Keechi"). I am over 18 years of age, of sound mind, and competent and authorized to make this affidavit on behalf of CRW and Keechi. I have personal knowledge of the matters described herein.
- 2. CRW and Keechi are registered with the Public Utility Commission of Texas as a power generation companies. CRW and Keechi are both wholly owned subsidiaries of Enbridge, Inc.
- 3. CRW and Keechi have in place an emergency operations plan (the "Plan") in accordance with 16 Texas Administrative Code ("TAC") § 25.53.
- 4. All relevant operating personnel for both CRW and Keechi are familiar with and have received training on the applicable contents and execution of their Plans, and such personnel are instructed to follow the applicable portions of the Plans except to the extent deviations are appropriate as a result of specific circumstances during the course of an emergency.
- 5. CRW and Keechi's Plans have been reviewed and approved by the appropriate executives.
- 6. CRW and Keechi generally perform at least one drill a year on their emergency operations plans. CRW last completed a drill on its Plan in December 2021. Keechi last completed a drill on its Plan in November 2021. CRW and Keechi each have a drill planned for the spring of 2022. The initial April 15, 2022 deadline to file new emergency operations plans did not allow for the spring 2022 drills to be conducted prior to filing. CRW and Keechi will file a supplement in this docket upon completion of the spring 2022 drills.
- 7. An appropriate summary of CRW and Keechi's Plans have been distributed to local jurisdictions as needed.
- 8. CRW and Keechi maintain a business continuity plan that addresses returning to normal operations after disruptions caused by an incident. Both the CRW and Keechi Plans serve as the business continuity plans for each project. The Plans address returning to normal operations after disruptions caused by an incident.

9. Upon adoption of the new 16 TAC § 25.53, CRW and Keechi developed a plan to and are in the process of training their emergency management personnel who are designated to interact with local, state, and federal emergency management officials during emergency events on the latest IS-100, IS-200, IS-700, and IS-800 National Incident Management System training. CRW and Keechi will file a supplement in this docket upon completion of this training.

FURTHER AFFIANT SAYETH NOT.

Robert Jozwiak President Chapman Ranch Wind I LLC Keechi Wind LLC

Sworn to and subscribed before me this 14th day of April, 2022.

Notary Public, State of Texas My Commission Expires: 5/28/2024

