	RWE Renewables Americas Hurricane Recovery Plan- Annex E Part 2	Number:	HSE.P-002.E.2
		Issued:	3/30/2022
		Revision	4
		Page:	7 of 13

and petroleum storage area and establish a Command Post for future response team coordination.

5.2 A three-person team will begin field assessments using the site map, HSE.F.P-004.A, a camera, and a GPS for recording damage.

5.3 One person will act as a Safety Observer for those performing field work activities.

NOTE: Under no circumstances shall any member of the Site Assessment Team enter any damaged turbine before it has been inspected and approved for entry by RWE RA Engineering.


5.4 The Team will assume all electrical equipment is energized and take appropriate precautions.

5.5 Site assessments will be conducted during daylight hours only, and the Assessment Team will need to leave the area at least one hour before nightfall.

5.6 The Team will conduct a daily de-brief of site assessment with the EMC as per HSE.P-002, Emergency Operations Plan.

6.0 Site Assessment Team Response Kit

Prior to conducting the land-based survey the following materials listed in Appendix II – Site Assessment Team Response Kit Checklist will be inventoried and placed into a small trailer for rapid mobilization to the site. For each Site Assessment Team member and during hurricane season, it is recommended to plan ahead and establish a “Go Bag” with the required personal items needed to support assessment operations.


	RWE Renewables Americas Hurricane Recovery Plan- Annex E Part 2	Number:	HSE.P-002.E.2
		Issued:	3/30/2022
		Revision	4
		Page:	8 of 13

7.0 Action Plan

Task	Team
Evaluate the damage and environmental impacts	Site Assessment Team
Communicate damage assessment to EMC	Site Assessment Team
Engineering inspections of turbine foundations and BOP equipment	Operations/Engineering
Contract with Environmental Response vendor	Site Supervisor
Inform PPA/Off-taker of recovery schedule	Energy Supply
Initiate Insurance recovery process	CAO Team
Communicate recovery plan with land owners	CDO Team
Notify reportable spill quantities to the Texas Commission on Environmental Quality	HSE Team

8.0 References

[HSE.P-002, Emergency Operations Plan](#)
[HSE.P-011.A.BB, Bruenning's Breeze Emergency Action Plan](#)
[HSE.P-011.A.MAV, Magic Valley Emergency Action Plan](#)
[HSE.P-011.A.PAPI, Papalote Creek I Emergency Action Plan](#)
[HSE.P-011.A.PAPII, Papalote Creek II Emergency Action Plan](#)
[HSE.P-011.A.STE, Stella Emergency Action Plan](#)
[HSE.P-011.A.EAA, El Algodon Emergency Action Plan](#)
[HSE.P-011.A.BJK, Black Jack Emergency Action Plan](#)
[HSE.P-011.A.RAY, Raymond E&W Emergency Action Plan](#)
[HSE.P-011.A.PEY, Peyton Emergency Action Plan](#)
[HSE.OP-001, Equipment Clearance Lock Out – Tag Out](#)
[HSE.F.P-004.A, Site Assessment - Disaster Recovery Form](#)
[HSE.F.OP-015.A, Pre-Task Briefing / Tailboard Form](#)
[HUVR](#)


	RWE Renewables Americas Hurricane Recovery Plan- Annex E Part 2	Number:	HSE.P-002.E.2
		Issued:	3/30/2022
		Revision	4
		Page:	9 of 13

Document Change Log

REVISION	DATE	NATURE OF CHANGE	AUTHOR
1			
1			
1			

HSE.P-002.E.2

To ensure you have a current version of this document, go to: [RWE RA SharePoint](#). If printed and not bound in a controlled manual, this

	RWE Renewables Americas Hurricane Recovery Plan- Annex E Part 2	Number:	HSE.P-002.E.2
		Issued:	3/30/2022
		Revision	4
		Page:	11 of 13

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]


[REDACTED]

[REDACTED]

[REDACTED]


[REDACTED]

[REDACTED]

	RWE Renewables Americas Hurricane Recovery Plan- Annex E Part 2	Number:	HSE.P-002.E.2
		Issued:	3/30/2022
		Revision	4
		Page:	12 of 13

Appendix II – Recommended Site Assessment Team Response Kit Checklist

Recovery Trailer	
<u>Sleeping/Comfort</u>	10 pup tents
	10 collapsible chairs
	10 sleeping bags
	10 pillows
	10 blankets
<u>PPE</u>	10 orange coveralls
	10 hard hats
	10 gloves
	10 safety glasses
	10 rubber boot covers
<u>Toiletries</u>	Toilet paper
	Paper towels
	10 toothbrushes
	Toothpaste
<u>General Supplies</u>	10 large duffel bags
	2 – 48 qt. ice chests
	10 flashlights
	10 headlamps
	\$1000 cash
<u>Food</u>	Bottled water
	Non-perishable food
<u>Site Documents</u>	
	200 copies of HSE.F.P-004.A
	50 copies of HSE.F.OP-015.A
	Site maps
45 kW generator with spare fuel tank and fuel	

	RWE Renewables Americas Hurricane Recovery Plan- Annex E Part 2	Number:	HSE.P-002.E.2
		Issued:	3/30/2022
		Revision	4
		Page:	13 of 13


Items to consider for Site Assessment Team

	First Aid Kit
	Snake Bite Kit
	AED
	Sanitizing Gel
	Mosquito Spray
	Satellite phone and charger/spare battery
	Camera(s) with extra storage media
	Sun block
	Reinforced steel toe rubber boots or covers
	Gloves
	Site Maps & GPS Coordinates
	Site electrical one-line and 3 line drawings
	LOTO devices/red box
	Binocular
	PPE: hard hat, safety glasses, visibility vest
	Roll of “DANGER” red or “WARNING” barrier tape
	Waterproof permanent Sharpie markers
	Roll of duct tape
	200’ of parachute cord or rope
	Cooler
	Adequate supply of ice
	Access credentials
	1 day supply of water, food, toiletries
	4-wheel drive vehicle with full-size spare tire (2)
	LED flashlight with backup batteries
	Foul weather gear and coveralls with change of clothes for extended stay

SITE SPECIFIC DATA
(One site data description for each company site)

SITE NAME

Bruenning's Breeze



The diagram consists of 12 horizontal bars arranged in a single row. Each bar is connected to the next by a thin horizontal line. The bars vary in length and are positioned at different vertical levels, creating a stepped appearance. The bars are black, and the connecting lines are thin and black.

SITE SPECIFIC DATA
(One site data description for each company site)

SITE NAME

[Redacted]

Cranell

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]


[Redacted]

[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]

SITE SPECIFIC DATA
(One site data description for each company site)

[illegible]





11/11/2016

[REDACTED]

© 2006 The Authors

[REDACTED]

Journal of Management Inquiry 23(1)

[illegible]

11/11/2016

←

© 2005 Blackwell Publishing Ltd

© 2006 The Authors

© 2006 The Authors

[illegible]

Journal of Management Inquiry 23(1)

[REDACTED]

© 2006 The Authors

[REDACTED]

© 2006 The Authors
Journal compilation © 2006 Blackwell Publishing Ltd

[REDACTED]

[REDACTED]


SITE SPECIFIC DATA
(One site data description for each company site)

[illegible]



**HSE.F.P-011.B Emergency Action Plan, Appendix B:
Site Specific Data Form**

Category	Item	Value
Category 1	Item 1.1	10
	Item 1.2	20
Category 2	Item 2.1	30
	Item 2.2	40
Category 3	Item 3.1	50
	Item 3.2	60
Category 4	Item 4.1	70
	Item 4.2	80
Category 5	Item 5.1	90
	Item 5.2	100
Category 6	Item 6.1	110
	Item 6.2	120
Category 7	Item 7.1	130
	Item 7.2	140
Category 8	Item 8.1	150
	Item 8.2	160
Category 9	Item 9.1	170
	Item 9.2	180
Category 10	Item 10.1	190
	Item 10.2	200



(One site data description for each company site)

Papalote Creek I & II


[REDACTED] [REDACTED]
 [REDACTED] [REDACTED]
 [REDACTED] [REDACTED]

[illegible]









HSE.F.P-011.B Emergency Action Plan, Appendix B:
Site Specific Data Form

[REDACTED]	[REDACTED]	[REDACTED]
------------	------------	------------

SITE SPECIFIC DATA

(One site data description for each company site)

SITE NAME

El Algodon Alto

[REDACTED]

© 2006 The Authors

© 2006 The Authors

████████████████████

██████████

F

10/10/2016

11/11/2019

[REDACTED]

15 JULY 2005


□

[REDACTED]

██████████

T

100



Category	Value	Value	Value
Category 1	10	20	30
Category 2	15	25	35
Category 3	20	30	40
Category 4	25	35	45
Category 5	30	40	50
Category 6	35	45	55
Category 7	40	50	60
Category 8	45	55	65
Category 9	50	60	70
Category 10	55	65	75
Category 11	60	70	80
Category 12	65	75	85
Category 13	70	80	90
Category 14	75	85	95
Category 15	80	90	100

SITE SPECIFIC DATA
(One site data description for each company site)

SITE NAME

Peyton Creek

To ensure you have a current version of this document, go to: [RWE RA SharePoint](#). If form is printed and not completed as a record, this document becomes a reference copy.



HSE.F.P-011.B Emergency Action Plan, Appendix B:
Site Specific Data Form

[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]

SITE SPECIFIC DATA
(One site data description for each company site)

[illegible]



Country	Year	Value
Algeria	2006	0.000000
Algeria	2007	0.000000
Algeria	2008	0.000000
Algeria	2009	0.000000
Algeria	2010	0.000000
Algeria	2011	0.000000
Algeria	2012	0.000000
Algeria	2013	0.000000
Algeria	2014	0.000000
Algeria	2015	0.000000
Algeria	2016	0.000000
Algeria	2017	0.000000
Algeria	2018	0.000000
Algeria	2019	0.000000
Algeria	2020	0.000000
Algeria	2021	0.000000
Algeria	2022	0.000000
Algeria	2023	0.000000
Algeria	2024	0.000000
Algeria	2025	0.000000
Algeria	2026	0.000000
Algeria	2027	0.000000
Algeria	2028	0.000000
Algeria	2029	0.000000
Algeria	2030	0.000000
Algeria	2031	0.000000
Algeria	2032	0.000000
Algeria	2033	0.000000
Algeria	2034	0.000000
Algeria	2035	0.000000
Algeria	2036	0.000000
Algeria	2037	0.000000
Algeria	2038	0.000000
Algeria	2039	0.000000
Algeria	2040	0.000000
Algeria	2041	0.000000
Algeria	2042	0.000000
Algeria	2043	0.000000
Algeria	2044	0.000000
Algeria	2045	0.000000
Algeria	2046	0.000000
Algeria	2047	0.000000
Algeria	2048	0.000000
Algeria	2049	0.000000
Algeria	2050	0.000000
Algeria	2051	0.000000
Algeria	2052	0.000000
Algeria	2053	0.000000
Algeria	2054	0.000000
Algeria	2055	0.000000
Algeria	2056	0.000000
Algeria	2057	0.000000
Algeria	2058	0.000000
Algeria	2059	0.000000
Algeria	2060	0.000000
Algeria	2061	0.000000
Algeria	2062	0.000000
Algeria	2063	0.000000
Algeria	2064	0.000000
Algeria	2065	0.000000
Algeria	2066	0.000000
Algeria	2067	0.000000
Algeria	2068	0.000000
Algeria	2069	0.000000
Algeria	2070	0.000000
Algeria	2071	0.000000
Algeria	2072	0.000000
Algeria	2073	0.000000
Algeria	2074	0.000000
Algeria	2075	0.000000
Algeria	2076	0.000000
Algeria	2077	0.000000
Algeria	2078	0.000000
Algeria	2079	0.000000
Algeria	2080	0.000000
Algeria	2081	0.000000
Algeria	2082	0.000000
Algeria	2083	0.000000
Algeria	2084	0.000000
Algeria	2085	0.000000
Algeria	2086	0.000000
Algeria	2087	0.000000
Algeria	2088	0.000000
Algeria	2089	0.000000
Algeria	2090	0.000000
Algeria	2091	0.000000
Algeria	2092	0.000000
Algeria	2093	0.000000
Algeria	2094	0.000000
Algeria	2095	0.000000
Algeria	2096	0.000000
Algeria	2097	0.000000
Algeria	2098	0.000000
Algeria	2099	0.000000
Algeria	2100	0.000000
Algeria	2101	0.000000
Algeria	2102	0.000000
Algeria	2103	0.000000
Algeria	2104	0.000000
Algeria	2105	0.000000
Algeria	2106	0.000000
Algeria		

[illegible]

[illegible]

To ensure you have a current version of this document, go to: [RWE RA SharePoint](#). If form is printed and not completed as a record, this document becomes a reference copy.



HSSE.F.P-011.B Emergency Action Plan, Appendix B:
Site Specific Data Form

	[Redacted]	[Redacted]
	[Redacted]	
	[Redacted]	
	[Redacted]	
	[Redacted]	
	[Redacted]	
[Redacted]	[Redacted]	[Redacted]
[Redacted]	[Redacted]	[Redacted]
[Redacted]	[Redacted]	[Redacted]
[Redacted]	[Redacted]	[Redacted]
[Redacted]	[Redacted]	[Redacted]
[Redacted]	[Redacted]	[Redacted]
[Redacted]	[Redacted]	[Redacted]
[Redacted]	[Redacted]	[Redacted]



	<p style="text-align: center;">CONFIDENTIAL</p> <p style="text-align: center;">RWE Renewables Americas Annex F: Cyber Security</p>	Number:	HSE.P-002.F
		Issued:	04/11/2022
		Revision:	0
		Page:	1 of 4

Table of Contents

- 1.0 Purpose**
- 2.0 Introduction and Definitions**
- 3.0 Responsibilities**
- 4.0 Secure Areas Protected by this Procedure**
- 5.0 Business Continuity**
- 6.0 Document Change Log**

 <small>Our energy for a sustainable life</small>	CONFIDENTIAL RWE Renewables Americas Annex F: Cyber Security	Number:	HSE.P-002.F
		Issued:	04/11/2022
		Revision:	0
		Page:	2 of 4

1.0 Purpose

1.1 The purpose of this procedure is to provide RWE Renewables Americas (RWE RA) personnel with a guide to what precautions and actions are required in the event that a cyber security incident occurs that could or does have a catastrophic impact on the business. Such an incident will trigger the need for the Emergency Management Committee (EMC) to convene and direct measures to be taken.

2.0

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]


[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

	<p align="center">CONFIDENTIAL</p> <p align="center">RWE Renewables Americas</p> <p align="center">Annex F: Cyber Security</p>	Number:	HSE.P-002.F
		Issued:	04/11/2022
		Revision:	0
		Page:	4 of 4

CONFIDENTIAL

Number:

Issued:

Revision:

Page:



	RWE Renewables Americas Annex G: Physical Security	Number:	HSE.P-002.G
		Issued:	04/11/2022
		Revision:	0
		Page:	1 of 4

Table of Contents

- 1.0 Purpose**
- 2.0 Introduction and Definitions**
- 3.0 Responsibilities**
- 4.0 Secure Areas Protected by this Procedure**
- 5.0 Business Continuity**
- 6.0 Document Change Log**

	RWE Renewables Americas Annex G: Physical Security	Number:	HSE.P-002.G
		Issued:	04/11/2022
		Revision:	0
		Page:	2 of 4


1.0 **Purpose**

1.1 The purpose of this procedure is to provide RWE Renewables Americas (RWE RA) personnel with a guide to what precautions and actions are required in the event that the site, or surrounding areas of a workplace location, were to experience an emergency that would trigger need for the Emergency Management Committee (EMC) to convene.

- [REDACTED]
- [REDACTED]
 - [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]

HSE.P-002.G

To ensure you have a current version of this document, go to: [RWE RA SharePoint](#). If printed and not bound in a controlled manual, this document becomes a reference copy.

	RWE Renewables Americas Annex G: Physical Security	Number:	HSE.P-002.G
		Issued:	04/11/2022
		Revision:	0
		Page:	3 of 4

[REDACTED]

[REDACTED]

[REDACTED]


[REDACTED]

[REDACTED]

[REDACTED]

- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]

[REDACTED]

	RWE Renewables Americas Annex G: Physical Security	Number:	HSE.P-002.G
		Issued:	04/11/2022
		Revision:	0
		Page:	4 of 4

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]