



Filing Receipt

Received - 2022-07-11 09:49:43 AM
Control Number - 53685
ItemNumber - 4

DOCKET NO. 53685

APPLICATION OF MANVEL TERRACE § PUBLIC UTILITY COMMISSION
UTILITIES FOR A CLASS D RATE §
ADJUSTMENT § OF TEXAS

ORDER NO. 2
FINDING APPLICATION ADMINISTRATIVELY INCOMPLETE
AND ESTABLISHING OPPORTUNITY TO CURE

This Order addresses the June 6, 2022 application of Manvel Terrace Utilities for a class D rate adjustment under its certificate of convenience and necessity number 12080. On July 7, 2022, Commission Staff filed a recommendation that the application be found administratively incomplete and that Manvel Terrace have an opportunity to cure the deficiencies.

The administrative law judge finds the application administratively incomplete. By July 22, 2022, Manvel Terrace must cure the deficiencies identified in the July 7, 2022 memorandum of James Onyeneke, excluding item number five.¹

By August 4, 2022, Commission Staff must file a supplemental recommendation on sufficiency of the application and notice, and propose a procedural schedule, if appropriate.

Signed at Austin, Texas the 11th day of July 2022.

PUBLIC UTILITY COMMISSION OF TEXAS



ISAAC TA
ADMINISTRATIVE LAW JUDGE

q:\cadm\doCKET management\water\rates\class d rate adj\53xxx\53685-2 def_cure.docx

¹ The report requested in item number five is outside the scope of this proceeding and is not required under 16 Texas Administrative Code (TAC) § 24.49(c). If Commission Staff is alleging noncompliance with the Commission's rules, Commission Staff should initiate a separate proceeding under 16 TAC § 24.351.