

Filing Receipt

Received - 2023-01-27 03:08:05 PM Control Number - 53709 ItemNumber - 36

DOCKET NO. 53709

\$ \$ \$ \$ \$ \$ \$ \$ \$ \$

| APPLICATION OF CSWR-TEXAS | |
|------------------------------|--|
| UTILITY OPERATING COMPANY, | |
| LLC AND GEORGE FULLER, | |
| EXECUTOR OF THE ESTATE OF | |
| VIRGINIA FULLER, FOR SALE, | |
| TRANSFER, OR MERGER OF | |
| FACILITIES IN LUBBOCK COUNTY | |

PUBLIC UTILITY COMMISSION

OF TEXAS

ORDER NO. 8 GRANTING REQUEST FOR EXTENSION AND MODIFYING PROCEDURAL SCHEDULE

This Order addresses Commission Staff's January 26, 2023 request for extension. Commission Staff requires additional time to formulate a response to Order No. 7.

The administrative law judge (ALJ) grants the request in part. The ALJ lacks the authority to modify statutory deadlines, including the 120-day deadline in Texas Water Code § 13.301. Accordingly, the ALJ modifies the procedural schedule as follows:

| Event | Date |
|--|--------------------------------|
| Deadline for Commission Staff to file a recommendation | February 10, 2023 |
| on capital improvements and CSWR-Texas Utility Operating | |
| Company, LLC's capital improvements plan | |
| Deadline for the parties to file a request for hearing; deadline | February 20, 2023 |
| for the parties to file a joint motion to admit evidence and | |
| proposed order approving sale and allowing transaction to | |
| proceed | |
| 120-day deadline for the Commission to approve the sale or | February 27, 2023 ¹ |
| notify the parties to the transaction and the Office of Public | |
| Utility Counsel whether the Commission will hold a public | |
| hearing to determine if the transaction will serve the public | |
| interest | |

¹ The 120-day deadline falls on Saturday, February 25, 2023. Under 16 Texas Administrative Code \S 22.4(a), the deadline moves to Monday, February 27, 2023, the next day the Commission is open for business.

Signed at Austin, Texas the 27th day of January 2023.

PUBLIC UTILITY COMMISSION OF TEXAS

and

ISAAC TA ADMINISTRATIVE LAW JUDGE

 $\label{eq:CADM} Q:\CADM\Docket\ Management\Water\STM\53XXX\53709-8\ ext.\ docx$