




Control Number: 53938



Item Number: 284



Southern Montgomery County Municipal Utility District

25212 Interstate 45
Spring, Texas 77386
Phone: 281-367-5383
www.smc mud.com

RECEIVED
JUL 19 2023
PUBLIC UTILITY COMMISSION
FILE 3-ELER

July 19, 2023

Dimas A. Reyes
CenterPoint Energy, Inc.
P. O. Box 4567
Houston, Texas 77210-4567
dimas.a.reyes@centerpointenergy.com

Submit 4 copies to:
Public Utility Commission of Texas
1701 North Congress Avenue
P. O. Box 13326
Austin, Texas 78711-3326

Clinton Ladd
Texas Division of Emergency Management
Clinton.ladd@dps.texas.gov
Texas Dept. of Public Safety
6100 Guadalupe St., Bldg. E
Austin, Texas 78752

Judge Mark Keough
Montgomery County Office of
Emergency Management
9472 Airport Road
Conroe, Texas 77303

Constellation Newenergy, Inc.
1001 Louisiana St., Constellation Suite 2300
Houston, Texas 77002

53938

Re: Southern Montgomery Count Municipal Utility District - Critical Load Status Per Water Code
§13.1396

Ladies and Gentlemen:

Pursuant to Water Code §13.1396 please find Southern Montgomery County Municipal Utility District's submission to provide the required information for the District's water and wastewater facilities that qualify for critical load status.

District Facilities Qualifying for Critical Load Status Include:

1.

ESI-ID: 1008901023804686650100

Description: **SMCMUD District Office**

Location/Service Address:

25212 Interstate 45
Spring, Texas 77386

284

July 19, 2023

Page 2

2.

ESI-ID: 1008901011900441600110

Description: ***Wastewater Treatment Plant***

Location/Service Address:

852 Rayford Road #1

Spring, Texas 77386

3.

ESI-ID: 1008901020549022036100

Description: ***Lift Station - SOMO***

Location/Service Address:

856 Rayford Road

Spring, Texas 77386

4.

ESI-ID: 1008901011901156010116

Description: ***Lift Station – Cathedral Lakes***

Location/Service Address:

24826 Cathedral Lakes Parkway

Spring, Texas 77386

5.

ESI-ID: 1008901023805552740100

Description: ***Lift Station – Oak Ridge Forest***

Location/Service Address:

606 Gamewood Drive

Spring, Texas 77386

6.

ESI-ID: 1008901036550648115100

Description: ***Lift Station - Vicksburg***

Location/Service Address:

611 Cannon Ball Drive

Spring, Texas 77380

7.

ESI-ID: 1008901006900529530111

Description: ***Lift Station – Aaron's Place***

Location/Service Address:

703 Aulia Lane

Spring, Texas

July 19, 2023

Page 3

8.

ESI-ID: 1008901025002965400122

Description: ***Lift Station – Budde Road***

Location/Service Address:

24662 Budde Road

Spring, Texas 77380-3003

9.

ESI-ID: 1008901021549579853100

Description: ***Water Plant No. 1***

Location/Service Address:

25216 Interstate 45

Spring, Texas 77386

10.

ESI-ID: 1008901023809540730100

Description: ***Water Plant No. 2***

Location/Service Address:

24810 South Park Drive

Spring, Texas 77380

11.

ESI-ID: 1008901024900131130107

Description: ***Water Well No. 4***

Location/Service Address:

24810 ½ South Park Drive

Spring, Texas 77380

12.

ESI-ID: 1008901020900441920110

Description: ***Water Plant No. 3***

Location/Service Address:

406 Oak Ridge Grove Drive

Spring, Texas 77386

13.

ESI-ID: 1008901011901650960120

Description: ***Elevated Storage Tank No. 2***

Location/Service Address:

26365 Hanna Road

Spring, Texas 77385

July 19, 2023

Page 4

14.

ESI-ID: 1008901022900819700114

Description: *Reclaimed Water Plant*

Location/Service Address:

852 ½ Rayford Road

Spring, Texas 77386

District Primary Emergency Contact

Name: Kimberly Wright

Work Number: 281-367-5383 ext. 121

Home Number: 832-428-2647 (Cell)

Fax Number: 281-298-1657

District Secondary Emergency Contact

Name: Jorge Avila

Work Number: 281-367-5383 ext. 111

Home Number: 832-642-1691 (Cell)

Fax Number: 281-298-1657

Mailing Address:

Southern Montgomery County M.U.D.

25212 Interstate 45

Spring, TX 77386

Telephone: 281-367-5383

Fax: 281-298-1657

Sincerely,

SOUTHERN MONTGOMERY COUNTY M.U.D.

A handwritten signature in black ink, appearing to read 'K Wright', is positioned above the printed name and title of the sender.

Kimberly Wright

General Manager

Enclosures: Eligibility Determination Forms for Designation as a Critical Load Public Safety Customer

cc: Lori Aylett; Smith, Murdaugh, Little & Bonham, LP
Jorge Avila; O&M Manager



Filing Receipt

Filing Date - 2023-07-17 01:37:08 PM

Control Number - 53938

Item Number - 279

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

To Be Completed By Retail Electric Provider

ESI-ID: 1008901023804686650100

Customer Name Associated with ESI-ID: Southern Montgomery County Municipal Utility District

Service Address: *SMCMUD District Office*, 25212 Interstate 45, Spring, Texas 77386

Mailing Address: (if different than Service Address): [Same]

Date Form Sent to Customer: N/A

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a "critical load public safety customer" are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

"Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment."

Primary Contact:

Name: Kimberly Wright

Work Number: 281-367-5383 ext. 121

Home Number: 832-428-2647 (Cell)

Fax Number: 281-298-1657

Secondary Contact:

Name: Jorge Avila

Work Number: 281-367-5383 ext. 111

Home Number: 832-642-1691 (Cell)

Fax Number: 281-298-1657

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical water facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes X No

What is the capacity (size) of this generation resource? 24 kW

How long will this generation resource operate without refueling? Unlimited Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

We are a retail public utility providing large scale water service. This facility is the main office for operations and customer service.

Southern Montgomery County
Municipal Utility District
25212 Interstate 45
Spring, Texas 77386

281-367-5383 – District Office Phone
281-298-1657 – District Fax

July 19, 2023 – Date of Application

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

To Be Completed By Retail Electric Provider

ESI-ID: 1008901011900441600110

Customer Name Associated with ESI-ID: Southern Montgomery County Municipal Utility District

Service Address: *Wastewater Treatment Plant*, 852 Rayford Road #1, Spring, Texas 77386

Mailing Address: (if different than Service Address): 25212 Interstate 45, Spring, Texas 77386

Date Form Sent to Customer: N/A

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a "critical load public safety customer" are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

"Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment."

Primary Contact:

Name: Kimberly Wright

Work Number: 281-367-5383 ext. 121

Home Number: 832-428-2647 (Cell)

Fax Number: 281-298-1657

Secondary Contact:

Name: Jorge Avila

Work Number: 281-367-5383 ext. 111

Home Number: 832-642-1691 (Cell)

Fax Number: 281-298-1657

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical wastewater facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes X No

What is the capacity (size) of this generation resource? 1000 kW

How long will this generation resource operate without refueling? 72 Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

We are a retail public utility providing large scale sewer service. The above described facility is a wastewater treatment plant, the operation of which is critical to the proper treatment and disposal of untreated sewage. An interruption of electric service may create a public health hazard by resulting in the discharge of untreated sewage into the waters of the State of Texas.

Southern Montgomery County
Municipal Utility District
25212 Interstate 45
Spring, Texas 77386

281-367-5383 – District Office Phone
281-298-1657 – District Fax

July 19, 2023 – Date of Application

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

To Be Completed By Retail Electric Provider

ESI-ID: 1008901020549022036100

Customer Name Associated with ESI-ID: Southern Montgomery County Municipal Utility District

Service Address: *Lift Station – SOMO*, 856 Rayford Road, Spring, Texas 77386

Mailing Address: (if different than Service Address): 25212 Interstate 45, Spring, Texas 77386

Date Form Sent to Customer: N/A

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

“Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment.”

Primary Contact:

Name: Kimberly Wright

Work Number: 281-367-5383 ext. 121

Home Number: 832-428-2657 (Cell)

Fax Number: 281-298-1657

Secondary Contact:

Name: Jorge Avila

Work Number: 281-367-5383 ext. 111

Home Number: 832-642-1691 (Cell)

Fax Number: 281-298-1657

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical wastewater facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes X No

What is the capacity (size) of this generation resource? 100 kW

How long will this generation resource operate without refueling? 72 Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

We are a retail public utility providing large scale sewer service. The above described facility is a wastewater facility, the operation of which is critical to the transmission and disposal of untreated sewage. An interruption of electric service may create a public health hazard by resulting in the discharge of untreated sewage into the waters of the State of Texas.

Southern Montgomery County
Municipal Utility District
25212 Interstate 45
Spring, Texas 77386

281-367-5383 – District Office Phone
281-298-1657 – District Fax

July 19, 2023 – Date of Application

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

To Be Completed By Retail Electric Provider

ESI-ID: 1008901011901156010116

Customer Name Associated with ESI-ID: Southern Montgomery County Municipal Utility District

Service Address: *Lift Station – Cathedral Lakes*, 24826 Cathedral Lakes Parkway, Spring, Texas 77386

Mailing Address: (if different than Service Address): 25212 Interstate 45, Spring, Texas 77386

Date Form Sent to Customer: N/A

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1).

Generally, these are:

“Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment.”

Primary Contact:

Name: Kimberly Wright

Work Number: 281-367-5383 ext. 121

Home Number: 832-428-2657 (Cell)

Fax Number: 281-298-1657

Secondary Contact:

Name: Jorge Avila

Work Number: 281-367-5383 ext. 111

Home Number: 832-642-1691 (Cell)

Fax Number: 281-298-1657

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical wastewater facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes X No

What is the capacity (size) of this generation resource? 100 kW

How long will this generation resource operate without refueling? 72 Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

We are a retail public utility providing large scale sewer service. The above described facility is a wastewater facility, the operation of which is critical to the transmission and disposal of untreated sewage. An interruption of electric service may create a public health hazard by resulting in the discharge of untreated sewage into the waters of the State of Texas.

Southern Montgomery County
Municipal Utility District
25212 Interstate 45
Spring, Texas 77386

281-367-5383 – District Office Phone
281-298-1657 – District Fax

July 19, 2023 – Date of Application

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

To Be Completed By Retail Electric Provider

ESI-ID: 1008901023805552740100

Customer Name Associated with ESI-ID: Southern Montgomery County Municipal Utility District

Service Address: *Lift Station – Oak Ridge Forest*, 606 Gamewood Drive, Spring, Texas 77386

Mailing Address: (if different than Service Address): 25212 Interstate 45, Spring, Texas 77386

Date Form Sent to Customer: N/A

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

“Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment.”

Primary Contact:

Name: Kimberly Wright

Work Number: 281-367-5383 ext. 121

Home Number: 832-428-2657 (Cell)

Fax Number: 281-298-1657

Secondary Contact:

Name: Jorge Avila

Work Number: 281-367-5383 ext. 111

Home Number: 832-642-1691 (Cell)

Fax Number: 281-298-1657

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical wastewater facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes X No

What is the capacity (size) of this generation resource? 100 kW

How long will this generation resource operate without refueling? 72 Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

We are a retail public utility providing large scale sewer service. The above described facility is a wastewater facility, the operation of which is critical to the transmission and disposal of untreated sewage. An interruption of electric service may create a public health hazard by resulting in the discharge of untreated sewage into the waters of the State of Texas.

Southern Montgomery County
Municipal Utility District
25212 Interstate 45
Spring, Texas 77386

281-367-5383 – District Office Phone
281-298-1657 – District Fax

July 19, 2023 – Date of Application

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

To Be Completed By Retail Electric Provider

ESI-ID: 1008901036550648115100

Customer Name Associated with ESI-ID: Southern Montgomery County Municipal Utility District

Service Address: *Lift Station – Vicksburg*, 611 Cannon Ball Drive, Spring, Texas 77386

Mailing Address: (if different than Service Address): 25212 Interstate 45, Spring, Texas 77386

Date Form Sent to Customer: N/A

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

“Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment.”

Primary Contact:

Name: Kimberly Wright

Work Number: 281-367-5383 ext. 121

Home Number: 832-428-2657 (Cell)

Fax Number: 281-298-1657

Secondary Contact:

Name: Jorge Avila

Work Number: 281-367-5383 ext. 111

Home Number: 832-642-1691 (Cell)

Fax Number: 281-298-1657

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical wastewater facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes X No

What is the capacity (size) of this generation resource? 100 kW

How long will this generation resource operate without refueling? 72 Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

We are a retail public utility providing large scale sewer service. The above described facility is a wastewater facility, the operation of which is critical to the transmission and disposal of untreated sewage. An interruption of electric service may create a public health hazard by resulting in the discharge of untreated sewage into the waters of the State of Texas.

Southern Montgomery County
Municipal Utility District
25212 Interstate 45
Spring, Texas 77386

281-367-5383 – District Office Phone
281-298-1657 – District Fax

July 19, 2023 – Date of Application

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

To Be Completed By Retail Electric Provider

ESI-ID: 1008901006900529530111

Customer Name Associated with ESI-ID: Southern Montgomery County Municipal Utility District

Service Address: *Lift Station – Aaron’s Place*, 703 Aulia Lane, Spring, Texas 77386

Mailing Address: (if different than Service Address): 25212 Interstate 45, Spring, Texas 77386

Date Form Sent to Customer: N/A

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

“Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment.”

Primary Contact:

Name: Kimberly Wright

Work Number: 281-367-5383 ext. 121

Home Number: 832-428-2657 (Cell)

Fax Number: 281-298-1657

Secondary Contact:

Name: Jorge Avila

Work Number: 281-367-5383 ext. 111

Home Number: 832-642-1691 (Cell)

Fax Number: 281-298-1657

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical wastewater facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes X No

What is the capacity (size) of this generation resource? 100 kW

How long will this generation resource operate without refueling? 72 Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

We are a retail public utility providing large scale sewer service. The above described facility is a wastewater facility, the operation of which is critical to the transmission and disposal of untreated sewage. An interruption of electric service may create a public health hazard by resulting in the discharge of untreated sewage into the waters of the State of Texas.

Southern Montgomery County
Municipal Utility District
25212 Interstate 45
Spring, Texas 77386

281-367-5383 – District Office Phone
281-298-1657 – District Fax

July 19, 2023 – Date of Application

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

To Be Completed By Retail Electric Provider

ESI-ID: 1008901025002965400122

Customer Name Associated with ESI-ID: Southern Montgomery County Municipal Utility District

Service Address: *Lift Station – Budde Road*, 24662 Budde Road, Spring, Texas 77380-3003

Mailing Address: (if different than Service Address): 25212 Interstate 45, Spring, Texas 77386

Date Form Sent to Customer: N/A

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

“Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment.”

Primary Contact:

Name: Kimberly Wright

Work Number: 281-367-5383 ext. 121

Home Number: 832-428-2657 (Cell)

Fax Number: 281-298-1657

Secondary Contact:

Name: Jorge Avila

Work Number: 281-367-5383 ext. 111

Home Number: 832-642-1691 (Cell)

Fax Number: 281-298-1657

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical wastewater facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes X No

What is the capacity (size) of this generation resource? 100 kW

How long will this generation resource operate without refueling? 72 Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

We are a retail public utility providing large scale sewer service. The above described facility is a wastewater facility, the operation of which is critical to the transmission and disposal of untreated sewage. An interruption of electric service may create a public health hazard by resulting in the discharge of untreated sewage into the waters of the State of Texas.

Southern Montgomery County
Municipal Utility District
25212 Interstate 45
Spring, Texas 77386

281-367-5383 – District Office Phone
281-298-1657 – District Fax

July 19, 2023 – Date of Application

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

To Be Completed By Retail Electric Provider

ESI-ID: 1008901021549579853100

Customer Name Associated with ESI-ID: Southern Montgomery County Municipal Utility District

Service Address: **Water Plant No. 1**, 25216 Interstate 45, Spring, Texas 77386

Mailing Address: (if different than Service Address): 25212 Interstate 45, Spring, Texas 77386

Date Form Sent to Customer: N/A

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a "critical load public safety customer" are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

"Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment."

Primary Contact:

Name: Kimberly Wright

Work Number: 281-367-5383 ext. 121

Home Number: 832-428-2657 (Cell)

Fax Number: 281-298-1657

Secondary Contact:

Name: Jorge Avila

Work Number: 281-367-5383 ext. 111

Home Number: 832-642-1691 (Cell)

Fax Number: 281-298-1657

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical water facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes _____ No X

What is the capacity (size) of this generation resource? _____ kW

How long will this generation resource operate without refueling? _____ Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

We are a retail public utility providing large scale water service. This facility is a water plant, the operation of which is critical to the provision of potable water to our customers. An interruption of electric service may result in the loss of adequate system pressure, the issuance of boil water notices and the failure of the utility to deliver its public water supply.

Southern Montgomery County
Municipal Utility District
25212 Interstate 45
Spring, Texas 77386

281-367-5383 – District Office Phone
281-298-1657 – District Fax

July 19, 2023 – Date of Application

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

To Be Completed By Retail Electric Provider

ESI-ID: 1008901023809540730100

Customer Name Associated with ESI-ID: Southern Montgomery County Municipal Utility District

Service Address: **Water Plant No. 2**, 25216 Interstate 45, Spring, Texas 77386

Mailing Address: (if different than Service Address): 25212 Interstate 45, Spring, Texas 77386

Date Form Sent to Customer: N/A

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a "critical load public safety customer" are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

"Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment."

Primary Contact:

Name: Kimberly Wright

Work Number: 281-367-5383 ext. 121

Home Number: 832-428-2657 (Cell)

Fax Number: 281-298-1657

Secondary Contact:

Name: Jorge Avila

Work Number: 281-367-5383 ext. 111

Home Number: 832-642-1691 (Cell)

Fax Number: 281-298-1657

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical water facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes ☒ No ☐

What is the capacity (size) of this generation resource? 350 kW

How long will this generation resource operate without refueling? 72 Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

We are a retail public utility providing large scale water service. This facility is a water plant, the operation of which is critical to the provision of potable water to our customers. An interruption of electric service may result in the loss of adequate system pressure, the issuance of boil water notices and the failure of the utility to deliver its public water supply.

Southern Montgomery County
Municipal Utility District
25212 Interstate 45
Spring, Texas 77386

281-367-5383 – District Office Phone
281-298-1657 – District Fax

July 19, 2023 – Date of Application

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

To Be Completed By Retail Electric Provider

ESI-ID: 1008901023809540730100

Customer Name Associated with ESI-ID: Southern Montgomery County Municipal Utility District

Service Address: **Water Well No. 4**, 24810 ½ South Park Drive, Spring, Texas 77380

Mailing Address: (if different than Service Address): 25212 Interstate 45, Spring, Texas 77386

Date Form Sent to Customer: N/A

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

“Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment.”

Primary Contact:

Name: Kimberly Wright

Work Number: 281-367-5383 ext. 121

Home Number: 832-428-2657 (Cell)

Fax Number: 281-298-1657

Secondary Contact:

Name: Jorge Avila

Work Number: 281-367-5383 ext. 111

Home Number: 832-642-1691 (Cell)

Fax Number: 281-298-1657

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical water facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes ☒ No ☐

What is the capacity (size) of this generation resource? 350 kW

How long will this generation resource operate without refueling? 72 Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

We are a retail public utility providing large scale water service. This facility is a water plant, the operation of which is critical to the provision of potable water to our customers. An interruption of electric service may result in the loss of adequate system pressure, the issuance of boil water notices and the failure of the utility to deliver its public water supply.

Southern Montgomery County
Municipal Utility District
25212 Interstate 45
Spring, Texas 77386

281-367-5383 – District Office Phone
281-298-1657 – District Fax

July 19, 2023 – Date of Application

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

To Be Completed By Retail Electric Provider

ESI-ID: 1008901020900441920110

Customer Name Associated with ESI-ID: Southern Montgomery County Municipal Utility District

Service Address: *Water Plant No. 3*, 406 Oak Ridge Grove Drive, Spring, Texas 77386

Mailing Address: (if different than Service Address): 25212 Interstate 45, Spring, Texas 77386

Date Form Sent to Customer: N/A

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a "critical load public safety customer" are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1).

Generally, these are:

"Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment."

Primary Contact:

Name: Kimberly Wright

Work Number: 281-367-5383 ext. 121

Home Number: 832-428-2657 (Cell)

Fax Number: 281-298-1657

Secondary Contact:

Name: Jorge Avila

Work Number: 281-367-5383 ext. 111

Home Number: 832-642-1691 (Cell)

Fax Number: 281-298-1657

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical water facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes ☒ No ☐

What is the capacity (size) of this generation resource? 750 kW

How long will this generation resource operate without refueling? 72 Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

We are a retail public utility providing large scale water service. This facility is a water plant, the operation of which is critical to the provision of potable water to our customers. An interruption of electric service may result in the loss of adequate system pressure, the issuance of boil water notices and the failure of the utility to deliver its public water supply.

Southern Montgomery County
Municipal Utility District
25212 Interstate 45
Spring, Texas 77386

281-367-5383 – District Office Phone
281-298-1657 – District Fax

July 19, 2023 – Date of Application

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

To Be Completed By Retail Electric Provider

ESI-ID: 1008901011901650960120

Customer Name Associated with ESI-ID: Southern Montgomery County Municipal Utility District

Service Address: *Elevated Storage Tank No. 2*, 26365 Hanna Road, Spring, Texas 77385

Mailing Address: (if different than Service Address): 25212 Interstate 45, Spring, Texas 77386

Date Form Sent to Customer: N/A

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a "critical load public safety customer" are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1).

Generally, these are:

"Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment."

Primary Contact:

Name: Kimberly Wright

Work Number: 281-367-5383 ext. 121

Home Number: 832-428-2657 (Cell)

Fax Number: 281-298-1657

Secondary Contact:

Name: Jorge Avila

Work Number: 281-367-5383 ext. 111

Home Number: 832-642-1691 (Cell)

Fax Number: 281-298-1657

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical water facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes ___ No X

What is the capacity (size) of this generation resource? _____ kW

How long will this generation resource operate without refueling? _____ Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

We are a retail public utility providing large scale water service. This facility is a water plant, the operation of which is critical to the provision of potable water to our customers. An interruption of electric service may result in the loss of adequate system pressure, the issuance of boil water notices and the failure of the utility to deliver its public water supply.

Southern Montgomery County
Municipal Utility District
25212 Interstate 45
Spring, Texas 77386

281-367-5383 – District Office Phone
281-298-1657 – District Fax

July 19, 2023 – Date of Application

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION A

To Be Completed By Retail Electric Provider

ESI-ID: 1008901022900819700114

Customer Name Associated with ESI-ID: Southern Montgomery County Municipal Utility District

Service Address: *Reclaimed Water Plant*, 852 ½ Rayford Road, Spring, Texas 77386

Mailing Address: (if different than Service Address): 25212 Interstate 45, Spring, Texas 77386

Date Form Sent to Customer: N/A

SECTION B

To Be Completed By Retail Customer

The criteria for qualification as a “critical load public safety customer” are set out in Public Utility Commission of Texas (PUCT) Substantive Rules § 25.497(a)(1) and § 25.52(c)(1). Generally, these are:

“Loads for which electric service is considered crucial for the protection or maintenance of public safety; including but not limited to hospitals, police stations, fire stations, critical water and wastewater facilities, and customers with special in-house life sustaining equipment.”

Primary Contact:

Name: Kimberly Wright

Work Number: 281-367-5383 ext. 121

Home Number: 832-428-2647 (Cell)

Fax Number: 281-298-1657

Secondary Contact:

Name: Jorge Avila

Work Number: 281-367-5383 ext. 111

Home Number: 832-642-1691 (Cell)

Fax Number: 281-298-1657

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power.

CENTERPOINT ENERGY HOUSTON ELECTRIC, LLC
ELIGIBILITY DETERMINATION FORM FOR DESIGNATION
AS A CRITICAL LOAD PUBLIC SAFETY CUSTOMER

SECTION C

Required Certification Information To Be Completed By Retail Customer Applying For Critical Load Public Safety Customer Status

Review PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) and explain the type of premise at the requested service location and why you believe that it should qualify for critical load public safety status.

Note that community water and wastewater facilities may qualify; however, individual wells, sewer lift stations or sump pumps are not considered crucial for the protection or maintenance of public safety.

My service qualifies as "critical load public safety customer" per the definition described in PUCT Substantive Rules § 25.497(a)(1) and §25.52(c)(1) for the following reason(s).

This is a critical wastewater facility pursuant to 16 TAC §25.497(a)(1).

Is there an alternate generation resource serving this facility? Yes ☒ No ☐

What is the capacity (size) of this generation resource? 350 kW

How long will this generation resource operate without refueling? 72 Hours

DESCRIBE THE SPECIFIC PUBLIC SAFETY ISSUE THAT MAY RESULT FROM AN EXTENDED POWER INTERRUPTION: (Use additional sheet if necessary)

We are a retail public utility providing large scale sewer service. The above described facility is a wastewater treatment plant, the operation of which is critical to the proper treatment and disposal of untreated sewage. An interruption of electric service may create a public health hazard by resulting in the discharge of untreated sewage into the waters of the State of Texas.

Southern Montgomery County
Municipal Utility District
25212 Interstate 45
Spring, Texas 77386

281-367-5383 – District Office Phone
281-298-1657 – District Fax

July 19, 2023 – Date of Application

Qualification as a critical load public safety customer is not a guarantee of an uninterrupted electric power supply. If electricity is a necessity, it is the responsibility of the Retail Customer to make its own arrangements for alternate sources of electric power