

Filing Receipt

Received - 2022-12-08 09:11:01 AM Control Number - 54320 ItemNumber - 4

DOCKET NO. 54320

APPLICATION OF KATY-HOCKLEY \$ PUBLIC UTILITY COMMISSION CORP FOR A CLASS D RATE \$ OF TEXAS

ORDER NO. 2 FINDING APPLICATION ADMINISTRATIVELY COMPLETE AND ACCEPTED FOR FILING AND REQUIRING NOTICE

This Order addresses the administrative completeness of the November 7, 2022 application and notice filed by Katy-Hockley Corp. for a class D rate adjustment for the Morton Road Manufactured Home Development, Hunter Place public water system identification number 1013191 and sewer system Texas Pollutant Discharge Elimination System number WQ14109001 under its water certificate of convenience and necessity (CCN) 12895 and sewer CCN number 20900.

On December 7, 2022, Commission Staff filed recommendations regarding administrative completeness and notice.

I. Completeness

The administrative law judge (ALJ) finds Katy-Hockley's application administratively complete and accepted for filing under Texas Water Code § 13.1872 and 16 TAC § 24.49. The ALJ establishes an effective date for the rate increase of February 6, 2023.

II. Notice

Under 16 TAC § 24.49(e), Katy-Hockley is required to provide notice to each ratepayer, using the proposed notice attached to the application but with an updated effective date, consistent with Commission Staff's December 7, 2022 recommendation. Katy-Hockley will change the effective date on the notice to February 6, 2023.

The notice must be provided only after Katy-Hockley receives a written Notice of Approval issued by the Commission, but at least 30 days before the effective date of the proposed rate change. Because the Notice of Approval has not yet been issued, the ALJ instructs Katy-Hockley not to provide notice to ratepayers until the Notice of Approval is issued in this docket.

Signed at Austin, Texas the 8th day of December 2022.

PUBLIC UTILITY COMMISSION OF TEXAS

CHRISTINA DENMARK ADMINISTRATIVE LAW JUDGE

 $q:\c adm\docket\ management\water\ rates\class\ d\ rate\ adj\54xxx\54320-2\ admin\ complete_req\ notice.docx$