



Filing Receipt

Received - 2023-04-10 09:50:49 AM

Control Number - 54440

ItemNumber - 506



To whom it may concern at the Public Utility Commission of Texas,

We are requesting a billing methodology change for Sullivan located at 2601 Scofield Ridge Parkway, Austin, TX 7872 from sub-metering to an allocated method "Total Square foot", with common area deduction of 5%.

The current sub-meters are in need of repair in the amount of \$9,264.52, see attached. The prior years upgrades and repairs exceed this amount.

All meters would need to be updated which would result in an unanticipated financial burden.

Thank you,

Allison Crawford

Allison@Knightvest.com

4/6/2023

RealPage Submeter Maintenance Proposal

Wednesday, February 22, 2023

Page 1 of 7

PROPERTY INFORMATION

Property	Sullivan	Units	486
Portfolio	Knightvest Management LLC	MAP	No
Address	2601 Scofield Ridge Pkwy, Austin, TX 78727		

To authorize, please sign this RealPage Submeter Maintenance Proposal and send it via email to Submeter@RealPage.com. Terms and Conditions are included on the last page.

RealPage Submeter completed a quality check on your submetering system and identified some issues that need inspection and/or repair. These units may receive estimated, rather than actual, usage bills until the issues are resolved.

Please refer to the following pages for a detailed list of issues, service addresses and customer names.

PROPOSAL SUMMARY

Issue	Materials	Labor	Combined	Quantity	Total
Meter Non-Incrementing	\$64.00	\$40.50	\$104.50	31	\$3,239.50
No Current Reads	\$79.80	\$40.50	\$120.30	33	\$3,969.90
Repeater Inactive	\$693.00	\$81.00	\$774.00	1	\$774.00
Repeater Replacement	\$693.00	\$81.00	\$774.00	1	\$774.00
Subtotal					\$8,757.40
Shipping					\$216.45
Estimated Tax					\$733.16
Estimated Total					\$9,707.01

Work Start Date: To Be Determined

Work Stop Date: To Be Determined

Replace meters and transmitters where necessary. Hard piped meters must be replaced by licensed plumber. If meters are not compatible, a revised or supplemental proposal will be provided. Repair or replace repeaters.

Proposal Date
2/22/2023

RealPage Submeter Owner
Rhiannon Morris

Approval

Phone: (800) 254-9710

Fax: (949) 250-6397

Email: Submeter@RealPage.com

RealPage Submeter Maintenance Proposal

Wednesday, February 22, 2023

Page 2 of 7

Service Address	Resident	Service	Issue Type	Manufacturer
2600 Scofield Ridge Pkwy A1011, Austin, TX 78727	Maria Pedraza	Water	Meter Non-Incrementing	Tehama Wireless DCAP
<i>Parts Specified for This Work Order</i>				
1 M108-X / MTW MJ20 Poly 3/4" Cold Water Meter with 4.5" length (MJ20 short) (c708) 1:10 (Not CA approved)				
Service Address	Resident	Service	Issue Type	Manufacturer
2600 Scofield Ridge Pkwy A1022, Austin, TX 78727	Alexa Jones	Water	No Current Reads	Tehama Wireless DCAP
<i>Parts Specified for This Work Order</i>				
1 R312-A / Tehama Basic MDT Transmitter, Standard Pulse				
Service Address	Resident	Service	Issue Type	Manufacturer
2600 Scofield Ridge Pkwy A1123, Austin, TX 78727	Wei Chi Chung	Water	No Current Reads	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2600 Scofield Ridge Pkwy A1125, Austin, TX 78727	Asha Hussein	Water	Meter Non-Incrementing	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2600 Scofield Ridge Pkwy A1125, Austin, TX 78727	Asha Hussein	Water	No Current Reads	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2600 Scofield Ridge Pkwy A1128, Austin, TX 78727	Emily Schnurer	Water	No Current Reads	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2600 Scofield Ridge Pkwy A225, Austin, TX 78727	Maria Loera	Water	No Current Reads	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2600 Scofield Ridge Pkwy A312, Austin, TX 78727	Luis Lopez Hurtado	Water	Meter Non-Incrementing	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2600 Scofield Ridge Pkwy A333, Austin, TX 78727	Derek Hoyos	Water	Meter Non-Incrementing	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2600 Scofield Ridge Pkwy A415, Austin, TX 78727	Ethan Burt	Water	No Current Reads	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2600 Scofield Ridge Pkwy A525, Austin, TX 78727		Water	No Current Reads	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2600 Scofield Ridge Pkwy A535, Austin, TX 78727	Lauren Menard	Water	Meter Non-Incrementing	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2600 Scofield Ridge Pkwy A627, Austin, TX 78727	Robert Fowler	Water	Meter Non-Incrementing	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2600 Scofield Ridge Pkwy A634, Austin, TX 78727	Yvette Munoz	Water	No Current Reads	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2600 Scofield Ridge Pkwy A716, Austin, TX 78727	Lolita Scott	Water	Meter Non-Incrementing	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2600 Scofield Ridge Pkwy A724, Austin, TX 78727	Neil Hernandez	Water	Meter Non-Incrementing	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2600 Scofield Ridge Pkwy A724, Austin, TX 78727	Neil Hernandez	Water	No Current Reads	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2600 Scofield Ridge Pkwy A734, Austin, TX 78727	SAMINA JENNINGS	Water	No Current Reads	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2600 Scofield Ridge Pkwy A834, Austin, TX 78727	Andrew Vought	Water	No Current Reads	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2600 Scofield Ridge Pkwy A835, Austin, TX 78727	Destiny Knoll	Water	Meter Non-Incrementing	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2600 Scofield Ridge Pkwy A911, Austin, TX 78727	Kenny Zevallos	Water	No Current Reads	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2600 Scofield Ridge Pkwy A934, Austin, TX 78727	Morgan Sundstedt	Water	No Current Reads	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2601 Scofield Ridge Pkwy B1012, Austin, TX 78727	Arismendy Montero	Water	Meter Non-Incrementing	Tehama Wireless DCAP

RealPage Submeter Maintenance Proposal

Wednesday, February 22, 2023

Page 3 of 7

Service Address	Resident	Service	Issue Type	Manufacturer
2601 Scofield Ridge Pkwy B1032, Austin, TX 78727	Desire De Leon	Water	Meter Non-Incrementing	Tehama Wireless DCAP
2601 Scofield Ridge Pkwy B1124, Austin, TX 78727	Nina Solis	Water	Meter Non-Incrementing	Tehama Wireless DCAP
2601 Scofield Ridge Pkwy B1125, Austin, TX 78727	Colton Johnson	Water	Meter Non-Incrementing	Tehama Wireless DCAP
2601 Scofield Ridge Pkwy B1211, Austin, TX 78727	Taylor Miles	Water	No Current Reads	Tehama Wireless DCAP
2601 Scofield Ridge Pkwy B1222, Austin, TX 78727	Debra Good	Water	Meter Non-Incrementing	Tehama Wireless DCAP
2601 Scofield Ridge Pkwy B1223, Austin, TX 78727	Dalton Akins	Water	Meter Non-Incrementing	Tehama Wireless DCAP
2601 Scofield Ridge Pkwy B1223, Austin, TX 78727	Dalton Akins	Water	No Current Reads	Tehama Wireless DCAP
2601 Scofield Ridge Pkwy B1316, Austin, TX 78727	Veronica Caputo	Water	Meter Non-Incrementing	Tehama Wireless DCAP
2601 Scofield Ridge Pkwy B1316, Austin, TX 78727	Veronica Caputo	Water	No Current Reads	Tehama Wireless DCAP
2601 Scofield Ridge Pkwy B1321, Austin, TX 78727	Madison Green	Water	Meter Non-Incrementing	Tehama Wireless DCAP
2601 Scofield Ridge Pkwy B1321, Austin, TX 78727	Madison Green	Water	No Current Reads	Tehama Wireless DCAP
2601 Scofield Ridge Pkwy B1327, Austin, TX 78727	Maylin Nunez	Water	No Current Reads	Tehama Wireless DCAP
2601 Scofield Ridge Pkwy B1411, Austin, TX 78727	Ketema Guta	Water	Meter Non-Incrementing	Tehama Wireless DCAP
2601 Scofield Ridge Pkwy B1517, Austin, TX 78727	Veronica Pena	Water	Meter Non-Incrementing	Tehama Wireless DCAP
2601 Scofield Ridge Pkwy B1521, Austin, TX 78727	Independence Jorji	Water	No Current Reads	Tehama Wireless DCAP
2601 Scofield Ridge Pkwy B1527, Austin, TX 78727	Josh Lau	Water	No Current Reads	Tehama Wireless DCAP
2601 Scofield Ridge Pkwy B1538, Austin, TX 78727	Andrew Lucero	Water	Meter Non-Incrementing	Tehama Wireless DCAP
2601 Scofield Ridge Pkwy B1538, Austin, TX 78727	Andrew Lucero	Water	No Current Reads	Tehama Wireless DCAP
2601 Scofield Ridge Pkwy B1622, Austin, TX 78727	Ileana Pedraza	Water	Meter Non-Incrementing	Tehama Wireless DCAP
2601 Scofield Ridge Pkwy B1631, Austin, TX 78727	Stephanie Story	Water	Meter Non-Incrementing	Tehama Wireless DCAP
2601 Scofield Ridge Pkwy B1631, Austin, TX 78727	Stephanie Story	Water	No Current Reads	Tehama Wireless DCAP
2601 Scofield Ridge Pkwy B212, Austin, TX 78727	Julie Cronin	Water	No Current Reads	Tehama Wireless DCAP
2601 Scofield Ridge Pkwy B231, Austin, TX 78727	Shelby Watson	Water	No Current Reads	Tehama Wireless DCAP
2601 Scofield Ridge Pkwy B233, Austin, TX 78727	Ashley Elfline	Water	Meter Non-Incrementing	Tehama Wireless DCAP
2601 Scofield Ridge Pkwy B321, Austin, TX 78727	Arrielle Gholston	Water	Meter Non-Incrementing	Tehama Wireless DCAP
2601 Scofield Ridge Pkwy B324, Austin, TX 78727	Teddy Dibartolo	Water	No Current Reads	Tehama Wireless DCAP

RealPage Submeter Maintenance Proposal

Wednesday, February 22, 2023

Page 4 of 7

Service Address	Resident	Service	Issue Type	Manufacturer
2601 Scofield Ridge Pkwy B414, Austin, TX 78727	Keerthana Kammari	Water	Meter Non-Incrementing	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2601 Scofield Ridge Pkwy B414, Austin, TX 78727	Keerthana Kammari	Water	No Current Reads	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2601 Scofield Ridge Pkwy B415, Austin, TX 78727		Water	No Current Reads	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2601 Scofield Ridge Pkwy B436, Austin, TX 78727	Kerwin Rose	Water	Meter Non-Incrementing	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2601 Scofield Ridge Pkwy B436, Austin, TX 78727	Kerwin Rose	Water	No Current Reads	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2601 Scofield Ridge Pkwy B525, Austin, TX 78727	Pascale Nicoleau	Water	Meter Non-Incrementing	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2601 Scofield Ridge Pkwy B623, Austin, TX 78727	Brianna Murphy	Water	Meter Non-Incrementing	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2601 Scofield Ridge Pkwy B623, Austin, TX 78727	Brianna Murphy	Water	No Current Reads	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2601 Scofield Ridge Pkwy B627, Austin, TX 78727	Maria Bracamonte	Water	No Current Reads	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2601 Scofield Ridge Pkwy B725, Austin, TX 78727	Malorie Gray	Water	Meter Non-Incrementing	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2601 Scofield Ridge Pkwy B725, Austin, TX 78727	Malorie Gray	Water	No Current Reads	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2601 Scofield Ridge Pkwy B812, Austin, TX 78727	Courteney Feld	Water	Meter Non-Incrementing	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2601 Scofield Ridge Pkwy B812, Austin, TX 78727	Courteney Feld	Water	No Current Reads	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2601 Scofield Ridge Pkwy B922, Austin, TX 78727	Mike Montalto	Water	Meter Non-Incrementing	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer
2601 Scofield Ridge Pkwy B926, Austin, TX 78727	Delores Smith	Water	No Current Reads	Tehama Wireless DCAP
Service Address	Resident	Service	Issue Type	Manufacturer

Property

Repeater Inactive

Parts Specified for This Work Order

- 2 R314-D / Tehama Diversity Repeater incl. 5V DC, 1 amp power supply

Service Address	Resident	Service	Issue Type	Manufacturer
-----------------	----------	---------	------------	--------------

Property

Repeater Replacement

Parts Specified for This Work Order

- 2 R314-D / Tehama Diversity Repeater incl. 5V DC, 1 amp power supply

RealPage Submeter Maintenance Proposal

Wednesday, February 22, 2023

Invoicing will be on a parts & labor basis according to the fee schedule in this 'Not to Exceed' proposal. Minimum billing amount for a site visit is \$750.00 plus tax. RealPage Submeter warrants repairs for one (1) year. This includes any labor performed & all equipment that is repaired/replaced at time of service.

The Do Not Exceed proposal is based on properties in normal condition. Circumstances that would require significant extra labor -- such as corroded piping, brittle piping, buried meters, equipment in tight crawl spaces, equipment behind dry wall, etc... -- can result in a need to re-price the service. RealPage Submeter commits to communicate any non-normal conditions as soon as possible after identification.

RealPage Submeter will contact you to schedule a date and time for a Field Technician to repair these issues. Prior to the visit, RealPage Submeter will provide you with a list of units to be serviced. The property will be responsible for notifying residents/tenants and having keys ready. A Post-Visit Report documenting the repairs will be sent after completion of the service. If access is not granted to any designated units during the scheduled visit, a return visit may be required and will be subject to the Surcharge/Travel Fee of \$750.00 for all visits.

DEFINITIONS

Meter Non-Incrementing

- Definition:

The transmitter has sent data, but there has been zero meter usage reported for the past 30 days or more. The zero usage may be valid (unit is not occupied, residents were traveling, or the utility is only used during part of the year) or it may be a hardware problem (examples include sediment in a water meter or the connection to the transmitter is not correct).

- Normal Solution(s):

The most common resolution is to replace the meter or the probe (connection between transmitter and meter) or to reconnect the wires.

Transmitter Inactive

- Definition:

A transmitter has not reported (sent data) for a period of at least 12 days or more. If a property is manually read, then the period is 60 days or more. Conditions that may cause an inactive flag include dead transmitter, expired battery, bad phone line, inclement weather, radio interference, and vegetation growth.

- Normal Solution(s):

While other scenarios are possible, it is often necessary to replace the battery (if possible) or the entire transmitter.

Transmitter Low Battery

- Definition:

For those systems with the capability, transmitters are flagged several weeks in advance when the batteries are weak and nearing the end of their useful life.

- Normal Solution(s):

Replace the battery in the transmitter.

High Usage

- Definition:

While the threshold can vary from property to property and between utility services (water, gas, electric), this flag occurs when usage increases by a significant amount (such as 50%) versus the unit's prior daily average (over the past 3 months). While high usage is often valid (excessive consumption or large number of residents per unit), potential problems include a faulty transmitter or a leak in the unit.

- Normal Solution(s):

While there are rare occasions when it is necessary to replace a transmitter or the meter, the typical solution is to test the usage (such as a bucket test for water meters) and provide the analysis to the resident / tenant.

Low Usage

- Definition:

Meters with this flag have exceptionally low usage. While there may not be an issue with the meter, it is recommended that the property manager confirm that the unit was occupied for the entire period. If occupied, then there may a problem with the meter or the resident / tenant may not consume much of the utility.

- Normal Solution(s):

If not due to low usage, then it may be necessary to validate that the meter factor is correct or replace a faulty meter.

Vacant Usage

- Definition:

Units that are known to be vacant but display usage above a certain threshold are flagged for this issue. This threshold varies.

- Normal Solution(s):

If the property or maintenance staff cannot identify the underlying issue, such as a leak or the unit was really occupied, then the meter should be inspected to determine if it needs to be replaced.

RealPage Submeter Maintenance Proposal

TERMS AND CONDITIONS

Terms of Sale

These terms of sale ("Agreement") shall govern the sale of the meters purchased herein and any maintenance services for the meters to be provided by RealPage Utility Management, Inc. ("Company"). A purchaser, contractor, subcontractor, owner, manager, agent for such, or their successors or assigns (collectively, the "Purchaser") shall be bound by this Agreement.

Limitation of Liability

COMPANY SHALL HAVE NO LIABILITY TO THE PURCHASER OF THE METERS OR MAINTENANCE SERVICES PROVIDED BY COMPANY FOR INCIDENTAL, CONSEQUENTIAL, EXEMPLARY, SPECIAL, INDIRECT, INCIDENTAL OR PUNITIVE DAMAGES, (INCLUDING WITHOUT LIMITATION LOSS OF REVENUE, UTILITY COST RECOUPMENT, OR PROFITS), FROM ALL CAUSES OF ACTION OF ANY KIND, INCLUDING CONTRACT, TORT OR OTHERWISE, EVEN IF PURCHASER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. IN NO EVENT SHALL COMPANY'S AGGREGATE LIABILITY UNDER THIS PURCHASE ORDER EXCEED THE AMOUNT ACTUALLY RECEIVED BY COMPANY PURSUANT TO THIS PURCHASE ORDER.

Company Warranties

COMPANY PROVIDES NO WRITTEN OR ORAL WARRANTIES WHATSOEVER. COMPANY MAKES NO REPRESENTATIONS OR EXPRESS OR IMPLIED WARRANTIES WITH RESPECT TO THE PURCHASED SERVICES OR METERS. COMPANY HEREBY SPECIFICALLY DISCLAIMS ANY OTHER REPRESENTATIONS AND WARRANTIES, INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE FOR THE METERS OR ANY MAINTENANCE SERVICES TO BE PROVIDED BY COMPANY.

Construction

The parties agree that this Agreement was fully negotiated by and between the parties and, therefore, no part of this Agreement shall be interpreted against the party that drafted it.

Confidentiality

Confidentiality: Each of the parties agree to keep the terms of this Agreement confidential and shall not disclose such terms to any other party except on a need-to-know basis in order to carry out the terms of this Agreement as may be required by law, or upon the express written consent of the other party.

Entire Agreement

This Agreement comprises the entire agreement between the parties regarding the subject matter hereof. All prior written and or oral agreements, including any proposals not set forth herein are hereby merged into this Agreement. This Agreement shall not be modified, amended or changed except by written instrument signed by authorized representatives of both parties and designated as an amendment.

Purchaser agrees that any legal action between Company and Purchaser shall be commenced only in Texas which shall be the exclusive venue and forum.



Registration of Submetered OR Allocated Utility Service

NOTE: Please **DO NOT** include any person or protected information on this form (ex: tax identification #'s, social security #'s, etc.)

Date: _____
 By: _____
 Docket No. _____
 (this number to be assigned by the PUC after your form is filed)

PROPERTY OWNER: Do not enter the name of the owner's contract manager, management company, or billing company.

Name	Knightvest Residential						
Mailing Address:	5728 LBJ Freeway Ste 400	City	Dallas	State	TX	Zip	75240
Telephone# (AC)	214-989-7061	Fax # (if applicable)					
E-mail	allison@knightvest.com						

NAME, ADDRESS, AND TYPE OF PROPERTY WHERE UTILITY SERVICE IS PROVIDED

Name	Sullivan						
Mailing Address:	2601 Scofield Ridge Parkway	City	Austin	State	TX	Zip	78727
Telephone# (AC)	512-886-7460	Fax # (if applicable)					
E-mail	Sullivan@knightvest.com						

<input checked="" type="checkbox"/>	Apartment Complex	<input type="checkbox"/>	Condominium	<input type="checkbox"/>	Manufactured Home Rental Community	<input type="checkbox"/>	Multiple-Use Facility
-------------------------------------	-------------------	--------------------------	-------------	--------------------------	------------------------------------	--------------------------	-----------------------

If applicable, describe the "multiple-use facility" here:

INFORMATION ON UTILITY SERVICE

Tenants are billed for	<input checked="" type="checkbox"/>	Water	<input checked="" type="checkbox"/>	Wastewater	<input type="checkbox"/>	Submetered OR	<input checked="" type="checkbox"/>	Allocated ★★ ★
------------------------	-------------------------------------	-------	-------------------------------------	------------	--------------------------	----------------------	-------------------------------------	----------------

Name of utility providing water/wastewater	City of Austin						
--	----------------	--	--	--	--	--	--

Date submetered or allocated billing begins (or began)	04/06/2023	Required					
--	------------	----------	--	--	--	--	--

METHOD USED TO OFFSET CHARGES FOR COMMON AREAS Check one line only.

<input type="checkbox"/>	Not applicable, because	Bills are based on the tenant's actual submetered consumption
--------------------------	-------------------------	---

<input type="checkbox"/>	There are neither common areas nor an installed irrigation system
--------------------------	---

<input type="checkbox"/>	All common areas and the irrigation system(s) are metered or submetered: We deduct the actual utility charges for water and wastewater to these areas then allocate the remaining charges among our tenants.
--------------------------	--

<input type="checkbox"/>	This property has an installed irrigation system that is <u>not</u> separately metered or submetered: We deduct <input style="width: 50px; border: 1px solid black;" type="text"/> percent (we deduct at least 25 percent) of the utility's total charges for water and wastewater consumption, then allocate the remaining charges among our tenants.
--------------------------	--

<input checked="" type="checkbox"/>	This property has an installed irrigation system(s) that <u>is/are</u> separately metered or submetered: We deduct the actual utility charges associated with the irrigation system(s), then deduct at least 5 percent of the utility's total charges for water and wastewater consumption, then allocate the remaining charges among our tenants.
-------------------------------------	--

<input type="checkbox"/>	This property does <u>not</u> have an installed irrigation system: We deduct at least 5 percent of the retail public utility's total charges for water and wastewater consumption, and then allocate the remaining charges among our tenants.
--------------------------	---

★★★ IF UTILITY SERVICES ARE ALLOCATED, YOU MUST ALSO COMPLETE PAGE TWO OF THIS FORM ★★★

Send this form by mail with a total of (3) copies to:
 Filing Clerk, Public Utility Commission of Texas
 1701 North Congress Avenue
 P.O. Box 13326
 Austin, Texas 78711-3326

METHOD USED TO ALLOCATE UTILITY CHARGES

Check the box or boxes that describe the allocation method used to bill tenants.

<input type="checkbox"/>	Occupancy method: The number of occupants in the tenant's dwelling unit is divided by the total number of occupants in all dwelling units at the beginning of the month for which bills are being rendered.
--------------------------	--

<input type="checkbox"/>	Ratio occupancy method: The number of occupants in the tenant's dwelling unit is adjusted as shown in the table to the right. This adjusted value is divided by the total of these values for all dwelling units occupied at the beginning of the retail public utility's billing period.	Number of Occupants	Number of Occupants for Billing Purposes
		1	1.0
		2	1.6
		3	2.2
		>3	2.2 + 0.4 for each additional occupant

<input type="checkbox"/>	Estimated occupancy method: The estimated occupancy for each unit is based on the number of bedrooms as shown in the table to the right. The estimated occupancy in the tenant's dwelling unit is divided by the total estimated occupancy in all dwelling units regardless of the actual number of occupants or occupied units.	Number of Bedrooms	Number of Occupants for Billing Purposes
		0 (Efficiency)	1
		1	1.6
		2	2.8
		3	4.0
	>3	4.0 + 1.2 for each additional bedroom	

<input type="checkbox"/>	Occupancy and size of rental unit	<input type="checkbox"/>	percent (in which no more than 50%) of the utility bill for water/wastewater consumption is allocated using the occupancy method checked above. The remainder is allocated according to either:
			<ul style="list-style-type: none"> • the size of the tenant's dwelling unit divided by the total size of all dwelling units, OR • the size of the space rented by the tenant of a manufactured home divided by the size of all rental spaces.

<input type="checkbox"/>	Submetered hot water:
	The individually submetered hot water used in the tenant's dwelling unit is divided by all submetered hot water used in all dwelling units.

<input type="checkbox"/>	Submetered cold water is used to allocate charges for hot water provided through a central system:
	The individually submetered cold water used in the tenant's dwelling unit is divided by all submetered cold water used in all dwelling units.

<input type="checkbox"/>	As outlined in the condominium contract. Describe:

<input type="checkbox"/>	Size of manufactured home rental space:
	The size of the area rented by the tenant divided by the total area of all the size of rental spaces.

<input checked="" type="checkbox"/>	Size of the rented space in a multi-use facility:
	The square footage of the space rented by the tenant divided by the total square footage of all rental spaces.