

## **Filing Receipt**

Filing Date - 2024-08-05 12:51:27 PM

Control Number - 55304

Item Number - 51

## **DOCKET NO. 55304**

§

§

§

ş ş

§

§

APPLICATION OF TEXAS WATER UTILITIES, LP AND SWWC UTILITIES, INC. DBA HORNSBY BEND UTILITY COMPANY, INC. FOR SALE, TRANSFER, OR MERGER OF FACILITIES AND CERTIFICATE RIGHTS IN TRAVIS COUNTY PUBLIC UTILITY COMMISSION

**OF TEXAS** 

## ORDER NO. 14 FINDING CLOSING DOCUMENTS SUFFICIENT AND ESTABLISHING PROCEDURAL SCHEDULE

This Order addresses Commission Staff's August 2, 2024 recommendation regarding the closing documentation filed by Texas Water Utilities, LP and SWWC Utilities, Inc. dba Hornsby Bend Utility Company, Inc. and its proposed procedural schedule for continued processing. On July 18, 2024, the applicants filed closing documents and a statement that all customer deposits and accrued interest for customers affected by the transfer have been transferred to Texas Water Utilities and have been properly addressed. Commission Staff recommended the closing documentation be found sufficient.

The administrative law judge finds the closing documentation sufficient.

The following procedural schedule applies for continued processing of this docket:

Events	Date
Deadline for Commission Staff to provide final maps, certificates, and tariffs (if applicable), to the applicants for review and consent	September 3, 2024
Deadline for the applicants to file signed consent forms with the Commission	September 16, 2024
Deadline for parties to jointly file proposed notice of approval, including findings of fact, conclusions of law, and ordering paragraphs	October 8, 2024

Signed at Austin, Texas on the 5th day of August 2024.

PUBLIC UTILITY COMMISSION OF TEXAS

Zmart instr

CHRISTINA DENMARK ADMINISTRATIVE LAW JUDGE

 $Q(CADM) Docket | Management (Water) STM (55 xxx) (55304-14 | suff | close_sched.docx) | STM (55 xxx) (55304-14 | suff | close_sched.docx) | STM (55 xxx) (55304-14 | suff | close_sched.docx) | STM (55 xxx) (55304-14 | suff | close_sched.docx) | STM (55 xxx) (55304-14 | suff | close_sched.docx) | STM (55 xxx) (55304-14 | suff | close_sched.docx) | STM (55 xxx) (55304-14 | suff | close_sched.docx) | STM (55 xxx) (55304-14 | suff | close_sched.docx) | STM (55 xxx) (55304-14 | suff | close_sched.docx) | STM (55 xxx) (55304-14 | suff | close_sched.docx) | STM (55 xxx) (55304-14 | suff | close_sched.docx) | STM (55 xxx) (55304-14 | suff | close_sched.docx) | STM (55 xxx) (55304-14 | suff | close_sched.docx) | STM (55 xxx) (55304-14 | suff | close_sched.docx) | STM (55 xxx) (55304-14 | suff | close_sched.docx) | STM (55 xxx) (55304-14 | suff | close_sched.docx) | STM (55 xxx) (55304-14 | suff | close_sched.docx) | STM (55 xxx) (55 xxx) | STM (55 xxx) (55 xxx) | STM (55 xxx$