

## **Filing Receipt**

Filing Date - 2025-05-02 11:09:38 AM

Control Number - 57435

Item Number - 570

# CY 2025 Registration of Submetered or Allocated Utility Service

Registration Number: S4654

#### **Property Owner**

MID AMERICA APARTMENTS LP 6815 POPLAR AVE STE 500 GERMANTOWN, TN 38138 (901) 682-6600 UTILITY.BILLING@MAAC.COM

#### **Property Manager**

MID AMERICA APARTMENTS LP 6815 POPLAR AVE STE 500 GERMANTOWN, TN 38138 (901) 682-6600 UTILITY.BILLING@MAAC.COM

#### **Property Where Utility Service Is Provided**

MAA LEGACY PINES 11100 LOUETTA RD HOUSTON, TX 77070 (281) 784-0537 MAALEGACYPINES@MAAC.COM

**Property Type:** Apartment (Apartment House)

#### Information on Utility Service

Tenants are billed for? Both Water and Wastewater Submetered or Allocated? Changing from Submetered to Allocated Name of utility providing service: Malcomson Road Utility District

#### **Changing from Submetered to Allocated**

Changing from submetered to allocated has been requested.

#### **Method Used to Allocate Utility Charges**

The following methods are used:

- · Occupancy Method
- Occupancy and Size of Rental Unit, Percentage = 50%

#### **Method Used to Offset Charges for Common Areas**

The following methods were checked:

 Installed irrigation system that is NOT separately metered or submetered. At least 25% deducted.

#### Required Documents Uploaded

The following documents were required:

Letter requesting change from submetered to allocated.

The following documents were uploaded:

MAA Legacy Pines submeter to rubs letter.pdf

### **Filing Party**

This registration was filed by the Property Owner.



May 2, 2025

Public Utility Commission of Texas William B. Travis Building 1701 N. Congress Ave Suite 7-110 Austin, TX 78701

Mid America Apartments LP 6815 Poplar Ave Suite 500 Germantown, TN 38138

The purpose of this letter is to correct the currently documented billing method for MAA Legacy Pines (formerly known as Legacy Pines Apartments) from submetered to allocated billing. The property was built in 2000 before submeters were required. Also the onsite management team confirms that they have never seen any submeters inside the apartments.

Bethany Hilton Director Billing Systems 4401 Northside Pkwy Suite 600 Atlanta, GA 30327 734.718.7277