

# **Filing Receipt**

Filing Date - 2025-04-28 04:03:37 PM

Control Number - 57481

Item Number - 131



# **Public Utility Commission of Texas**

# **Annual Report** Required by 16 Texas Admin. Code § 25.97(f)

PROJECT NO. 57481

AFFECTED ENTITY: City of Garland dba Garland Power & Light (GP&L)

### General Information

Pursuant to 16 Texas Admin. Code § 25.97(f)(1), not later than May 1 of each year, each affected entity must submit this report for the preceding calendar year. The first report must be submitted not later than May 1, 2020.

Answer all questions, fill-in all blanks, and have the report notarized in the affidavit. If you check no in part 1.a, leave parts 1.b-d blank.

Violations resulting from, and incidents, fatalities, or injuries attributable to a violation resulting from, a natural disaster, weather event, or man-made act or force outside of an affected entity's control are not required to be reported.

### Affidavit

A representative of the affected entity must swear to and affirm the truthfulness, correctness, and completeness of the information provided by attaching a signed and notarized copy of the Affidavit provided with this form.

## Filing Instructions

Submit four copies (an original and three copies) of the completed form and signed and notarized Affidavit to:

> Central Records Filing Clerk Public Utility Commission of Texas 1701 N. Congress Avenue P.O. Box 13326 Austin, Texas 78711-3326

Telephone: (512) 936-7180

| Iacilii   | ies greater than 60 kilovolts.   |
|-----------|--|
|           | a) Does this part 1 apply to you? Yes 🔽 No 🗔   |
| 1         | Provide the number of identified occurrences of noncompliance with Public Utility Regulatory Act (PURA) § 38.004 regarding vertical clearance requirements of the National Electrical Safety Code (NESC) for overhead transmission facilities. |
| None.     |  |
| 38.004 re | re no identified occurrence of noncompliance with Public Utility Regulatory Act (PURA) § garding vertical clearance requirements of the National Electrical Safety Code (NESC) for transmission facilities during CY 2024.                     |
|           |  |
|           |  |
|           |  |
|           |  |
|           |  |
|           |  |
|           |  |
|           |  |
|           |  |

Annual Report Form Last Updated in Project No. 49827

| c)        | Do you have actual knowledge that any portion of your transmission system is not in compliance with PURA § 38.004 regarding vertical clearance requirements of the NESC for overhead transmission facilities?        |
|-----------|--|
|           | octual knowledge that any portion of the GP&L transmission system is not in compliance § 38.004 regarding vertical clearance requirements of the NESC for overhead on facilities.                                    |
|           |  |
|           |  |
|           |  |
| (d)       | Do you have actual knowledge of any violations of easement agreements with   |
| 1         | the United States Army Corps of Engineers relating to PURA § 38.004 regarding vertical clearance requirements of the NESC for overhead transmission facilities?  |
| Army Corp | ve actual knowledge of any violations of easement agreements with the United States s of Engineers relating to PURA § 38.004 regarding vertical clearance requirements of for GP&L overhead transmission facilities. |
|           |  |

Annual Report Form Last Updated in Project No. 49827 Page 3 of 6

- 2. This part applies to an affected entity that owns or operates overhead transmission facilities greater than 60 kilovolts or distribution facilities greater than 1 kilovolt.
  - a) Provide the number of fatalities or injuries of individuals other than employees, contractors, or other persons qualified to work in proximity to overhead high voltage lines involving transmission or distribution assets related to noncompliance with the requirements of PURA § 38.004.

Annual Report Form Last Updated in Project No. 49827 b) Provide a description of corrective actions taken or planned to prevent the reoccurrence of fatalities or injuries described in subpart a), immediately above.

Not applicable.

No corrective actions have been necessary because there were no fatalities or injuries to report in subpart a).

Annual Report Form Last Updated in Project No. 49827

# **AFFIDAVIT**

I swear or affirm that I have personal knowledge of the facts stated in this report or am relying on people with personal knowledge, that I am competent to testify to them, and that I have the authority to submit this report on behalf of the affected entity. I further swear or affirm that all statements made in this report are true, correct, and complete.

| I SULL   |  |  |
|--|--|--|
| Signature  |  |  |
|  |  |  |
| David L Grubbs                                   |  |  |
| Printed Name                                     |  |  |
|  |  |  |
| Electric Regulatory Compliance Officer           |  |  |
| Job Title  |  |  |
|  |  |  |
| City of Garland dba Garland Power & Light (GP&L) |  |  |
| Name of Affected Entity                          |  |  |

Sworn and subscribed before me this 24 day of April , 2025.

Month Year

Notary Public in and For the State of

