



Control Number: 58124



Item Number: 983

PUCT DOCKET NO. 58124

Ratepayer Comments/Requests To Intervene

Use this form to speak out if you disagree with the filing
or want to get involved in the case.

If you wish to PROTEST the proposed rate change, you must complete this form and file it electronically using the PUC Interchange Filer (<http://www.puc.texas.gov/industry/filings/E-FilingInstructions.pdf>) or mail the original to

Filing Clerk
Public Utility Commission of Texas
1701 North Congress Avenue
P.O. Box 13326
Austin, Texas 78711-3326:

RECEIVED
2025 JUN 29 11:11:03
PUC INTERCHANGE FILER

No hearing will be held and the rates will be effective as proposed unless protests are received from at least 10% of ratepayers or from any affected municipality, or the Commission Staff requests a hearing.

CUSTOMER INFORMATION (please provide all of the requested information)

First Name: David Last Name: Montgomery

Phone Number: 720 301 7481 Fax Number: N/A

Email Address: foothills@g@gmail.com

Address, City, State: 2003 Green Wing Dr. Granbury, Tx 76049

Location where service is received: _____
(if different from mailing address)

Please fill out the following:

I wish to PROTEST the following proposed rate action/s:

☒ I wish to be a COMMENTER. I understand that: I am NOT a party to this case; my comments are not considered evidence in this case; and I have no further obligation to participate in the proceeding. Public comments may help inform the PUCT of the public concerns and identify issues to be explored. Please provide comments below. Attach a separate page, if necessary.

☐ I am requesting to INTERVENE in this proceeding. As an INTERVENOR, I understand that: I am a party to the case; I am required to respond to all discovery requests from other parties; I may be required to attend hearings, and if I file testimony, I may be cross-examined in the hearing; if I file any documents in the case, I must provide a copy to every other party in the case; and I acknowledge that I am bound by the Procedural Rules of the PUCT and the State Office of Administrative Hearings (SOAH).

Signature of Ratepayer: _____ Date: _____

Si desea informacion en Espanol, puede llamar al 1-888-782-8477.

Further assistance may be obtained by calling the PUCT at (512) 936-7120 or (888) 782-8477.

Hearing- and speech-impaired individuals with text telephones (TTY) may contact the PUCT's

Customer Assistance Hotline at 512-936-7136 by first dialing 1-800-735-2989 or 7-1-1

Information may also be obtained by visiting www.puc.texas.gov

983

PUCT DOCKET NO. 58124

Notice of Proposed Rate Change

Pursuant to Texas Water Code § 13.187

Aqua Texas
Company Name

13201, 13203, 13254, 21059, 21065, 21116
CCN Number(s)

has filed a rate change application with the Public Utility Commission of Texas (Commission or PUCT). The application may be reviewed online at interchange.puc.texas.gov. You may also inspect a copy of the rate change application at your utility's office at the address below or at the Commission's office (1701 N. Congress Ave, Austin, TX 78701). The proposed rates will apply to service received after the effective date provided below, unless modified or suspended by the Commission. If the Commission receives a sufficient number of protests, separately or in a combined protest letter, from at least 7,897 ratepayers (10 percent of the utility's customers over whose rates the Commission has original jurisdiction) or from any affected municipality before the 91st day after the proposed effective date, the matter will be set for hearing. See Protest Form on the next page for instructions on how to protest.

EFFECTIVE DATE OF PROPOSED INCREASE: July 25, 2025

(must be at least 35 days after notice is provided to customers and 35 days after application is filed)

(Proposed rates requested by the utility are not final. The Commission may modify the rates and order a refund or credit against future bills all sums collected during the pendency of the rate proceeding in excess of the rate finally ordered plus interest.)

Reason(s) for Proposed Rate Change:

The proposed rate change is being requested in order to recover capital investments Aqua Texas has made to maintain and improve its systems since the last rate case(s) and to reflect inflationary increases to Aqua Texas' operating costs.

BILLING COMPARISON**Water**

Existing	5,000 gallons: \$	See	/mo	Proposed	5,000 gallons: \$	See	/mo
Existing	10,000 gallons: \$	Attached	/mo	Proposed	10,000 gallons: \$	Attached	/mo

Water – Pass Through Charges

Existing	5,000 gallons: \$	See	/mo	Proposed	5,000 gallons: \$	See	/mo
Existing	10,000 gallons: \$	Attached	/mo	Proposed	10,000 gallons: \$	Attached	/mo

Sewer

Existing	5,000 gallons: \$	See Attached	/mo	Proposed	5,000 gallons: \$	See Attached	/mo
----------	-------------------	--------------	-----	----------	-------------------	--------------	-----

Please see attached list of subdivisions and systems affected

Subdivision(s) or System(s) Affected by Rate Change

1106 Clayton Lane	Austin	Texas	78723
Company Address	City	State	Zip

(877) 987-2782
Company Phone Number

\$17,784,500	\$0.00	\$11,364,116
Water Annual Revenue Increase	Water Pass-Through Annual Revenue Increase	Sewer Annual Revenue Increase

June 19, 2025	3/1/2024 (Docket Nos. 56298, 56299, 56300)
Date Current Rate Change Notice Delivered	Date of Last Rate Change

*Prior to providing notice, the utility shall file a request for the assignment of a docket number for the application.
Updated: September 29, 2021

6-27-2025

Aqua has:

Promised to drill another well; we only have two functioning wells and they have not been able to keep up with demand for several years. The promise to drill has never been acted upon-we still only have two wells. Because of this, we have had to go on water restrictions in June for the last several years. we are not allowed or only partially allowed to water our lawns because there is not enough water.

Aqua has been in violation of permitted water production per household for several years and seem to make no attempt to correct the situation.

We protest any rate increases until these situations can be corrected.